Driving Your Innovation
with Our Chemistry

CDH

CDH

@ a glance...

- Rich experience of 4 decades
- Highly qualified and experienced team
- Professional management
- ISO 9001:2015
- ISO 14001:2015
- ISO 45001:2018
- ISO 13485:2016
- WHO GMP CERTIFIED
- CE CERTIFIED

Driving Your
Innovation
with our chemistry

Corporate Profile

We thank you all for your kind patronage and support which makes us more stronger every year to serve you with best of our capabilities.

Idea Innovation and Invention are the part of our company policy and this year has come with the several consolidation of all. We are pleased to inform you that CDH introduces new products every year with the growing demand to meet your requirements and be a part of your research always.

Now CDH has expanded the production capacity by setting second state-of-the-art manufacturing facility at Dahej–Gujarat which competes with all the International Industrial hubs across the Asia. The area is spread over 35000 sqm nearly 8.6 acres of land in compliance to GMP with ultra modern infrastructure. We would utilize the 7000 litre state-of-the-art for high purity solvents with the storage capacity of 300000 litre of solvents.

Every year we add on Super Stockist / Distributors / Stockist to ensure availability at your door step. Marketing, administration and operation is our main power to serve our valued customers over the years with the efficient management of the company.

Team - CDH

PRODUCTION CAPABILITY

EQUIPMENTS	CAPACITY
S. S. Distillation unit cum reactor	1000L
S. S. Distillation unit cum reactor	230L
Glasslined reactor with Distillation unit	600L
Glasslined reactor with Distillation unit	1600L
Glasslined reactor with Distillation unit	200L
Glass Distillation cum reactor	100L
Glass Distillation unit	50L
Glass Distillation unit	20L

CDH has complete in house production facilities.

We have highly sophisticated facilities for distillation and purification of different kind of solvents. We offer the most comprehensive range of solvents from HPLC to Electronic grade to Dry solvents. We utilize over 7000 liters state of the art distillation reactors of both SS / GLR for high purity solvents.

Our storage capacity is over 300000 liters with our existing capacity, we can increase our production and packaging capability to meet the requirements of our customers worldwide.

our tireless efforts to maintain consistent quality

EQUIPMENTS	CAPACITY
S.S. Evaporating pan jacketed	1000L
S.S. Evaporating pan jacketed	750L
S.S. Jacketed crystalliser pan	500L
Glasslined Jacketed evaporating pan	500L
Glasslined Jacketed evaporating pan	50L
S.S. Evaporating pan jacketed	50L
S.S. 316 High pressure autoclave	10L
S.S. Centrifuge Basket size	dia 24, 18, 10
S.S 316 Nutsche filter	250 L
S.S 316 Nutsche filter	130 L
Steam heated tray dryer	12 tray
Steam heated tray dryer	24 tray
Steam / Electric heated tray dryer	48 tray

CDH is recognized as a benchmark for wide range of products of high purity. Our Analytical Reagent grade is in compliance to the specification of IP, BP, USP and EP grades. We also produce MB (Molecular Biology Reagents), Reagents for Microbiology, Reagents for Biochemistry, etc. using superior quality raw material. During manufacturing our team of engineers ensures that the quality and purity of each product is as per specification by conducting series of tests at different stages of production. Environmental & Safety concerns are also taken into account.

Our production operation offers a wide range of products under one roof. Our engineers and chemists employ variety of ultra modern techniques for the development of new products.

QUALITY ASSURANCE

CDH ensures all the products have clearly defined specifications guranteed by careful and sophisticated quality control with compliance to the international standard requirements.

Our Q C and R & D departments are equipped with highly modern and sophisticated facilities to attain precise results.

We at **CDH** feel that Quality is the most important aspect without any substitute. In addition to that we are constantly monitoring our sales and customer care services to build closer relation with our customers.

Major QC Instruments

- Gas Chromatography
- UV Spectrophotometer
- AAS
- HPLC
- ICP

PRODUCT INFORMATION

Complete access to online **COA** / **MSDS** / **SPECIFICATION** at www.cdhfinechemical.com

SEARCH PRODUCTS BY

- Chemical Name
- Synonym
- Product Code
- CAS Number
- Product Category
- Grades

CDH an **ISO 9001: 2015, ISO 14001:2015, ISO 45001:2018** certified company in accordance with the Quality Management System, a quality manual and inspection documents define the processes and activities of our organisation. We periodically monitor our services and performance to constantly improve and update ourselves. We are committed to manufacture products as per International Standards for total customer satisfaction, achieved by our dedicated team work.

CERTIFICATION

GMP is a system for ensuring that products are consistently produced and controlled according to quality standards. It is designed to minimize the risks involved in any pharmaceutical production that cannot be eliminated through testing the final product.

CE & ISO 13485:2016 marking on a product indicates that the product complies with and has satisfied the essential requirements set out by the In Vitro Diagnostic (IVD) Medical Devices Directive 98/79/EC, it also demonstrates the fact that the product is fit for its intended purpose.

Central Drug House (P) Ltd.

AN ISO 9001:2015 COMPANY

Corporate Office : 7/28, Vardaan House, Mahavir Street
Ansari Road, Darya Ganj, New Delhi-110002 (INDIA)
Phone : +91-11-49404040 (100 lines)
E-mail : export@cdhfinechemical.com
Website : www.cdhfinechemical.com
Mfg Unit : Plot No. D-2/CH/9, Dahej – 2 Industrial Estate,
GIDC, Dahej, Dist. Bharuch – 392130 (Gujarat)

CONTACT US

LOT ORDERING :

Customers are requested to place their orders for products in their lot size as much as possible.
E.g. 4x2.5 ltr or 20x500 ml, so on and so forth. Lot shipments are easier to handle and reduce any chance of breakage or damage during transit.

QUOTATIONS :

For special products, or customized packing, please place your requests via mail / email or fax only. We shall revert back to you with availability & pricing information at the earliest.

BULK PACKS :

Please get in touch with us for special pricing on products required in their bulk packs.

CUSTOM SYNTHESIS :

CDH may also be able to supply products not listed in this catalogue. Please get in touch with us for your customized product requirements. We shall be obliged to evaluate them.

Registered Trademarks of **Central Drug House (P) Ltd.**

CDH
CPECTROSOL®
CRISTAR®
CEDEPOL®
CLENTORN®
CFLORISIL®
CRITON X100®

Other Registered Trademarks used:

Chemical		Company
Amberlite, Duolite	-	Dow Chemicals
Brij	-	Atlas Powder
Carbopol	-	Goodrich B. F. Chemical Co.
Celite	-	Manville GB Ltd.
Florisil	-	US Silica Company
Span	-	Atlas Chemical Inc, USA
Indion	-	Ion Exchange India Limited

GRADES OF PURITY

ANALYTICAL REAGENT (AR)

Our Product range covers many AR Products conforming to the highest international standards for Analytical and Research work of the most responsible character. The trace impurities in these Products are restricted to the lowest possible limits for the utmost precision in laboratory work. We have designed a lot of products to meet the analytical specifications of IP, BP, USP, EP to fulfill the requirements of Pharma Industry.

DIAGNOSTIC REAGENTS

These are specially produced for the use in various hospitals, clinical & pathological laboratories for diagnostic purpose.

CPECTROSOL® & CRISTAR®

CDH offer a wide range of single element standard solutions (1000mg/L) suitable for AAS (CPECTROSOL®) & ICP (CRISTAR®). We also offer multi elements concentrated solutions at 10,000 mg/L in accordance with NIST.

FOR MICROBIOLOGY

Products which have been specially purified and tested for their microbiological applications.

FOR SYNTHESIS (LR & EP)

General purpose reagents used in many potential applications in chemical laboratories, careful control ensures that a consistently high defined quality is maintained throughout.

FOR MICROSCOPY

Microscopy stains are standardised by UV spectrum and controlled by TLC. They correspond normally to the specifications given in H.J. Conn's Biological Stain (1977).

FOR BIOCHEMISTRY

Highly Purified Reagents for use in Biochemical research and analysis. They are free from inhibits such as traces of heavy metals and tested with a view for Biochemical work.

HPLC GRADE

Continuing advances in the use of HPLC have led to an increased demand for solvents and reagents in wider range of application areas, particularly for biomolecular and ion separation. Key parameters such as UV absorbance, transmittance, non-volatile matter, moisture content, fluorescence impurities and assay are very carefully controlled.

HISURE© These are high purity chemicals specially manufactured and tested for research and synthesis. As required heavy metal content is carefully monitored and reduced to minimum possible levels.

MOLECULAR BIOLOGY & ELECTROPHORESIS GRADE

Wide range of Molecular Biology & Electrophoresis reagents - which are free from DNA, RNA & Protease and find application in the purification, isolation & analysis of nucleic acids & related compounds.

PESTICIDE RESIDUE ANALYSIS SOLVENTS

These solvents are developed especially for the applications in residual pesticides analysis and analysis of other low-volatile, environmentally relevant substances by using GC/ECD or GC/PND or GC/MSD instrumentation. These solvents are also suitable for analysis of polychlorinated biphenyles (PCBs) class of substance.

DRY SOLVENTS

These solvents are processed & distilled with drying agents to obtain a minimum possible moisture content and are most suitable for Moisture Sensitive Reactions.

SPECTROSCOPY GRADE

These are solvents of high optical purity for UV / Visible / IR / Fluorescence / NMR and Mass spectroscopy. The certificate of guarantee includes assay, minimum transmission at certain defined wavelengths in UV range, moisture content, non-volatile matter etc.

NMR FOR SPECTROSCOPY

NMR for spectroscopy & deuterated solvents are provided to NMR-users for use in chemical analysis and R & D worldwide.

EL GRADE CHEMICALS

These chemicals have very stringent limits for metallic impurities as required by the Electronic Industry.

BP / USP / EP

Suitable for Pharmaceutical application these products are specially purified to meet the Analytical specification of BP/USP/EP

Label specimen

Format - I

Ⓐ product name Ⓑ molecular formula Ⓒ CAS No. Ⓓ retest date Ⓔ batch no. Ⓕ mfg date Ⓖ product code

Ⓗ pack size Ⓘ specification Ⓙ molecular weight Ⓚ hazardous information

Format - II



Ⓐ product name Ⓑ molecular formula Ⓒ CAS No. Ⓓ batch no., mfg date & retest date Ⓔ product code Ⓕ packing

Ⓖ specification Ⓗ molecular weight Ⓘ hazardous information Ⓙ contact details

GHS – Hazard Pictograms



TERMS OF SALE

PRICES

Prices mentioned in the CD-ROM are in US Dollars and may change due to international currency fluctuation. Special Prices can be given on request.

PAYMENT

All payments for orders under USD $ 10000.00 will be advance T/T, Orders exceeding the same will be accepted on LC from International Banks only.

STANDARD PACKINGS FOR SOLVENTS & ACIDS :

Central Drug House (P) Ltd. will follow standard packings as under, due to the risk of transporting hazardous material by Air or Sea.

SOLVENT

4x2.5 litres 12x1 litres 20x500 ml

HYDROGEN PEROXIDE : 20x500 ml or 20x1 litres

QUOTE

All quotes are on Ex Works basis, please specify if you require FOB, CIF etc. Forwarding Agent - CDH use its own forwarding agent for all its export to assure safe and timely shipments. We will not be responsible for damage or non shipment if a client would prefer to use their forwarding agent, once the material is handed over to the forwarding agent.

Min Order Sea-USD 10,000.00

Min Order Air-USD 5,000.00

Documentation-USD 100.00 for all orders.

AMENDMENT/CANCELLATION

No amendment or cancellation of order will be accepted once the goods have been packed for despatch.

FORCE MAJEURE

Not withstanding whatever contained herein, in the event due to reasons beyond our control such as riots, strike, civil commotions, shortage of raw material, act of God, Government restrictions etc. we are prevented from making supplies, we or our authorised stockists will not be liable for any penalisation for delay or non-supply of the items.

INSURANCE

Consignment can be insured at buyers request and at their cost, if instructions in this behalf are received with order. Insurance charges are normally 1.5% on non-dangerous and 3% on dangerous products.

BREAKAGE & SHORTAGE

The goods are packed with utmost care by experienced hands using the most suitable packing materials. Our responsibility, however, ceases as soon as the consignment leaves our warehouse. Claims if any for loss, damage, breakage, or delay in transit will not be entertained by us. Buyers are advised to refer such claims to the carriers or insurers.

BULK ENQUIRIES

Special Prices will be offered for bulk packs and large quantities.

SPECIAL NOTE

All chemicals enlisted in this Product Catalogue are for LABORATORY USE ONLY. No responsibility is accepted if these items are used for House Hold uses or other applications or for an accident or loss due to mishandling.

We solicit your enquiries for other than listed products.

CONTACT

E-mail :

export@cdhfinechemical.com

WE RESERVE THE RIGHT TO DISCONTINUE MARKETING ANY ITEM WITHOUT NOTICE.

ALL DISPUTES WILL BE SUBJECT TO DELHI JURISDICTION ONLY.

GLOBAL PRESENCE

International

Global reach in over 60 countries.

Algeria
Argentina
Armenia
Australia
Azerbaijan
Bahrain
Bangladesh
Belgium
Benin
Bhutan
Botswana
Brazil
Cameroon
Colombia
Costa Rica
Cuba
Egypt
Estonia
Ethiopia
France
Germany
Ghana
Indonesia
Iran
Iraq
Israel
Italy
Jordan
Kazakhstan
Kenya
Kuwait
Lebanon
Madagascar
Malaysia
Mauritius
Mexico
Mozambique
Myanmar
Nepal
New Zealand
Nigeria
Oman
Pakistan
Panama
Peru
Philippines
Qatar
Republic of Korea
Romania
Russian Federation
Rwanda
Saudi Arabia
Serbia
Singapore
South Africa
Spain
Sri Lanka
Sudan
Switzerland
Tajikistan
Togo
Tunisia
Turkey
Uganda
Ukraine
United Arab Emirates
United Republic of Tanzania
Uruguay
Uzbekistan
Yemen
Zimbabwe

India

CDH is represented by over 250 distributors across the country.

AGAROSE

911000	**Agarose High EEO**	**10 gm** **25 gm** **100 gm** **500 gm**

(9012-36-6)
This high EEO Agarose is suitable for protein separation by immunodiffusion & countercurrent immunoelectrophoresis techniques.

911010	**Agarose High EEO** **for molecular biology** DNase, RNase, Protease not detected	**10 gm** **25 gm** **100 gm** **500 gm** **1 kg**

(9012-36-6)
This high EEO Agarose is suitable for protein separation by immunodiffusion & countercurrent immunoelectrophoresis techniques.

911020	**Agarose Medium EEO type II**	**10 gm** **25 gm**

(9012-36-6)
A highly purified medium EEO Agarose suitable for protein separations by immunodiffusion & immunoelectrophoresis techniques.

911050	**Agarose Medium EEO type II** for molecular biology DNase, RNase, Protease not detected	**10 gm** **25 gm** **100 gm**

(9012-36-6)
A highly purified medium EEO Agarose suitable for protein separations by immunodiffusion & immunoelectrophoresis techniques.

911100	**Agarose Low EEO** **Regular grade**	**10 gm** **25 gm** **100 gm**

(9012-36-6)
A highly purified low EEO Agarose suitable for routine nucleic acid analysis,having good resolution & low staining background. Can be used for various routine applications like nucleic acid separation & purification, checking PCR products & plasmid preparations, RE analysis and immunoelectrophoresis techniques, etc.
Ranges of separation: 100bp to 25kb.

911120	**Agarose Low EEO** for molecular biology DNase, RNase, Protease not detected	**10 gm** **25 gm** **100 gm**

(9012-36-6)
A highly purified low EEO Agarose suitable for routine nucleic acid analysis,having good resolution & low staining background. Can be used for various routine applications like nucleic acid separation & purification, checking PCR products & plasmid preparations, RE analysis and immunoelectrophoresis techniques, etc.
Ranges of separation: 100bp to 25kb.

..... and many more

ACID & BASES

Product Code	Product Name	CAS No.
494825	Chloro Sulphonic Acid AR	7790-94-5
025732	Chloro Sulphonic Acid Pract 97.0%	7790-94-5
026099	Fluo Boric Acid Abt. 40%	16872-11-0
095735	Fluosilicic Acid for Synthesis	16961-83-4
544305	Hydriodic Acid AR/ACS 54-56%	10034-85-2
028505	Hydrobromic Acid 48.0-49.0%	10035-10-6
544425	Hydrobromic Acid AR/ACS 48.0%-49.0%	10035-10-6
028516	Hydrobromic Acid in Glacial acetic acid Abt. 33.0%	10035-10-6
113460	Hydrochloric Acid (1.18) 35-38%	7647-01-0
544475	Hydrochloric Acid (1.18) AR 35.4%	7647-01-0
744580	Hydrochloric Acid Abt. 36% (1.18) EL	7647-01-0
942120	Hydrochloric Acid Fuming 37% for MB	7647-01-0
028514	Hydrofluoric Acid 39.0-43.0%	7664-39-3
544735	Hydrofluoric Acid AR 40.0-42.0%	7664-39-3
544738	Hydrofluoric Acid AR 48.0-51.0%	7664-39-3
744120	Hydrofluoric Acid EL grade 40.0-42.0%	7664-39-3
025330	Hypophosphorous Acid 30-32%	6303-21-5
545505	Hypophosphorous Acid AR 50.0%	6303-21-5
029270	Molybdic Acid 85.0%	7782-91-4
587100	Molybdic Acid AR/ACS 87.0%	7782-91-4
756355	Nitric Acid EL 69-71%	7697-37-2
169215	Nitric Acid (1.41-1.42) 69-72%	7697-37-2
594655	Nitric Acid (1.42) AR/ACS 69-72%	7697-37-2
177615	Oleum 20% Pract	8014-95-7
029420	ortho-Phosphoric Acid 85.0%	7664-38-2
037137	ortho-Phosphoric Acid 85.0%	7664-38-2
609725	ortho-Phosphoric Acid AR 88.0%	7664-38-2
605075	Perchloric Acid 60% AR	7601-90-3
605080	Perchloric Acid 70% AR	7601-90-3
605085	Perchloric Acid 70% AR for Diamond Industry	7601-90-3
612135	Polyphosphoric Acid AR Abt. 85.0%	8017-16-1
029578	Polyphosphoric Acid for Synthesis Abt. 85.0%	8017-16-1
216215	Selenic Acid for Synthesis	7783-08-6
030054	Selenous Acid 98.0%	7783-00-8
217175	Silicic Acid for Lipid Chromatography	1343-98-2
030064	Silicic Acid Precipitated Dried 99-100.5%	1343-98-2
640205	Silicotungstic Acid AR	12027-43-9
030307	Sulphamic Acid 99.0%	5329-14-6
649665	Sulphamic Acid AR 99.3-100.3%	5329-14-6
226325	Sulphuric Acid (SP.GR 1.835) ABT 98%	7664-93-9
650055	Sulphuric Acid AR ABT 98%	7664-93-9
773520	Sulphuric Acid EL (SP.GR. 1.84) ABT 98%	7664-93-9
895440	Sulphurous Acid solution 5-6% AR	7782-99-2
655985	Telluric Acid AR 99.0%	7803-68-1

..... and many more

STANDARD SOLUTIONS

CPECTROSOL® & CRISTAR®

Single element standard solutions concentrated at 1000mg/L **CPECTROSOL®** suitable for AAS & **CRISTAR®** for ICP. We also offer multi elements concentrated solutions at 10,000 mg/L

Conductivity Standard Solutions

Available in various Microsiemense in accordance with NIST.

Buffer Standard

Available in various pH in solutions and powder.

Culture Media Bases
Ingredients

Culture Media bases used for isolation cultivation of microorganisms which also provides a broad spectrum of peptides with better microbiological growth to variety of organism.

Product Code	Product Name
BC 2112	Basic Fuchsin Certified
BA 2274	Beef Extract Paste
BA 2002	Beef Extract Powder
BA 2669	Beef Extract Powder Type 1
BC 2002	Beef Extract Powder, Certified
BA 2008	Bile Salts for Bacteriology
BC 2009	Bile Salts Mixture, Certified
BC 2008	Bile Salts, Certified
BC 2021	Bio Peptone, Certified
BA 2498	Casein Acid Hydrolysate special for Pertussis Vaccine production.
BC 2013	Casein Acid Hydrolysate, Certified, recommended for use in culture media where
BA 2189	Casein Acid Hydrolysate, Certified, Sodium chloride less than 3%
BA 2013	Casein Acid Hydrolysate, Technical, used in antibiotic sensitivity test media, vaccine
BA 2190	Casein Acid Hydrolysate, Vitamin Free
BC 2014	Casein Enzyme Hydrolysate, Certified Tryptone,
BA 2014	Casein Enzyme Hydrolysate, Type-I Tryptone
BA 2028	Casein Enzyme Hydrolysate, Type-II
BA 2714	Casein Peptone, enzymic digest of casein
BA 2569	D(+) Maltose, Monohydrate, Extra pure
BC 2115	Eosine Yellow, Certified Water Soluble
BA 2019	Gelatin Crystal for Bacteriology
BA 2020	Gelatin Peptone, enzymic digestion of gelatin
BA 2191	Heart Infusion Powder

..... and many more

Molecular Biology Grade
Reagents

Product Code	Product Name	CAS No.
910548	Acrylamide for Electrophoresis	79-06-1
910550	Acrylamide 3x cryst. DNase, RNase, protease And Phosphate not detected	79-06-1
911010	Agarose high EEO	9012-36-6
911050	Agarose medium EEO type II	9012-36-6
911120	Agarose low EEO	9012-36-6
913150	Ammonium Acetate	631-61-8
913350	Ammonium Chloride	12125-02-9
914350	Ammonium Persulphate	7727-54-0
914550	Ammonium Sulphate	7783-20-2
918000	Boric Acid	10043-35-3
920900	Calcium Chloride Dihydrate	10035-04-8
921000	Cesium Chloride	7647-17-8
926500	N,N-Dimethyl Formamide	68-12-2
926590	Dimethyl Sulphoxide	67-68-5
928500	Dithioerythreitol (D.T.E.)	6892-68-8
932500	Ethylene Diamine Tetra Acetic Acid Disodium Salt	6381-92-6
937530	Formamide	75-12-7
940600	Glycine	56-40-6
941100	Guanidine Hydrochloride	50-01-1
948100	Imidazole	288-32-4
949000	Iso Amyl Alcohol	123-51-3
959200	Magnesium Acetate Tetrahydrate	16674-78-5
959340	Magnesium Chloride	7791-18-6

..... and many more

CDH offers wide range of Molecular Biology & Electrophoresis reagents - which are free from DNA, RNA & Protease and find application in the purification, isolation & analysis of nucleic acids & related compounds.

HPLC SOLVENTS

Product Code	Product Name	CAS No.
720750	1,2-Dichloroethane	107-06-2
729500	1,4-Dioxane	123-91-1
709700	1-Butanol	71-36-3
714900	1-Chloro Butane (n-Butyl Chloride)	109-69-3
753020	1-Methyl-2-Pyrrolidone	872-50-4
759200	1-Octanol	111-87-5
765800	1-Propanol	71-23-8
765860	2-Propanol	67-63-0
700380	Acetone	67-64-1
700630	Acetonitrile	75-05-8
700580	Acetonitrile for praparative	75-05-8
706950	Benzene	71-43-2
711100	Butanone	78-93-3
713910	Carbo Tech	56-23-5
715910	Chloroform	67-66-3
717600	Cyclohexane	110-82-7
720950	Dichloromethane	75-09-2
721900	Diethyl Ether	60-29-7
728300	Dimethyl Sulphoxide	67-68-5
730900	Ethyl Acetate	141-78-6
743560	Hexane	110-54-3
747000	Iso Butyl Methyl Ketone	108-10-1
747500	Iso Octane	540-84-1
752140	Methanol	67-56-1
752650	Methyl Acetate	79-20-9
723000	N,N-Dimethyl Acetamide	127-19-5
723600	N,N-Dimethyl Formamide	68-12-2
743100	n-Heptane	142-82-5
743600	n-Hexane	110-54-3
762700	n-Pentane	109-66-0
762825	Petroleum Ether 40-60°C	8032-32-4
762835	Petroleum Ether 60-80°C	8032-32-4
766500	Pyridine	110-86-1
710000	tert-Butanol	75-65-0
712900	tert-Butyl Methyl Ether	1634-04-4
774000	Tetrachloroethylene	127-18-4
774380	Tetrahydrofuran	109-99-9
775500	Toluene	108-88-3
775790	Trichloro Ethylene	79-01-6
776140	Trifluoro acetic Acid	76-05-1
779600	Water	7732-18-5

..... and many more

Product Features

- Solvents of this Special Quality are carefully analysed to exceed or to meet the limit of UV absorbtion.
- These Solvents of high quality standards are of much greater mechanical strength.
- Solvent particles are much smaller than conventional liquid solvents. Columns are operated at a very high pressure to maintain high quality standards.
- Solvents are filtered through 0.22 m filter.
- All of our HPLC Solvents are packed under Nitrogen for its better Resistance and bottles are sealed with Teflon Liner to prevent contamination.

NMR SOLVENTS

NMR for spectroscopy & deuterated solvents are provided to NMR-users for use in chemical analysis and R & D worldwide.

Product Code	Product Name	CAS No.
D00990	Acetic-d_3 Acid-d	1186-52-3
D01269	Acetone-d_6	666-52-4
D01548	Acetonitrile-d_3	2206-26-0
D06957	Ammonium-d_4 Formate-d	65387-23-7
D08757	Ammonium-d_8 Sulphate	13814-01-2
D12357	Anthracene-d_{10}	1719-06-8
D14175	Benzene-d_6	1076-43-3
D15417	Benzoic-d_5 Acid	1079-02-3
D16227	Biphenyl-d_{10}	1486-01-7
D18927	Boric Acid-d_3	14149-58-7
D28827	Chlorobenzene - d_5	3114-55-4
D29727	Chloroform -d	865-49-6
D29754	Chloroform -d, Cont. 0.03 v/v % TMS	865-49-6
D39663	Dichloromethane-d_2	1665-00-5
D54072	Dimethyl Sulphoxide-d_6 (DMSO-d_6)	2206-27-1
D63126	Hexane-d_{14}	21666-38-6
D73026	Methyl-d_3 Alcohol	1849-29-2
D73206	Methyl-d_3 Alcohol-d (Methanol-d_4)	811-98-3
D44172	N,N-Dimethyl-d_6-Formamide (DMF-d_6)	185990-36-7
D79578	Naphthalene-d_8	1146-65-2
D84078	Paraformaldehyde-d_2	32008-59-6
D87678	Phenol-d_6	13127-88-3
D89478	2-Propanol-d_1	3972-26-7
D93078	Pyridine-d_5	7291-22-7
D96678	Sodiumacetate -d_3	39230-37-0
D98568	Terephthalic -d_4-Acid	60088-54-2
D99036	Tetramethylsilane (TMS)	75-76-3
D99450	Toluene-d_8	2037-26-5
D99900	Trifluoroacetic acid-d (TFA-d)	599-00-8

..... and many more

SPECIALLY DRIED SOLVENTS

Product Code	Product Name
515970	1,4-Dioxane
617675	2-Propanol
450410	Acetone
493915	Chloroform
500390	Cyclohexane
508710	Dichloromethane
515510	Dimethyl Sulphoxide
029193	Methanol Dry
514365	N,N-Dimethyl Formamide
661480	Toluene

..... and many more

These solvents are processed & distilled with drying agents to obtain a minimum possible moisture content and are most suitable for Moisture Sensitive Reactions.



GC - HS SOLVENTS

GC-HS solvents have been developed for more sensitive GC-headspace analysis of volatile organic impurities.

Exclusively designed for analysis of residual solvents described in the European Pharmacopoeia (Ph. Eur.), United States Pharmacopoeia (USP) and Q3C guidelines of International Conference on Harmonization (ICH)

Features:

- Highly pure solvents, especially tested for headspace application
- Ensure high sensitivity
- Long life - time packaged under Nitrogen gas
- Microfiltration (0.2 μm)

Product Code	Product Name
700387	Acetone
700636	Acetonitrile
707052	Benzyl Alcohol
709706	n-Butanol
712095	n-Butyl Acetate
712897	tert-Butyl Methyl Ether
715916	Chloroform
717595	Cyclohexane
717850	Cyclohexanone
723100	N,N-Dimethyl Acetamide
727800	N,N-Dimethyl Formamide
720946	Dichloromethane
728700	Dimethyl Sulphoxide
729496	1,4-Dioxane
730897	Ethyl Acetate
752138	Methanol
753040	n-Methyl-2-Pyrrolidone
765793	1-Propanol
765853	2-Propanol
775783	Toluene
779645	Water

VARIETY OF OILS

Product Code	Product Name	CAS No.
033220	Castor Oil Saponification value :- 176-187	8001-79-4
025719	Cedar Wood Oil For Microscopy	8000-27-9
036063	Clove Oil for Microscopy	8000-34-8
025539	Eucalyptus Oil	8000-48-4
120940	Immersion Oil for Microscopy	—
036061	Immersion Oil Natural	—
177215	Oil Bergamot	8007-75-8
177245	Oil Corn	8001-30-7
177285	Oil Geranium	8000-46-2
177325	Oil Mentha	8008-79-5
177305	Oil of Lemon Grass Oil	8007-02-1
177395	Oil of Peppermint (peppermint oil)	8006-90-4
177425	Oil Orange	8008-57-9
024798	Olive Oil (Oil of Olive)	8001-25-0
191855	Pine Oil	8006-64-2
015067	Silicon Oil For Oil Baths upto 250	63148-62-9

..... and many more

Available Packs :
25 ml, 100 ml, 500 ml

NANO POWDERS

Product Code	Product Name	CAS No.
N01175	Aluminum (Al, 99.0% 18nm)	7429-90-5
N01180	Aluminum (Al, 99.9% 70-80nm)	7429-90-5
N01295	Aluminum Oxide (Alumina, Alfa-Al2O3, high purity 99.99%30nm)	1344-28-1
N01301	Aluminum Oxide (Alumina, gamma-Al2O3, high purity 99.97%20-30nm)	1344-28-1
N05760	Barium Titanate (BaTiO3, 99.9%, 100-200nm)	12047-27-7
N06993	Boron Nitride (BN, hexagonal, 99. 70 nm	10043-11-5
N06984	Boron Carbide (B4C, Hexagonal, 99%, 50 nm)	12069-32-8
N09765	Chromium Oxide (Cr2O3, 99+%, 60 nm)	1308-38-9
N10368	Copper (Cu, 99.9%, 40 nm)	7440-50-8
N10450	Copper Oxide (CuO, 99%, 40nm)	1317-38-0
N11930	Diamond (C, 98% 3-10 nm)	7782-40-3
N23882	Graphene (C, 1-5 nm) 99.5+%	7782-42-5
N23886	Graphene (C, 6-8 nm) 99.5+%	7782-42-5
N23891	Graphene (C, 11-15 nm) 99.5+%	7782-42-5
N31257	Iron(III) Oxide (Fe2O3, alpha, 99%, 30 nm)	1309-37-1
N31262	Iron(III) Oxide (gamma- Fe2O3, 99%, 20-40 nm)	1309-37-1
N73107	Tantalum (Ta, 99.7% 60-80 nm)	7440-25-7
N74282	Tin Oxide (SnO2, 99.9%, 50-70 nm)	18282-10-5
N74287	Titanium (Ti, 99.9% 40-60nm)	7440-32-6
N74385	Titanium Nitride (TiN, 97+%, 20 nm)	25583-20-4
N74440	Titanium Oxide (TiO2, anatase, 99.5%, 10-30 nm)	13463-67-7
N74412	Titanium Oxide (TiO2, mixture of anatase and rutile , 99.5%, 10-30 nm)	13463-67-7
N74430	Titanium Oxide (TiO2, Rutile, 99.5%, 10-30 nm)	13463-67-7
N75497	Tungsten (W, 99.7%, 40-60 nm)	7440-33-7
N75519	Tungsten Carbide (WC, 50 nm, 99.9%)	12070-12-1
N96516	Zinc (Zn, 99.9+%, 100 nm)	7440-66-6
N96850	Zinc Oxide (ZnO, 99.8%, 10-30 nm)	1314-13-2
N96872	Zinc Oxide (ZnO, 99.9+%, 90-200 nm)	1314-13-2
N97083	Zirconium Oxide (ZrO2, 99.5+%, 20 nm)	1314-23-4

STAINING SOLUTION

Product Code	Product Name
801040	Aceto Orcein Solution
800340	Acetone Alcohol 50% Solution Decolourizer
802440	Alcian Blue Solution for Microscopy
802720	Alizarin Red Solution 0.1 % w/v
802725	Alkali Blue (6B) Solution 0.1% in Alcohol
802860	Alkaline Copper Tartrate Solution
803660	Amaranth Solution
810600	Borax Carmine Alcoholic Solution
810620	Borax Carmine Aqueous Solution
811040	Bouin's Fluid (Bouin's Picro Formal fixing Soln.)
811200	Brilliant Cresyl Blue Solution Alcoholic
811220	Brilliant Cresyl Blue Solution Aqueous
811270	Brilliant Green 1% (w/v) Aqueous Indicator Solution
811745	Bromo Cresol Green Sodium Salt Solution 0.04%
811740	Bromo Cresol Green Solution
811780	Bromo Cresol Purple Indicator Solution
812010	Bromo Phenol Blue ABT. 1% Solution in DMF
812000	Bromo Phenol Blue Solution
812050	Bromo Phenol Blue-Xylene Cyanol Dye Solution
812170	Bromo Thymol Blue Solution
814520	Calmagite 0.1% (w/v) Aqueous Indicator Solution
814920	Carbol Fuchsin (Dilute) Solution
814900	Carbol Fuchsin Staining Solution Strong
817340	Chloro Phenol Red Indicator Solution
817500	Cholesterol Stock Standard solution 0.1%
819040	Congo Red Solution
819480	Cotton Blue Solution
819600	Creatinine Standard Solution
819740	Cresol Red Indicator Solution
828705	Diacetyl Monoxine Solution 2%
827000	Drabkin's Solution
829620	Eosine Yellow Stain Solution 2% w/v
829710	Eriochrome Black T Indicator Solution
834200	Fehling's Solution NO. 1
834220	Fehling's Solution NO. 2

Product Code	Product Name
819700	m-Cresol Purple Solution
865850	Methyl Orange Indicator Solution
865855	Methyl Orange Mixed Indicator Solution
865895	Methyl Purple (pH Indicator) Solution AR
866040	Methyl Red Indicator Solution
866180	Methyl Violet Aqueous Solution
865650	Methylene Blue Aqueous Staining Solution
865670	Methylene Blue Gabbots Solution
866260	Miller's Reagent for Fluorine
866270	Millon's Reagent
866320	Molish's Reagent
866490	Morner's Reagent
868500	Neisser's Metachromatic Stains kit
868520	Neisser's Stain A Soln. (Methylene Blue)
868520	Neisser's Stain A Soln. (Methylene Blue)
868530	Neisser's Stain B Soln. (Crystal Violet)
868530	Neisser's Stain B Soln. (Crystal Violet)
868540	Neisser's Stain C Soln. (Chrysodine)
868540	Neisser's Stain C Soln. (Chrysodine)
868740	Nessler's Reagent
868760	Nessler's Reagent King's
868790	Neutral Red pH Indicator Solution
868820	Newman's Stain Soln.
869200	Nigrosine 10% Solution For Negative
871200	O'meara Reagent
897900	o-Tolidine Reagent
874370	Pandy's Reagent
874420	Papanicolaous Solution 1a
874430	Papanicolaous Solution 2b
874440	Papanicolaous Solution 3b
875200	Phenol Red (Indicator Solution)
875180	Phenolphthalein (Indicator Solution) 1%w/v
875185	Phenolphthalein 2% Solution in Alcohol
875920	Picric Acid Saturated Aqueous Soln.
875900	Picric Acid Solution 1.2% AR

STAINS AND INDICATORS

Product Code	Product Name	CAS No.
606025	1,10-Phenanthroline (Monohydrate) AR Redox Indicator	5144-89-8
516525	1,5-Diphenyl Carbazide AR	140-22-7
516535	1,5-Diphenyl Carbazone AR	538-62-5
508805	2,6-Dichloro Phenol Indophenol Sodium Salt AR	620-45-1
027041	Acridine Orange (M.S.)	10127-02-3
027043	Acriflavine for Biochemistry	8048-52-0
025955	Alcian Blue 8GX for Microscopy	33864-99-2
452905	Alizarin pH indicator AR	72-48-0
013006	Alizarin Yellow GG	584-42-9
453645	Alizarin Yellow R AR for Microscopy	2243-76-7
015042	Amido Black 10B Dye content (Titanometry on Dried Subs.)	1064-48-8
457535	Ammonium Purpurate AR/ACS	3051-09-0
020075	a-Naphthol Benzein (pH Indicator)	145-50-6
020076	a-Naphtholphthalein pH Indicator	596-01-0
459095	Anthrone AR/ACS	90-44-8
459635	Arsenazo I AR (Neothorone)	520-10-5
459725	Arsenazo III AR	62337-00-2
034095	Auramine for Microscopy (Auramine-O)	2465-27-2
013895	Azur A (M.S.)	531-53-3
013900	Azur B (M.S.)	531-55-5
013905	Azur C	531-57-7
034007	Azur II Eosine for Microscopy	53092-85-6
034006	Azur II for Microscopy	37247-10-2
461865	Barium Diphenylamine Sulphonate AR Redox Indicator	6211-24-1
034010	Bismark Brown R C.I.21010	5421-66-9
025841	Bismark Brown Y for Microscopy	10114-58-6
025854	Brilliant Cresyl Blue Indicator	81029-05-2
467805	Bromo Cresol Green Indicator AR	76-60-8
469395	Bromo Thymol Blue AR (pH Indicator)	76-59-5
034016	Carbol Fuchsin Powder for Microscopy	4197-24-4
034017	Carmine Stains for Microscopy (C.I. No. 75470)	1390-65-4
034022	Congo Red Indicator C.I. No. 22120	573-58-0

Product Code	Product Name	CAS No.
131005	Janus Green (M.S. & Redox Indicator)	2869-83-2
034042	Leishman's Stain for Microscopy (Eosine Methylene Blue Compound)	12627-53-1
034043	Light Green for Microscopy Light Green SF Yellowish	5141-20-8
145500	Malachite Green for Microscopy (Malachite Green Oxalate)	2437-29-8
034047	Methyl Blue for Microscopy C.I. No. 42780	28983-56-4
020065	Methyl Orange pH Indicator C.I. No. 13025	547-58-0
586085	Methyl Red AR/ACS pH Indicator	493-52-7
020071	Methyl Thymol Blue Complexone Indicator For Complexometric titration	1945-77-3
585205	Methylene Blue for Microscopy AR	61-73-4
034055	Naphthol Green B for Microscopy C.I. No. 10020	19381-50-1
592855	Naphthoresorcinol AR (1,3-Dihydroxynaphthalene)	132-86-5
593630	Neutral Red AR (pH Indicator) C.I. No. 50040 (Neutral Red Chloride)	553-24-2
034184	New Fuchsin for Microscopy	3248-91-7
167905	New Methylene Blue	1934-16-3
024897	Night Blue for Microscopy C.I. 44085	4692-38-0
034131	Nigrosin (Alcohol soluble)	11099-03-9
024875	Nile Blue Chloride C.I. : 51180	2381-85-3
970100	Nitro B.T. for Microscopy	298-83-9
173035	Nuclear Fast Red for Microscopy	6409-77-4
020026	o-Cresolphthaleine pH Indicator	596-27-0
174900	Oracet Blue B Indicator	12769-16-3
034062	Orange G Indicator for Microscopy C.I. No. 16230	1936-15-8
034063	Orcein for Microscopy	1400-62-0
029418	Orcinol Monohydrate	6153-39-5
034134	Patent Blue V F C.I. 42045	129-17-9
604585	Patton & Reeder's Reagent AR	3737-95-9
606415	Phenol Red Indicator AR	143-74-8
020088	Phenolphthalein pH Indicator	77-09-8
195005	Ponceau for Electrophoresis	6226-79-5
632795	Rhodamine B AR for Microscopy C.I. No. 45170	81-88-9
632855	Rose Bengal AR C.I. No. 45440	632-69-9

Congo Red

Alcian Blue

Cresyl Violet

Fast Blue

Oil Red O

Prussian Blue



Ziehl-Neelsen

Auramine O

Gram's Stain

RARE EARTH METAL & SALTS

CDH a pioneer producer of Laboratory Fine Chemical in India Since 1981. CDH always keep enhancing product range and with the growing demand and repeated requests by our customers we are pleased to introduce a series of Rare Earth metals and their salts. These products are available in various purities from 99% to 99.999% of individual and co-precipitated Rare Earth chemicals, including Oxides, Acetates, Chlorides, Carbonates, Hydroxides, Fluorides, Nitrates, Oxalates, totally covered 90% of Rare Earth products, applied widely in manufacturing phosphors, advanced ceramics, pigments, glass, glazes, laser crystals, Rare Earth doped fibers.

57 140.12 Ce CERIC

RE0150	Ceric Hydroxide AR
RE0165	Ceric Oxide 99.9% AR (Cerium IV Oxide)
RE0190	Ceric Sulphate Tetrahydrate 99.0% AR
815300	Ceric Sulphate N/10 Solution

58 140.12 Ce CERIUM

RE0215	Cerium Metal Powder 99.9%
RE0260	Cerium (III) Acetate Hydrate 99.9%
RE0280	Cerium (III) Carbonate Hydrate
RE0285	Cerium (III) Carbonate Hydrate 99.9%
RE0310	Cerium(III) Chloride 99.9%
RE0325	Cerium (III)Chloride Heptahydrate AR
RE0340	Cerium (III) Fluoride 99.9%
RE0370	Cerium (III) Nitrate $6H_2O$ 99.9%
RE0395	Cerium (III) Oxalate 99.9%
RE0415	Cerium (III) Sulphate Hydrate 99%

66 162.50 Dy DYSPROSIUM

RE0445	Dysprosium Metal Powder 99.99%
RE0485	Dysprosium Acetate Hydrate 99.9%
RE0515	Dysprosium Carbonate X H_2O 99%
RE0540	Dysprosium Chloride 6 H_2O 99.99%
RE0600	Dysprosium Nitrate X H_2O 99.9%
RE0650	Dysprosium Oxide 99.9%
RE0655	Dysprosium Oxide 99.99%

68 167.26 Er ERBIUM

RE0710	Erbium Metal Powder 99.9%
RE0755	Erbium Acetete Hydrate 99.9%
RE0780	Erbium Carbonate Hydrate 99.9%
RE0805	Erbium Chloride $6H_2O$ 99.9%
RE0840	Erbium Nitrate $5H_2O$ 99.9%
RE0865	Erbium Oxide 99.9%
RE0890	Erbium Sulphate $8H_2O$ 99.9%

67 164.93 Ho HOLMIUM

RE1360	Holmium Acetate XH_2O 99.9%
RE1380	Holmium Carbonate XH_2O 99.90%
RE1390	Holmium Chloride $6H_2O$ 99.90%
RE1415	Holmium Oxide 99.9%
RE1420	Holmium Oxide 99.99%
RE1440	Holmium Sulphate $8H_2O$ 99.9%

68 144.24 Nd NEODYMIUM

RE1940	Neodymium Metal Powder 99.99%
RE1985	Neodymium Acetate XH_2O 99.9%
RE2010	Neodymium Carbonate XH_2O 99.9%
RE2035	Neodymium Chloride XH_2O 99.9%
RE2070	Neodymium Nitrate $6H_2O$ 99.9%
RE2095	Neodymium Oxide 99.9%
RE2120	Neodymium Sulphate $8H_2O$ 99.9%

21 44.956 Sc SCANDIUM

RE2595	Scandium Metal Powder 99.99%
RE2635	Scandium Acetate XH_2O 99.9%
RE2680	Scandium Chloride $6H_2O$ 99.9%
RE2755	Scandium Nitrate XH_2O 99.9%
RE2805	Scandium Oxide 99.9%
RE2830	Scandium Sulphate $8H_2O$ 99.9%

65 158.93 Tb TERBIUM

RE2860	Terbium Metal Powder 99.9%
RE2900	Terbium Acetate XH_2O 99.9%
RE2925	Terbium Carbonate XH_2O 99.9%
RE2950	Terbium Chloride $6H_2O$ 99.9%
RE2975	Terbium Nitrate $5H_2O$ 99.9%
RE3000	Terbium Oxide 99.9%
RE3025	Terbium Sulphate $8H_2O$ 99.9%

39 89.906 Y YTTRIUM

RE3445	Yttrium Metal Powder 99.99%
RE3485	Yttrium Acetate XH_2O 99.9%
RE3510	Yttrium Carbonate XH_2O 99.9%
RE3535	Yttrium Chloride $6H_2O$ 99.9%
RE3615	Yttrium Nitrate XH_2O 99.9%
RE3685	Yttrium Oxide 99.9%
RE3690	Yttrium Oxide 99.99%

Ethyl Alcohol Hand Sanitizer

Kills 99.99% of Germs

microshell

HAND SANITIZER
HWG09

With Pump

COMPOSITION

Ethyl Alcohol (Denatured) (95%) IP ..... 76% v/v

Eq. to Absolute Alcohol 72.34% v/v

Enriched with moisturizer and orange peel oil.

GEL BASE

DIRECTIONS

Apply on your palm. Spread & rub over back of hands & fingertips until dry

FEATURES

- Kills 99.99% of Germs without water
- Rinse free ,non-sticky & quick drying
- Contains 76% of alcohol with moisturizers
- Suitable for all skin types

Keep Clean & Stay Protected

Product Code - DI050

NON STICKY
LIQUID HAND SANITIZER
CLEANLINESS IS NON-STICKINESS

Packing
50 ml / 500 ml
5 Lit

Rinse Free
Protection Instantly

Plant Tissue Culture

Tested Chemicals

CDH introducing the comprehensive range of plant tissue culture tested chemicals on customer demand. Plant tissue culture tested chemicals are assessed and analysed for chemical parameters along with specific plant tissue culture tests in order to verify their suitability in specific applications.

PTC products are analysed with stringent quality control required to maintain consistency and quality. We have developed complete in-house testing facilities for all our products and deliver the best to our customers. Our range include wide range of chemicals including macroelements, microelements, amino acids, carbohydrates, vitamins and organic supplements.

Animal Tissue Culture

Tested Chemicals

CDH introducing the comprehensive range of animal tissue culture tested chemicals. We are one of the pioneer supplier of chemicals and specialty chemicals, including amino acids, antibiotics, growth factors, biochemicals, used in cell culture. ATC chemicals are analysed with cell culture test to verify their suitability in cell culture application apart from analytical testing .

These products are specially designed for the customers looking for products in compliance to USP, EP and BP testing specifications. Every batch is released for supply is provided with a detailed Certificate of Analysis (COA) defining the product specification.

contents

LABORATORY CHEMICALS 1-269

DEHYDRATED CULTURE MEDIA 270-383

- Ready Prepared Media 271-281
- Dehydrated Culture Media & Supplement 282-318
- Media Supplements 319-332
- Culture Media Bases 333-337
- Antimicrobial Susceptibility Systems 338-383

ANIMAL CELL CULTURE 384-409

- CELL CULTURE PLATFORM 386-409
  - Cell Culture Media 387-401
  - Cell Culture Reagents 401-406
  - Cell Culture Supplements 407-408
  - Speciality Product Segment 406-409

PLANT TISSUE CULTURE 410-424

- Plant Tissue Culture Media & Media Supplements 413-424

READYMADE STAINING SOLUTIONS 425-429

Product Code		Product Name	Packing
TC1409	ATC	▲**17-AAG** 17-(Allylamino)-17-Demethoxygeldanamycin Cell Culture Tested $C_{31}H_{43}N_3O_8$ (75747-14-7) M. W.: 585.69 Assay : ≥99%	**1 mg** **5 mg**
		AAS Solution See Complete List Standards Solution Page No.- 224	
001000		▲(±)-**Abscisic Acid** Extra Pure (ABA) $C_{15}H_{20}O_4$ (14375-45-2) M. W.: 264.32	**25 mgm** **100 mgm** **500 mgm**
PCT1815	PTC	▲(±)-**Abscisic acid** Plant Culture Tested $C_{15}H_{20}O_4$ (14375-45-2) M. W.: 264.32 Assay 99%	**100 mg** **500 mg** **1 gm**
033001		**Acacia** (Gum Acacia, Gum Arabic) (9000-01-5)	**500 gm** **5 kg** **25 kg**
450005		**Acacia** enzyme free **AR** Meets Analytical Specification of IP, B.P., U.S.P., N.F., Ph.EVR. (9000-01-5)	**500 gm**
025946		**Acenaphthene** for Synthesis $C_{12}H_{10}$ (83-32-9) M. W.: 154.21 Assay (GC) 98.0%	**100 gm** **500 gm**
450050		**Acenaphthene AR** $C_{12}H_{10}$ (83-32-9) M. W.: 154.2 Assay 99.0%	**100 gm** **500 gm**
044117		**ACES** Buffer $C_4H_{10}N_2O_4S$ (7365-82-4) M. W.: 182.2 Assay 99.0%	**25 gm** **100 gm** **1 kg**
909860	MB	**ACES Buffer** (N-[2-Acetamido]-2-Aminoethane Sulfonic Acid) For Molecular Biology $C_4H_{10}N_2O_4S$ (7365-82-4) M. W.: 182.2 Assay : ≥ 99% Store Below 30°C	**5 gm** **25 gm** **100 gm**
025945		**Acetaldehyde** Soln. Pract C_2H_4O (75-07-0) M. W.: 44.05 Assay (By acidimetric) 20-30% w/w	**500 ml** **10 lit**
027005		**Acetamide** for Synthesis $CH_3.CONH_2$ (60-35-5) M. W.: 59.07 Assay 98.0%	**250 gm** **500 gm** **25 kg**
909910	MB	**Acetamide** (Amide C_2) For Molecular Biology C_2H_5NO (60-35-5) M. W.: 59.07 Assay : ≥ 99% Store Below 30°C	**100 gm**
001120		**Acetamidinium Chloride** for Synthesis (Acetamidium Hydrochloride) $C_2H_6N_2.HCl$ (124-42-5) M. W.: 94.54	**250 gm**
		N-(2-**Acetamido**)-2-**Aminoethanesulphonic Acid** See ACES	

Product Code		Product Name	Packing
		2-**Acetamido**-2-**Deoxy Galactosamine** See N-Acetyl-D-galactosamine	
		N-(2-**Acetamido**) **Iminodiacetic** See ADA Buffe	
		2-**Acetamido**-3-**Mercaptopropionic Acid** See N-Acetyl-L-Cysteine	
183985		4-**Acetamidophenol** $C_8H_9NO_2$ (103-90-2) M. W.: 151.16	**100 gm** **500 gm**
027008		**Acetanilide** for Synthesis $C_6H_5.NH.CO.CH_3$ (103-84-4) M. W.: 135.17 Assay 98.5%	**250 gm** **500 gm** **25 kg** **50 kg**
800100		**Acetate Buffer** Solution pH 4.6 pH (as such) 4.6±0.2	**500 ml**
800105		**Acetate Buffer** TS acc. To USP	**500 ml**
027017		**Acetic Acid Glacial** for Synthesis Meets Analytical Specification of IP $CH_3.COOH$ (64-19-7) M. W.: 60.05 Assay (acidimetric) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
450140		**Acetic Acid Glacial** (about 1.05) **AR/ACS** & **P Test** (Unaffected by chromic acid) Meets Analytical Specification of BP, USP, Ph. Eur. $CH_3.COOH$ (64-19-7) M. W.: 60.05 Assay (acidimetric) 99.7%	**500 ml** **2.5 lit** **25 lit** **200 lit**
700100		**Acetic Acid** for HPLC & Spectroscopy CH_3COOH (64-19-7) M. W. 60.0 Assay (GC) 99.8%	**500 ml** **1 lit** **2.5 lit**
909960	MB	**Acetic Acid** For Molecular Biology $C_2H_4O_2$ (64-19-7) M. W.: 60.05 Assay : ≥ 99.7% Store Below 30°C	**500 ml**
450230		**Acetic Acid Glacial** (Aldehyde Free) **AR** Specially suitable for use in determination of Cholesterol in blood plasma and for wij's solution CH_3COOH (64-19-7) M. W.: 60.05 Assay (acidimetric) 99.8%	**500 ml** **2.5 lit** **25 lit** **200 lit**
700140		**Acetic Acid** EL Grade CH_3COOH (64-19-7) M. W.: 60.05 Assay (acidimetric) 99.8%	**500 ml** **2.5 lit**
TC1574M	ATC	**Acetic Acid, Glacial** Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications CH_3COOH (64-19-7) M. W.: 60.05 Store below 30°C	**1 lit**
D00990		**Acetic-d_3 Acid-d** (for NMR Spectroscopy) $C_2D_4O_2$ (1186-52-3) M. W.: 64.08 Assay Min. 99.5 atom%D	**10x0.75 ml** **10 ml**
800240		**Acetic Acid** CPECTROSOL® 0.1M (0.1N) Standard Solution in accordance with NIST	**1 lit**

Product Code	Product Name	Packing
800242	**Acetic Acid** 0.1 M (0.1N) for 500 ml Solution	1 Amp 3 Amp 6 Amp
800252	**Acetic Acid** mol/L (1N) for 500 ml Solution	1 Amp 3 Amp 6 Amp
800250	**Acetic Acid** CPECTROSOL® 0.5M (0.5N) Standard Solution in accordance with NIST	1 lit
800255	**Acetic Acid** CPECTROSOL® 1M (1N) Standard Solution in accordance with NIST	1 lit
800260	**Acetic Acid** CPECTROSOL® 2M (2N) Standard Solution in accordance with NIST	1 lit
800263	**Acetic Acid** Solution 2N acc. to USP	500 ml
800280	**Acetic Acid** Solution 3%	500 ml
800300	**Acetic Acid** Solution 5%	500 ml
800320	**Acetic Acid** Solution 10%	500 ml
800325	**Acetic Acid** 30%	1 lit 25 lit
800330	**Acetic Acid** 60%	1 lit 25 lit
800333	**Acetic Acid** 80%	1 lit 25 lit
800336	**Acetic Acid Ammonium Acetate Buffer** TS acc. to USP	500 ml
	Acetic Acid Benzyl Ester See Benzyl Acetate	
	Acetic Acid Isobutyl Ester See Iso Butyl Acetate	
	Acetic Acid Isopropyl Ester See Iso Propyl Acetate	
025998 $C_{10}H_{11}NO_2$ (102-01-2)	**Aceto Acetanilide** Tech. M. W.: 177.20	500 gm 25 kg 50 kg
	Acetoacetic Ethylester See Ethyl Acetoacetate	
	Acetoacetic Methylester See Methyl Acetoacetate	
	Aceto Carmine See Carmine Aceto	
001520 $C_2H_5NO_2$ (546-88-3)	**Aceto Hydroxamic Acid** M. W: 75.07 Assay 98.0%	10 gm
	1-**Acetonaphthone** See 1-Acetyl Naphthalene	
800340	**Acetone Alcohol** 50% Solution Decolourizer	500 ml

Product Code	Product Name	Packing
027023 $(CH_3)_2CO$ (67-64-1)	**Acetone** for Synthesis M. W.: 58.08 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
450320 $(CH_3)_2CO$ (67-64-1)	**Acetone AR/ACS** Meets Analytical Specification of BP,USP,Ph,Eur M. W.: 58.08 Assay (GC) 99.5%	500 ml 2.5 lit 25 lit
450410 $(CH_3)_2CO$ (67-64-1)	**Acetone** Specially Dried **AR** M. W.: 58.08 Assay (GC) 99.5%	500 ml 2.5 lit
700330 $(CH_3)_2CO$ (67-64-1)	**Acetone** EL Grade M. W.: 58.08 Assay (GC) 99.8%	2.5 lit
700387 $(CH_3)_2CO$ (67-64-1)	**Acetone** GC-HS Grade M. W.: 58.08 Assay (GC) 99.9%	500 ml 1 lit
700380 $(CH_3)_2CO$ (67-64-1)	**Acetone** for HPLC & Spectroscopy M. W.: 58.08 Assay (GC) 99.8%	1 lit 2.5 lit
910010 MB CH_3COCH_3 (67-64-1)	**Acetone** For Molecular Biology M. W.: 58.08 Assay : ≥ 99.5% Store Below 30°C	500 ml 2.5 lit
700430 C_3H_6O (67-64-1)	**Acetone** for Pesticide Residue Analysis M. W.: 58.08 Assay 99.9%	1 lit 2.5 lit
D01269 C_3D_6O (666-52-4)	▲**Acetone**-d_6 (for NMR Spectroscopy) M. W.: 64.13 Assay Min. 99.5 atom%D	10 ml
D01278 C_3D_6O (666-52-4)	▲**Acetone**-d_6 (for NMR Spectroscopy) M. W.: 64.13 Assay Min. 99.8 atom%D	10x0.75ml
	Acetone Dimethyl Acetal See -2-,2 Dimethoxy Propane	
029220 CH_3CN (75-05-8)	**Acetonitrile** for Synthesis M. W.: 41.05 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
450500 CH_3CN (75-05-8)	**Acetonitrile AR/ACS** M. W.: 41.05 Assay (GC) 99.5%	500 ml 2.5 lit 25 lit 200 lit
450505 CH_3CN (75-05-8)	**Acetonitrile** Specially Dried **AR** M. W.: 41.05 Assay (GC) 99.5%	500 ml 2.5 lit
700580 CH_3CN (75-05-8)	**Acetonitrile** for preparative (HPLC) M. W.: 41.05 Assay (GC) 99.8%	2.5 lit
700636 CH_3CN (75-05-8)	**Acetonitrile** GC HS Grade M. W.: 41.05 Assay (GC) 99.9%	1 lit

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
700630 CH_3CN (75-05-8)	**Acetonitrile** for HPLC & Spectroscopy M. W.: 41.05 Assay (GC) 99.8%	**1 lit** **2.5 lit**
910090 MB CH_3CN (75-05-8)	**Acetonitrile** For Molecular Biology M. W.: 41.05 Assay : ≥ 99.9% Store Below 30°C	**500 ml**
700640 CH_3CN (75-05-8)	**Acetonitrile** for Gradient Grade M. W.: 41.05 Assay (GC) 99.9%	**1 lit** **2.5 lit**
700780 CH_3CN (75-05-8)	**Acetonitrile** for Pesticide Residue Analysis M. W.: 41.05 Assay (GC) 99.9%	**1 lit**
700920 CH_3CN (75-05-8)	**Acetonitrile** Dna for Synthesis M. W.: 41.05 Assay 99.8%	**1 lit** **2.5 lit**
D01548 C_2D_3N (2206-26-0)	**Acetonitrile**-d_3 (for NMR Spectroscopy) M. W.: 44.08 Assay Min. 99.8 atom%D	**10 ml**
D01557 C_2D_3N (2206-26-0)	**Acetonitrile**-d_3 (for NMR Spectroscopy) M. W.: 44.08 Assay Min. 99.8 atom%D	**10X0.75ml**
800400	**Acetonitrile** with 0.1% Acetic Acid for LCMS	**2.5 lit**
800405	**Acetonitrile** with 0.1% Formic Acid for LCMS	**2.5 lit**
800407	**Acetonitrile** with 0.1% Trifiuoroacetic Acid for LCMS	**2.5 lit**
800410	**Acetonitrile**/Water 50:50 (w/w) for HPLC	**2.5 lit**
801040	**Aceto Orcein** Solution	**100 ml**
027030 $C_6H_5.CO.CH_3$ (98-86-2)	**Acetophenone** M. W.: 120.15 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
451005 $C_6H_5.CO.CH_3$ (98-86-2)	**Acetophenone AR** M. W.: 120.15 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
PCT2301 PTC $C_{10}H_{12}O_4$ (2478-38-8)	▲**Acetosyringone** Plant Culture Tested M. W.: 196.2 Assay 98%	**1 gm** **5 gm** **25 gm**
027035 $CH_3.CO.CH_2.CO.CH_3$ (123-54-6)	**Acetyl Acetone** for Synthesis M. W.: 100.12 Assay (GC) 98.0%	**500 ml** **2.5 lit**
451095 $CH_3.CO.CH_2.CO.CH_3$ (123-54-6)	**Acetyl Acetone AR** M. W.: 100.12 Assay (GC) 99.5%	**500 ml**

Product Code	Product Name	Packing
	N-**Acetyl**-4-**Aminophenol** See **4-Acetamidophenol (Paracetamol)**	
	4-**Acetylanisole** See **4-Methoxyacetophenone**	
001600 C_2H_3BrO (506-96-7)	**Acetyl Bromide** for Synthesis M. W.: 122.95 Assay 98.0%	**250 ml** **500 ml**
451125 C_2H_3BrO (506-96-7)	**Acetyl Bromide AR** M. W.: 122.95	**500 ml**
001620 $C_6H_8O_3$ (517-23-7)	a-**Acetyl**-g-**Butyrolactone** for Synthesis M. W.: 128.13 Assay 99.0%	**500 gm** **5 kg** **25 kg**
027037 CH_3COCl (75-36-5)	**Acetyl Chloride** for Synthesis M. W.: 78.50 Assay (ex Cl) 98.0-102.0%	**500 ml** **2.5 lit**
451175 $C_7H_{16}ClNO_2$ (60-31-1)	▲**Acetyl Choline Chloride AR** Store at - 20°C M. W.: 181.66 Assay 99.0%	**10 gm** **25 gm**
451185 $C_7H_{16}INO_2$ (2260-50-6)	▲**Acetyl Choline Iodide AR** M. W.: 273.12 Assay (Argentometry) 98.5%	**5 gm**
024001 $C_5H_9NO_3S$ (616-91-1)	▲N-**Acetyl**-L-**Cysteine** M. W.: 163.19 Assay (Iodometric) 99.0%	**10 gm** **100 gm**
TC1054 ATC $C_5H_9NO_3S$ (616-91-1)	▲**N-Acetyl-L-Cysteine** (From non-animal source) Cell Culture Tested M. W.: 163.19 Assay : ≥98%	**5 gm** **25 gm** **100 gm**
TC1054M ATC $C_5H_9NO_3S$ (616-91-1)	▲**N-Acetyl-L-Cysteine** (Fromnon-animalsource) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing Specifications M. W.: 163.191	**5 gm** **25 gm** **100 gm**
001820 $C_6H_{11}NO_3S$ (7652-46-2)	N-**Acetyl**-L-**Cysteine Methyl Ester** for Biochemistry M. W.: 177.22 Assay (HPLC) 90%	**2.5 gm**
	Acetylene Tetra Bromide See 1,1,2,2-Tetrabromoethane	
001900 $C_8H_{15}NO_6$ (14215-68-0)	▲N-**Acetyl**-D-**Galactosamine** for Biochemistry M. W.: 221.21 Assay (ex N) 98%	**100 mgm** **1 gm**
001950 $C_8H_{15}NO_6$ (7512-17-6)	▲N-**Acetyl**-D-**Glucosamine** for Biochemistry M. W.: 221.21 Assay 99.0%	**10 gm** **50 gm**
TC1081 ATC $C_8H_{15}NO_6$ (7512-17-6)	▲N-**Acetyl**-D-**Glucosamine** Cell Culture Tested M. W.: 221.21 Assay : ≥98.5%	**10 gm** **25 gm** **100 gm**

Storage : · ❄0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
002000 $C_4H_7NO_3$ (543-24-8)	▲N-**Acetyl Glycine** M. W.: 117.10 Assay 98.0%	100 gm 500 gm
002080 $C_{12}H_{10}O$ (941-98-0)	1-**Acetyl Naphthalene** for Synthesis M. W.: 170.21 Assay 97.5%	100 ml 500 ml
002100 $C_{11}H_{19}NO_9$ (131-48-6)	▲N-**Acetyl Neuraminic Acid** (Nana) for Biochemistry M. W.: 309.27 Assay 95.0%	100 mgm 500 mgm 1 gm
002150 $C_7H_{11}NO_2$ (32161-06-1)	1-**Acetyl**-4-**Piperidone** M. W.: 141.17 Assay 94%	5 gm
002300 C_7H_7NO (1122-62-9)	2-**Acetyl Pyridine** for Synthesis (Methyl 2-Pyridyl Ketone) M. W.: 121.14 Assay (GC) 98.0%	25 gm 100 gm
002350 C_7H_7NO (350-03-8)	3-**Acetyl Pyridine** for Synthesis (Methyl 2-Pyridyl Ketone) M. W.: 121.14 Assay (GC) 98.0%	100 ml
PCT2526 PTC $C_9H_8O_4$ (50-78-2)	**Acetyl Salicylic Acid** Plant Culture Tested M. W.: 180.16 Assay 98.5% Store below 30°C	100 gm 250 gm
451275 $C_7H_{16}INOS$ (1866-15-5)	▲S-**Acetyl Thiocholine Iodide AR** M. W.: 289.17 Assay (Argentometric) 98.5%	1 gm 5 gm
002394 C_6H_6OS (88-15-3)	2-**Acetyl Thiophene** for Synthesis (Methyl-2-Thienyl ketone) M. W.: 126.18 Assay 98.0%	100 gm 500 gm
002400 $C_{13}H_{14}N_2O_3$ (87-32-1)	▲N-**Acetyl**-DL-**Tryptophan** for Biochemistry M. W.: 246.27 Assay 99%	25 gm
TC1055 ATC $C_{11}H_{13}NO_4$ (537-55-3)	▲**N-Acetyl-L-Tyrosine** (From non-animal source) Cell Culture Tested M. W.: 223.23 Assay : ≥98%	5 gm 25 gm 100 gm
002450 $C_{13}H_{17}NO_4.H_2O$ (36546-50-6)	N-**Acetyl**-L-**Tyrosine Ethyl Ester** for Biochemistry M. W.: 269.29	5 gm 10 gm
	1,2,4- **Acid** See 1-**Amino**-2-**Napthol**-4- **sulphonic acid**	
801740	**Acid Alcohol**	125 ml 500 ml
801790	**Acid Fast Decolourizer**	100 ml 500 ml
	Acid Fuchsin See Fuchsin acid	
801840	**Acid Mixture** (Phosphoric Sulphuric)	125 ml
801890	**Acid Molybdate** Solution For determination of Phosphate in boiler water	500 ml
TC1678 ATC (9001-77-8)	**Acid Phosphatase** Cell Culture Tested Store at -20°C	50 units 200 units
	Acid Red 66 See Biebrich Scarlet	
	Acid Red 87 See Eosin Yellow	
TC1419 ATC $C_{42}H_{53}NO_{15}.HCl$ (75443-99-1)	▲**Aclarubicin Hydrochloride** Cell Culture Tested M. W.: 848.33 Assay : ≥90%	5 mg
027041 $C_{17}H_{19}N_3.½ZnCl_2.HCl$ (10127-02-3)	**Acridine Orange** (M.S.) C.I. 46005 M. W:. 369.94 Dye content 87.0%	5 gm 25 gm
910140 MB $C_{17}H_{20}ClN_3.HCl_{1/2}ZnCl_2$ (10127-02-3)	**Acridine Orange** For Molecular Biology C. I. No. : 46005 M. W.: 369.96 Store Below 30°C	10 gm 25 gm
027043 $C_{14}H_{14}Cl\ N_3$ (8048-52-0)	**Acriflavine** for Biochemistry C.I. 46000 M. W:. 259.7 Dye content (dried) 98.5-105%	5 gm 25 gm 250 gm
910200 MB $C_{14}H_{14}ClN_3$ (8048-52-0)	**Acriflavine,** Neutral For Molecular Biology C. I. No. : 46000 M. W.: 259.73 Store Below 30°C	100 gm
027045 C_3H_5NO (79-06-1)	▲**Acrylamide** M. W.: 71.08 Assay (G.C) 98.5%	500 gm 5 kg 25 kg 50 kg
910548 C_3H_5NO (79-06-1)	▲**Acrylamide** for Electrophoresis M. W.: 71.08 Assay 99.0%	25 gm 100 gm 500 gm
451365 C_3H_5NO (79-06-1)	▲**Acrylamide** 3X cryst **AR** M. W.: 71.08 Assay (GC) 99.9%	25 gm 100 gm 500 gm 1 kg 5 kg
910550 MB C_3H_5NO (79-06-1)	▲**Acrylamide 3x** cryst. For molecular biology DNase, RNase, protease And Phosphate not detected M. W. : 71.08 Assay Min. 99.9%	25 gm 100 gm 500 gm 1 kg 5 kg

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ·#0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code		Product Name	Packing
910560	MB	▲**Acrylamide** for Electrophoresis (Low Conductance<5uS/cm) 3x Crystallised C_3H_5NO (79-06-1) M. W.: 71.08 Assay (By GC) 99.5%	**100 gm** **500 gm**
801990	MB	▲**Acrylamide** 40% Solution in Water for Molecular Biology	**250 ml** **500 ml**
		Bis-**Acrylamide** See N,N-Methylene bis-Acrylamide	
002600		2-**Acrylamido** 2-**Methyl-Propane** **Sulphonic Acid** for Synthesis $C_7H_{13}NO_4S$ (15214-89-8) M. W.: 207 Assay 98.5%	**250 gm** **1 kg**
025974 $C_3H_4O_2$ (79-10-7)		**Acrylic Acid** for Synthesis M. W.: 72.06 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
027047 $CH_2.CH.CN$ (107-13-1)		**Acrylonitrile** Stabilised for Synthesis (Vinyl Cyanide) M. W.: 53.06 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
452025 C_3H_3N (107-13-1)		**Acrylonitrile AR** (Vinyl cyanide) M. W.: 53.06 Assay 99.5%	**500 ml**
		Activated Charcoal See Charcoal Activated	
452115 $C_{15}H_{23}NO_4$ (66-81-9)		·**Actidione AR** (Cycloheximide) Inhibitor of Protein Biosynthesis (Antibiotic against yeast) M. W.: 281.35 Assay 99.0%	**1 gm** **5 gm**
TC1196	ATC	·**Actidione** Cell Culture Tested $C_{15}H_{23}NO_4$ (66-81-9) M. W.: 281.35 Assay : ≥ 96%	**1 gm** **5 gm**
PCT2122	PTC	·**Actidione** Plant Culture Tested $C_{15}H_{23}NO_4$ (66-81-9) M. W.: 281.35 Assay 96%	**1 gm** **5 gm**
TC1018	ATC	▲**Actinomycin D** Cell Culture Tested Recommended for use in cell culture applications at 1 mg/L $C_{62}H_{86}N_{12}O_{16}$ (50-76-0) M. W.: 1255.42 Assay : ≥97.5%	**5 mg** **2x5 mg** **5x5 mg**
PCT2140	PTC	**Acyclovir** Plant Culture Tested $C_8H_{11}N_5O_3$ (59277-89-3) M. W.: 225.2 Store below 30°C	**1 gm**
002800		**ADA Buffer** for Biochemistry [N-(Carbamoylmethyl) -Iminodiacetic $C_6H_{10}N_2O_5$ (26239-55-4) M. W.: 190.2 Assay 98%	**25 gm** **100 gm** **500 gm**
		Adam's Catalyst See Platinum Dioxide Hydrate	

Product Code		Product Name	Packing
042001 $C_5H_5N_5$ (73-24-5)		**Adenine** for Biochemistry Meets Analytical Specification of BP, USP M. W.: 135.13 Assay (Non-aqueous by potentiometric W.r. to dried sub) 98.5-101%	**5 gm** **25 gm** **1 kg**
PCT1842	PTC	**Adenine** (6-**Aminopurine; Vitamin B4**) Plant Culture Tested $C_5H_5N_5$ (73-24-5) M. W.: 135.13 Assay 99% Store below 30°C	**5 gm** **25 gm** **100 gm**
TC1082	ATC	**Adenine** Cell Culture Tested $C_5H_5N_5$ (73-24-5) M. W.: 135.13 Assay : ≥99% Store below 30°C	**5 gm** **25 gm** **100 gm**
		Adenine Hemisulphate See Adenine Sulphate	
025975 $C_5H_5N_5.½H_2SO_4$ (321-30-2)		**Adenine Sulphate** (Adenine Hemisulphate) M. W.: 184.17 Assay (Acidimetric) 98.0%	**10 gm** **100 gm**
PCT1801	PTC	**Adenine Sulphate** Plant Culture Tested $C_5H_5N_5.1/_2H_2SO_4$ (321-30-2) M. W.: 184.17 Assay 98% Store below 30°C	**10 gm** **100 gm** **500 gm** **1 kg**
TC1071	ATC	**Adenine Sulphate** Cell Culture Tested $C_5H_5N_5.½H_2SO_4$ (321-30-2) M. W.: 184.17 Assay : ≥99% Store below 30°C	**5 gm** **25 gm** **100 gm** **500 gm**
042003 $C_{10}H_{13}N_5O_4$ (58-61-7)		▲**Adenosine** M. W.: 267.24 Assay (Spectrophotometric) (259 nm at pH 7.0) 98.5%	**5 gm** **25 gm**
TC1083	ATC	▲**Adenosine** Cell Culture Tested $C_{10}H_{13}N_5O_4$ (58-61-7) M. W.: 267.24 Assay : ≥99%	**5 gm** **25 gm**
042097		·**Adenosine-5-Diphosphate Disodium** **Salt** (ADP-Na_2) $C_{10}H_{13}N_5Na_2O_{10}P_2$ (16178-48-6) M. W.: 471.17 Assay (dried) 95.0%	**500 mgm** **1 gm** **5 gm**
910660	MB	▲**Adenosine-5-Diphosphate** **Disodium Salt** For Molecular Biology $C_{10}H_{13}N_5Na_2O_{10}P_2$ (16178-48-6) M. W.: 471.16 Assay : ≥ 95%	**1 gm** **5 gm**
042066 $C_{10}H_{12}N_5Na_2O_7P$ (4578-31-8)		·**Adenosine-5-Mono Phosphate** **Disodium Salt** (AMP-Na_2) M. W.: 391.19 Assay (Spectrophotometric) (259 nm at pH 7.0) 96.0%	**1 gm** **5 gm** **25 gm**

A

Laboratory Chemicals

Storage : · #0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
TC1312 ATC $C_{10}H_{12}N_5Na_2O_7P$ (4578-31-8)	▲**Adenosine-5'-Monophosphate Disodium Salt** Cell Culture Tested M. W.: 391.18 Assay : ≥95%	1 gm 5 gm 25 gm
TC1084 ATC $C_{10}H_{14}N_5O_7P.xNa^+.yH_2O$ (149022-20-8)	▲**Adenosine-5'-Monophosphate Sodium Salt** Cell Culture Tested M. W.: 347.22 (Anhydrous free acid basis) Assay : ≥99%	1 gm 5 gm
042008 $C_{10}H_{14}N_5Na_2O_{13}P_3.4H_2O$ (987-65-5)	· **Adenosine-5-Triphosphate Disodium Salt** ($ATP\text{-}Na_2$) M. W.: 623.21 Assay (Spectrophotometric; on dried material) 98.0%	1 gm 5 gm 25 gm
TC1085 ATC $C_{10}H_{14}N_5Na_2O_{13}P_3$ (987-65-5)	▲**Adenosine-5'-Triphosphate Disodium Salt** Cell Culture Tested M. W.: 554.14 Assay : ≥95%	1 gm 5 gm 25 gm
027049 $C_6H_{10}O_4$ (124-04-9)	**Adipic Acid** Pure M. W.: 146.14 Assay 99.0%	500 gm 5 kg 25 kg 50 kg
038002 $CH_2(OH).(CH.OH)_3CH_2OH$ M. W.: 152.15 (488-81-3)	**Adonitol**	5 gm 25 gm
TC1086 ATC $C_5H_{12}O_5$ (488-81-3)	**Adonitol** (Adonite, Ribitol) Cell Culture Tested M. W.: 152.15 Assay : ≥99% Store below 30°C	10 gm 25 gm 100 gm
452725 $C_6H_3(OH)_2.CH(OH).CH_2.NH.CH_3$ M. W.: 183.21 (51-43-4)	L-**Adrenaline AR/ACS** Assay 99.0%	1 gm 5 gm
	Adrenaline Bitartrate See Adrenaline Hydrogen Tartrate	
452205 $C_9H_{13}NO_3.C_4H_6O_6$ (51-42-3)	**Adrenaline Hydrogen Tartrate AR** (Adrenaline Hydrogen Tartrate) Meets IP,BP,USP,Ph,Eur M. W.: 333.3 Assay (Non-aqueous) 99.0%	1 gm 5 gm
	AEBSF-2-Hydrochloride See 4-(2-**Amino Ethyl**) **Benzene Sulphonyl Fluoride Hydrochloride**	
025980	**Aerosil 200** (Fumed Silica Gel)	100 gm 250 gm
	Aerosol OT See Dioctyl Sodium Sulphosuccinate	
038003 $C_{15}H_{16}O_{9.}+H_2O$ (531-75-9)	· **Aesculin** M. W.: 340.28 (Anhydrous)	5 gm 25 gm
033003 (9002-18-0)	**Agar Agar Shredded** for Bacteriology	500 gm
025952 (9002-18-0)	**Agar Powder** Ultra Pure Recommended for use in immunoelectro phoretic procedures, NutritionalStudies (vitamin assay media) or sensitivity testing procedure Gelling Temperature not more than 35°C (Equivalent to noble agar)	500 gm
H00765 HISURE (9002-18-0)	**Agar Powder** Certified Etensively processed to guarantee the absence of inhibition, allowing growth of even the most sensitive microorganisms, it can be used in electrophoretic studies. Immunodiffusion assays and tissue culture procedures	500 gm
033180 (9002-18-0)	**Agar Powder** Extra Pure Recommended for culture media, disc diffusion, susceptibility tests where low mineral/metal content is desirable. Gelling Temperature not more than 38°C	500 gm
025951 (9002-18-0)	**Agar** Purified Powder Free from all nitrogenous compounds, Inorganic salts and vitamins and therefore ideal for culture media and bacteriological work Gelling Temperature not more than 38°C	500 gm 25 kg
033004 (9002-18-0)	**Agar** Powder Bacteriological Bacterial content as per IP recommended for routine bacteriological work and particularly useful in pharmaceutical preparation where it passes in microbial limit tests for the presence of bacteria.	100 gm 500 gm 5 kg 25 kg
910780 MB (9002-18-0)	**Agar Powder** For Molecular Biology Store Below 30°C	100 gm 500 gm 1 kg
025999 (9002-18-0)	**Agar Agar** Powder No. I	500 gm 25 kg
911000 MB (9012-36-6) This high EEO Agarose is suitable for protein separation by immunodiffusion & countercurrent immunoelectrophoresis techniques.	**Agarose High EEO**	10 gm 25 gm 100 gm 500 gm
911010 MB (9012-36-6) This high EEO Agarose is suitable for protein separation by immunodiffusion & countercurrent immunoelectrophoresis techniques.	**Agarose High EEO for molecular biology** DNase, RNase, Protease not detected	10 gm 25 gm 100 gm 500 gm 1 kg

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code		Product Name	Packing
911020	MB	**Agarose Medium EEO type II** (9012-36-6) A highly purified medium EEO Agarose suitable for protein separations by immunodiffusion & immunoelectrophoresis Techniques.	**10 gm** **25 gm** **100 gm** **500 gm** **1 kg**
911050	MB	**Agarose Medium EEO type II** for molecular biology DNase, RNase, Protease not detected (9012-36-6) A highly purified medium EEO Agarose suitable for protein separations by immunodiffusion & immunoelectrophoresis techniques.	**10 gm** **25 gm** **100 gm** **500 gm** **1 kg**
911100	MB	**Agarose Low EEO** **Regular grade** (9012-36-6) A highly purified low EEO Agarose suitable for routine nucleic acid analysis,having good resolution & low staining background. Can be used for various routine applications like nucleic acid separation & purification, checking PCR products & plasmid preparations, RE analysis and immunoelectrophoresis techniques, etc. Ranges of separation: 100bp to 25kb.	**10 gm** **25 gm** **100 gm** **500 gm** **1 kg**
911120	MB	**Agarose Low EEO** for molecular biology DNase, RNase, Protease not detected (9012-36-6) A highly purified low EEO Agarose suitable for routine nucleic acid analysis,having good resolution & low staining background. Can be used for various routine applications like nucleic acid separation & purification, checking PCR products & plasmid preparations, RE analysis and immunoelectrophoresis techniques, etc. Ranges of separation: 100bp to 25kb.	**10 gm** **25 gm** **100 gm** **500 gm** **1 kg**
911150	MB	**Agarose Low EEO** **Superior grade type II** for molecular biology (9012-36-6) A very high quality low EEO, high gel strength Agarose with superior gel clarity and wider resolution range from 100bp to 25kb nucleic acid fragments, ideal for various applications like separations & purifications, PCR &RE analysis, southern & northern blotting, immunoelectrophoresis techniques, etc. Ranges of separation: 100bp To 25kb.	**10 gm** **25 gm** **100 gm** **500 gm** **1 kg**
911300	MB	**Agarose Low-6** suitable for molecular biology (9012-36-6) Ranges of Separation: 10-1200bp at concentrations between 1.8-5% in 1xTAE Buffer. Agarose Low-6 is a high quality agarose specially formulated for molecular screening with an improved efficiency resolution of small DNA fragments and PCR products. To achieve the best resolution of Agarose Low-6 gels, they should be stored at 4°-8°C for 30 minutes before use.	**5 gm** **25 gm** **100 gm** **500 gm** **1 kg**
911350	MB	**Agarose Low-8** suitable for molecular biology for DNA (9012-36-6) Ranges of Separation: (10-1200bp) 1.8% ..... 400-1200bp 3% .....150-800bp 4.5% .....15-400bp Agarose Low-8 has been specially developed for molecular screening applications and improves resolution of small DNA fragments and PCR products. To achieve the best resolution of Agarose Low-8 gels, they should be stored at 4° - 8°C for 30 minutes before use.	**5 gm** **25 gm** **100 gm** **500 gm** **1 kg**
		Aibn See (A-A-Azo-Iso-Butyronitrile)	
003550 $C_{21}H_{24}N_2O_3$ (483-04-5)	⁂	▲**Ajmalicine** Pure M.W. 352.43 Assay 98.0%	**50 mg**
003570 $C_{20}H_{26}N_2O_2$ (4360-12-7)	⁂	▲**Ajmaline** Pure M.W. 326.44 Assay 98.0%	**1 gm**
177190 (8001-99-8)		**Ajowan Seed Oil**	**100 ml** **500 ml**
TC1235 $C_{12}H_6NNaO_4$ (62758-13-8)	ATC	▲**Alamar Blue**® Resazurin Sodium salt Cell Culture Tested M. W.: 251.17	**1 gm** **5 gm**
037009 $NH_2.CH_2.CH_2.COOH$ (107-95-9)		B-**Alanine** for Biochemistry M. W.: 89.09 Assay (Non-aqueous) 99.0%	**25 gm** **100 gm** **1 kg**
037005 $C_3H_7NO_2$ (338-69-2)		D-**Alanine** for Biochemistry M. W.: 89.09 Assay (Non-aqueous, on dry basis) 98.0%	**5 gm** **25 gm**
037007 $CH_3CH(NH_2)COOH$ (302-72-7)		DL-**Alanine** for Biochemistry M. W.: 89.09 Assay (Non aqueous) 98.5%-100.5%	**25 gm** **100 gm** **1 kg**
037006 $CH_3CH(NH_2)COOH$ (56-41-7)		L-**Alanine** for Biochemistry M. W.: 89.09 Assay (Non-aqueous) 99.0%	**25 gm** **100 gm** **500 gm** **1 kg**
PCT1301 $C_3H_7NO_2$ (56-41-7)	PTC	**L-Alanine** (2-Aminopropionic acid) Plant Culture Tested M. W.: 89.09 Assay 99% Store below 30°C	**25 gm** **500 gm** **1 kg**
TC1056 $C_3H_7NO_2$ (56-41-7)	ATC	**L-Alanine** (From non-animal source) Cell Culture Tested MW : 89.09 Assay : ≥99% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**

Product Code	Product Name	Packing
TC1056M ATC $C_3H_7NO_2$ (56-41-7)	**L-Alanine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing Specifications MW : 89.09 Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
003870 $C_{17}H_{21}NO_5$ (42854-62-6)	L-**Alanine Benzyl Ester**-P-**Toluene Sulfonate** for Biochemistry M. W.: 351.42 Assay 95.0%	**25 gm**
003880 ⁂ $C_4H_9NO_2.HCl$ (2491-20-5)	L-**Alanine Methyl Ester Hydrochloride** for Biochemistry M. W.: 139.58 Assay 99%	**5 gm** **25 gm** **100 gm**
TC1089 ATC $C_8H_{15}N_3O_4$ (39537-23-0)	▲**L-Alanyl**-L-**Glutamine** (Glutamine-s) Cell Culture Tested M. W.: 217.22 Assay : ≥98%	**5 gm** **25 gm** **100 gm**
452815 $C_6H_{12}N_2O_3$ (1596-84-5)	▲**Alar (B-9) AR** Plant Growth Regular M.W. 160.17 Assay (dried) 99.0%	**5 gm** **25 gm**
802370	**Albert's** Stain **A**	**125 ml** **500 ml**
802380	**Albert's** Stain **B**	**125 ml** **500 ml**
	Albumin Bovine See Bovin Albumin	
	Albumin Egg Flakes See Egg Albumin Flakes	
	Albumin Egg Powder See Egg Albumin Powder	
802390	**Albert Metachromatic stains kit**	**KIT**
025955 $C_{56}H_{68}Cl_4CuN_{16}S_4$ (33864-99-2)	**Alcian Blue** 8GX for Microscopy (Ingrain blue 1) C.I. 74240 M.W.: 1298.88 Dye content (Spectrophotometric) abt. 50%	**5 gm** **25 gm**
911250 MB $C_{56}H_{68}Cl_4CuN_{16}S_4$ (33864-99-2)	**Alcian Blue 8GX** For Molecular Biology C. I. No. : 74240 M. W.: 1298.86 Store Below 30°C	**25 gm** **50 gm**
PCT2514 PTC $C_{56}H_{68}Cl_4CuN_{16}S_4$ (33864-99-2)	**Alcian Blue 8GX** Plant Culture Tested MW : 1298.86 Assay 99.5% Store below 30°C	**10 gm** **25 gm**
802440	**Alcian Blue Solution** for Microscopy Clear, Permanent Stain for Mucin	**100 ml**

Product Code	Product Name	Packing
TC1679 ATC (9028-88-0)	▲**Aldehyde Dehydrogenase** Cell Culture Tested Activity : NLT 1U/mg	**10 mg**
025969 $C_{16}H_{32}O_5$ (533-87-9)	**Aleuritic Acid** M. W.: 304.43	**5 gm**
027898 $(C_6H_8O_6)n$ (9005-32-7)	**Alginic Acid** Meet BP,Ph,Eur. M.W:(176.13)n Assay (as COOH w.r.t. Dried subs.) 19-25%	**100 gm** **500 gm** **5 kg** **25 kg** **50 kg**
	Alginic Acid Sodium Salt See Sodium Alginate	
004000 $C_{25}H_{54}NCl$ (5137-55-3)	**Aliquat 336 ~** (Trioctyl Methyl Ammonium Chloride) M. W.: 404.17 Assay 80.0%	**250 ml** **1 lit**
	Alizarin Complexone See 3-Aminomethylalizarin N,N'-Diacetic Acid	
452905 $CO.C_6H_4.CO.C_6H_2(OH)_2$ (72-48-0)	**Alizarin** pH indicator **AR** C.I. 58000 M. W.: 240.22	**25 gm** **100 gm**
004100 $C_{28}H_{20}N_2Na_2O_8S_2$ (4403-90-1)	**Alizarin Canine Green G** (C.I. 61570) M. W.: 622.59	**25 gm** **100 gm**
802723	**Alizarin Red** S, 1% w/v aqueous indicator solution	**100 ml**
802720	**Alizarin Red** Solution 0.1 % w/v (Alizarin alcohol Solution)	**50 ml**
013005 $C_{14}H_6Na_2O_7S$ (130-22-3)	**Alizarin Red** S pH Indicator C.I. 58005 M.W:.364.24 Dye content (Spectro) 70%	**25 gm** **100 gm**
452910 $C_{14}H_7NaO_7S$ (130-22-3)	**Alizarin Red S AR** (Sodium Alizarine Sulphonate) C.I. 58005 M.W:.342.26	**25 gm** **100 gm**
453645 $C_{13}H_9N_3O_5$ (2243-76-7)	**Alizarin Yellow** R **AR** for Microscopy M. W:.287.23 Assay (Dye content) 70.0%	**25 gm** **100 gm**
013006 $C_{13}H_8N_3NaO_5$ (584-42-9)	**Alizarin Yellow GG** M. W:.309.21	**25 gm** **100 gm**
	Alizarin Sulphonic Acid Sodium Salt & Redox Indicator See Alizarine Red S	
802725	**Alkali Blue** (6B) Solution 0.1% in Alcohol	**250 ml**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
802727	**Alkali Blue** Solution Indicator for Neutralization and Saponification Number	**1 lit**
004300 $C_{32}H_{28}N_3NaO_4S$ (1324-76-1)	**Alkali Blue** (6B) (pH Indicator) (C.I. 42750) M. W.: 573.65	**5 gm** **25 gm**
	Alkaline Copper Solution See Folin & Wu's Alkaline Copper Solution	
802860	**Alkaline Copper Tartrate** Solution (Folin and wu ; Alkaline copper Soln.)	**500 ml**
TC1488 ATC (9001-78-9)	**▲Alkaline Phosphatase** From Bovine Intestine Cell Culture Tested M. W.: ~160 kDa Activity : 2000-4000 DAE unit/mg	**1000 units**
	Alkyl Dimethyl Benzyl Ammonium Chloride See Benzalkonium Chloride	
042010 $C_4H_6N_4O_3$ (97-59-6)	**Allantoin** Fine Powder M. W.: 158.12 Assay (Acidimetric, dried) 99-101%	**100 gm** **1 kg** **5 kg**
042011 $C_4H_2N_2O_4.H_2O$ (2244-11-3)	**▲Alloxan** Monohydrate M. W.: 160.09 Assay (ex N) 98.5%	**25 gm** **100 gm**
	Alloy According to **Devardas** See Devardas Alloy	
	Alloy According to Wood See Wood's (Metal)	
004530 $C_{18}H_{14}N_2Na_2O_8S_2$ (25956-17-6)	**Allura Red** M.W : 496.42 Assay 80.0%	**100 gm** **500 gm**
025981 C_3H_6O (107-18-6)	**Allyl Alcohol** for Synthesis (2-Propan-1-ol) M. W.: 58.08 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
453835 C_3H_6O (107-18-6)	**Allyl Alcohol AR** (2-propen-1-ol) M. W.: 58.08 Assay 99.5%	**500 ml** **2.5 lit**
004540 C_3H_7N (107-11-9)	**Allylamine** for Synthesis (2-Propen-1ylamine, 3-Amino-1-Propene) M.W. 57.10 Assay 99.0%	**250 ml** **1 lit**
004550 C_3H_5Br (106-95-6)	**Allyl Bromide** (3-Bromo-1-Propene) (Stabilised with Silver Wire) M. W.: 120.98 Assay (GC) 98.0%	**500 ml**
025984 C_3H_5Cl (107-05-1)	**Allyl Chloride** for Synthesis M. W.: 76.53 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**

Product Code	Product Name	Packing
004600 C_3H_5I (556-56-9)	**Allyl Iodide** (3-Iodo-1-Propene)` M. W.: 167.98 Assay 97%	**100 ml**
	Alpha Benzoinoxime See a-Benzoinoxime	
	Alpha-Bromo-P-Nitro Toluene See 4-**Nitrobenzyl Bromide**	
	Alum Ammonium See Aluminium Ammonium Sulphate	
	Alum Chrome Potassium See Chromium Potassium Sulphate	
	Alum Potassium See Aluminium Potassium Sulphate	
	Aluminium Silicate Hydrate See Bentonite Powder	
803140	**Aluminium** (Al) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	**100 ml** **250 ml** **500 ml**
803142	**Aluminium** (Al) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	**100 ml** **250 ml** **500 ml**
803190	**Aluminium** (Al) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	**100 ml** **500 ml**
803192	**Aluminium** (Al) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl in accordance with NIST	**100 ml** **500 ml**
803194	**Aluminium** (Al) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl in accordance with NIST	**100 ml** **500 ml**
027064 Al (7429-90-5)	**Aluminium** (Metal) Fine Powder At. W. 26.98 Assay (Complexometric) 99.0%	**250 gm** **500 gm** **5 kg** **25 kg** **50 kg**
N01175 Al (7429-90-5)	**Aluminum Nanoparticles/ Nanopowder** (18nm) At. W. 26.98 Assay 99.0%	**1 gm** **5 gm**
N01180 Al (7429-90-5)	**Aluminum Nanoparticles/ Nanopowder** (70-80nm) At. W. 26.98 Assay 99.9%	**1 gm** **5 gm**
025961 Al (7429-90-5)	**Aluminium Foil** Tech. (Roll) At. W. : 26.98 Assay 97.0%	**100 gm**
453925 Al (7429-90-5)	**Aluminium Foil** (Roll) **AR** At. W. : 26.98 Assay (Complexometry) 99.0%	**100 gm**

A

Laboratory Chemicals

Storage : · ❄0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
027067 Al (7429-90-5)	**Aluminium Foil** 0.14mm thickness Sheet At W. 26.98 Assay 99.0%	**250 gm** **500 gm** **25 kg** **50 kg**
454015 Al (7429-90-5)	**Aluminium Foil** (Sheets) 0.14 **AR** At. W. : 26.98	**250 gm** **500 gm**
004700 Al (7429-90-5)	**Aluminium Ingots** At. W.: 26.98 Assay (Trace metal basis) 99.99%	**100 gm** **500 gm**
027070 $AlNH_4(SO_4)_2.12H_2O$ (7784-26-1)	**Aluminium Ammonium Sulphate** 12 Hydrate M. W.: 453.32 Assay (Complexometry ex Al) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
454105 $AlNH_4(SO_4)_2.12H_2O$ (7784-26-1)	**Aluminium Ammonium Sulphate AR/ACS** M. W.: 453.32 Assay (Complexometric ex Al) 99.5%	**500 gm** **25 kg** **50 kg**
004900 $AlBO_3$ (11121-16-7)	**Aluminium Borate** M.W.: 85.791 Assay 96%	**500 gm**
027073 $AlCl_3$ (7446-70-0)	**Aluminium Chloride** Anhydrous M. W.: 133.34 Assay (Argentometric) 98.0%	**250 gm** **500 gm** **25 kg** **50 kg**
005025 $AlCl_3.6H_2O$ (7784-13-6)	**Aluminium Chloride** Hexahydrate Purified M. W.: 241.43 Assay 97.0-101.0%	**500 gm** **25 kg** **50 kg**
454195 $AlCl_3.6H_2O$ (7784-13-6)	**Aluminium Chloride** Hexahydrate **AR** Meet BP,USP,Ph,Eur. M. W.: 241.43 Assay (Complexometric) 97-102%	**500 gm** **25 kg** **50 kg**
027075 $AlF_3 + H_2O$ (7784-18-1)	**Aluminium Fluoride** M. W.: 83.98+H_2O Assay (Complexometric, after drying) 97.0%	**500 gm** **25 kg** **50 kg**
027076 $Al(OH)_3$ (21645-51-2)	**Aluminium Hydroxide** GEL (Powder) M. W.: 78.00 Assay(Al_2O_3) 47%	**250 gm** **500 gm** **25 kg**
TC1550M ATC (21645-51-2)	**Aluminium Hydroxide,** Dried Gel Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing Specifications M. W.: 78.00 Store below 30°C	**500 gm** **1 kg** **5 kg**
	Aluminium Isopropylate See Aluminium-tri-iso-Propoxide	
	Aluminium Lithium Hydride See Lithium Aluminium Hydride	
027079 $Al(NO_3)_3.9H_2O$ (7784-27-2)	**Aluminium Nitrate** Nonahydrade Cryst. M. W.: 375.13 Assay (Complexometric) 98.0%	**500 gm** **25 kg** **50 kg**
454285 $Al(NO_3)_3.9H_2O$ (7784-27-2)	**Aluminium Nitrate** Nonahydrate **AR/ACS** M. W.: 375.13 Assay (Complexometric) 98.5%	**500 gm** **25 kg**

Product Code	Product Name	Packing
005100 $C_6Al_2O_{12}$ (814-87-9)	**Aluminium Oxalate** M.W. : 318.2	**500 gm**
005150 Al_2O_3 (1344-28-1)	**Aluminium Oxide Calcined** (Activated Alumina, Activated 2-5mm, Alumina) M. W.: 101.96	**500 gm** **25 kg** **50 kg**
015003 Al_2O_3 (1344-28-1)	**Aluminium Oxide G Neutral** (with Binder) for TLC M. W.: 101.96	**500 gm** **25 kg** **50 kg**
015141 Al_2O_3 (1344-28-1)	**Aluminium Oxide Acidic** (Brockmann Grade I, II) (pH value 3.5 - 4.5) M. W.: 101.96 Mesh size (100-300 mesh) Min. 90.0%	**500 gm** **25 kg** **50 kg**
015140 Al_2O_3 (1344-28-1)	**Aluminium Oxide Basic** (Brockmann Grade I, II) (pH value 9.5 ± 0.5) M. W.: 101.96 Mesh size (100-300 mesh) Min. 90.0%	**500 gm** **25 kg** **50 kg**
015139 I_2O_3 (1344-28-1)	**Aluminium Oxide Neutral** (Brockmann Grade I, II) (pH value 6.5 - 7.5) M. W.: 101.96 Mesh size (100-300 mesh) Min. 90.0%	**500 gm** **25 kg** **50 kg**
454375 Al_2O_3 (1344-28-1)	**Aluminium Oxide AR/EL** M. W.: 101.96 Assay (Al_2O_3) 99.9%	**25 gm** **100 gm**
N01295 Al_2O_3 (1344-28-1)	**Aluminum Oxide Nanoparticles/** **Nanopowder** (Alumina, Alfa-Al_2O_3 high purity 30nm) M. W.: 101.96 Assay (Al_2O_3) 99.99%	**25 gm** **100 gm** **250 gm**
N01301 Al_2O_3 (1344-28-1)	**Aluminum Oxide Nanoparticles/** **Nanopowder** (Alumina, gamma-Al_2O_3 high purity 20-30nm) M. W.: 101.96 Assay (Al_2O_3) 99.97%	**25 gm** **100 gm**
005200 AlO_4P (7784-30-7)	**Aluminium Phosphate** Pract M. W.: 121.95 Assay 98.0%	**500 gm**
TC1551M ATC AlO_4P (7784-30-7)	**Aluminium Phosphate Gel** Meets EP 9.0 and BP 2016 testing specifications MW : 121.95 Store below 30°C	**100 ml** **500 ml**
TC1551U ATC AlO_4P (7784-30-7)	**Aluminium Phosphate Gel** Meets USP 41-NF 36 testing specifications M. W.: 121.95 Store below 30°C	**100 ml** **500 ml**

Product Code	Product Name	Packing
027085	**Aluminium Potassium Sulphate** Purified	**500 gm**
	Dodecahydrate (Potassium Alum)	**2.5 kg**
$AlK(SO_4)_2.12H_2O$	M. W.: 474.38	**25 kg**
(7784-24-9)	Assay (ex Al) 99.0%	**50 kg**
454465	**Aluminium Potassium Sulphate**	**500 gm**
	AR/ACS Meets Analytical Specification	**2.5 kg**
	of IP, BP, USP, Ph. Eur.	**25 kg**
$AlK(SO_4)_2.12H_2O$	M. W.: 474.38	**50 kg**
(7784-24-9)	Assay (Complexometric) 99.5%	
TC1552M ATC	**Aluminium Potassium Sulphate**	**500 gm**
	Dodecahydrate	**1 kg**
	(Potassium alum dodecahydrate)	
	Meets USP 41-NF 36, EP 9.0, JP	
	and BP 2016 testing specifications	
$KAl(SO_4)_2.12H_2O$	M. W.: 474.39	
(7784-24-9)		
	Store below 30°C	
027087	**Aluminium-**tri-iso-**Propoxide**	**500 gm**
	for Synthesis	**25 kg**
$C_9H_{21}AlO_3$	M. W.: 204.25	**50 kg**
(555-31-7)	Assay (Iodometric) 97.0%	
005400	**Aluminium Stearate** Extra Pure	**1 kg**
$[CH_3(CH_2)_{16}COO]_3Al$	M.W. : 877.35	**25 kg**
(637-12-7)		
027090	**Aluminium Sulphate** Purified	**500 gm**
	Hexadecahydrate	**25 kg**
$Al_2(SO_4)_3.16H_2O$	M. W.: 630.38	**50 kg**
(16828-11-8)	Assay 98.0%	
454555	**Aluminium Sulphate AR/ACS,**	**500 gm**
	(Hexadecahydrate) Meets Analytical	**25 kg**
	Specification of IP, BP, USP, Ph. Eur.	**50 kg**
$Al_2(SO_4)_3.16H_2O$	M. W.: 630.38	
(16828-11-8)	Assay [As $Al_2(SO_4)_3.16H_2O$] 99.5-102%	
TC1553U ATC	**Aluminium Sulphate**	**500 gm**
	Diammonium sulphate	**1 kg**
	Meets USP 41-NF 36	**5 kg**
	testing specifications	
$(NH_4)_2SO_4$	M. W.: 132.14	
(7783-20-2)		
	Store below 30°C	
454645	**Aluminon AR/ACS**	**10 gm**
	Reagent for Aluminium	**25 gm**
$C_{22}H_{23}N_3O_9$	M. W.: 473.44	
(569-58-4)		
803610	**Aluminon** Reagent	**125 ml**
		500 ml
026265	**Amaranth**	**25 gm**
	C.I. 16185	**100 gm**
$C_{20}H_{11}N_2Na_3O_{10}S_3$	M. W.: 604.50	**1 kg**
(915-67-3)	Assay (Dye content titanometry) 85.0%	
911400 MB	**Amaranth**	**25 gm**
	For Molecular Biology	**100 gm**
$C_{20}H_{11}N_2Na_3O_{10}S_3$	M. W.: 604-47	
(915-67-3)		
	Store Below 30°C	
803660	**Amaranth** Solution	**100 ml**
		500 ml

Product Code	Product Name	Packing
	Amberlite 120 See Ceralite IR 120	
	Amberlite 400 See Ceralite IR 400	
	Amberlite 410 See Ceralite IR 410	
	Amberlite IRC 50 See Ceralite IRC 50	
015042	**Amido Black** 10B	**25 gm**
	C.I. 20470	**100 gm**
$C_{22}H_{14}N_6O_9S_2Na_2$	M. W.: 616.50	
(1064-48-8)	Dye content (Titanometry on Dried Subs.) Abt 50.0%	
911420 MB	**Amido Black 10B**	**25 gm**
	For Molecular Biology	**100 gm**
$C_{22}H_{14}N_6Na_2O_9S_2$	M. W.: 616.49	
(1064-48-8)		
	Store Below 30°C	
	Amido Sulphonic Acid See Sulphamic Acid	
025941	▲**Amikacin Sulphate** for Lab use	**1 gm**
	Potency not less than 900 mcg/mg	**5 gm**
$C_{22}H_{43}N_5O_{13}.2H_2SO_4$	M. W.: 781.76	
(39831-55-5)	Assay (HPLC) 99.0%	
025958	p-**Amino Acetanilide** Pure	**100 gm**
$C_8H_{10}N_2O$	M. W.: 150.18	**500 gm**
(122-80-5)	Assay (NT) 98.0%	
006136	▲2-**Amino Acetophenone**	**10 gm**
	for Synthesis	**100 gm**
C_8H_9NO	M.W : 135.16	
(551-93-9)	Assay 98.0%	
006138	3-**Amino Acetophenone**	**100 gm**
	for Synthesis	**500 gm**
C_8H_9NO	M.W : 135.16	
(99-03-6)	Assay 98.0%	
006140	4-**Amino Acetophenone** for Synthesis	**100 gm**
C_8H_9NO	M. W.: 135.16	**500 gm**
(99-92-3)	Assay 98.0%	
	Amino Acetic Acid See Glycine	
025986	**Amino Acid Kit of 24 items**	**1 kit**
	(each tube contain 1 gm except	
	3 (3,4-Dihydroxy Phenyl) DL-Alanine and	
	L-Hydroxy Proline which contain 0.1 gm)	
	DL- Alanine, DL-Nor-Leucine,	
	DL-2-Amino-n-butyric Acid, L-Leucine,	
	L-Arginine Monohydrochloride,	
	L-Lysine Monohydrochloride,	
	DL-Aspartic Acid, DL-Methionine,	
	L-Cysteine Hydrochloride,	
	L-Ornithine Monohydrochloride,	
	L-Cystine, DL-Phenyl Alanine,	
	3-(3,4-Di Hydroxy Phenyl) DL-Alanine, L-Proline,	
	L-Glutamic Acid, DL-Serine,	
	Glycine, DL-Threonine,	
	L-Histidine Monohydrochloride, DL-Tryptophan,	
	L-Hydroxy Proline, L-Tyrosine,	
	DL-ISO-Leucine & DL-Valine	
	3-**Amino Anisole**	
	See m-Anisidine	
	4-**Amino Anisole**	
	See p-Anisidine	

Storage : · ❄0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
454855 $C_{11}H_{13}N_3O$ (83-07-8)	p-**Amino Antipyrine AR** M. W.: 203.24 Assay (Non-aqueous) 98.0%	**25 gm** **100 gm**
006350 $C_{12}H_{11}N_3$ (60-09-3)	4-**Amino Azobenzene** (4-phenylazoaniline) for Synthesis M. W.: 197.24 Assay 98.0%	**100 gm** **500 gm**
	p-**Aminobenzene Sulphonamide** See Sulphanilamide	
	3-**Aminobenzene Sulphonic Acid** See Metanilic Acid	
	p-**Aminobenzene Sulphonic Acid** See Sulphanilic Acid	
006450 $C_7H_7NO_2$ (99-05-8)	m-**Amino Benzoic Acid** (3-Aminobenzoic Acid) for Synthesis M. W.: 137.4 Assay 98.0%	**100 gm** **500 gm**
025913 $NH_2C_6H_4COOH$ (150-13-0)	p-**Amino Benzoic Acid** Pract. (4-Amino Benzoic acid) M. W.: 137.14 Assay (acidimetric) 98.5-100.5%	**100 gm** **500 gm**
PCT1211 PTC $C_7\ H_7\ NO_2$ (150-13-0)	**4-Aminobenzoic Acid** (PABA; p-Aminobenzoic acid) Plant Culture Tested M. W.: 137.14 Assay 99% Store below 30°C	**100 gm** **500 gm**
006500 $C_{13}H_{11}NO$ (2835-77-0)	2-**Amino Benzophenone** M. W.: 197.23 Assay 98.0%	**25 gm** **100 gm**
006550 $C_4H_{11}NO$ (5856-62-2)	S(+)-2-**Amino**-1-**Butanol** (D-2-Aminobutanol) M. W.: 89.14 Assay 98.0%	**1 gm** **5 gm**
025916 $C_2H_5CH(NH_2)CO_2H$ (2835-81-6)	DL-2-**Amino Butyric Acid** M. W.: 103.12 Assay 99.0%	**25 gm** **100 gm**
025917 $C_4H_9NO_2$ (56-12-2)	p-**Amino Butyric Acid** M. W.: 103.12 Assay (Non aqueous) 98.0%	**100 gm** **500 gm** **5 kg** **25 kg**
454945 $C_4H_9NO_2$ (56-12-2)	p-**Amino Butyric Acid AR** for biochemistry M. W.: 103.12 Assay (NT) 99.0%	**10 gm** **25 gm** **100 gm**
TC1090 ATC $C_4H_9NO_2$ (1492-24-6)	**L-α-Amino-n-Butyric Acid** (L-(+)-2-Aminobutyric Acid) Cell Culture Tested M. W.: 103.12 Assay : ≥98% Store below 30°C	**250 mg** **1 gm** **5 gm**
	DL-2-**Amino**-n-**Caproic Acid** See dl-NOR Leucine	

Product Code	Product Name	Packing
006950 $C_6H_{13}NO_2$ (60-32-2)	6-**Amino Caproic Acid** for Biochemistry M. W.: 131.17 Assay 99.0%	**100 gm** **500 gm** **1 kg**
007105 $H_2NC_6H_3(Cl).COC_6H_5$ (719-59-5)	2-**Amino**-5-**Chloro Benzophenone** M. W.: 231.68 Assay 98.0%	**100 gm** **500 gm**
007205 $H_6NC_6H_2Cl_2CO_2H$ (56961-25-2)	4-**Amino**-3,5-**Dichloro Benzoic Acid** M. W.: 206.03 Assay 98.0%	**5 gm** **25 gm**
	4-**Amino**-N,N-**Diethylaniline Dihydrochloride** See N,N-Dimethyl-P-Phenylene Diamine Dihydrochioride	
	4-**Amino**-N-N,**Diethyl Aniline Sulphate** See N,N-Diethyl-p-Phenylene Diamine Sulphate	
	4-**Amino**-2,3-**Dimethyl**-1-**Phenyl**-3-**Pyrazolin**-5-**One** See 4-Aminoantipyrine	
	5-**Amino**-2,3-**Dihydro**-1, 4-**Phthalazinedione** See Luminol	
	2-**Amino Ethanol** See Ethanolamine Mono	
	2-**Aminoethylbromide Hydrobromide** See-2-**Bromoethylamine Hydrobromide**	
	N-(2-**Aminoethyl)Ethanolamine** See 2-(2-**Aminoethylamino)ethanol**	
007550 $C_4H_{12}N_2O$ (111-41-1)	2-(2-**Amino Ethylamino**) **Ethanol** for Synthesis, [N-(2-Aminoethyl) Ethanolamine,N-(2-2-Hydroxyethyl) Ethylenediamine] M. W.: 104.15	**500 ml** **2.5 lit** **25 lit** **200 lit**
007350 $C_8H_{10}FNO_2S.HCl$ (30827-99-7)	▲4-(2-**Amino Ethyl**) **Benzene Sulphonyl Fluoride Hydrochloride** for Biochemistry (AEBSF-2-Hydrochloride) (Substitute for PMSF) M. W.: 239.7 Assay 98.0%	**25 mg** **100 mg**
025963 $C_6H_{15}N_3$ (140-31-8)	1-(2-**Amino Ethyl**) **Piperazine** M. W.: 129.21 Assay (GC) 99.0%	**100 ml** **500 ml**
	1-**Amino**-2-**Fluorobenzene** See 2-Fluoroaniline	
	1-**Amino**-4-**Fluorobenzene** See 4-Fluoroaniline	
	4-**Amino Folic Acid** See **Aminopterin**	
	(R)-2-Aminoglutaric Acid See **d-Glutamic Acid**	
	(S)-2-Aminoglutaric Acid See **L-Glutamic Acid**	
	1-**Amino Guanidinium Hydrogen Carbonate** See Amino guanidine Bicarbonate	
007650 $C_2H_8N_4O_3$ (2582-30-1)	**Amino Guanidine Bicarbonate** (1-Aminoguanidinium Hydrogen Carbonate, Guanylhydrazine Bicarbonate Salt) for Synthesis M. W.: 136.11 Assay 97.0%	**100 gm** **500 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ·#0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
	DL-**Amino-N-Hexanoic Acid** See dl-**Norleucine**	
	2-**Amino**-3-**Hydroxybutyric Acid** See dl-Threonine	
	1-**Amino**-2-**Hydroxy Naphthalene-4-Sulfonic Acid** See 1-Amino-2-Naphthol-4-Sulphonic Acid	
	4-**Amino**-3-**Hydroxy Naphthalene**1-**Sulphonic Acid** See 1-Amino-2-Naphthol-4-Sulphonic Acid	
	4-**Amino**-2-**Hydroxy Pyrimidine** See Cytosine	
007750 $C_{19}H_{15}NO_8.2H_2O$ (3952-78-1)	3-**Amino Methylalizarin**- N,N-**Diacetic Acid** (Alizarin Complexone) M. W.: 421.36 Assay 95.0%	**1 gm** **5 gm**
	DL-2-**Amino**-3-**Methylpentanoic Acid** See dl-Isoleucine	
	2-**Amino**-2-**Methylpropane** See tert-Butylamine	
455125 $C_4H_{11}NO_2$ (115-69-5)	2-**Amino**-2-**Methyl**-1,3-**Propanediol AR** M. W.: 105.14 Assay (GC) 99.0%	**100 gm**
007850 $(CH_3)_2C(NH_2)CH_2OH$ (124-68-5)	2-**Amino**-2-**Methyl**-**Propan**-1-**OL** (Isobutanolamine) M. W.: 89.14	**500 ml** **2.5 lit** **25 lit**
455645 $(CH_3)_2C(NH_2)CH_2OH$ (124-68-5)	2-**Amino**-2-**Methyl**-**Propan**-1-**OL AR** (Isobutanolamine) M. W.: 89.14	**500 ml** **2.5 lit**
007950 $C_6H_8N_2$ (1603-40-3)	2-**Amino**-3-**Methylpyridine** for Synthesis M. W.: 108.14 Assay 95.0%	**100 gm** **500 gm**
007955 $C_6H_8N_2$ (695-34-1)	2-**Amino**-4-**Methylpyridine** for Synthesis M. W.: 108.14 Assay 98.0%	**100 gm** **500 gm**
007960 $C_6H_8N_2$ (1603-41-4)	2-**Amino**-5-**Methylpyridine** for Synthesis M. W.: 108.14	**25 gm** **100 gm**
007965 $C_6H_8N_2$ (1824-81-3)	2-**Amino**-6-**Methylpyridine**(6-Amino -2-Picoline) for Synthesis M. W.: 108.1 Assay 98.0%	**100 gm** **500 gm**
008075 $C_4H_{10}N_2O$ (4319-49-7)	4-**Amino Morpholine** M. W.:102.14 Assay 97.0%	**10 gm**
008175 (5460-09-3)	8-**Amino**-1-**Naphthol**-3,6 **Disulphonic Acid Sodium Salt**	**100 gm** **1 kg**
027126 $NH_2C_{10}H_5(OH)SO_3H$ (116-63-2)	1-**Amino**-2-**Naphthol**-4-**Sulphonic Acid** M. W.: 239.25 Assay 95.0%	**25 gm** **100 gm**

Product Code	Product Name	Packing
455735 $NH_2.C_{10}H_5(OH).SO_3H$ (116-63-2)	1-**Amino**-2-**Naphthol**-4-**Sulphonic Acid AR** For determination of Phosphates M. W.: 239.25 Assay 98.0%	**25 gm** **100 gm**
	1-**Aminopentane** See Amylamine	
	(R)-2-**Aminopentanedioic Acid** See **d-Glutamic Acid**	
	(S)-2-**Aminopentanedioic Acid** See **L-Glutamic Acid**	
	4-**Amino Phenazone** See p-Amino Antipyrine	
025931 C_6H_7NO (591-27-5)	m-**Aminophenol** (3-Aminophenol) M. W.: 109.13 Assay(Non-aqueous) 99.0%	**100 gm** **500 gm**
025912 C_6H_7NO (95-55-6)	o-**Aminophenol** Pract (2-Aminophenol) M. W.: 109.13 Assay (GC) 95.0%	**100 gm** **250 gm**
025911 C_6H_7NO (123-30-8)	p-**Aminophenol** Pract (4-Aminophenol) M. W.: 109.13 Assay (Non-aqueous titration) 96.0%	**100 gm** **250 gm**
	6-**Amino**-2-**Picoline** See 2-Amino-6-Methylpyridine	
	2-**Amino**-3-**Picoline** See 2-Amino-3-Methylpyridine	
	6-**Amino**-3-**Picoline** See 2-Amino-5-Methylpyridine	
	2-**Amino**-4-**Picoline** See 2-Amino-4-Methylpyridine	
	2-**Amino**-5-**Picoline** See 2-Amino-5-Methylpyridine	
	2-**Amino**-6-**Picoline** See 2-Amino 6-Methylpyridine	
008250 C_3H_9NO (156-87-6)	3-**Amino**-1-**Propanol** for Synthesis (3-Aminopropyl alcohol) M.W. 75.11	**100 ml** **500 ml**
	1-**Aminopropane** See n-Propylamine	
	2-**Aminopropane** See Isopropylamine	
	(S)-2-**Aminopropionic Acid** See l-Alanine	
	(R)-2-**Aminopropionic Acid** See d-Alanine	
008555 $C_{19}H_{20}N_8O_5$ (54-62-6)	3-**Amino Pterin** (4-Amino Folic Acid) M. W.: 440.4 Assay 98.0%	**10 mg** **25 mg**
TC1091 ATC $C_{19}H_{20}N_8O_5$ (54-62-6)	▲**Amino Pterin** (4-Aminofolic acid) Cell Culture Tested M. W.: 440.41 Assay : ≥98%	**10 mg** **25 mg** **100 mg**

A

Laboratory Chemicals

Storage : · #0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
027135 N.CH.CH.CH.CH. C.NH_2 (504-29-0)	2-**Amino Pyridine** for Synthesis (o-Amino Pyridine) M. W.: 94.12 Assay (G.C) 98.0%	**100 gm** **500 gm** **1 kg**
008655 $C_5H_6N_2$ (462-08-8)	3-**Amino Pyridine** (m-Aminopyridine) (for Synthesis) M. W.: 94.12 Assay 99.0%	**100 gm** **500 gm**
008665 $C_5H_6N_2$ (504-24-5)	4-**Amino Pyridine** for Synthesis (p-Amino pyridine) M. W.: 94.12	**25 gm** **100 gm**
	Aminopyrine See 4-**Dimethylamino Antipyrine**	
008765 $C_7H_7NO_3$ (89-57-6)	5-**Amino Salicylic Acid** for Synthesis (5-Amino-2-Hydroxybenzoicacid, Mesalamine) M. W.: 153.14	**100 gm** **500 gm**
008865 $CH_3N_5.H_2O$ (15454-54-3)	5-**Amino Tetrazole** Monohydrate for Biochemistry M. W.: 103.08 Assay 97.0%	**100 gm**
009015 $C_3N_4N_2S$ (96-50-4)	2-**Amino Thiazole** for Synthesis M. W.: 100.14 Assay 97.0%	**50 gm**
009075 C_6H_7NS (137-07-5)	2-**Amino Thiophenol** for Synthesis (2-Mercaptoaniline) M. W.: 125.19 Assay 98.0%	**500 ml**
	o-**Aminotoluene** See o-Toluidine	
	m-**Aminotoluene** See m-Toluidine	
	p-**Aminotoluene** See p-Toluidine	
009125 $C_2H_4N_2$ (61-82-5)	3-**Amino**-1,2,4-**Triazole** for Synthesis (Amitrol,3-Amino-1H-1,2,4-Triazole) M. W.: 84.08	**100 gm** **1 kg**
009135 $C_2H_4N_4$ (584-13-4)	▲4-**Amino**-1,2,4-**Triazole** (4-H-1,2,4-Triazole-4-Amine) M. W.: 84.08	**100 gm** **500 gm**
	N-**Amino Urea Hydrochloride** See Semicarbazide Hydrochloride	
PCT2141 PTC $C_{11}H_{17}N_2O_4PS$ (36001-88-4)	▲**Amiprophos methyl** Plant Culture Tested M. W.: 304.3	**250 mg** **1 gm**
009235 $C_{20}H_{23}N.HCl$ (549-18-8)	**Amitriptyline Hydrochloride** for Biochemistry M. W.: 313.86	**25 gm** **100 gm** **500 gm**
	Amitrol See 3-**Amino**-1,2,4-**Triazole**	
804800	**Ammonia** TS acc. to USP	**500 ml**
804500	**Ammonia** Buffer Solution	**500 ml**
804550	**Ammonia** Buffer Solution for Hardness of Water Determination	**500 ml** **2.5 lit**

Product Code	Product Name	Packing
804585	**Ammonia** Solution 0.04%	**500 ml**
804600	**Ammonia** CPECTROSOL® 0.1M (0.1N) Standard Solution In accordance with NIST	**1 lit**
804750	**Ammonia** Solution About 10% w/v NH_3	**500 ml** **2.5 lit**
009305 NH_3 (1336-21-6)	**Ammonia** Solution (SP. GR. 0.91) M. W.: 17.03 Assay (NH_3) About 25%	**500 ml** **2.5 lit** **5 lit**
456145 NH_3 (1336-21-6)	**Ammonia** Solution **AR** (SP. GR. 0.91) M. W.: 17.03 Assay (NH_3) About 25%	**500 ml** **2.5 lit**
456165 NH_3 (1336-21-6)	**Ammonia** Solution **AR/ACS** (SP. GR. 0.89) M. W.: 17.03 Assay (NH_3) About 28-30%	**500 ml** **2.5 lit**
703740 Nh_3 (1336-21-6)	**Ammonia** Solution for HPLC Concentration In Water ~10% M. W.: 17.03	**500 ml**
804805	**Ammonia Ammonium Chloride Buffer** TS acc. to USP	**500 ml**
027142 CH_3COONH_4 (631-61-8)	**Ammonium Acetate** Cryst. Pure M. W.: 77.08 Assay (ex NH_3) 96.0%	**500 gm** **5 kg** **25 kg** **50 kg**
456255 CH_3COONH_4 (631-61-8)	**Ammonium Acetate** Cryst. **AR/ACS** M. W.: 77.08 Assay (ex NH_3) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
703790 CH_3COONH_4 (631-61-8)	**Ammonium Acetate** for HPLC M. W.: 77.08 Assay (Acidimetric; ex NH_3 Calculated. on dried subs.) 99.0%	**250 gm** **500 gm**
913150 MB CH_3COONH_4 (631-61-8)	**Ammonium Acetate** for Molecular Biology M. W.: 77.08 Assay (Acidimetric ex NH_3 Calc. on dry subs.) 99.0%	**100 gm** **500 gm**
703890 CH_3COONH_4 (631-61-8)	**Ammonium Acetate** for ULC-MS Hygroscopic M. W.: 77.08	**100 gm**
804960 MB	**Ammonium Acetate** 5M Ultrapure Solution For Molecular Biology	**250 ml** **500 ml**
456300 $C_6H_{16}N_2O_4$ (3385-41-9)	**Ammonium Adipate AR** M. W.: 180.20 Assay (Acidimetric) 99.6%	**500 gm** **25 kg**
703940 $C_6H_{16}N_2O_4$ (3385-41-9)	**Ammonium Adipate** EL Grade M. W.: 180.20 Assay (Acidimetric) 99.0%	**500 gm**
`	**Ammonium Aluminium Sulphate (Ammonium Alum)** See Aluminium Ammonium Sulphate	

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
	Ammonium Amido Sulphonate See Ammonium Sulphamate	
025988 $C_6H_5COONH_4$ (1863-63-4)	**Ammonium Benzoate** M. W.: 139.15 Assay(by acidimetry) 98.0%	**500 gm** **25 kg**
	Ammonium Bicarbonate See Ammonium Hydrogen Carbonate	
	Ammonium Bichromate See Ammonium Dichromate	
009415 $NH_4F.HF$ (1341-49-7)	**Ammonium Bifluoride** Pure (Ammonium Hydrogen Difluoride) M. W.: 57.04 Assay (acidimetric) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
456390 $NH_4F.HF$ (1341-49-7)	**Ammonium Bifluoride AR/ACS** M. W.: 57.04 Assay (acidimetric) 98.5%	**500 gm**
	Ammonium Bismuth Citrate See Bismuth Ammonium Citrate	
009435 $(NH_4)HSO_4$ (7803-63-6)	**Ammonium Bisulphate** Pure (Ammonium Hydrogen Sulphate) M. W.: 115.11 Assay 98.0%	**250 gm** **500 gm**
027145 NH_4Br (12124-97-9)	**Ammonium Bromide** M. W.: 97.94 Assay (Argentometric; on dried substance) 99.0%	**500 gm** **25 kg** **50 kg**
456435 NH_4Br (12124-97-9)	**Ammonium Bromide AR/ACS** M. W.: 97.94 Assay (Argentometric; after drying) 99.5%	**500 gm** **25 kg** **50 kg**
027147 $NH_4HCO_3 + NH_2CO_2NH_4$ (10361-29-2)	**Ammonium Carbonate** Purified M. W.: 157.13 Assay (Acidimetric NH_3) 30-33%	**500 gm** **25 kg** **50 kg**
456525 $NH_4HCO_3 + NH_2COONH_4$ (10361-29-2)	**Ammonium Carbonate AR/ACS** M. W.: 157.13 Assay (Acidimetric) : 31.0%	**500 gm** **25 kg** **50 kg**
704900 $NH_4HCO_3 + NH_2COONH_4$ (10361-29-2)	**Ammonium Carbonate** for HPLC M. W.: 157.13	**500 gm**
805070	**Ammonium Carbonate** TS acc. to USP	**500 ml**
805100	**Ammonium Ceric Nitrate** N/20 Soln. Normality 0.05 ± 0.0005	**500 ml**
RE0100 $(NH_4)_2[Ce(NO_3)_6]$ (16774-21-3)	**Ammonium Ceric Nitrate** (Ammonium Cerium (IV) Nitrate) M. W.: 548.23 Assay (after drying ex Ce) 98.0%	**25 gm** **100 gm**
RE0110 $(NH_4)_2[Ce(NO_3)_6]$ (16774-21-3)	**Ammonium Ceric Nitrate AR/ACS** M. W.: 548.23 Assay (after drying ex Ce) 99.0%	**100 gm** **500 gm**
RE0120 $(NH_4)_4[Ce(SO_4)_4].2H_2O$ (10378-47-9)	**Ammonium Ceric Sulphate** Dihydrate (Ammonium Cerium (IV) Sulphate) M. W.: 632.55 Assay (ex Ce) 90.0-105.0%	**100 gm** **500 gm**
RE0130 $(NH_4)_4[Ce(SO_4)_4].2H_2O$ (10378-47-9)	**Ammonium Ceric Sulphate AR/ACS** (Ceric Ammonium Sulphate) M. W.: 632.55 Assay 99.0%	**100 gm** **500 gm**

Product Code	Product Name	Packing
027149 NH_4Cl (12125-02-9)	**Ammonium Chloride** Purified M. W.: 53.49 Assay (ex Cl) 99.0%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
456615 NH_4Cl (12125-02-9)	**Ammonium Chloride AR/ACS** Suitable for Chromatographic use M. W.: 53.49 Assay (Argentometric; ex Cl) 99.8%	**500 gm** **5 kg** **25 kg** **50 kg**
913350 MB NH_4Cl (12125-02-9)	**Ammonium Chloride** Molecular Biology M. W.: 53.49	**500 gm**
PCT1123 PTC NH_4Cl (12125-02-9)	**Ammonium Chloride** Plant Culture Tested M. W.: 53.49 Assay 99% Store below 30°C	**100 gm** **500 gm** **1 kg**
TC1092 ATC NH_4Cl (12125-02-9)	**Ammonium Chloride** Cell Culture Tested M. W.: 53.49 Assay : ≥99.5% Store below 30°C	**100 gm** **500 gm**
TC1092M ATC ClH_4N (12125-02-9)	**Ammonium Chloride** Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications M. W.: 53.49 Store below 30°C	**100 gm** **500 gm**
805135 MB	**Ammonium Chloride** 5M Ultrapure Solution For Molecular Biology	**500 ml** **1 lit** **2.5 lit**
805138	**Ammonium Chloride** TS acc. to USP	**500 ml**
805140	**Ammonium Chloride-Ammonium Hydroxide** TS acc. to USP	**500 ml**
025994 $(NH_4)_2PtCl_6$ (16919-58-7)	**Ammonium Chloro Platinate** M. W.: 443.87	**1 gm**
009685 $(NH_4)_2CrO_4$ (7788-98-9)	**Ammonium Chromate** Extra Pure M. W.: 152.07 Assay 98.0%	**500 gm**
	di-**Ammonium Citrate** See di-Ammonium hydrogen-Citrate	
027153 $(NH_4)_3C_6H_5O_7$ (3458-72-8)	tri-**Ammonium Citrate** M. W.: 243.22 Assay (ex NH_3) 97.0-103.0%	**500 gm** **25 kg** **50 kg**
456705 $(NH_4)_3C_6H_5O_7$ (3458-72-8)	tri-**Ammonium Citrate AR** M. W.: 243.22 Assay (acidimetric) 98.5-101.0%	**500 gm** **25 kg** **50 kg**
027159 $(NH_4)_2Cr_2O_7$ (7789-09-5)	**Ammonium Dichromate** Cryst. M. W.: 252.06 Assay (iodometric) 99.5-100.5%	**500 gm** **5 kg** **25 kg** **50 kg**
456795 $(NH_4)_2Cr_2O_7$ (7789-09-5)	**Ammonium Dichromate AR/ACS** M. W.: 252.06 Assay (after drying) 99.5%	**500 gm** **25 kg** **50 kg**

Storage : · ❄0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
027161 $NH_4H_2PO_4$ (7722-76-1)	**Ammonium Dihydrogen Ortho Phosphate** Purified M. W.: 115.03 Assay (acidimetric) 98.0-101.0%	**500 gm** **5 kg** **25 kg** **50 kg**
456885 $NH_4H_2PO_4$ (7722-76-1)	**Ammonium Dihydrogen Ortho Phosphate AR** M. W.: 115.03 Assay (acidimetric) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
704940 $NH_4H_2PO_4$ (7722-76-1)	**Ammonium Dihydrogen Orthophosphate** for HPLC (Ammonium Phosphate Monobasic) M. W.: 115.03 Assay 99.0%	**500 gm**
913780 MB $NH_4H_2PO_4$ (7722-76-1)	**Ammonium Dihydrogen Ortho Phosphate** For Molecular Biology M. W.: 115.03 Assay ≥ 99% Store Below 30°C	**500 gm**
PCT1001 PTC $NH_4H_2PO_4$ (7722-76-1)	**Ammonium Dihydrogen Phosphate** Plant Culture Tested M. W.: 115.03 Assay 98% Store below 30°C	**500 gm** **1 kg**
PCT1107 PTC (1185-57-5)	**Ammonium Ferric Citrate** Plant Culture Tested Assay 17 -18.5% Fe Store below 30°C	**100 gm** **500 gm**
027882 (1185-57-5)	**Ammonium Ferric Citrate** Brown Meets Analytical Specification of IP Iron content (iodometric) 20.5 - 22.5%	**500 gm** **25 kg** **50 kg**
456995 (1185-57-5)	**Ammonium Ferric Citrate** Brown **AR** (Ammonium Iron (III) Citrate)	**500 gm** **25 kg** **50 kg**
TC1453 ATC (1185-57-5)	**Ammonium Ferric Citrate, Brown** Ammonium iron (III) citrate Cell Culture Tested Assay : 16.5-22.5% Fe Store below 30°C	**100 gm** **500 gm**
TC1453U ATC $C_6H_8O_7.xFe_3 + . yNH_3$ (1185-57-5)	**Ammonium Ferric Citrate, Brown** (Ammonium iron(III) citrate) Meets USP 41-NF 36 testing specifications Store below 30°C	**100 gm** **500 gm**
025929 (1185-57-5)	**Ammonium Ferric Citrate** Green	**500 gm**
457005 (1185-57-5)	**Ammonium Ferric Citrate** Green **AR**	**500 gm**
092795 $C_6FeO_{12}.3H_4N$ (14221-47-7)	**Ammonium Ferric Oxalate** M. W.: 374.01	**500 gm**
027164 $NH_4Fe(SO_4)_2.12H_2O$ (7783-83-7)	**▲Ammonium Ferric Sulphate** Dodecahydrate M. W.: 482.18 Assay (ex Fe) 98.0-101.0%	**500 gm** **25 kg** **50 kg**
457050 $NH_4Fe(SO_4)_2.12H_2O$ (7783-83-7)	**▲Ammonium Ferric Sulphate AR/ACS** Dodecahydrate M. W.: 482.1 Assay (Iodometric) 99.0%	**500 gm** **25 kg** **50 kg**
834270	**Ammonium Ferric Sulphate TS** acc to USP	**500 ml**
834265	**Ammonium Ferric Sulphate 8%** W/v for Chloride (Volhard's Indicator)	**100 ml**
027166 $(NH_4)_2SO_4FeSO_4.6H_2O$ (7783-85-9)	**Ammonium Ferrous Sulphate** Hexahydrate Cryst. M. W.: 392.13 Assay (redox titration) 98.5%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
457095 $(NH_4)_2SO_4.FeSO_4.6H_2O$ (7783-85-9)	**Ammonium Ferrous Sulphate AR/ACS** Hexahydrate M. W.:392.13 Assay (redox titration) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
027167 NH_4F (12125-01-8)	**Ammonium Fluoride** M. W.: 37.04 Assay (Acidimetric) 95.0%	**500 gm** **1 kg** **25 kg**
457140 NH_4F (12125-01-8)	**Ammonium Fluoride AR/ACS** M. W.: 37.04 Assay (Acidimetric) 98.0%	**250 gm** **500 gm** **1 kg** **25 kg**
805160	**Ammonium Fluoride** 40% Solution In Water	**500 ml** **1 lit** **2.5 lit**
027169 $H.COONH_4$ (540-69-2)	**Ammonium Formate** M. W.: 63.06 Assay (Acidimetric ex NH_3) 97.0%	**250 gm** **500 gm** **25 kg**
457185 $H.COONH_4$ (540-69-2)	**Ammonium Formate AR** M. W.: 63.06 Assay (Acidimetric ex NH_3)97.0%	**500 gm** **50 kg**
D06957 CD_5NO_2 (65387-23-7)	**Ammonium-d_4 Formate-d** (for NMR Spectroscopy) M. W.: 68.06 Assay Min. 98 atom%D	**1 gm** **5 gm**
	Ammonium Hepta Molybdate See Ammonium Molybdate	
	di-**Ammonium Hexanitratocerate (IV)** See Ammonium Ceric Nitrate	
027170 NH_4HCO_3 (1066-33-7)	**Ammonium Hydrogen Carbonate** (Ammonium Bicarbonate) M. W.: 79.06 Assay (acidimetric) 98.5%	**500 gm** **1 kg** **5 kg** **25 kg** **50 Kg**
457230 NH_4HCO_3 (1066-33-7)	**Ammonium Hydrogen Carbonate AR** (Ammonium Bicarbonate) M. W.: 79.06 Assay (Acidimetric) 99.0%	**500 gm** **25 kg** **50 kg**
027171 $C_6H_8O_7.2NH_3$ (3012-65-5)	di-**Ammonium Hydrogen-Citrate** (di-Ammonium Citrate) M.W.: 226.18	**500 gm** **25 kg** **50 kg**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ·#0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
913450 MB $C_6H_{14}N_2O_7$ (3012-65-5)	**di-Ammonium Hydrogen Citrate** For Molecular Biology M. W.: 226.18 Assay ≥ 99% Store Below 30°C	**500 gm**
	Ammonium Hydrogen Difluoride See Ammonium Bifluoride	
027173 $(NH_4)_2HPO_4$ (7783-28-0)	di-**Ammonium Hydrogen Ortho Phosphate** Anhydrous Purified M. W.: 132.06 Assay (acidimetric) 97.0-102%	**500 gm** **5 kg** **25 kg** **50 kg**
457275 $(NH_4)_2HPO_4$ (7783-28-0)	di-**Ammonium Hydrogen Ortho Phosphate** Anhydrous **AR/ACS** M. W.: 132.06 Assay (Acidimetric) 98.0-102.0%	**500 gm** **25 kg** **50 kg**
913770 MB $(NH_4)_2HPO_4$ (7783-28-0)	**di-Ammonium Hydrogen Ortho Phosphate** For Molecular Biology M. W.: 132.06 Assay ≥ 98% Store Below30°C	**500 gm**
TC1578 ATC $(NH_4)_2HPO_4$ (7783-28-0)	**di-Ammonium Hydrogen Phosphate** Ammonium monohydrogen phosphate, Ammonium phosphate Dibasic Cell Culture Tested M. W.: 132.06 Assay : ≥98% Store below 30°C	**100 gm** **500 gm**
	Ammonium Hydroxide Solution See Ammonia Solution	
027180 NH_4I (12027-06-4)	**Ammonium Iodide** M. W.: 144.94 Assay 99.0%	**100 gm** **500 gm**
457320 NH_4I (12027-06-4)	**Ammonium Iodide AR/ACS** M. W.: 144.94 Assay (redox titration of iodide) 99.0%	**50 gm** **250 gm**
	Ammonium Iron (III) **Citrate** See Ammonium Ferric Citrate	
805450	**Ammonium Iron** (II) **Sulphate** CPECTROSOL® 0.1M (0.1N) Standard Solution in accordance with NIST	**1 lit**
	Ammonium Iron (II) **Sulphate** See Ammonium Ferrous Sulphate	
	Ammonium Iron (III) **Sulphate** See Ammonium Ferric Sulphate	
	Ammonium Meta Vanadate See Ammonium-m-Vanadate	
027187 $(NH_4)_6.Mo_7O_{24}.4H_2O$ (12054-85-2)	**Ammonium Molybdate** Tetrahydrate Cold Soluble M. W.: 1235.9 Assay (Oxidimetric) 98.0-102.0%	**100 gm** **250 gm** **500 gm** **1 kg** **25 kg**
457430 $(NH_4)_6.Mo_7O_{24}.4H_2O$ (12054-85-2)	**Ammonium Molybdate** Tetrahydrate **AR/ACS** Cold Soluble M. W.: 1235.9 Assay (Oxidimetric) 99.0%	**100 gm** **500 gm** **1 kg** **25 kg**
457435 $(NH_4)_6.Mo_7O_{24}.4H_2O$ (12054-85-2)	**Ammonium Molybdate AR/ACS** Tetrahydrate Hot soluble for steel industry M. W.: 1235.9 Assay (Oxidimetric) 99.0%	**100 gm** **500 gm** **1 kg**
914110 MB $(NH_4)_6Mo_7O_{24}.4H_2O$ (12054-85-2)	**Ammonium Molybdate** Tetrahydrate For Molecular Biology M. W.: 1235.86 Assay ≥ 99% Store Below 30°C	**100 gm** **500 gm**
PCT1119 PTC $(NH_4)_6Mo_7O_{24}.4H_2O$ (12054-85-2)	**Ammonium Molybdate** Tetrahydrate Plant Culture Tested M. W.: 1235.86 Assay 99% Store below 30°C	**25 gm** **100 gm** **500 gm**
	Ammonium Mono Vanadate See Ammonium-m-Vanadate	
027189 $(NH_4)_2Ni(SO_4)_2.6H_2O$ (7785-20-8)	**Ammonium Nickel Sulphate** Hexahydrate (di-Ammonium Nickel (II) Sulphate) M. W.: 394.97 Assay (Complexometric) 98.5%	**250gm** **500 gm** **25 kg** **50 kg**
457460 $(NH_4)_2Ni(SO_4)_2.6H_2O$ (7785-20-8)	**Ammonium Nickel Sulphate AR** Hexahydrate M. W.: 394.97 Assay (Complexometric) 99.0%	**500 gm** **25 kg** **50 kg**
027192 $(COONH_4)_2H_2O$ (6009-70-7)	**Ammonium Oxalate** Monohydrate Purified M. W.: 142.11 Assay (ex oxalate) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
457480 $(COONH_4)_2H_2O$ (6009-70-7)	**Ammonium Oxalate** Monohydrate **AR** M. W.: 142.11 Assay 99.0%	**500 gm** **25 kg** **50 kg**
025979 $(NH_4)_{10}H_2W_{12}O_{42}.XH_2O$ (11120-25-5)	**Ammonium Para Tungstate** M. W.: 3060.46 (anhy.) Assay (Dried) 98.0%	**100 gm** **500 gm**
025989 $(NH_4)B_5O_84H_2O$ (12007-89-5)	**Ammonium Pentaborate** Tetrahydrate M. W.: 272.14 Assay (Acidimetric) 99.0%	**500 gm** **25 kg** **50 kg**
457490 $(NH_4)B_5O_84H_2O$ (12007-89-5)	**Ammonium Pentaborate** Tetrahydrate **AR** M. W.: 272.14 Assay(Acidimetric) 99.5%	**500 gm** **50 kg**
457500 ✻ NH_4ClO_4 (7790-98-9)	**Ammonium Perchlorate AR** M. W.: 117.49	**5 gm** **100 gm** **500 gm**
805550 ✻ 1M in H_2O	**Ammonium Perchlorate** Solution	**100 ml** **500 ml** **1 lit**
	Ammonium Peroxidisulphate See Ammonium Persulphate	

Storage : · ❄0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
027195 $(NH_4)_2S_2O_8$ (7727-54-0)	▲**Ammonium Persulphate** M. W.: 228.19 Assay (iodometric) 98.0%	500 gm 5 kg 50 kg
457510 $(NH_4)_2S_2O_8$ (7727-54-0)	▲**Ammonium Persulphate AR/ACS** M. W.: 228.19 Assay (iodometric) 98.0%	500 gm 5 kg 25 kg 50 kg
914350 MB $(NH_4)_2S_2O_8$ (7727-54-0)	▲**Ammonium Persulphate** for Molecular Biology M. W.: 228.19 Assay (iodometric) 98.0%	100 gm 500 gm
	Ammonium Phosphate Dibasic See di-Ammonium Hydrogen Orthophosphate	
	Ammonium Phosphate Mono basic See Ammonium Dihydrogen Orthophosphate	
805600	**Ammonium Potassium Oxalate** Soln. Assay: 10.0±0.5%	125 ml
025954 $C_8H_4N_5O_6.NH_4$ (3051-09-0)	**Ammonium Purpurate** (Murexide) C.I. 56085 M. W.: 284.19	5 gm 25 gm 500 gm
457535 $C_8H_4N_5O_6.NH_4$ (3051-09-0)	**Ammonium Purpurate AR/ACS** M. W.: 284.19	5 gm 25 gm 500 gm
	Ammonium Pyrochromate See Ammonium Dichromate	
457695 $C_5H_{12}N_2H_2$ (5108-96-3)	**Ammonium Pyrrolidine Dithiocarbamate AR** (Pyrrolidinecarbodithioic Acid Ammonium Salt, Ammonium Tetramethylene Pithio Carbamate) M. W.: 164.29	10 gm 25 gm
009905 $NH_4[Cr(NH_3)_2(SCN)_4]H_2O$ (13573-16-5)	**Ammonium Reineckate** Monohydrate Colour Reagent And Precipitant For Mercury M. W.: 354.44	25 gm
457745 $NH_4[Cr(NH_3)_2(SCN)_4]H_2O$ (13573-16-5)	**Ammonium Reineckate** Monohydrate **AR** M. W.: 354.44 Assay 96.0%	5 gm 25 gm
025957 $C_4N_2O_4H_{12}$ (2226-88-2)	**Ammonium Succinate** M. W.: 152.15 Assay 99.0%	500 gm
027201 $NH_4SO_3NH_2$ (7773-06-0)	**Ammonium Sulphamate** (Ammonium Amido Sulphonate) M. W.: 114.13 Assay (Redox Titration)98.0%	500 gm 5 kg 25 kg 50 kg
457790 $NH_4SO_3NH_2$ (7773-06-0)	**Ammonium Sulphamate AR/ACS** M. W.: 114.13 Assay (Redox titration) 99.0%	100 gm 500 gm
805850	**Ammonium Sulphate** CPECTROSOL® 0.5M (1N) Standard Solution In accordance with NIST	1 lit
805880 MB	**Ammonium Sulphate** 3.2M Ultrapure Solution For Molecular Biology	250 ml 500 ml
027202 $(NH_4)_2SO_4$ (7783-20-2)	**Ammonium Sulphate** Purified M. W.: 132.13 Assay (Acidimetric) 99.0%	500 gm 5 kg 25 kg 50 kg
457815 $(NH_4)_2SO_4$ (7783-20-2)	**Ammonium Sulphate AR/ACS** M. W.: 132.13 Assay after driying (acidimetry) 99.5%	500 gm 5 kg 25 kg 50 kg
045206 $H_8N_2SO_4$ (7783-20-2)	**Ammonium Sulphate** enzyme grade low Heavy Metals Content M. W.: 132.13 Assay 99.5%	250 gm 1 kg
914550 MB $(NH_4)_2 SO_4$ (7783-20-2)	**Ammonium Sulphate** for Molecular Biology M. W.: 132.14 Assay 99.5%	250 gm 500 gm 5 kg
PCT1003 PTC $(NH4)_2 So_4$ (7783-20-2)	**Ammonium Sulphate** Plant Culture Tested M. W.: 132.14 Assay 99% Store below 30°C	500 gm 1 kg 5 kg 25 kg
D08757 $D_8N_2O_4S$ (13814-01-2)	**Ammonium-d_8 Sulphate** M. W.: 140.2 (for NMR Spectroscopy) Assay Min. 98 atom%D	5 gm
805950	**Ammonium Sulphide** Soln. (Yellow)	500 ml
	Ammonium Sulphocyanide See Ammonium Thiocyanate	
	Ammonium Sulphocyanate Crystalse See Ammonium thiocynate crystals	
025959 $(CHOH.COONH_4)_2$ (3164-29-2)	**Ammonium (+) Tartrate** M. W.: 184.15 Assay (ex NH_3) 98.0%	500 gm 25 kg 50 kg
457840 $(CHOH.COONH_4)_2$ (3164-29-2)	**Ammonium (+) Tartrate AR** M. W.: 184.15 Assay (ex NH_3) 99.0%	500 gm 25 kg 50 kg
025991	**Ammonium Tetraborate**	500 gm
	Ammonium Tetramethylene Dithiocarbamate See Ammonium Pyrrolidine Dithiocarbamate,	
027206 NH_4SCN (1762-95-4)	**Ammonium Thiocyanate** Cryst. Purified Also suitable for Silver Recovery M. W.: 76.12 Assay (argentometric) 98.0%	500 gm 5 kg 25 kg 50 kg
457865 NH_4SCN (1762-95-4)	**Ammonium Thiocyanate AR/ACS** M. W.: 76.12 Assay (Argentometric) 99.0%	500 gm 25 kg 50 kg
914600 MB NH_4SCN (1762-95-4)	**Ammonium Thiocyanate** For Molecular Biology M. W.: 76.12 Assay ≥ 99% Store Below 30°C	500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ·#0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
806100	**Ammonium Thiocyanate** CPECTROSOL® 0.1M/ (0.1N) CTITRINORM Standard Solution in accordance with NIST	**1 lit**
806150	**Ammonium Thiocyanate** CPECTROSOL® 1M (1N) Standard Solution In accordance with NIST	**1 lit**
806200	**Ammonium Thiocyanate** TS acc. to USP	**500 ml**
806203	**Ammonium Thiocyanate** 0.1 mol/l (0.1N) for 500 ml Solution	**1 Amp** **3 Amp** **6 Amp**
027207 $(NH_4)_2S_2O_3$ (7783-18-8)	**Ammonium Thiosulphate** Cryst. M. W.: 148.20 Assay (iodometric) 98.0%	**1 kg** **5 kg**
	Ammonium Tungstate See Ammonium Para Tungstate	
027186 NH_4VO_3 (7803-55-6)	**Ammonium-m-Vanadate** M. W.: 116.98 Assay (oxidimetric) 98.0%	**100 gm** **500 gm**
457890 NH_4VO_3 (7803-55-6)	**Ammonium-m-Vanadate AR/ACS** M. W.: 116.98 Assay (oxidimetric) 99.0%	**100 gm** **500 gm**
025919 $C_{16}H_{19}N_3O_5S$ (26787-78-0)	▲**Amoxycillin** for Lab Use M. W.: 365.40	**1 gm** **5 gm** **10 gm**
PCT2107 PTC $C_{16}H_{19}N_3O_5S$ (26787-78-0)	▲**Amoxycillin** Plant Culture Tested M. W.: 365.4 Potency : ≥900 µg/mg	**1 gm** **10 gm** **25 gm**
PCT2115 PTC	▲**Amoxycillin:clavulanic acid potassium salt (5:1) (Augmentin)** Plant Culture Tested	**2 gm**
	AMPD See 2-**Amino**-2-**Methyl**-1,3-**Propanediol AR**	
009925 (1397-89-3)	▲**Amphotericine - B** for Biochemistry	**1 gm**
PCT2108 PTC $C_{47}H_{73}NO_{17}$ (1397-89-3)	▲**Amphotericin B** Plant Culture Tested M. W.: 924.08 Potency 750 µg/mg Assay 80%	**1 gm** **5 gm** **25 gm**
TC1019 ATC $C_{47}H_{73}NO_{17}$ (1397-89-3)	▲**Amphotericin B** Cell Culture Tested Recommended for use in cell culture applications at 2.5 mg/L M. W.: 924.08 Assay : ≥90% Potency : ≥750 µg/mg	**1 gm** **5 gm**
009950 $C_{16}H_{18}N_3N_aO_4S$ (69-52-3)	▲**Ampicillin Sodium Salt** for Biochemistry for Lab Use M. W.: 371.39	**5 gm** **25 gm**
914750 MB $C_{16}H_{18}N_3NaO_4S$ (69-52-3)	▲**Ampicillin Sodium Salt** For Molecular Biology M. W.: 371.39 Assay ≥ 91%	**1 gm** **5 gm**
PCT2101 PTC $C_{16}H_{18}N_3NaO_4S$ (69-52-3)	▲**Ampicillin Sodium salt** Plant Culture Tested M. W.: 371.39 Assay : ≥ 91%	**1 gm** **5 gm** **10 gm** **25 gm**
TC1021 ATC $C_{16}H_{18}N_3NaO_4S$ (69-52-3)	▲**Ampicillin Sodium Salt** Cell Culture Tested Recommended for use in cell culture applications at 100 mg/L MW : 371.39 Assay : ≥91% Potency : ≥845 µg/mg	**1 gm** **5 gm** **25 gm**
093000 $C_{16}H_{19}N_3O_4S.3H_2O$ (7177-48-2)	▲**Ampicillin Trihydrate** for Lab Use M. W.: 403.46 Assay (anhydrous HPLC) 96-100.5%	**5 gm** **10 gm**
	Ampyrone See 4-Amino antipyrine	
009965 ⁂ $C_{20}H_{27}NO_{11}$ (29883-15-6)	D-**Amygadlin** for Biochemistry M. W.: 457.43 Assay 99.0%	**10 gm**
009975 $C_7H_{14}O_2$ (628-63-7)	n-**Amyl Acetate** for Synthesis M. W.: 130.18 Assay 99.0%	**500 ml** **2.5 lit**
	iso-**Amyl Acetate** See Iso-Amyl Acetate	
	iso-**Amyl Alcohol** See Iso-Amyl Alcohol	
029455 $C_5H_{12}O$ (71-41-0)	n-**Amyl Alcohol** for synthesis (n-Pentanol) M. W.: 88.15	**500 ml** **2.5 lit** **25 lit** **200 lit**
457915 $C_5H_{12}O$ (71-41-0)	n-**Amyl Alcohol AR/ACS** M.W.: 88.15	**500 ml** **2.5 lit** **25 lit** **200 lit**
010405 $C_5H_{12}O$ (75-85-4)	tert-**Amyl Alcohol** for Synthesis (2-Methyl-2-Butanol Tert-Pentyl Alcohol, Dimethyl Ethyl Carbinol) M. W.: 88.15	**500 ml** **2.5 lit** **25 lit** **200 lit**
458115 $C_5H_{12}O$ (75-85-4)	tert-**Amyl Alcohol AR** (2-Methyl-2-Butanol, Tert-Pentyl Alcohol, Dimethylethyl Carbinol) M. W.: 88.15	**500 ml** **2.5 lit** **25 lit** **200 lit**
802000 $C_5H_{13}N$ (110-58-7)	**Amylamine** (1-Aminopentane,n-Amylamine, Pentylamine) M. W.: 87.16	**100 ml** **500 ml**
	a-**Amylase** See Diastase	
010455 $C_{12}H_{16}O_2$ (2049-96-9)	**Amyl Benzoate** for Synthesis M. W.: 192.25 Assay 98.0%	**500 gm**
	n-**Amyl Bromide** See 1-Bromo pentane	
010465 $C_9H_{18}O_2$ (540-18-1)	n-**Amyl Butyrate** for Synthesis M. W.: 158.24	**500 gm**

Storage : · #0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
010485 $C_{14}H_{18}O_2$	n-**Amyl Cinnamate** for Synthesis M. W.: 218.29	**500 gm**
010495 $C_{14}H_{18}O$ (122-40-7)	a-**Amyl Cinnamaldehyde** for Synthesis M.W. : 202.29	**500 gm**
010595 $C_6H_{12}O_2$ (638-49-3)	**Amyl Formate** for Synthesis M. W.: 116.15	**500 gm**
	iso-Amyl Iodide See Iso-Amyl Iodide	
010605 $C_9H_{18}O_2$ (106-27-4)	**Amyl Isobutyrate** for Synthesis M. W.: 158.24	**500 gm**
010615 $C_{10}H_{20}O_2$ (25415-62-7)	**Amyl Isovalerate** for Synthesis M. W.: 172.26	**500 gm**
038005 (9037-22-3)	· **Amylopectin** From Potato Starch	**1 gm** **25 gm**
038006 (9005-82-7)	· **Amylose** From Potato Starch	**1 gm**
010625 $C_{13}H_{18}O_2$ (5137-52-0)	**Amyl Phenyl Acetate** for Synthesis M. W.: 206.28	**500 gm**
010635 $C_8H_{16}O_2$ (624-54-4)	**Amyl Propionate** for Synthesis M. W.: 144.21	**500 gm**
010645 $C_{12}H_{16}O_3$ (2050-08-0)	**Amyl Salicylate** for Synthesis M. W.: 208.25	**500 gm**
PCT1837 PTC $C_{15}H_{16}N_2O_2$ (12771-68-5)	▲**Ancymidol** Plant Culture Tested M. W.: 256.3 Assay 98%	**50 mg** **100 mg**
806250	**Andrade's** Indicator	**125 ml**
010865 $CH_3CH=CHC_6H_4OCH_3$ (4180-23-8)	**Anethole** for Synthesis [trans-Anethole, 1-Methoxy-4-(1-Propenyl) Benzene] M. W.: 148.20 Assay (GC) 99.0%	**500 ml** **2.5 lit**
	Aneurine Hydrochloride See Thiamine Hydrochloride	
027226 $C_6H_5NH_2$ (62-53-3)	**Aniline** for Synthesis M. W.: 93.13 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
458205 $C_6H_5NH_2$ (62-53-3)	**Aniline AR** M. W.: 93.13 Assay (By GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
010975 (8004-91-9)	**Aniline Blue** (Spirit Soluble) C.I. 42775 for Microscopy	**25 gm** **100 gm** **500 gm**
034003 $C_{37}H_{27}N_3O_9S_3Na_2$ (28983-56-4)	**Aniline Blue** (Water Soluble) C.I. 42780 for Microscopy M. W.: 799.80	**10 gm** **25 gm** **100 gm**

Product Code	Product Name	Packing
806270	**Aniline Blue - Orange** (Mallory) Connective Tissue Stain for Collagen	**100 ml**
806267	**Aniline Blue - Orange G Acetic** (for Azan Stain) Connective Tissue Stain for Collagen	**100 ml**
806265	**Aniline Blue** Solution (2.5% in 2% acetic acid)	**250 ml**
027229 $C_6H_5NH_2HCl$ (142-04-1)	**Aniline Hydrochloride** for Synthesis M. W.: 129.59 Assay (Argentometric; ex Cl) 99-100.5%	**250 gm** **500 gm**
027230 $(C_6H_5NH_2)_2H_2SO_4$ (542-16-5)	**Aniline Sulphate** M. W.: 284.33 Assay (acidimetric) 98.0%	**250 gm** **500 gm**
	Anion Exchange RESINS See **Ceralite resins** (33 items) See (2 items) See **Indion resins (18 items)**	
027231 $CH_3OC_6H_4CHO$ (123-11-5)	**Anisaldehyde** M. W.: 136.15 Assay (GC) 99.0%	**250 ml** **500 ml** **25 lit**
	m-**Anisaldehyde** See **3-Methoxybenzaldehyde**	
	p-**Anisaldehyde** See **Anisaldehyde**	
011275 $C_8H_8O_3$ (586-38-9)	m-**Anisic Acid** for synthesis (m-Methoxy Benzoic Acid) M. W.: 152.15 Assay 98.0%	**25 gm** **100 gm**
011285 $C_8H_8O_3$ (579-75-9)	o-**Anisic Acid** for Synthesis M. W.: 152.15 Assay 98.0%	**100 gm** **500 gm**
011295 $C_8H_8O_3$ (100-09-4)	p-**Anisic Acid** for Synthesis (4-Methoxy Benzoic Acid) M. W.: 152.15 Assay 98.0%	**100 gm** **500 gm**
011395 $C_8H_{10}O_2$ (105-13-5)	**Anisic Alcohol** for Synthesis Anise Alcohol, Anisyl Alcohol) M. W.: 138.16 Assay 98.0%	**100 gm** **500 gm**
011495 $CH_3OC_6H_4NH_2$ (536-90-3)	m-**Anisidine (3-Methoxyaniline, (Anise Alcohol, Anisyl Alcohol) 3-Aminoanisole, 3-Aminophenyl Methyl Ether)** for Synthsis M. W.: 123.15 Assay 98.0%	**100 ml** **500 ml**
027233 C_7H_9NO (90-04-0)	o-**Anisidine** M. W.: 123.16 Assay (GC) 98.0%	**500 ml** **2.5 lit**
027235 C_7H_9NO (104-94-9)	p-**Anisidine** M. W.: 123.16 Assay (GC) 98.0%	**250 gm** **500 gm**
459005 C_7H_9NO (104-94-9)	p-**Anisidine AR** M. W.: 123.16 Assay (GC) 98.0%	**100 gm** **500 gm**
027237 $CH_3OC_6H_5$ (100-66-3)	**Anisole** M. W.: 108.14 Assay (GC) 98.5%	**500 ml** **2.5 lit** **25 lit**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
026017 $C_{14}H_{10}$ (120-12-7)	**Anthracene** Pure (Blue Fluorescence) M. W.: 178.23 Assay (GC) 97.0%	**100 gm** **500 gm**
014611 $C_{14}H_{10}$ (120-12-7)	**Anthracene** for Scintillation grade M. W.: 178.22 Assay (GC) 99.5%	**25 gm** **100 gm**
D12357 $C_{14}D_{10}$ (1719-06-8)	**Anthracene**-d_{10} (for NMR Spectroscopy) M. W.: 188.29 Assay Min. 98 atom%D	**1 gm**
027243 $(C_6H_4CO)_2$ (84-65-1)	**Anthraquinone** for Synthesis M. W.: 208.22 Assay 98.0%	**500 gm** **25 kg** **50 kg**
011695 $C_{14}H_7NaO_5S.H_2O$ (153277-35-1)	**Anthraquinone**-2-**Sulphonic Acid Sodium Salt** M. W.: 328.27 Assay (HPLC) 97.0%	**25 gm** **100 gm**
459085 $C_{14}H_7NaO_5S.H_2O$ (153277-35-1)	**Anthraquinone**-2-**Sulphonic Acid Sodium Salt AR** (Silver Salt) M. W.: 328.27 Assay (HPLC) 98.0%	**25 gm** **100 gm**
011725 $C_{14}H_{10}O$ (90-44-8)	**Anthrone** for Synthesis M. W.: 194.23 Assay (GC) 97.0%	**10 gm** **25 gm**
459095 $C_{14}H_{10}O$ (90-44-8)	**Anthrone AR/ACS** M. W.: 194.23 Assay (GC) 98.0%	**10 gm** **25 gm** **100 gm**
PCT2106 PTC	**Antimicrobial supplement** Plant Culture Tested Store below 30°C	**50 ml** **100 ml**
806500	**Antimony** (Sb) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **250 ml** **500 ml**
803502	**Antimony** (Sb) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	**100 ml** **250 ml** **500 ml**
806550	**Antimony** (Sb) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	**100 ml** **500 ml**
806600	**Antimony** (Sb) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HCl in accordance with NIST	**100 ml** **500 ml**
806650	**Antimony** (Sb) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HCl in accordance With NIST	**100 ml** **500 ml**

Product Code	Product Name	Packing
025926 Sb (7440-36-0)	**Antimony** Metal Lumps At. W.: 121.75 Assay (Iodometric) 99.5%	**100 gm** **500 gm**
027248 Sb (7440-36-0)	**Antimony** (Metal) Powder 200 Mesh At. W.: 121.75 Assay (Iodometric; ex Sb) 98.5%	**100 gm** **500 gm** **25 kg**
459185 Sb (7440-36-0)	**Antimony** (Metal) Powder **AR** At. W.: 121.75 Assay (Trace metals basis) 99.99%	**10 gm** **25 gm**
011795 Sb (7440-36-0)	**Antimony** Ingots A. W.: 121.75 Assay (Trace metals basis) 99.999%	**10 gm** **25 gm**
	Antimony (III) **Chloride** See Antimony Trichloride	
	Antimony (III) **Oxide** See Antimony Trioxide	
	Antimony Pentasulphide See Antimony Sulphide Golden	
011915 Sb_2O_5 (1314-60-9)	**Antimony Pentoxide** (Antimony (V) Oxide) M. W.: 323.52 Assay 99.0%	**250 gm**
025940 $C_4H_4O_7KSb1/2H_2O$ (28300-74-5)	**Antimony Potassium Tartrate** M. W.: 324.92	**100 gm** **500 gm** **25 kg** **50 kg**
459275 $C_4H_4O_7KSb\ 1/2H_2O$ (28300-74-5)	**Antimony Potassium Tartrate AR** M. W.: 324.92	**100 gm** **500 gm**
806750	**Antimony Potassium Tartrate** Solution for Phosphate	**500 ml**
011935 Sb_2S_5 (1315-04-4)	**Antimony Sulphide Golden** (Antimony Pentasulphide) M. W.: 403.85 Assay (Sb basis) 60.0%	**500 gm** **25 kg**
026019 Sb_2S_3 (1345-04-6)	**Antimony** (III) **Sulphide** (Antimony Sulphide Black) M. W.: 339.68 Assay (Oxidimetric) 95.0%	**500 gm** **25 kg**
027258 $SbCl_3$ (10025-91-9)	**Antimony Trichloride** M. W.: 228.11 Assay (Iodometric; ex Sb) 98.5%	**100 gm** **250 gm** **500 gm** **5 kg** **25 kg**
459365 $SbCl_3$ (10025-91-9)	**Antimony Trichloride AR/ACS** M. W.: 228.11 Assay (Iodometric; ex Sb) 99.0%	**100 gm** **250 gm** **500 gm**
011985 SbF_3 (7783-56-4)	**Antimony Trifluoride** Pure (Antimony (III) Fluoride) M. W.: 178.76 Assay 98.0%	**250 gm**
027261 Sb_2O_3 (1309-64-4)	**Antimony Trioxide** Pure M. W.: 291.50 Assay (Iodometric) 99.0%	**500 gm** **1 kg** **50 kg**
459455 Sb_2O_3 (1309-64-4)	**Antimony Trioxide AR** M. W.: 291.50 Assay (Iodimetric) 99.0%	**100 gm** **500 gm** **5 kg** **25 kg**

Storage : · #0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
011990 $C_{11}H_{12}N_2O$ (60-80-0)	**Antipyrine** (Phenazone) M.W.: 188.23 Assay 99.0%	**100 gm** **500 gm**
PCT2313 PTC	**Apple Green Colour** Plant Culture Tested Store below 30°C	**250 gm**
PCT1411 PTC (9000-69-5)	**Apple Pectin** Plant Culture Tested Store below 30°C	**500 gm** **1 kg**
PCT1401 PTC	**Apple Powder** (Malus sylvestris) Plant Culture Tested Store below 30°C	**250 gm**
012095 $C_{284}H_{432}N_{84}O_{79}S_7$ (9087-70-1)	**Aprotinin From Bovine Lung** Activity Min 5400 KIU/mg for Biochemistry M. W. 6511.52	**5 mgm** **10 mgm** **100 mgm**
914890 MB $C_{284}H_{432}N_{84}O_{79}S_7$ (9087-70-1)	▲**Aprotinin, From Bovine Lung** For Molecular Biology M. W.: 6511.14 Specific activity : ≥ 3.0 PEU/mg (≥ 5400 KIU/mg)	**50 mg** **100 mg**
	L(-) **Arabinitol** See l (-) **Arabitol**	
	D(+) **Arabinitol** See d (+) **Arabitol**	
TC1717 ATC $C_{284}H_{432}N_{84}O_{79}S_7$ (9087-70-1)	▲**Aprotinin** Source: Bovine lung Cell Culture Tested M. W.: 6511.44	**25 mg** **50 mg**
459545 $C_5H_{10}O_5$ (10323-20-3)	D-**Arabinose** for Biochemistry **AR** M. W.: 150.13	**5 gm** **25 gm**
038008 $C_5H_{10}O_5$ (5328-37-0)	L **(+) Arabinose AR** M. W.: 150.13 Assay 99.0%	**10 gm** **25 gm**
012185 $C_5H_{12}O_5$ (488-82-4)	· D(+)**Arabitol [D (+) Arabinitol]** for Biochemistry M. W.: 152.15	**5 gm**
012235 $C_5H_{12}O_5$ (7643-75-6)	L (-) **Arabitol [L (-) Arabinitol]** for Biochemistry M. W.: 152.15	**1 gm** **5 gm**
TC1389 ATC $C_{20}H_{32}O_2$ (506-32-1)	· **Arachidonic Acid** Cell Culture Tested M. W.:: 304.47 Assay : ≥90%	**10 mg** **50 mg**
012265 $C_{12}H_{16}O_7$ (497-76-7)	p-**Arbutin** for Biochemistry M. W.: 272.25	**10 gm** **25 gm** **50 gm**
037190 $C_6H_{14}N_4O_2$ (74-79-3)	L-**Arginine** for Biochemistry M. W.: 174.20 Assay (Non-aqueous) 98.0%	**25 gm** **100 gm** **1 kg**

Product Code	Product Name	Packing
PCT1302 PTC $C_6H_{14}N_4O_2$ (74-79-3)	**L-Arginine** Plant Culture Tested M. W.: 174.2 Assay 99% Store below 30°C	**25 gm** **100 gm** **1 kg**
TC1052 ATC $C_6H_{14}N_4O_2$ (74-79-3)	**L-Arginine** (From non-animal source) Cell Culture Tested M. W.: 174.2 Assay : ≥98% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
TC1052M ATC $C_6H_{14}N_4O_2$ (74-79-3)	**L-Arginine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing Specifications M. W.: 174.2 Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
037016 $C_6H_{14}N_4O_2HCl$ (1119-34-2)	L-**Arginine** Monohydrochloride for Biochemistry M. W.: 210.67 Assay (Non-aqueous) 98.5%	**25 gm** **100 gm** **1 kg**
TC1053 ATC $C_6H_{14}N_4O_2HCl$ (1119-34-2)	**L-Arginine** Monohydrochloride (From non-animal source) Cell Culture Tested M. W.: 210.66 Assay : ≥98.5% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
TC1053M ATC $C_6H_{14}N_4O_2.HCl$ (1119-34-2)	**L-Arginine** Monohydrochloride (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing Specifications M. W.: 210.66 Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
012365 $C_6H_8AsNO_3$ (98-50-0)	p-**Arsanilic Acid** for Synthesis M. W.: 217.05 Assay 99.0%	**100 gm** **500 gm**
459635 $C_{16}H_{10}N_2O_{11}S_2AsNa_3$ (520-10-5)	**Arsenazo** I **AR** (Neothorone) M. W.: 614.28	**5 gm**
459725 $C_{22}H_{16}As_2N_4Na_2O_{14}S_2.4H_2O$ (62337-00-2)	**Arsenazo** III **AR** M. W.: 892.40	**5 gm**
807000	**Arsenic** (As) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **250 ml** **500 ml**
807002	**Arsenic** (As) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	**100 ml** **250 ml** **500 ml**
807050	**Arsenic** (As) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	**100 ml** **500 ml**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
807100	**Arsenic** (As) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	**100 ml** **500 ml**
012465 ✻ (7440-38-2)	**Arsenic Metal** Reference Standard Assay (Trace metal basis) 99.997%	**25 gm**
012475 (7440-38-2)	**Arsenic Metal Lump**	**100 gm**
025910 As_2O_3 (1327-53-3)	**Arsenic Trioxide** Pract M. W.:197.84 Assay (iodometric) 95.0%	**500 gm**
459815 As_2O_3 (1327-53-3)	**Arsenic Trioxide AR** M. W.: 197.84 Assay (iodometric) 99.0%	**100 gm** **500 gm**
	Arsenous Oxide See Arsenic Trioxide	
025968 (1334-28-1)	**Asbestos** for Gooch Crucibles	**100 gm** **500 gm**
459905 (1310-73-2)	**Ascarite AR** 1.6-3 mm Acid Washed Absorption capacity for CO_2 : 50.0%	**100 gm** **250 gm**
012685 (9029-44-1)	**Ascorbate Oxidase** ex. Cucumber Activity 150u/mg (Ascorbase, L-Ascorbate: Oxygen Oxidoreductase	**2500 Units**
044006 $C_6H_8O_6$ (50-81-7)	L-**Ascorbic Acid** M. W.: 176.13 Assay (iodometric) 99.0%	**25 gm** **100 gm** **500 gm** **5 kg** **25 kg**
459995 $C_6H_8O_6$ (50-81-7)	L-**Ascorbic Acid AR/ACS** for Biochemistry Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.:176.13 Assay (iodometric) 99.7%	**100 gm** **500 gm** **25 kg**
PCT1207 PTC $C_6H_8O_6$ (50-81-7)	L-**Ascorbic Acid** (Vitamin C) Plant Culture Tested M. W.: 176.12 Assay 99% Store below 30°C	**50 gm** **100 gm**
TC1094 ATC $C_6H_8O_6$ (50-81-7)	**L-Ascorbic Acid** (Vitamin C) Cell Culture Tested M. W.: 176.12 Assay : ≥99% Store below 30°C	**25 gm** **100 gm** **500 gm**
	Ascorbic Acid Sodium Salt See Sodium L (+) Ascorbate	
037019 $C_4H_8N_2O_3.H_2O$ (5794-24-1)	D-**Asparagine** Monohydrate for Biochemistry M. W.: 150.14 Assay 99.0%	**5 gm** **25 gm** **100 gm**
025923 $C_4H_8N_2O_3.H_2O$ (3130-87-8)	DL-**Asparagine** Monohydrate M. W.: 150.14 Assay (NT) 98.0%	**25 gm** **100 gm**

Product Code	Product Name	Packing
037020 $C_4H_8N_2O_3.H_2O$ (5794-13-8)	L-**Asparagine** Monohydrate for Biochemistry M. W.: 150.13 Assay (Non-aqueous) 98.5%	**25 gm** **100 gm** **1 kg**
TC1057 ATC $C_4H_8N_2O_3.H_2O$ (5794-13-8)	**L-Asparagine** Monohydrate (From non-animal source) Cell Culture Tested M. W.: 150.13 Assay : ≥99% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
TC1057M ATC $C_4H_8N_2O_3.H_2O$ (5794-13-8)	**L-Asparagine** Monohydrate (From non-animal source) Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications M. W.: 150.13 Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
PCT1303 PTC $C_4H_8N_2O_3.H_2O$ (5794-13-8)	**L-Asparagine** Monohydrate Plant Culture Tested M. W.: 150.13 Assay 99.5% Store below 30°	**25 gm** **100 gm** **500 gm**
012885 $C_{14}H_{18}O_5N_2$ (22839-47-0)	**Aspartame** for Synthesis M.W.: 294.30	**5 gm** **100 gm**
037022 $NH_2CH(COOH)CH_2COOH$ (617-45-8)	DL-**Aspartic Acid** M. W.: 133.10 Assay (Non-aqueous) 99.0%	**25 gm** **100 gm** **1 kg**
037021 $NH_2CH(COOH)CH_2.COOH$ (56-84-8)	L-**Aspartic Acid** Pure M. W.: 133.10 Assay (Non-aqueous) 99.0%	**25 gm** **100 gm** **1 kg**
PCT1304 PTC $C_4H_7NO_4$ (56-84-8)	**L-Aspartic Acid** Plant Culture Tested M. W.: 133.1 Assay 99% Store below 30°C	**25 gm** **100 gm** **500 gm**
TC1059 ATC $C_4H_7NO_4$ (56-84-8)	**L-Aspartic Acid** (From non-animal source) Cell Culture Tested M. W.: 133.1 Assay : ≥99% Store below 30°C	**25 gm** **100 gm** **500 gm**
TC1059M ATC $C_4H_7NO_4$ (56-84-8)	**L-Aspartic Acid** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 133.11 Store below 30°C	**25 gm** **100 gm** **500 gm**
027039 $C_9H_8O_4$ (50-78-2)	**Aspirin** (Acetyl Salicylic Acid) M. W.: 180.16	**250 gm**
PCT2143 PTC $C_8H_{14}ClN_5$ (1912-24-9)	**Atrazine** Plant Culture Tested M. W.: 215.68 Assay : > 97 % Store below 30°C	**250 mg**

A

Laboratory Chemicals

Storage : ❄ 0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
	Atomic Absorption Standards Solution See AAS Solution Page No.- 224	
027277 $(C_{17}H_{23}NO_3)_2.H_2SO_4.H_2O$ (5908-99-6)	**Atropine Sulphate** Monohydrate Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.:694.84 Assay (Non-aqueous; Calc. W.r.t. anhy. Subs.) 99.0-101%	**5 gm** **10 gm** **25 gm**
034095 $C_{17}H_{21}N_3.HCl$ (2465-27-2)	**Auramine** for Microscopy (Auramine-O) C.I. 41000 M. W.: 303.84	**25 gm** **100 gm** **1 kg**
807180	**Auramine Phenolic** (Lempert) Solution for Microscopy	**100 ml**
013125 $C_{20}H_{30}O_7$ (522-16-7)	**Aurantin** for Synthesis M. W.: 372.37	**500 gm**
	Aurin See p-Rosolic Acid	
	Aurin Tricarboxylic Acid Ammonium Salt See Aluminon	
	Auxin See **Indole 3-Acetic Acid**	
TC1410 ATC $C_{48}H_{72}O_{14}$ (65195-55-3)	**Avermectin B1a,EvoPure®** 5-O-Demethylavermectin A1a Cell Culture Tested M. W.: 873.1 Assay : ≥95.00% Store at - 20°C	**5 mg**
915250 MB (1405-69-2)	**▲Avidin, From Egg White** For Molecular Biology M. W.: ~68,000 Activity : ≥ 10U/mg of protein	**10 mg** **100 mg**
	O-(7-**Azabenzotriazol**-1-yl)- **N,N,N,N-Tetramethyluronium Hexafluoro - phosphate** See **HATU**	
TC1466 ATC $C_8H_{12}N_4O_5$ (320-67-2)	**5-Azacytidine** 4-Amino-1-(β-D-ribofuranosyl)-1,3,5 Triazin-2(1H)-one, Ladakamycin Cell Culture Tested M. W.: 244.2 Assay : ≥98% Store at -20°C	**100 mg** **250 mg** **1 gm**
013200 $C_7H_6N_2$ (271-63-6)	7-**Azaindole** for Synthesis (1H-Pyrrolo(2,3-b)pyridine) M. W.: 118.14 Assay 98.0%	**1 gm** **5 gm** **25 gm**
013225 $C_9H_{16}O_4$ (123-99-9)	**Azelaic Acid** for Synthesis M. W.: 188.20 Assay 98.0%	**100 gm** **500 gm**
915435 MB $C_{18}H_{24}N_6O_6S_4$ (30931-67-0)	**▲2,2'-Azimo-Bis** **(3-Ethylbenzothiazoline-6-Sulfonic Acid) Diammonium Salt** For Molecular Biology M. W.: 548.68 Assay : ≥ 98%	**1 gm**

Product Code	Product Name	Packing
013355 $C_6H_5N{=}NC_6H_5$ (103-33-3)	**Azobenzene** M. W.: 182.22 Assay 98.0%	**25 gm**
	▲2,2'-Azobis (2-Methylpropionitrile) See a, a-Azo Iso Butyronitrile	
013405 $C_{28}H_{18}N_3NaO_6S_2$ (25641-18-3)	**Azocarmine G** for Histology (Acid Red 101) C.I. No. 50085 M. W.: 579.59	**25 gm**
013505 $C_2H_4N_4O_2$ (123-77-3)	**Azodicarbonamide** for Synthesis M. W.: 116.07 Assay 97.0%	**500 gm**
013595 $C_8H_{12}N_4$ (78-67-1)	**▲a, a-Azo Iso Butyronitrile** **(AIBN**, 2,2-**Azo Bis** [2-2,**Methyl Propionitrile**] for synthesis M. W.: 164.21 Assay 98.0%	**100 gm** **500 gm** **5 kg**
013695 $C_{17}H_{12}NO_8S_2Na.XH_2O$ (206752-32-1)	**▲Azomethine-H-monosodium Salt Hydrate** M. W.: 445.40 (Anhy.) Assay 97.0%	**1 gm** **5 gm**
013795 $C_{18}H_{13}N_3Na_2O_8S_2$ (3734-67-6)	**Azophloxine** (Acid Red I) (C.I. 18050) M. W.: 509.42	**25 gm** **100 gm**
	Azorubin C See Carmosine A	
	Azorubin S See Amaranth	
	Azoviolet See Magneson I	
013895 $C_{14}H_{14}N_3SCl$ (531-53-3)	**Azur A** (M.S.) (C.I. 52005) M. W.: 291.80	**5 gm** **10 gm** **25 gm** **1 kg**
013900 $C_{15}H_{16}ClN_3S$ (531-55-5)	**Azur B** (M.S.) (Azur I) C.I. 52010 M. W.: 305.83	**5 gm** **25 gm** **1 kg**
013905 $C_{13}H_{12}ClN_3S$ (531-57-7)	**Azur C** M. W.: 277.77	**5 gm** **25 gm**
	Azur I for Microscopy See Azur B	
034006 $C_{16}H_{18}N_3S.C_{15}H_{16}N_3S.2Cl$ (37247-10-2)	**Azur** II for Microscopy M. W.: 625.68	**10 gm** **25 gm**
034007 (53092-85-6)	**Azur** II **Eosine** for Microscopy	**25 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
	B-9 See ALAR	
025882 $C_{66}H_{103}N_{17}O_{16}S$ (1405-87-4)	▲**Bacitracin** 50,000 Units in vial M. W.: 1422.72 Potency 50000 Unit/g	**50000 unit** **250000 Unit**
PCT2109 PTC	▲**Bacitracin** Plant Culture Tested $C_{66}H_{103}N_{17}O_{16}S$ (1405-87-4) MW : 1422.69 Potency 60 U/mg	**1 vl** **10X1 vl** **25X1 vl**
TC1201 ATC	▲**Bacitracin** 50,000 units per vial Cell Culture Tested $C_{66}H_{103}N_{17}O_{16}S$ (1405-87-4) MW : 1422.69 Potency : ≥60 units/mg	**1 vl** **5 vl**
036004 (8007-47-4)	**Balsam Canada** Natural	**500 gm**
019995 (8007-47-4)	**Balsam Canada** Synthetic	**100 gm** **500 gm**
020005 (8007-00-9)	**Balsam Peru**	**500 gm**
020010 (9000-64-0)	**Balsam Tolu**	**500 gm**
PCT1402 PTC	**Banana** Powder Plant Culture Tested Store below 30°C	**100 gm**
PCT2403 PTC	· 6- **BAP Solution** **(6-Benzyladenine solution)** w/ 1 mg/ml 6-BAP in sterile distilled water Sterile filtered Plant Culture Tested	**20 ml** **5X20 ml**
TC1723 ATC	**BAPTA AM** 1,2-Bis (2-aminophenoxy) ethane-N,N,N',N'-tetraacetic acid tetrakis (acetoxy methyl ester) Cell Culture Tested $C_{34}H_{40}N_2O_{18}$ (126150-97-8) MW : 764.68 Store below -20°C	**25 mg**
027284 $C_4H_4N_2O_3$ (67-52-7)	**Barbituric Acid** M. W.:128.09 Assay (acidimetric) 99.0%	**100 gm** **500 gm** **1 kg**
461405 $C_4H_4N_2O_3$ (67-52-7)	**Barbituric Acid AR** M. W.:128.09 Assay (acidimetric) 99.5%	**25 gm** **100 gm**
915740 MB $C_4H_4N_2O_3$ (67-52-7)	**Barbituric Acid** For Molecular Biology M. W.: 128.09 Assay : ≥ 99% Store Below 30°C	**100 gm** **500 gm**
807400	**Barfoed's** Reagent	**125 ml**
	Barium Dioxide See **Barium Peroxide**	
807450	**Barium** (Ba) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **250 ml** **500 ml**
807452	**Barium** (Ba) CPECTROSOL ® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in Diluted HCl In accordance with NIST	**100 ml** **250 ml** **500 ml**
807500	**Barium** (Ba) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in HNO_3 In accordance with NIST	**100 ml** **500 ml**
807550	**Barium** (Ba) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	**100 ml** **500 ml**
807502	**Barium** (Ba) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in Diluted Hcl in accordance with NIST	**100 ml** **500 ml**
807552	**Barium** (Ba) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP-MS in Diluted Hcl In accordance with NIST	**100 ml** **500 ml**
025898 $C_4H_6O_4Ba$ (543-80-6)	**Barium Acetate** M. W.: 255.43 Assay (complexometric) 98.0%	**500 gm** **25 kg** **50 kg**
461585 $C_4H_6O_4Ba$ (543-80-6)	**Barium Acetate AR/ACS** M. W.: 255.43 Assay (Complexometric) 98.0%	**500 gm** **25 kg**
025899 B_2O_4Ba (13701-59-2)	**Barium Borate** M.W. : 181.15 Assay 96.0%	**250 gm**
027287 $BaBr_2.2H_2O$ (7791-28-8)	**Barium Bromide** Dihydrate M. W.: 333.17 Assay 98.0%	**500 gm** **25 kg** **50 kg**
027288 $BaCO_3$ (513-77-9)	**Barium Carbonate** M. W.:197.34 Assay (acidimetric) 99.0-101.0%	**500 gm** **5 kg** **25 kg** **50 kg**
461740 $BaCO_3$ (513-77-9)	**Barium Carbonate AR/ACS** M. W.: 197.34 Assay 99.0%	**500 gm** **25 kg** **50 kg**
020215 $BaCO_3$ (513-77-9)	**Barium Carbonate** Practical Grade M. W.: 197.34	**500 gm** **25 kg** **50 kg**
H05607 HISURE $BaCO_3$ (513-77-9)	**Barium Carbonate AR** M. W.: 197.34 Assay (Base on Trace metal analysis) 99.99%	**25 gm** **100 gm**
461790 $BaC_6Cl_2O_4$ (13435-46-6)	**Barium Chloranilate AR/ACS** M. W.: 344.31 Assay (ex Ba) 99.0%	**25 gm**
808072	**Barium Chloride** CPECTROSOL® 0.05M (0.1N) Standardized Solution In accordance with NIST	**1 lit**
808070	**Barium Chloride** 0.05 mol/L (0.1N) for 500 ml Solution	**1 Amp** **3 Amp** **6 Amp**

Storage : · #0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
808050	**Barium Chloride** CPECTROSOL ® 0.1M (0.2N) Standard Solution In accordance with NIST	**1 lit**
808082	**Barium Chloride** TS acc. to USP	**500 ml**
808100	**Barium Chloride** 10% Solution Assay ($Bacl_2.2H_2O$) Abt 10.0% W/W	**500 ml**
027290 $BaCl_2.2H_2O$ (10326-27-9)	**Barium Chloride** Dihydrate Cryst.Pure M. W.:244.27 Assay (Argentometric) 99.0-102.0%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
461815 $BaCl_2.2H_2O$ (10326-27-9)	**Barium Chloride** Dihydrate **AR/ACS** M. W.:244.27 Assay 99.0-100.5%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
025869 $BaCrO_4$ (10294-40-3)	**Barium Chromate** M. W.: 253.32 Assay (Iodometric) 98.0%	**500 gm**
461840 $BaCrO_4$ (10294-40-3)	**Barium Chromate AR** M. W.: 253.32 Assay (iodometric) 99.0%	**100 gm** **500 gm** **5 kg**
461865 $C_{24}H_{20}BaN_2O_6S_2$ (6211-24-1)	**Barium Diphenylamine Sulphonate AR** Redox Indicator M. W.: 633.9	**5 gm** **25 gm**
808130	**Barium Diphenylamine Sulphonate** Solution (Oxidation-reduction indicator for the titration of iron with potassium dichromate and zinc with potassium Ferrocynate)	**100 ml**
020415 BaF_2 (7787-32-8)	**Barium Fluoride** Pure M. W.: 175.32	**500 gm**
461890 BaF_2 (7787-32-8)	**Barium Fluoride AR** M. W.: 175.32 Assay (Trace metal basis) 99.99%	**25 gm**
808173	**Barium Hydroxide** 0.3 mol/L Solution	**500 ml**
808170	**Barium Hydroxide** 0.05 mol/L (0.1N) Solution	**500 ml**
027295 $Ba(OH)_2.8H_2O$ (12230-71-6)	**Barium Hydroxide** Octahydrate Purified M. W.:315.47 Assay (acidimetric) 97.0%	**500 gm** **5 kg** **25 kg** **50 kg**
461915 $Ba(OH)_2.8H_2O$ (12230-71-6)	**Barium Hydroxide** Octahydrate **AR/ACS** M. W.:315.47 Assay 98.0%	**500 gm** **25 kg** **50 kg**
027297 $Ba(IO_3)_2.H_2O$ (7787-34-0)	**Barium Iodate** M. W.: 505.15 Assay 98.0%	**100 gm**
020565 $BaI_2Aq.$ (13718-50-8)	**Barium Iodide** Pure M. W.: 391.15 Aq. Assay 99.0%	**100 gm**

Product Code	Product Name	Packing
027299 $Ba(NO_3)_2$ (10022-31-8)	**Barium Nitrate** Purified M. W.: 261.34 Assay 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
461940 $Ba(NO_3)_2$ (10022-31-8)	**Barium Nitrate AR/ACS** M. W.:261.34 Assay 99.5%	**500 gm** **25 kg** **50 kg**
706440 $Ba\ (NO_3)_2$ (10022-31-8)	**Barium Nitrate** EL Grade M. W.: 261.34 Assay (ex Ba) 99.5%	**5 kg**
808200	**Barium Nitrate** TS acc. to USP	**500 ml**
025870 BaC_2O_4 (516-02-9)	**Barium Oxalate** M. W.: 225.35	**250 gm**
020695 BaO (1304-28-5)	**Barium Oxide** M.W.: 153.34 Assay 90%	**25 gm**
808500	**Barium Perchlorate** 0.005 M/lit Volumetric Solution Water	**1 lit**
808503	**Barium Perchlorate** 0.005 M/lit (0.005M) Alcoholic Solution	**1 lit**
025876 ⁂ $Ba(ClO_4)_2.3H_2O$ (10294-39-0)	**Barium Perchlorate** (Trihydrate) M. W.: 390.29 Assay 99.0 - 101.0%	**250 gm**
461965 ⁂ $Ba\ (ClO_4)_2$ (13465-95-7)	**Barium Perchlorate** (Anhydrous) **AR** M. W.: 336.23 Assay 98.0%	**250 gm** **1 kg**
020740 BaO_2 (1304-29-6)	**Barium Peroxide** M. W.: 169.34 Assay (iodometric on dried basis) 90.0%	**500 gm** **25 kg** **50 kg**
025874 $Ba_3(PO_4)_2$ (13517-08-3)	**Barium Phosphate** M. W.: 601.92 Assay (ex Ba) 55.0%	**250 gm**
020895 $C_{36}H_{70}O_4Ba$ (6865-35-6)	**Barium Stearate** Pure M.W.: 704.28	**1 kg** **25 kg**
027303 $BaSO_4$ (7727-43-7)	**Barium Sulphate** M. W.: 233.39 Assay (Gravimetric) 95.0%	**500 gm** **2 kg** **25 kg**
461990 $BaSO_4$ (7727-43-7)	**Barium Sulphate AR/ACS** M. W.: 233.39 Assay (Gravimetric; as $BaSO_4$) 97.5-100.5%	**500 gm** **25 kg**
021075 $C_4H_4BaO_6$ (5908-81-6)	**Barium Tartrate** Pure M. W.: 285.39 Assay 98.0%	**500 gm**
021115 $BaTiO_3$ (12047-27-7)	**Barium Titanate** for Synthesis M.W.: 233.19 Assay 98.0%	**100 gm**
N05760 $BaTiO_3$ (12047-27-7)	**Barium Titanate Nanoparticles/ Nanopowder** (100-200nm) M.W.: 233.19 Assay 99.9%	**25 gm** **100 gm**
808700	**Barritt** Reagent **A**	**100 ml** **500 ml**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ▪ 0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
808710	**Barritt** Reagent **B**	**100 ml** **500 ml**
	Basic Brown 1 See Bismark Brown R	
	Basic Brown 4 See Bismark Brown Y (G)	
	Basic Fuchsin See Fuchsin Basic	
462015 $C_{26}H_{20}N_2$ (4733-39-5)	**Bathocuproin AR/ACS** M. W.: 360.46 Assay (non-aqueous) 99.0%	**100 mgm** **500 mgm**
462040 $C_{26}H_{18}N_2O_6S_2Na_2$ (52698-84-7)	**Bathocuproin Disulphonic Acid Disodium Salt AR** M. W.: 564.55 Assay (non-aqueous titration on anhydrous substance) 98.5%	**100 mgm** **500 mgm**
462065 $C_{24}H_{16}N_2$ (1662-01-7)	**Bathophenanthroline AR** (Reagent for Colorimetric determination of Iron) M. W.: 332.41 Assay (non aqueous; dried) 99.5%	**100 mgm** **250 mgm** **1 gm**
462090 $C_{24}H_{16}N_2Na_2O_6S_2$ (52746-49-3)	**Bathophenanthroline Disulphonic Acid Disodium Salt AR** M.W. : 536.50	**250 mgm** **1 gm**
	BCIG See 5-Bromo-4-Chloro-3-Indolyl-ß-D- Galactopyranoside	
PCT2201 PTC $C_8H_4BrClNO_4PNa_2$ (102185-33-1)	· **BCIP (5-Bromo-4 chloro-3-indolyl phosphate disodium salt)** Plant Culture Tested M. W.: 370.43 Assay 98%	**500 mg** **1 gm**
	Beef Extract See Meat Extract	
033017 (8012-89-3)	**Bees wax** (white)	**500 gm**
033018 (8012-89-3)	**Bees Wax** (yellow) for Histology	**500 gm**
808810	**Benedict's** Reagent Qualitative for detection of Sugar in Urine	**500 ml** **5 lit** **25 lit**
808820	**Benedict's** Reagent Quantitative	**500 ml**
PCT2543 PTC $C_{14}H_{18}N_4O_3$ (17804-35-2)	**Benlate** Plant Culture Tested M. W.: 290.323 Store below 30°C	**250 mg**
026022 $H_2Al_2O_6Si$ (1302-78-9)	**Bentonite** Powder M. W.: 180.1	**500 gm** **25 kg** **50 kg**
021415 $C_{10}H_{10}O$ (122-57-6)	**Benzal Acetone** for Synthesis (Benzylideneacetone, Methyl Styryl Ketone, 4-Phenyl-3-Butene-2-One) M. W.: 146.19	**500 gm**
021445 $C_{15}H_{12}O$ (614-47-1)	**Benzalacetophenone** for Synthesis (Chalcone) M. W.: 208.26 Assay 97.0%	**100 gm** **500 gm**
027310 C_6H_5CHO (100-52-7)	**Benzaldehyde** for Synthesis M. W.:106.12 Assay (GC) 98.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
462115 C_6H_5CHO (100-52-7)	**Benzaldehyde AR/ACS** M. W.:106.12 Assay 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
021495 (63449-41-2)/ (8001-54-5)	**Benzalkonium Chloride** 50% Solution w/v Aqueous Soln. Assay 49-51 w/v	**500 ml** **1 lit** **5 lit** **25 lit** **200 lit**
PCT2322 PTC (8001-54-5)	**Benzalkonium Chloride** 50 wt % aqueous solution Plant Culture Tested Assay 48-55% Store below 30°C	**500 ml**
027311 $C_6H_5CO.NH_2$ (55-21-0)	**Benzamide** for synthesis M. W.: 121.14 Assay (ex N) 98.5%	**100 gm** **500 gm** **25 kg** **50 kg**
027312 $C_6H_5.CO.NH.C_6H_5$ (93-98-1)	**Benzanilide** for Synthesis M. W.: 197.24 Assay (GC) 99.0%	**100 gm** **500 gm**
027315 C_6H_6 (71-43-2)	**Benzene** for Synthesis M. W.:78.11 Assay (GC) 99.0%	**500 ml** **1 lit** **2.5 lit** **25 lit** **200 lit**
462140 C_6H_6 (71-43-2)	**Benzene AR/ACS** M. W.:78.11 Assay (GC) 99.7%	**500 ml** **1 lit** **2.5 lit** **25 lit**
706945 C_6H_6 (71-43-2)	**Benzene** EL Grade M. W.: 78.11 Assay (GC) 99.7%	**1 lit**
462005 C_6H_6 (71-43-2)	**Benzene** Scintillation Grade M. W.: 78.11 Assay (GC) 99.7%	**500 ml** **2.5 lit**
706950 C_6H_6 (71-43-2)	**Benzene** for HPLC & Spectroscopy M. W.: 78.11 Assay (GC) 99.8%	**1 lit**
D14175 C_6D_6 (1076-43-3)	**Benzene**-d_6 (for NMR Spectroscopy) M. W.: 188.29 Assay Min. 99.5 atom%D	**10 ml**
D14517 C_6D_6 (1076-43-3)	**Benzene**-d_6 (for NMR Spectroscopy) M. W.: 188.29 Assay Min. 99.8 atom%D	**10x0.75 ml**
	Benzeneboronic acid See Phenylboronic Acid	
	Benzenecarbaldehyde See Benzaldehyde	
	Benzenemethaneamine See Benzylamine	
021217 $C_6H_5SO_3H$ (98-11-3)	**Benzene Sulphonic Acid** for Synthesis M. W.: 158.18	**500 gm**

Storage : · #0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
025860 $C_6H_5ClO_2S$ (98-09-9)	**Benzene Sulphonyl Chloride** M. W.: 176.62 Assay (GC) 98.0%	**500 ml**
021755 $C_9H_4O_5$ (552-30-7)	1,2,4-**Benzene Tricarboxylic** Anhydride M. W.: 192.13 Assay 97.0%	**250 gm** **1 kg**
	1,4-**Benzenediol Acid** See **Hydroquinone**	
	1,2,3-**Benzenetriol** See Pyrogallol	
	Benzethonium Chloride See Hyamine 1622	
021855 $C_{13}H_{12}O$ (91-01-0)	**Benzhydrol** for Synthesis (diphenylmethanol, Diphenyl carbinol) M. W.: 184.24 Assay 98.0%	**500 gm** **2.5 kg**
809200	**Benzidine Hydrochloride** Solution (Reagent for Sulphate)	**100 ml**
027329 $C_6H_5.CO.CO.C_6H_5$ (134-81-6)	**Benzil** for Synthesis M. W.: 210.23 Assay (GC) 99.0%	**250 gm** **1 kg**
	a-**Benzildioxime** See **Diphenylglyoxime**	
027331 $C_6H_4.N:CH.NH$ (51-17-2)	**Benzimidazole** for Synthesis M. W.: 118.13 Assay (non-aqueous) 98.0%	**100 gm** **500 gm**
	Benzimidazolethiol See 2-Mercapto benzimidazole	
021955 $C_{35}H_{25}N_7Na_2O_{10}S_2$ (3441-14-3)	**Benzo Fast Scarlet 4BS** (C.I. 29160) M. W.: 813.74 Dye Content (Titanometry on dried substance) Min 30%	**25 gm**
	Benzo-15-**Crown**-5**(Crown Ether)** See **Crown Ether** / **Benzo**-15-**Crown**-5	
	7,8-**Benzoflavone** See a-Naphthoflavone	
027333 $C_7H_6O_2$ (65-85-0)	**Benzoic Acid** for Synthesis M. W.:122.12 Assay (acidimetric) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
462165 $C_7H_6O_2$ (65-85-0)	**Benzoic Acid** (Iron Free) **AR** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.:122.12 Assay (Acidimetric) 99.9%	**500 gm** **5 kg** **25 kg** **50 kg**
	Benzoic Acid Ammonium Salt See Ammonium Benzoate	
	Benzoic Acid Ethyl Ester See Ethylbenzoate	
	Benzoic Acid Hydrazide See Benzoic Hydrazide	
D15417 $C_7HD_5O_2$ (1079-02-3)	**Benzoic d_5 Acid** (For NMR Spectroscopy) M. W.: 127.15 Assay Min. 99 atom%D	**1 gm**

Product Code	Product Name	Packing
022105 $C_{14}H_{10}O_3$ (93-97-0)	**Benzoic Anhydride** for Synthesis M. W.: 226.23	**100 gm** **500 gm**
027336 $C_6H_5CH(OH)COC_6H_5$ (119-53-9)	**Benzoin** for Synthesis M. W.: 212.25 Assay (GC) 98.0%	**250 gm** **25 kg**
809250	a-**Benzoin Oxime** Solution (Reagent for Cu, Mo, W)	**100 ml**
462190 $C_6H_5CH(OH).C.(NOH)C_6H_5$ (441-38-3)	a-**Benzoin Oxime AR** (Cupron) M. W.: 227.26 Assay 98.5%	**25 gm** **100 gm**
027337 C_6H_5CN (100-47-0)	**Benzonitrile** for Synthesis M. W.:103.12 Assay 99.0%	**500 ml**
027338 $(C_6H_5)_2.CO$ (119-61-9)	**Benzophenone** Purified M. W.:182.22 Assay (GC) 99.0%	**250 gm** **500 gm** **5 kg**
022205 $C_{13}H_{12}N_2$ (5350-57-2)	▲**Benzophenone Hydrazone** M. W.:196.25	**100 gm** **500 gm**
022225 $C_{17}H_6O_7$ (2421-28-5)	3,3,4,4-**Benzophenone Tetra Carboxylic Dianhydride** Pure for synthesis M. W.: 322.23	**100 gm**
022275 $C_6H_4O_2$ (106-51-4)	p-**Benzoquinone** (P-Quinone,1,4-Benzoquinone) M. W.:108.09	**100 gm** **500 gm** **5 kg**
025873 $C_7H_5Cl_3$ (98-07-7)	**Benzotrichloride** M. W.: 195.48 Assay (GC) 99.0%	**500 ml** **2.5 lit**
027344 $C_6H_5N_3$ (95-14-7)	1,2,3, **Benzotriazole** for Synthesis (IH-Benzotriazole) M. W.:119.13 Assay 99.0%	**100 gm** **1 kg** **10 kg**
	1H-**Benzothiazolethiol** See 2-Mercaptobenzothiazole	
	O-(**Benzotriazol**-1-**yl**)-N,N,N',N'-**Tetramethyluronium Tetrafluoroborate** See TBTU	
	O-(**Benzotriazol**-1-**yl**)-N,N,N',N'-**Tetramethyluronium Hexafluoride Phosphate** See HBTU	
	1H-**Benzotriazol** See 1,2,3-Benzotriazole	
027347 $C_{10}H_{10}O_2$ (93-91-4)	**Benzoyl Acetone** M. W.: 162.19 Assay (GC) 98.0%	**10 gm** **50 gm**
PCT1808 PTC $C_{12}H_9N_5O$ (4005-49-6)	▲N^6-**Benzoyladenine** Plant Culture Tested M. W.: 239.23 Assay 99%	**1 gm**
040007 $C_{15}H_{23}ClN_4O_3$ (2645-08-1)	· N-a-**Benzoyl**-L-**Arginine Ethyl Ester Hydrochloride** (BAEE) M. W.: 342.83 Assay (Argentometric) 99.0%	**1 gm** **5 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
027349 C_6H_5COCl (98-88-4)	**Benzoyl Chloride** for Synthesis (Benzoic acid chloride) M. W.: 140.57 Assay (ex Cl) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
462215 C_6H_5COCl (98-88-4)	**Benzoyl Chloride AR** M. W.: 140.57 Assay 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
462240 ⁂ $C_6H_5CON(OH)C_6H_5$ (304-88-1)	**n-Benzoyl-n-Phenyl Hydroxylamine AR** M.W.: 213.23	**5 gm**
027350 $(C_6H_5.CO)_2O_2$ (94-36-0)	**Benzoyl Peroxide** (25% with Water) M. W.:242.23 Assay (anhydrous basis) 98.0%	**500 gm** **25 kg** **50 kg**
022475 ⁂ $C_6H_5COCH_2CH_2COOH$ (2051-95-8)	3-**Benzoyl Propionic Acid** M. W.: 178.18	**100 gm** **250 gm**
066036 $C_9H_{10}O_2$ (140-11-4)	**Benzyl Acetate** for Synthesis M. W.:150.17 Assay (GC) 99.0%	**500 ml** **2.5 lit**
022565 $C_{12}H_{11}N_5$ (1214-39-7)	· 6-**Benzyl Adenine** (6-Benzyl Aminopurine) M. W.: 225.26 Assay (Non-aqueous) 99.0%	**1 gm** **5 gm** **25 gm** **100 gm** **500 gm**
PCT1802 PTC $C_{12}H_{11}N_5$ (1214-39-7)	· 6-**Benzyladenine (6-BAP)** (6-Benzylaminopurine) Plant Culture Tested M. W.: 225.25 Assay 98%	**1 gm** **5 gm** **25 gm**
027354 $C_6H_5CH_2OH$ (100-51-6)	**Benzyl Alcohol** for Synthesis M. W.:108.14 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
462265 $C_6H_5CH_2OH$ (100-51-6)	**Benzyl Alcohol AR/ACS** M. W.:108.14 Assay (GC) 99.0%	**250 ml** **500 ml** **1 lit** **2.5 lit** **25 lit** **200 lit**
707052 $C_6H_5CH_2OH$ (100-51-6)	**Benzyl Alcohol** GC-HS for GC- Headspace Analysis M.W: 108.14 Assay 99.0%	**1 lit** **2.5 lit**
027355 $C_7H_7NH_2$ (100-46-9)	**Benzylamine** M.W. : 107.16 Assay (Acidimetric) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
463385 $C_7H_7NH_2$ (100-46-9)	**Benzylamine AR** M.W. : 107.16 Assay 99.0%	**500 ml** **2.5 lit**
	6-Benzylamine Purine See 6- Benzyl Adenine	
	Benzyl Benzene See Diphenyl Methane	

Product Code	Product Name	Packing
027357 $C_6H_5COOCH_2C_6H_5$ (120-51-4)	**Benzyl Benzoate** M. W.:212.25 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
025865 C_7H_7Br (100-39-0)	**Benzyl Bromide** M. W.: 171.04 Assay (GC) 98.0%	**500 ml**
022675 $C_{19}H_{20}O_4$ (85-68-7)	**Benzyl Butyl Phthalate** for Synthesis (Butylbenzyl Phthalate) M. W.: 312.36 Assay 98.0%	**500 ml** **2.5 lit**
027361 $C_6H_5.CH_2Cl$ (100-44-7)	**Benzyl Chloride** for Synthesis M. W.: 126.59 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
	Benzyl Chlorocarbonate See Benzyl Chloroformate 50% In Toluene	
027362 C_8H_7N (140-29-4)	**Benzyl Cyanide** M. W.: 117.15 Assay (ex N) 98.0%	**500 ml** **2.5 lit**
	α-Benzyl Dioxime AR See Diphenylglyoxime	
	Benzylideneacetone See Banzalacetone	
	Benzyl dimethyhexadecyl ammonium chloride See Cetyl Dimethyl Benzyl Ammonium Chloride	
023075 $C_{11}H_{14}O_2$ (103-28-6)	**Benzyl Isobutyrate** for Synthesis M. W.: 178.23	**500 gm**
023085 $C_{12}H_{16}O_2$ (103-38-8)	**Benzyl Isovalerate** for Synthesis M. W.: 192.25	**500 gm**
023185 $C_6H_6CH_2NHCH_3$ (103-67-3)	N-**Benzyl Methylamine** (N-methyl benzylamine) M. W.: 121.18	**250 ml** **500 ml**
023335 $C_6H_5CH_2OC_6H_4CHO$ (4397-53-9)	4-**Benzyl Oxybenzaldehyde** M. W.: 212.24 Assay 97.0%	**100 gm** **500 gm**
023405 $C_{15}H_{14}O_2$ (102-16-9)	**Benzyl Phenyl Acetate** for Synthesis M. W.: 226.27	**500 gm**
023455 $C_{10}H_{12}O_2$ (122-63-4)	**Benzyl Propionate** for Synthesis M. W.: 164.2 Assay 98.0%	**500 gm**
025883 $C_{12}H_{11}N$ (101-82-6)	2-**Benzyl Pyridine** M. W.: 169.23 Assay (GC) 98.0%	**100 gm**
023505 $C_{14}H_{12}O_3$ (118-58-1)	**Benzyl Salicylate** for Synthesis M. W.: 228.24 Assay 98.0%	**500 gm**
463965 $[C_6H_5.CH_2.S.C.(:NH).NH_3]Cl$ (538-28-3)	S-**Benzyl Thiuronium Chloride AR** M. W.: 202.70 Assay (Argentometric) 98.0%	**100 gm** **500 gm** **25 kg**
023705 $C_{19}H_{34}NBr$ (25316-59-0)	**Benzyl Tributyl Ammonium Bromide** for Synthesis M. W.: 356.38	**100 gm**

Storage : · ❄0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
023735 $C_{19}H_{34}ClN$ (23616-79-7)	**Benzyl Tributyl Ammonium Chloride** for Synthesis (Tributylbenzylammonium Chloride) M. W.: 311.93	**500 gm**
066041 $C_{13}H_{22}ClN$ (56-37-1)	**Benzyl Triethyl Ammonium Chloride** M. W.: 227.78 Assay (Argentometric) 98.0%	**500 gm** **25 kg**
066042 $C_6H_5.CH_2.N(CH_3)_3.Cl$ (56-93-9)	**Benzyl Trimethyl Ammonium Chloride** M. W.: 185.70 Assay (argentometric) 98.0%	**500 gm** **25 kg** **50 kg**
809300 $C_{10}H_{17}NO$ (100-85-6)	**Benzyl Trimethyl ammonium Hydroxide** 40% Soln. in Methanol M. W.: 167.25	**100 ml** **500 ml**
809350	**Beryllium** (Be) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in 0.5 HF in 2% HNO_3 in accordance with NIST	**100 ml** **250 ml** **500 ml**
809352	**Beryllium** (Be) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	**100 ml** **250 ml** **500 ml**
809400	**Beryllium** (Be) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	**50 ml** **100 ml**
464085 $BeSO_4.4H_2O$ (7787-56-6)	**Beryllium Sulphate AR** (Beryllium Sulphate Tetrahydrate) M. W.: 177.14	**25 gm**
044133 $C_6H_{15}NO_5S$ (10191-18-1)	**BES** Buffer M.W.: 213.25 Assay (T) 99.0%	**25 gm** **100 gm** **500 gm**
915990 MB $C_6H_{15}NO_5S$ (10191-18-1)	**BES** Buffer For Molecular Biology M. W.: 213.25 Assay : ≥ 99.5% Store Below 30°C	**25 gm** **100 gm**
TC1042 ATC $C_6H_{15}NO_5S$ (10191-18-1)	▲**BES** Buffer, Free Acid (NN-bis[2-Hydroxyethyl]-2-aminoethanesulphonic acid; 2-[bis(2-Hydroxyethyl)amino]-ethanesulfonic Acid) Cell Culture Tested MW : 213.25 Assay : ≥99%	**25 gm** **100 gm** **500 gm** **1 kg**
	B.H.A. See Butylated Hydroxy Anisole	
	B.H.T. See Butylated Hydroxy Toluene	
	Biacetyl See Diacetyl	
809500	**Bial's** Reagent for Detection Of Pentoses And Gluconic Acid	**125 ml** **250 ml**
809600	**Bicarbonate** Indicator Solution	**125 ml**
044109 $C_6H_{13}NO_4$ (150-25-4)	**Bicine** Buffer M. W.: 163.17 Assay (non-aqueous) 99.0%	**25 gm** **100 gm** **500 gm**
916200 MB $C_6H_{13}NO_4$ (150-25-4)	**Bicine** Buffer For Molecular Biology M. W.: 163.17 Assay : ≥ 99% Store Below 30°C	**25 gm** **100 gm** **500 gm**
023935 $C_{22}H_{14}N_4O_7S_2Na_2$ (4196-99-0)	**Biebrich Scarlet** (W.S) (C.I. 26905) M. W.: 556.48	**25 gm** **100 gm**
809640	**Biebrich Scarlet Acetic** Solution (For connective tissue plasma stain)	**100 ml**
023985	**Bile Salt** for Bacteriology Bile acid : Min. 70%	**100 gm** **500 gm**
	Bile Salt Mixture See in Culture Media Basis	
	Bilirubin Determination Reagent A See Diazo reagent A	
	Bilirubin Determination Reagent B See Diazo reagent B	
464175 $C_{33}H_{36}N_4O_6$ (635-65-4)	▲**Bilirubin AR** M. W.: 584.68 Assay (spectrophotometric) 99.0%	**100 mgm** **1 gm**
024000 $C_{20}H_{14}O_2$ (18531-99-2)	S-**Binol** for Synthesis (S(-)-1,1' Bi(2-Naphthol)) (-)-2,22-Dihydroxy-1,12-(dinaphthyl) M.W : 286.33 Assay 99.0%	**5 gm** **25 gm** **100 gm**
044011 $C_{10}H_{16}N_2O_3S$ (58-85-5)	▲D-**Biotin** for Biochemistry (Vitamin-H) M. W.:244.31 Assay (Acidimetric) 99-102%	**100 mgm** **1 gm** **10 gm**
PCT1201 PTC $C_{10}H_{16}N_2O_3S$ (58-85-5)	▲D-**Biotin** (Vitamin H) Plant Culture Tested MW : 244.31 Assay 98.5%	**1 gm** **10 gm** **25 gm**
TC1096 ATC $C_{10}H_{16}N_2O_3S$ (58-85-5)	▲D-**Biotin** (Vitamin B7, Vitamin H) Cell Culture Tested MW : 244.31 Assay : ≥99%	**1 gm** **5 gm** **25 gm**
	Biphenyl-4-OL See p-Hydroxydiphenyl	
028240 $(C_6H_5)_2$ (92-52-4)	**Biphenyl** for Synthesis M. W.: 154.21 Assay (GC) 98.0%	**100 gm** **1 kg**
D16227 $C_{12}D_{10}$ (1486-01-7)	**Biphenyl**-d_{10} (for NMR Spectroscopy) M.W.: 164.27 Assay Min. 99.0 atom%D	**1 gm**
024175 $C_{13}H_{10}O_2$ (92-92-2)	4-**Biphenyl Carboxylic Acid** for Synthesis (4-Phenylbenzoic Acid) M. W.: 198.22	**100 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ▪ 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
024185 $HOC_6H_4C_6H_4OH$ (92-88-6)	**Biphenyl**-4:4-**Diol** for Synthesis M. W.: 186.21	**100 gm**
464265 $(C_5H_4N)_2$ (366-18-7)	2,2-**Bipyridyl AR** (A,a-Bipyridyl) M. W.:156.19 Assay (non-aqueous) 99.5%	**5 gm** **25 gm**
809700	**Bipyridyl** Reagent Solution (Reagent for molybdenum)	**100 ml**
464355 $C_{18}H_{12}N_2$ (119-91-5)	2,2-**Biquinoline AR** (2,2-Diquinolyl) M. W.: 256.31 Assay (Non-aqueous) 99.0%	**1 gm** **5 gm**
	Bisacrylamide See N,N' Methylene Bis acrylamide	
024425 $(ClCH_2CH_2)_2NH.HCl$ (821-48-7)	Bis-2-**Chloro Ethylamine Hydrochloride** for Synthesis M. W.: 178.49 Assay 98.0%	**500 gm**
024525 $C_6H_4(CH_2Cl)_2$ (612-12-4)	**Bis** 1;2-**(Chloro Methyl Benzene)** for Synthesis M. W.: 175.06 Assay 98.0%	**25 gm** **500 gm**
464445 $C_{14}H_{22}N_4O_2$ (370-81-0)	**Bis-Cyclohexanone Oxalyl Dihydrazone AR** M. W.: 278.36 Assay (Non-aqueous) 99.0%	**10 gm** **25 gm**
	N,N-Bis(2-Hydroxyethyl) Methylamine) See N-(Methyldiethanol)Amine	
	Bis (2-Chloroethyl) Ammonium Chloride See Bis (2-Chloroethyl)Amine Hydrochloride	
	2-Bis(2-Hydroxyethyl)Amine See Diethanolamine	
	Bis(Acetato)Dioxouranium See Uranyl Acetate Dihydrate	
	N,N-Bis(2(bis(Carboxylmethyl)Amino)Ethyl) Glycine See Diethylenetriaminepentaacetic acid	
	4,4'-**Bis-(Dimethylamino) Benzophenonimide Hydrochloride** See BES Buffer	
	1,2-**Bis(Dimethylamino) Ethane** See N,N,N',N'-Tetramethylethylenediamine	
335105 $C_{17}H_{22}N_2$ (101-61-1)	4,4-**Bis(Dimethylamino-Phenyl) Methane** (N,N,N'N'Tetramethyl-4,4-Diaminodiphenylmethane, Michler's base, 4,4-Methylenebis)(N,N-Dimethyl Aniline) M. W.: 254.37 Assay 98.0%	**100 gm** **500 gm**
024705 $[(C_6H_5)_2PC_{10}H_6-]_2$ (76189-56-5)	**(S)-(-)-2,2'-Bis-(Diphenylphosphino) -1,1'-Binaphthyl 97%** **(S)-(-)-2,2'(S)-(-)-Binap** M. W.: 622.67	**1 gm** **5 gm**
707600 $C_{27}H_{26}P_2$ (6737-42-4)	1,3-**Bis-(Diphenylphosphino) Propane** for HPLC M. W.: 412.45	**1 gm** **5 gm**

Product Code	Product Name	Packing
024805 $C_{22}H_{42}O_4$ (103-23-1)	**Bis-(2-Ethylhexyl) Adipate** for Synthesis (Dioctyl Adipate; DOA) M. W.: 370.57	**500 ml** **2.5 lit**
024825 $C_{24}H_{38}O_4$ (117-81-7)	**Bis-(2-Ethyl Hexyl) Phthalate** for Synthesis M. W.: 390.56	**500 ml** **2.5 lit**
024845 $C_{26}H_{50}O_4$ (122-62-3)	**Bis-2-Ethyl Hexyl Sebacate** for Synthesis M. W.: 426.68	**500 ml** **2.5 lit**
	Bis-(2-Hydroxy Ethyl) Amino Tris (Hydroxymethyl) Methane See Bis-Tris	
	N,N'-**Bis-(2-Hydroxy Ethyl) Glycine** See Bicine	
	N,N-**Bis-(2-Hydroxyethyl) Taurine** See BES Buffer	
025841 $C_{18}H_{20}Cl_2N_8$ (10114-58-6)	**Bismark Brown (G) Y** for Microscopy C.I. 21000 M. W.: 419.32 Dye content (titanometry) Abt 50.0%	**25 gm** **100 gm** **1kg**
034010 $C_{21}H_{24}N_8.2HCl$ (5421-66-9)	**Bismark Brown R** C.I.21010 M. W.:461.40 Dye content (Spectrophotometric) Abt 40%	**25 gm** **100 gm** **1 kg**
809900	**Bismuth** (Bi) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **250 ml** **500 ml**
809950	**Bismuth** (Bi) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	**100 ml** **500 ml**
809952	**Bismuth** (Bi) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	**100 ml** **500 ml**
027384 Bi (7440-69-9)	**Bismuth** (Metal) Granulated At. W. 208.98 Assay (complexometric) 99.0%	**100 gm** **500 gm**
025839 Bi (7440-69-9)	**Bismuth** Metal Lump M.W. : 208.98 Assay (Complexometric) 99.5%	**100 gm**
026465 Bi (7440-69-9)	**Bismuth** Metal Powder M.W. : 208.98	**100 gm**
464885 Bi (7440-69-9)	**Bismuth** Ingots **AR** M.W. : 208.98 Assay 99.99%	**10 gm**
026485 $CH_3(CO_2)_3Bi$ (22306-37-2)	**Bismuth (III) Acetate** M.W. : 386.11	**500 gm**

Product Code	Product Name	Packing
464930 (31886-41-6)	**Bismuth Ammonium Citrate AR** Assay (Complexometric ex Bi) ~ 45%	**100 gm** **500 gm**
026545	**Bismuth Borate**	**100 gm** **500 gm**
024565 $BiBr_3$ (7787-58-8)	**Bismuth (III) Bromide** M. W.: 448.69	**100 gm** **500 gm**
	Bismuth Carbonate (Basic) See Bismuth oxycartbonate	
	Bismuth Chloride See Bismuth Trichloride	
	Bismuth Chloride Oxide See Bismuth Oxychloride	
024615	**Bismuth Chromate**	**500 gm**
025877 $BiC_6H_5O_7$ (813-93-4)	**Bismuth (III) Citrate** M. W.: 398.08 Assay (Complexometric) 98.0%	**100 gm** **500 gm** **25 kg**
026595 BiF_3 (7787-61-3)	**Bismuth (III) Fluoride** M. W.: 265.98	**500 gm**
026615 BiI_3 (7787-64-6)	**Bismuth (III) Iodide** (Bismuth Triiodide) M. W.: 589.69	**25 gm**
027388 $Bi(NO_3)_3.5H_2O$ (10035-06-0)	**Bismuth Nitrate** Pentahydrate Purified (Bismuth III Nitrate) M. W.: 485.07 Assay (Complexometric) 98.0%	**100 gm** **500 gm** **25 kg**
465020 $Bi(NO_3)_3.5H_2O$ (10035-06-0)	**Bismuth Nitrate** Pentahydrate **AR/ACS** M. W.:485.07 Assay (Complexometric) 98.5%	**100 gm** **500 gm**
	Bismuth Nitrate Basic See Bismuth Subnitrate	
026645 $Bi_2(C_2O_4)_3$ (6591-55-5)	**Bismuth Oxalate** M. W.: 682.02	**500 gm**
027389 Bi_2O_3 (1304-76-3)	**Bismuth Oxide** M. W.:465.96 Assay (Complexometric) (ex Bi) 99.0%	**100 gm** **500 gm**
H06507 HISURE Bi_2O_3 (1304-76-3)	**Bismuth Oxide** M. W.:465.96 Assay (Trace metal basis) 99.999%	**100 gm**
027390 Bi_2CO_5 (5892-10-4)	**Bismuth Oxycarbonate** (Bismuth Carbonate Basic, Bismuth Sub Carbonate) M. W.: 509.97 Assay (as Bi on dried basis) 80-82%	**100 gm** **500 gm**
027391 BiOCl (7787-59-9)	**Bismuth Oxychloride** M. W.:260.43 Assay (Complexometric; Bi) 79.0-82.0%	**100 gm** **500 gm**
	Bismuth Oxynitrate See Bismuth Subnitrate	
025875 $BiPO_4$ (10049-01-1)	**Bismuth Phosphate** M. W.: 303.95 Assay 98.0%	**100 gm** **500 gm**

Product Code	Product Name	Packing
026750 $C_7H_5BiO_4$ (14882-18-9)	**Bismuth (III) Salicylate** M. W.: 362.09	**100 gm** **500 gm**
	Bismuth Sub Carbonate See Bismuth oxycarbonate Basic	
026790 $C_7H_5BiO_6$ (99-26-3)	**Bismuth Subgallate** (Basic Bismuth Gallate) M. W.: 394.40	**100 gm** **500 gm**
026810 $Bi(O)NO_3$ (10361-46-3)	**Bismuth Subnitrate** M.W.: 286.99 Assay (Bi) 71.0-74.0%	**100 gm** **500 gm**
465110 $Bi(O)NO_3$ (10361-46-3)	**Bismuth Subnitrate AR** M.W.: 286.99 Assay (Complexometric) (as Bi) 71.0-74.0%	**100 gm** **500 gm**
027404 $Bi_2(SO_4)_3$ (7787-68-0)	**Bismuth Sulphate** M. W.: 706.18	**100 gm** **500 gm**
024925	**Bismuth Sulphite**	**100 gm**
025065 $BiCl_3$ (7787-60-2)	**Bismuth Trichloride** M. W.: 315.34 Assay (ex Bi) 92.0%	**100 gm** **500 gm**
465495 $C_2H_2N_2S_3$ (1072-71-5)	**Bismuthiol-I AR (Reagent** for The Determination of BI, Cu, Pb, Sb M. W.: 150.25 Assay 98.0%	**25 gm** **500 gm**
028643 $C_{15}H_{16}O_2$ (80-05-7)	**Bisphenol A** M. W.: 228.29 Assay (GC) 97.0%	**500 gm** **25 kg** **50 kg**
	1,4-**Bis** (5-**Phenyl Oxazol** -2-**yl**) **Benzene** See POPOP	
465625 $C_{20}H_{18}N_4O_2$ (7477-67-0)	**Bispyrazolone AR** [3.3-Dimethyl-1,1-Diphenyl- (4,4-bi-2-Pyrazoline)-5,5-Dione] (for Determination of Cyanide) M. W.: 346.38	**5 gm** **25 gm**
026970 $C_{24}H_{54}OSn_2$ (56-35-9)	**Bis-Tributyl Tin Oxide** for Synthesis M. W.: 596.10 Assay 96.0%	**100 ml** **500 ml**
027060 $C_8H_{18}F_3NOSi_2$ (25561-30-2)	· N,O-**Bis-(Trimethylsilyl) Trifluoro** **Acetamide** M. W.: 257.40 Assay 99.0%	**25 ml** **100 ml**
044127 $C_8H_{19}NO_5$ (6976-37-0)	**Bis-Tris** for Biochemistry M.W.: 209.24 Assay (Non-aqueous) 98.0%	**25 gm** **100 gm**
916370 MB $C_8H_{19}NO_5$ (6976-37-0)	**Bis-Tris** (Bis[2-hydroxyethyl]-amino-tris [hydroxymethyl] methane) For Molecular Biology M. W.: 209.24 Assay : ≥ 98% Store Below 30°C	**25 gm** **100 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code		Product Name	Packing
TC1043	ATC	**BIS TRIS** (Bis[2-Hydroxy Methyl]amino-tris (hydroxyethyl) methane; 2-bis[2-Hydroxyethyl] amino-2-[2-Hydroxy Methyl]-1,3 propanediol Cell Culture Tested $C_8H_{19}NO_5$ (6976-37-0) MW : 209.24 Assay : ≥99% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
TC1267	ATC	**BIS-TRIS propane** 1,3-Bis[tris(hydroxy methyl) methylamino] propane Cell Culture Tested $C_{11}H_{26}N_2O_6$ (64431-96-5) MW: 282.33 Assay : ≥99% Store below 30°C	**25 gm** **100 gm** **500 gm**
465715 $NH_2.CO.NH.CO.NH_2$ (108-19-0)		**Biuret AR** M. W.: 103.08 Assay (Kjeldhal method) 96.0%	**25 gm** **100 gm**
810300		**Biuret** Reagent	**125 ml**
916850	MB	**Biuret** For Molecular Biology $C_2H_5N_3O_2$ (108-19-0) M. W.: 103.08 Assay : ≥ 97% Store Below 30°C	**25 gm** **100 gm**
TC1421	ATC	**▲Blasticidin S Hydrochloride** Blasticidin S` Cell Culture Tested $C_{17}H_{26}N_8O_5.HCl$ (3513-03-9) MW : 458.9 Assay : ≥99.5	**25 mg** **100 mg** **1 gm**
026039 $Ca(OCl)_2$ (7778-54-3)		**Bleaching** Powder About 33% Available Chlorine M. W.: 142.98	**500 gm** **25 kg** **50 kg**
PCT2509	PTC	**Bleaching** Powder Plant Culture Tested $Ca(OCl)_2$ (7778-54-3) M. W.: 142.98 Assay 98% Store below 30°C	**500 gm** **50 kg**
PCT2314	PTC	**Blue Colour** Plant Culture Tested Store below 30°C	**250 gm**
917250	MB	**Blue Dextran** Form Leuconostoc Mesenteroides For Molecular Biology Av. M. W.: 2,000,000 (87915-38-6) Store Below 30°C	**1 gm**
465805 $C_{40}H_{32}N_8O_2Cl_2$ (1871-22-3)		· **Blue Tetrazolium** for Microscopy **AR** (Blue tetrazolium chloride) M.W 727.66 Assay (Argentometric; ex Cl on dried basis) 95.0%	**1 gm** **5 gm**
PCT2209	PTC	· **Blue Tetrazolium Chloride** Plant Culture Tested $C_{40}H_{32}Cl_2N_8O_2$ (1871-22-3) MW : 727.64 Assay 95% Store below 30°C	**1 gm** **5 gm**

Product Code		Product Name	Packing
PCT2207	PTC	**▲Bluo-Gal** **(5-Bromo-3-indolyl-b-Dgalacto Pyranoside)** Plant Culture Tested $C_{14}H_{16}BrNO_6$ (97753-82-7) MW : 374.18 Assay 99%	**100 mg** **500 mg**
BOC026 $C_8H_{15}NO_4$ (3303-84-2)	✲	· **BOC**-B-**Alanine** for Biochemistry M.W 189.21	**5 gm** **25 gm**
BOC010 $C_8H_{15}NO_4$ (7764-95-6)	✲	· **BOC**-D-**Alanine** M.W 189.21	**10 gm** **25 gm**
BOC014 $C_{11}H_{20}N_2O_5S$ (19746-37-3)	✲	· **BOC**-S-**Acetamidomethyl-L-Cysteine** for Biochemistry M.W 292.35	**10 gm** **25 gm**
BOC020 $C_8H_{15}NO_4$ (15761-38-3)		· **BOC**-L-**Alanine** M. W.: 189.21 Assay (on dried subs) 99.0%	**10 gm** **25 gm** **100 gm**
BOC023 $C_9H_{17}NO_4$ (28875-17-4)	✲	· **BOC**-L-**Alanine Methyl Ester** for Biochemistry M. W.: 203.24	**10 gm** **25 gm**
BOC028 $[(CH_3)_3COCO]_2O$ (24424-99-5)		· **BOC-Anhydride** M. W.: 218.25	**100 gm** **500 gm**
BOC030 $C_9H_{16}N_2O_5$ (75647-01-7)	✲	· **BOC**-D-**Asparagine** M. W.: 232.23	**10 gm** **25 gm**
BOC040 $C_9H_{16}N_2O_5$ (7536-55-2)	✲	· **BOC**-L-**Asparagine** M. W.: 232.23	**10 gm** **25 gm** **100 gm**
BOC045 $C_{16}H_{21}NO_6$ (7536-58-5)	✲	· **BOC**-L-**Aspartic Acid**-4- **Benzylester** M. W.: 323.34	**25 gm**
BOC050 (62396-48-9)	✲	· **BOC**-D-**Aspartic Acid**	**10 gm** **25 gm**
BOC060 $C_9H_{15}NO_6$ (13726-67-5)	✲	· **BOC**-L-**Aspartic Acid** M. W.: 233.22	**10 gm** **25 gm** **100 gm**
		BOC-Ala-OH See BOC-L-Alanine	
BOC063 $C_{15}H_{21}NO_5S$ (5068-28-0)	✲	· **BOC**-L-**Benzyl**-L-**Cysteine** for Biochemistry M.W.: 311.40	**5 gm** **25 gm**
BOC065	✲	· N-**BOC**-O-**Benzyl**-L- **Serine** for Biochemistry $C_6H_5CH_2OCH_2CH(COOH)NHCOOC(CH_3)_3$ M. W.: 295.33 (23680-31-1)	**10 gm** **25 gm**
BOC070 $C_{16}H_{28}N_2O_8S_2$ (10389-65-8)	✲	· **BOC**-L-**Cystine** M. W.: 440.53	**10 gm** **25 gm** **100 gm**
BOC080 (34404-28-9)	✲	· **BOC**-D-**Glutamic Acid**	**10 gm** **25 gm**

Product Code		Product Name	Packing
BOC090 $C_{10}H_{17}NO_6$ (2419-94-5)	✲	· **BOC**-L-**Glutamic Acid** M. W.: 247.25	**10 gm** **25 gm** **100 gm**
BOC093 $C_{17}H_{23}NO_6$ (13574-13-5)	✲	· **BOC**-L-**Glutamic Acid**-5- **Benzyl Ester** for Biochemistry M. W.: 337.37	**10 gm** **25 gm**
BOC100 $C_{10}H_{18}N_2O_5$ (61348-28-5)	✲	· **BOC**-D-**Glutamine** M. W.: 246.26	**10 gm** **25 gm**
BOC110 $C_{10}H_{18}N_2O_5$ (13726-85-7)	✲	· **BOC**-L-**Glutamine** M. W.: 246.26	**10 gm** **25 gm** **100 gm**
BOC120 $C_7H_{13}NO_4$ (4530-20-5)		· **BOC-Glycine** M. W.: 175.18 Assay Cal. on dried subs) 99.0%	**10 gm** **25 gm** **100 gm**
BOC122 $C_8H_{15}NO_4$ (31954-27-5)	✲	· **BOC-Glycine Methyl Ester** for Biochemistry M. W.: 189.21	**10 ml** **25 ml**
		BOC-GLY-OH See BOC-Glycine	
BOC124 $C_{17}H_{19}N_5O_8$ (25024-53-7)	✲	· **BOC-Histidine** for Biochemistry M. W.: 421.36	**5 gm**
BOC128 $C_{11}H_{22}N_2O_3$ (77279-24-4)	✲	1-**BOC**-4-(2-**Hydroxyethyl) Piperazine** M. W.: 230.30	**5 gm**
BOC130 $C_{11}H_{19}NO_4$ (84358-13-4)	✲	· **BOC-Isonipecotic Acid** for Biochemistry M. W.: 229.27	**10 gm** **25 gm**
BOC135	✲	· **BOC-Isonipecotic Acid Methyl Ester** for Biochemistry	**10 gm** **25 gm**
BOC140 $C_{11}H_{21}NO_4$ (55721-65-8)	✲	· **BOC**-D-**Isoleucine** M. W.: 231.29	**1 gm**
BOC150 $C_{11}H_{21}NO_4$ (13139-16-7)		· **BOC**-L-**Isoleucine** M. W.: 231.29	**10 gm** **25 gm** **100 gm**
BOC160 $C_{11}H_{21}NO_4$ (16937-99-8)	✲	· **BOC**-D-**Leucine** M. W.: 231.29	**10 gm** **25 gm**
BOC162 $C_{11}H_{21}NO_4$ (13139-15-6)	✲	· **BOC**-L-**Leucine** for Biochemistry M. W.: 231.29	**5 gm** **25 gm** **100 gm**
BOC180 $C_{11}H_{22}N_2O_4$ (2418-95-3)	✲	· **BOC**-L-**Lysine** M. W.: 246.30	**5 gm** **25 gm** **100 gm**
BOC182 (15098-69-8)	✲	· N-a-ε-L-**BOC**-L-**Lysine Dicyclohexyl ammonium** Salt for Biochemistry	**10 gm** **25 gm**
BOC184 $C_{10}H_{19}NO_4S$ (2488-15-5)	✲	· **BOC**-L-**Methionine** for Biochemistry M. W.: 249.33	**25 gm** **100 gm**

Product Code		Product Name	Packing
BOC186 $C_{11}H_{19}NO_4$ (1487631-41-1)	✲	· **BOC-Nipecotic Acid Methyl Ester** for Biochemistry M. W.: 229.27	**10 gm** **25 gm**
BOC188 (7535-56-0)	✲	· **BOC-4-Nitro-L- Phenylalanine Ethyl Ester** for Biochemistry	**10 gm** **25 gm**
BOC189 $C_{14}H_{18}N_2O_6$ (33305-77-0)	✲	· **BOC**-4-**Nitro-L- Phenylalanine** for Biochemistry M. W.: 310.30	**10 gm** **25 gm**
BOC190 $C_{14}H_{19}NO_4$ (18942-49-9)	✲	· **BOC-D-Phenylalanine** M. W.: 265.30	**10 gm** **25 gm**
BOC192 (35909-92-3)	✲	· **BOC**-D-**Phenylalanine Methyl Ester** for Biochemistry	**10 gm** **25 gm**
BOC194 (33125-05-2)	✲	· **BOC**-D-**Phenylglycine** for Biochemistry	**1 gm** **5 gm**
BOC200 $C_{14}H_{19}NO_4$ (13734-34-4)	✲	· **BOC-L-Phenylalanine** M. W.: 265.31 Assay (Cal. on dried subs) 99.0%	**10 gm** **25 gm** **100 gm**
BOC204 $C_{15}H_{21}NO_4$ (51987-73-6)	✲	· **BOC**-L-**Phenylalanine Methyl Ester** for Biochemistry M. W.: 279.33	**10 gm** **25 gm**
BOC206 $C_{13}H_{17}NO_4$ (2900-27-8)	✲	· **BOC**-L-**Phenylglycine** for Biochemistry M. W.: 251.28	**10 gm** **25 gm**
BOC208 $C_{11}H_{19}NO_4$ (26250-84-0)	✲	· **BOC**-L-**Pipecolinic Acid** for Biochemistry M. W.: 229.27	**10 gm** **25 gm**
BOC210 $C_{10}H_{17}NO_4$ (37784-17-1)		· **BOC-D-Proline** M. W.: 215.25	**10 gm** **25 gm**
BOC212 (733323-65-6)	✲	· **BOC**-D-**Proline Methyl Ester** for Biochemistry	**10 gm** **25 gm**
BOC220 $C_{10}H_{17}NO_4$ (15761-39-4)	✲	· **BOC-L-Proline** M. W.: 215.25 Assay (Cal. on dried subs) 99.0%	**10 gm** **25 gm** **100 gm**
BOC223 (59936-29-7)	✲	· **BOC**-L-**Proline Methyl Ester** for Biochemistry	**10 gm** **25 gm**
		BOC-PHE-OH See BOC-L-Phenylalanine	
		2,3-Boranedione See DL-Camphorquinone	
BOC230 $C_8H_{15}NO_5$ (6368-20-3)		· **BOC-D-Serine** M. W.: 205.21	**10 gm** **25 gm**
BOC240 $C_8H_{15}NO_5$ (3262-72-4)	✲	· **BOC-L-Serine** M. W.: 205.21	**10 gm** **25 gm** **100 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code		Product Name	Packing
BOC250	⁂	· **BOC-D-Threonine**	**10 gm** **25 gm**
(55674-67-4)			
BOC260	⁂	· **BOC-L-Threonine**	**10 gm**
$C_9H_{17}NO_5$		M. W.: 219.23	**25 gm** **100 gm**
(2592-18-9)			
BOC270		· **BOC-D-Tryptophane**	**10 gm**
$C_{16}H_{20}N_2O_4$		M. W.: 304.34	**25 gm**
(5241-64-5)			
BOC280		· **BOC-L-Tryptophane**	**10 gm**
$C_{16}H_{20}N_2O_4$		M. W.: 304.34	**25 gm** **100 gm**
(13139-14-5)			
BOC290		· **BOC-L-Tyrosine**	**10 gm**
$4\text{-(OH)}C_6H_4CH_2CH(COOH)NHC(O)OC(CH_3)_3$ M. W.: 281.30			**25 gm** **100 gm**
(3978-80-1)			
BOC294	⁂	· **BOC**-L-**Tyrosine Methyl Ester** for Biochemistry	**10 gm** **25 gm**
$4\text{-(OH)}C_6H_4CH_2CH[NHCO_2C(CH_3)_3]CO_2HCH_3$ M. W.: 295.33			
(4326-36-7)			
BOC300	⁂	· **BOC-D-Valine**	**10 gm**
$C_{10}H_{19}NO_4$		M. W.: 217.26	**25 gm**
(22838-58-0)			
BOC310		· **BOC-L-Valine**	**10 gm**
$C_{10}H_{19}NO_4$		M. W.: 217.26	**25 gm**
(13734-41-3)		Assay (Cal on dried subs) 99.0%	**100 gm**
BOC313	⁂	· **BOC**-L-**Valine Methyl Ester** for Biochemistry	**10 gm** **25 gm**
$C_{11}H_{21}NO_4$		M. W.: 231.29	
(58561-04-9)			
465895		**Borax** Anhydrous **AR**	**100 gm**
$Na_2B_4O_7$		M. W.: 201.22	**500 gm**
(1330-43-4)		Assay 99.0%	
810600		**Borax Carmine** Alcoholic Solution	**125 ml**
810620		**Borax Carmine** Aqueous Solution	**125 ml**
027200		**Borax Carmine** (Grenacher) (powder) (M.S.)Bromo Cresol Green-Methyl Red.Indicator	**25 gm**
030230		**Borax** Decahydrate (Di-Sodium Tetraborate)	**500 gm** **5 kg**
$Na_2B_4O_7.10H_2O$		M. W.: 381.36	**25 kg**
(1303-96-4)		Assay (acidimetric) 99.0-103.0%	**50 kg**
465985		**Borax** Decahydrate **AR/ACS**	**500 gm**
$Na_2B_4O_710H_2O$		M. W.: 381.36	**5 kg**
(1303-96-4)		Assay (Acidimetric) 99.5-102.5%	**25 kg** **50 kg**
917600	MB	**Borax** Decahydrate For Molecular Biology	**500 gm**
$Na_2B_4O_7.10H_2O$		M. W.: 381.37	
(1303-96-4)		Assay : ≥ 99.5%	
		Store Below 30°C	
045011		**Boric Acid** Powder	**500 gm**
H_3BO_3		M. W.:61.83	**1 kg**
(10043-35-3)		Assay (acidimetric) 99.5%	**5 kg** **25 kg** **50 kg**

Product Code		Product Name	Packing
466080		**Boric Acid** Powder **AR/ACS** (Ortho Boric Acid)	**500 gm** **5 kg**
H_3BO_3		M.W : 61.83	**25 kg**
(10043-35-3)		Assay 99.5%	**50 kg**
027410		**Boric Acid** Crystal/Granular	**500 gm**
H_3BO_3		M. W.: 61.83	**5 kg**
(10043-35-3)		Assay (acidimetric) 99.5%	**25 kg** **50 kg**
466075		**Boric Acid** Crystal/Granular **AR** Meets of IP, BP, USP, PH. Eur.	**500 gm** **5 kg**
H_3BO_3		M. W.: 61.83	**50 kg**
(10043-35-3)		Assay (Acidimetric) 99.5%	
918000	MB	**Boric Acid** for Molecular Biology	**250 gm**
H_3BO_3		M. W.: 61.83	**500 gm**
(10043-35-3)		Assay (Acidimetric) 99.5%	**1 kg**
H06903	HISURE	**Boric Acid AR**	**50 gm**
H_3BO_3		M. W.: 61.83	**500 gm**
(10043-35-3)		Assay 99.99%	
PCT1102	PTC	**Boric Acid** Plant Culture Tested	**500 gm** **1 kg**
H_3BO_3		MW : 61.83	
(10043-35-3)		Assay 99.5%	
		Store below 30°C	
TC1580M	ATC	**Boric Acid** Hydrogen borate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications	**500 gm** **1 kg**
H_3BO_3		MW : 61.83	
(10043-35-3)		Store below 30°C	
D18927		**Boric Acid-**d_3 (for NMR Spectroscopy)	**5 gm**
BD_3O_3		M.W.:64.86	
(14149-58-7)		Assay Min. 98.0 atom%D	
810740		**Boric Acid 4%** (w/v) Aqueous Solution	**100 ml**
		Boric Acid Tributyl Ester See Tri-Butyl Borate	
		Boric Anhydride See di-Boron Trioxide	
810840		**Boron** (B) CPECTROSOL® Atomic Absorption Std. Soln.	**100 ml** **250 ml**
		Contain 1000 mg/lit AAS in H_2O	**500 ml**
		In accordance with NIST	
810860		**Boron** (B) CRISTAR® 1000 ppm Single Element Std. Soln.	**100 ml** **500 ml**
		for ICP in H_2O in accordance with NIST	
810862		**Boron** (B) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H_2O in accordance with NIST	**100 ml** **500 ml**
027392		**Boron** (Metal) **Powder**	**5 gm**
B		M. W.: 10.81	**50 gm**
(7440-42-8)		Assay 95.0%	
027395		**Boron Carbide** 90 Mesh	**100 gm**
CB_4		M. W.: 55.26	
(12069-32-8)			

Storage : · #0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
027400 CB_4 (12069-32-8)	**Boron Carbide** 150 Mesh M. W.: 55.25 Assay 98.0%	**100 gm**
027405 CB_4 (12069-32-8)	**Boron Carbide** 220 Mesh M. W.: 55.25 Assay 98.0%	**25 gm** **100 gm**
N06984 CB_4 (12069-32-8)	**Boron Carbide Nanopowder/ Nanoparticles** (Hexagonal, 50nm) M. W.: 55.25 Assay 99%	**10 gm** **25 gm**
027415 BN (10043-11-5)	**Boron Nitride** M. W.: 24.82 Assay(Alkalimetric) 98.0%	**50 gm** **500 gm**
N06993 BN (10043-11-5)	**Boron Nitride Nanoparticles/ Nanopowder** (Hexagonal, 70nm) M. W.: 24.82 Assay 99%	**25 gm** **100 gm**
810950	**Boron Tribromide** 1M in Dichloromethane	**100 ml**
025985 Bbr_3 (10294-33-4)	**Boron Tribromide** for Synthesis M.W.: 250.52	**100 gm** **500 gm**
025885 $BF_3C_4H_{10}O$ (109-63-7)	**Boron Trifluoride Etherate** (Boron Trifluoride Ethyl Ether complex) 48-53% Bf3 M. W.: 141.93 Assay (BF_3) ~50%	**250 ml** **500 ml** **2.5 lit** **25 lit** **200 lit**
027411 B_2O_3 (1303-86-2)	di-**Boron Trioxide** Anhydrous M. W.: 69.62 Assay 97.0%	**250 gm** **500 gm**
466605 B_2O_3 (1303-86-2)	di-**Boron Trioxide** Anhydrous **AR** For Analysis of Silicates M. W.: 69.62 Assay 98.0%	**250 gm** **1 kg**
811000	**Borsche's** Reagent For detection of Ketones	**125 ml**
	Bouin's Picro Formal Fixing Solution See Bouin's Fluid	
811040	**Bouin's** Fluid (Bouin's Picro Formal fixing Soln.)	**100 ml** **500 ml**
044155 (9048-46-8)	· **Bovine Albumin** FRACTION V Assay (Calculated to anhy.material) 97.0% PH 6.8-7.2	**5 gm** **10 gm** **100 gm**
044004 MB (9048-46-8)	· **Bovine Albumin** for Molecular Biology Assay (ex N) 98.0% PH 6-7	**5 gm** **10 gm** **100 gm**
918750 MB (9048-46-8)	· **Bovine Serum Albumin** (Nuclease and Protein Free) For Molecular Biology Assay : ≥ 98% Protein	**5 gm** **25 gm** **100 gm** **500 gm**
TC1545 ATC	· **Bovine Serum Albumin** Cell Culture Tested Ultra-low IgG	**5 gm** **25 gm** **100 gm** **500 gm**
TC1546 ATC	· **Bovine Serum Albumin** Cell Culture Tested Protease free, Diagnostic grade	**5 gm** **25 gm** **100 gm** **500 gm**
TC1548 ATC	· **Bovine Serum Albumin** Cell Culture Tested Manufacturing grade New Zealand/ Australia origin	**5 gm** **25 gm** **100 gm**
TC1194 ATC	· **Bovine Serum Albumin Fraction-V** Cell Culture Tested PH 7.0	**5 gm** **25 gm** **100 gm** **500 gm**
TC1348 ATC	· **Bovine Serum Albumin, pH 7.0** Low Fatty acid Cell Culture Tested	**10 gm** **25 gm** **50 gm**
811020	**Brady's** Reagent	**125 ml**
PCT2521 PTC $C_{28}H_{46}O$ (474-67-9)	▲**Brassicasterol** Plant Culture Tested MW : 398.66 Assay 98%	**5 mg** **10 mg**
PCT2522 PTC $C_{28}H_{48}O_6$ (72962-43-7)	**Brassinolide** Plant Culture Tested MW : 480.68 Assay 90% Store below 30°C	**10 mg** **50 mg**
811060	**Breed's Stain** (For bacteria in milk smear)	**100 ml**
811090 (9002-92-0)	**Brij 30®** (Polyethlene Glycol Dodecyl Ether)	**500 ml**
811100	**Brij 35** 30% Solution	**500 ml**
056003 (9002-92-0)	**Brij 35** Solid	**500 gm** **1 kg**
027625 $C_{28}H_{17}N_5Na_4O_{14}S_4$ (2519-30-4)	**Brilliant Black** BN C.I.-28440 M.W.: 867.68	**10 gm**
	Brilliant Blue G 250 See Coomassie Brilliant Blue G 250	
	Brilliant Blue R 250 See Coomassie Brilliant Blue R 250	
	Brilliant Blue FCF See Erioglaucine	
025854 $C_{17}H_{20}ClN_3O$ 1/2 $ZnCl_2$ (81029-05-2)	**Brilliant Cresyl Blue** Indicator C.I. 51010 M.W.:386.0 Dye content (titanometry) Abt 45.0%	**5 gm** **25 gm** **100 gm**
811200	**Brilliant Cresyl Blue** Solution Alcoholic	**125 ml**
811220	**Brilliant Cresyl Blue** Solution Aqueous	**125 ml**
027675 $C_{22}H_{14}N_4Na_2O_7S_2$ (5413-75-2)	**Brilliant Crocein** (M.S.) C.I. 27290 M. W.: 556.49	**100 gm**
811270	**Brilliant Green** 1% (w/v) Aqueous Indicator Solution	**100 ml**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
034015 $C_{27}H_{34}N_2O_4S$ (633-03-4)	**Brilliant Green** Indicator C.I. 42040 For Bacteriology & Microscopy M. W.:482.65 Dye content (titanometry) 95.0%	**25 gm** **100 gm** **1 kg**
025853 $C_{26}H_{18}N_4Na_2O_8S_2$ (3051-11-4)	**Brilliant Yellow** C.I. 24890 M. W.: 624.56 Assay (Spectrophotometric) Abt 70.0%	**25 gm**
PA0075	**Brilliant Yellow** Indicator Papers	**200 lvs**
811282	**Bromate Bromide** Solution 0.1N acc. to USP	**500 ml**
TC1680 ATC (9001-00-7)	**Bromelain** Source : Pineapple stem Cell Culture Tested M.W : ~33 kDa Store at -20°C	**25 gm** **100 gm**
811281	**Bromide Bromate** Volumetric Solution 0.05 M (0.1N)	**1 lit**
811283	**Bromide Bromate** Volumetric Solution 0.25 M (0.5N)	**1 lit**
027425 Br_2 (7726-95-6)	**Bromine** M.W. : 159.82	**100 ml**
027423 Br_2 (7726-95-6)	**Bromine** for Synthesis M. W.: 159.82 Assay (iodometric) 99.0%	**250 ml**
466695 Br_2 (7726-95-6)	**Bromine AR** M. W.: 159.82 Assay (iodometric) 99.5%	**250 ml**
811323	**Bromine Number Titration Solvent** (Dichloro Methane formulation)	**1 lit** **2.5 lit** **4 lit**
811320	**Bromine** Water	**500 ml**
	Bromine Volumetric Solution See Bromide Bromate Solution	
027832 $BrCH_2CH(OCH_3)_2$ (7252-83-7)	**Bromo Acetaldehyde Dimethylacetal** (2-Bromo-1,1-Dimethoxyethane) M. W.: 169.02	**100 gm** **500 gm**
025855 C_8H_8BrNO (103-88-8)	p-**Bromo Acetanilide** for Synthesis M.W. : 214.07 Assay (GC) 98.0%	**100 gm** **500 gm**
025851 $C_2H_3BrO_2$ (79-08-3)	**Bromoacetic Acid** for Synthesis M.W. :138.95 Assay (Alkalimetric) 98.0%	**100 gm** **500 gm**
027935 C_8H_7BrO (99-90-1)	4-**Bromo Acetophenone** for Synthesis (1-acetyl-4-bromobenzene) M.W.: 199.04 Assay 98.0%	**100 gm** **500 gm**
028035 $BrCH_2COBr$ (598-21-0)	**Bromo Acetyl Bromide** for Synthesis M.W. : 201.84 Assay 98.0%	**100 gm** **500 gm**
027431 C_6H_6BrN (106-40-1)	p-**Bromo Aniline** for Synthesis M. W.: 172.02 Assay (GC) 98.0%	**100 gm** **500 gm**

Product Code	Product Name	Packing
028245 C_6H_6BrN (615-36-1)	2-**Bromo Aniline** for Synthesis M. W.: 172.02 Assay 98.0%	**25 gm** **100 gm**
028250 $BrC_6H_4NH_2$ (591-19-5)	3-**Bromo Aniline** for Synthesis M. W.: 172.02 Assay 98.0%	**25 ml** **100 ml**
028350 C_7H_7BrO (2398-37-0)	3-**Bromo Anisole** for Synthesis (1-Bromo-3-Methoxybenzene) M. W.: 187.04 Assay 98.0%	**100 ml** **500 ml**
028355 $BrC_6H_4OCH_3$ (104-92-7)	4-**Bromo Anisole** for Synthesis (1-bromo-4-methoxybenzene) M. W.: 187.04 Assay 98.0%	**100 gm** **500 gm**
028455 BrC_6H_4CHO (3132-99-8)	3-**Bromo Benzaldehyde** for Synthesis M. W.: 185.02 Assay 97.0%	**100 ml** **500 ml**
028465 BrC_6H_4CHO (1122-91-4)	4-**Bromo Benzaldehyde** for Synthesis M. W.: 185.02 Assay 99.0%	**25 gm** **100 gm**
027434 C_6H_5Br (108-86-1)	**Bromo Benzene** for Synthesis M. W.:157.01 Assay (GC) 98.0%	**250 ml** **500 ml** **2.5 lit**
467305 C_6H_5Br (108-86-1)	**Bromo Benzene AR** (Phenyl Bromide) M. W.:157.01 Assay 99.0%	**250 ml**
028865 $C_7H_5BrO_2$ (88-65-3)	2-**Bromo Benzoic Acid** for Synthesis M. W.: 201.02 Assay 98.0%	**100 gm** **500 gm**
028875 $BrC_6H_4CO_2H$ (585-76-2)	3-**Bromo Benzoic Acid** for Synthesis M. W.: 201.02 Assay 98.0%	**25 gm** **100 gm**
028885 $BrC_6H_4CO_2H$ (586-76-5)	4-**Bromo Benzoic Acid** for Synthesis M. W.: 201.02 Assay 98.0%	**50 gm** **250 gm**
029005 BrC_6H_4CN (6952-59-6)	3-**Bromo Benzonitrile** for Synthesis (M-Bromobenzonitrile) M. W.: 182.02	**25 gm** **100 gm**
029015 BrC_6H_4CN (623-00-7)	4-**Bromo Benzonitrile** (p-Bromobenzonitrile) M. W.: 182.02	**25 gm** **100 gm**
467485 $C_{13}H_9OBr$ (90-90-4)	p-**Bromo Benzophenone AR** M. W.: 261.12 Assay (GC) 98.0%	**25 gm** **100 gm**
029115 C_7H_8BrN (3959-07-7)	4-**Bromo Benzylamine** M. W.: 186.05 Assay 96.0%	**1 gm**
	1-**Bromo Butane** See n-Butyl Bromide	
029215 C_4H_9Br (78-76-2)	2-**Bromo Butane** (sec-Butyl Bromide) M. W.: 137.03	**100 ml** **500 ml**

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
029315 ⁂ C_8H_6BrClO (536-38-9)	2-**Bromo**-4'-**Chloro Acetophenone** M. W.: 233.49 Assay 98.0%	**100 gm** **500 gm**
467575 BrC_6H_4Cl (106-39-8)	1-**Bromo**-4- **Chlorobenzene AR** M. W.: 191.45	**100 gm** **500 gm**
029625 $C_{14}H_{15}BrClNO_6$ (7240-90-6)	▲5-**Bromo**-4-**Chloro**-3-**Indolyl β** D-**Galactopyranoside** (X-Gal,Bcig, 5-Bromo-4-Chloro-3-Indoly β-D-Galactoside) M. W.: 408.60 Assay 98.0%	**100 mgm** **1 gm** **5 gm**
467695 $C_{19}H_{10}Br_2Cl_2O_5S$ (2553-71-1)	**Bromo Chlorophenol Blue AR** M. W.: 581.06	**25 gm**
467715 $C_{19}H_9Br_2Cl_2NaO_5S$ (102185-52-4)	**Bromo Chlorophenol Blue Sodium Salt AR** M. W.: 603.04	**25 gm**
029725 C_3H_6BrCl (109-70-6)	1-**Bromo**-3-**Chloropropane** for Synthesis M. W.: 157.44 Assay 98.0%	**500 ml**
	Bromo Cresol Blue See Bromo Cresol Green	
467805 $C_{21}H_{14}Br_4O_5S$ (76-60-8)	**Bromo Cresol Green** Indicator **AR** M. W.: 698.04	**1 gm** **5 gm** **25 gm**
467885 $C_{21}H_{13}Br_4NaO_5S$ (62625-32-5)	**Bromo Cresol Green Sodium AR** M. W.: 720.00	**5 gm** **25 gm**
H07272 HISURE $C_{21}H_{14}Br_4O_5S$ (76-60-8)	**Bromo Cresol Green** Cerified Grade **AR** (pH 3.8-5.4) M. W.: 698.01	**5 gm** **25 gm**
811743	**Bromocresol Green** Solution For TLC spray for Detection of Acidic (pKA<5) groups	**125 ml**
811744	**Bromocresol Green** TS acc. to USP	**125 ml**
811740	**Bromo Cresol Green** Solution	**125 ml**
811745	**Bromo Cresol Green Sodium Salt** Solution 0.04%	**125 ml**
811750	**Bromo Cresol Green/Methyl Red** Mixed Indicator Solution In Alcohol	**500 ml**
467995 $C_{21}H_{16}O_5Br_2S$ (115-40-2)	**Bromo Cresol Purple** Indicator **AR** M. W.:540.24	**5 gm** **25 gm**
PCT2515 PTC $C_{21}H_{16}Br_2O_5S$ (115-40-2)	**Bromocresol purple** Plant Culture Tested MW : 540.22 Assay 99.0% Store below 30°C	**5 gm** **25 gm**
811780	**Bromo Cresol Purple** Indicator Solution	**125 ml**
029828 $C_{21}H_{15}Br_2NaO_5S$ (62625-30-3)	**Bromo Cresol Purple Sodium Salt** M. W.: 562.22	**5 gm** **25 gm**

Product Code	Product Name	Price	Packing
029925 $C_6H_{11}Br$ (108-85-0)	**Bromo Cyclohexane** for Synthesis (Cyclohexyl Bromide) M. W.: 163.06		**500 gm**
030015 $C_{10}H_{21}Br$ (112-29-8)	1-**Bromo Decane** for Synthesis (n-Decyl Bromide) M. W.: 221.18		**100 ml** **500 ml**
TC1372 ATC $C_9H_{11}BrN_2O_5$ (59-14-3)	· **5-Bromo-2'-Deoxyuridine** 5-BrdU Cell Culture Tested MW : 307.10 Assay : ≥96.5%		**100 mg** **250 mg** **500 mg**
027455 C_2H_5Br (74-96-4)	**Bromo Ethane** for Synthesis M. W.: 108.97 Assay (GC) 99.0%		**250 ml** **500 ml** **25 lit**
030100 $BrCH_2CH_2SO_3Na$ (4263-52-9)	2-**Bromo Ethane Sulphonic Acid Sodium Salt** for Synthesis M. W.: 211.01		**10 gm** **50 gm**
030175 $C_2H_6BrN.HBr$ (2576-47-8)	**2-Bromo Ethylamine Hydrobromide** (2-Aminoethyl Bromide Hydrobromide) M. W.: 204.89		**100 gm** **500 gm**
TC1516 ATC $BrCH_2CH_2NH_2 \cdot HBr$ (2576-47-8)	**Bromoethyl Amine Hydrobromide** 2-Aminoethyl bromide hydrobromide MW : 204.89 Assay ≥96% Store below 30°C		**100 gm** **1 kg** **5 kg**
027460 $CHBr_3$ (75-25-2)	**Bromoform** Pure M. W.: 252.73 Assay (GC) 98.0%		**250 ml**
027459 $CHBr_3$ (75-25-2)	**Bromoform** Special Grade **ACS** M. W.: 252.73 Assay (GC) 99.0%		**250 ml**
030270 C_6H_4BrF (460-00-4)	1-**Bromo**-4-**Fluorobenzene** for Synthesis (P-Bromofluorobenzene) (Stabilised with Ethanol) M. W.: 175.00		**100 gm** **500 gm**
030325 ⁂ C_5H_3BrFN (128071-98-7)	4-**Bromo**-2-**Fluoropyridine** M. W.: 175.99		**1 gm** **5 gm**
030375 ⁂ $C_5H_3BrO_3$ (585-70-6)	5-**Bromo-2-Furoic Acid** M. W.: 190.98		**25 gm**
030425 $C_7H_{15}Br$ (629-04-9)	1-**Bromo Heptane** for Synthesis (n-Heptyl Bromide) M. W.: 179.10		**100 ml** **500 ml**
030475 $C_{16}H_{33}Br$ (112-82-3)	1-**Bromo Hexadecane** for Synthesis (N-Hexadecyl Bromide, Cetyl Bromide) M. W.: 305.34		**100 ml** **500 ml**
030525 $CH_3(CH_2)_5Br$ (111-25-1)	1-**Bromo Hexane** for Synthesis (N-Hexyl Bromide) M. W.: 165.07		**100 ml** **500 ml**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
030572 C_8H_6BrN (10075-50-0)	5-**Bromo Indole** for Synthesis M.W.: 196.04	**25 gm** **100 gm**
030625 $C_7H_4BrIO_2$ (25252-00-0)	2-**Bromo**-5-**Iodobenzoic Acid** M. W.: 326.91	**1 gm** **10 gm**
468085 $C_{10}H_8BrNO_2$ (17357-14-1)	· 5-**Bromo Indoxyl Acetate AR** M. W.:254.09 Assay (HPLC) 99.0%	**100 mgm** **500 mgm**
030675 $CH_3OC_6H_4COCH_2Br$ (2632-13-5)	2-**Bromo**-4'-**Methoxy Acetophenone** M. W.: 229.07	**25 gm** **100 gm**
	1-**Bromo**-3-**Methoxybenzene** See 3-Bromo anisole	
	1-**Bromo**-4-**Methoxybenzene** See 4-Bromo anisole	
	1-**Bromo**-4-**Methylbenzene** See 4-Bromo toluene	
030775 $(CH_3)_3Br$ (507-19-7)	2- **Bromo**-2-**Methylpropane** for Synthesis Methylpropane (tert-Butyl Bromide) M. W.: 137.02	**100 ml** **500 ml**
	Bromo-2-Methylpropane See Iso-Butyl Bromide	
030825 $C_{10}H_7Br$ (90-11-9)	1-**Bromo Naphthalene** for Synthesis M. W.: 207.07	**100 ml** **500 ml**
030875 $C_{16}H_{17}BrO_6$ (15572-30-2)	6-**Bromo-2-Naphthyl** B-D-**Galactopyranoside** M. W.: 385.20	**1 gm**
030925 $C_3H_6BrNO_4$ (52-51-7)	2-**Bromo**-2-**Nitropropane**-1,3- **Propanediol** (Bronopol) M.W.: 199.99	**100 gm** **500 gm**
030975 ⁂ $C_9H_{19}Br$ (693-58-3)	1-**Bromo Nonane** for Synthesis (Nonyl Bromide) M. W.: 207.15	**100 ml**
030985 $C_8H_{17}Br$ (111-83-1)	1-**Bromo Octane** (n-Octyl Bromide) M. W.: 193.12	**100 ml** **500 ml**
031025 $C_5H_{11}Br$ (110-53-2)	1-**Bromo Pentane** for Synthesis (N-Amyl Bromide, N-Pentyl Bromide) M. W.: 151.04	**100 ml** **500 ml**
031075 $BrC_6H_4COCH_2Br$ (99-73-0)	4-**Bromo Phenacyl Bromide** M. W.: 277.94	**25 gm** **100 gm**
031225 C_6H_5BrO (95-56-7)	2-**Bromo Phenol** for Synthesis M. W.: 173.01	**25 gm** **100 gm**
031245 C_6H_5BrO (106-41-2)	4-**Bromo Phenol** for Synthesis M. W.: 173.01	**100 gm** **500 gm**

Product Code	Product Name	Packing
468705 $C_{19}H_{10}O_5SBr_4$ (115-39-9)	**Bromo Phenol Blue** Indicator **AR** M. W.: 669.98	**5 gm** **25 gm**
919300 MB $C_{19}H_{10}Br_4O_5S$ (115-39-9)	**Bromo Phenol Blue** For Molecular Biology M. W.: 669.96 Store Below 30°C	**5 gm** **25 gm**
920000 MB $C_{19}H_{10}Br_4O_5S.Na$	**Bromo Phenol Blue Sodium Salt** for Moleculer Biology for Electrophoresis M. W.: 691.95	**5 gm**
812000	**Bromo Phenol Blue** Solution	**125 ml**
812010	**Bromo Phenol Blue** ABT. 1% Solution in DMF	**50 ml**
812005	**Bromo Phenol Blue** TS acc. to USP	**125 ml**
812050	**Bromo Phenol Blue-Xylene Cyanol** Dye Solution	**5 ml**
031545 $CH_3CHBrCOOH$ (598-72-1)	2-**Bromo Propionic Acid** for Synthesis M. W.: 152.97	**100 gm** **500 gm**
	1-**Bromo Propane** See n-Propyl Bromide	
	2-**Bromo Propane** See ISO-Propyl Bromide	
	3-**Bromo Propene** See Allyl Bromide	
468805 $C_{19}H_{10}Br_2O_8S$ (16574-43-9)	**Bromo Pyrogallol Red AR** M. W.: 558.15	**1 gm** **5 gm**
	2-Bromo Propanoic Acid See 2-Bromopropionic Acid	
027491 $(CH_2.CO)_2NBr$ (128-08-5)	n-**Bromo Succinimide** M. W.: 177.98 Assay (iodometric) 99.0%	**100 gm** **500 gm** **1 kg** **2.5 kg**
469035 $C_4H_4BrNO_2$ (128-08-5)	n-**Bromo Succinimide AR** M. W.: 177.98	**100 gm** **500 gm**
469215 $C_{20}H_8Br_4Na_2O_{10}S_2$ (71-67-0)	**Bromo Sulphalein AR** M. W.: 838.00	**1 gm**
020021 $C_{27}H_{27}Br_2NaO_5S$ (34722-90-2)	**Bromo Thymol Blue Sodium Salt** M. W.: 646.37	**10 gm**
469395 $C_{27}H_{28}Br_2O_5S$ (76-59-5)	**Bromo Thymol Blue AR** (pH Indicator) M. W.:624.40	**5 gm** **25 gm**
920030 MB $C_{27}H_{28}Br_2O_5S$ (76-59-5)	**Bromo Thymol Blue** For Molecular Biology M. W.: 624.38 Store Below 30°C	**5 gm** **50 gm**

Storage : · -0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
PCT2516 PTC $C_{27}H_{28}Br_2O_5S$ (76-59-5)	**Bromo Thymol Blue** Plant Culture Tested MW : 624.38 Store below 30°C	5 gm 50 gm
812170	**Bromo Thymol Blue** Solution	125 ml 500 ml
812175	**Bromo Thymol Blue** TS acc. to USP	125 ml
PA0100	**Bromo Thymol Blue** Paper	200 lvs
031845 $CH_3C_6H_4Br$ (95-46-5)	2-**Bromo Toluene** for Synthesis (1-Bromo-2-Methylbenzene) M. W.: 171.03	25 gm 100 gm
031865 $CH_3C_6H_4Br$ (591-17-3)	3-**Bromo Toluene** for Synthesis M. W.: 171.03 Assay (GC) 98.0%	25 gm 100 gm
031885 $CH_3C_6H_4Br$ (106-38-7)	4-**Bromo Toluene** for Synthesis (1-Bromo-2-Methylbenzene) M. W.: 171.03 Assay 98.0%	100 gm 500 gm
469575 $C_4H_3BrN_2O_2$ (51-20-7)	· 5-**Bromo Uracil AR** M. W.:190.99 Assay (Alkalimetric) 97.0%	1 gm 5 gm 25 gm
	Bronopol See 2-Bromo-2-Nitroprohane-1,3-propanediol	
469865 $C_{23}H_{26}N_2O_4$ (357-57-3)	**Brucine AR** M. W.:394.47 Assay (non aq.) 99.0%	10 gm 25 gm
812250	**Brucine** Solution (Reagent for nitrate & Bismuth)	100 ml
470045 $(C_{23}H_{26}N_2O_4)_2H_2SO_4 7H_2O$ M.W.:1013.12 (60583-39-3)	**Brucine Sulphate** Heptahydrate **AR** Assay (Non-aqueous) 99.0%	25 gm 250 gm
812270	**Brucke's** Reagent (For proteins)	100 ml
812500	**Buffer** kit pH 4.0-7.0-9.0-10.0 +/-0.02 at (25°C)	1 Box
812300	**Buffer** Powder pH Approx. 4.0	10 cP
812320	**Buffer** Powder pH Approx. 6.4	10 cP
812340	**Buffer** Powder pH Approx. 6.8	10 cP
812360	**Buffer** Powder pH Approx. 7.0	10 cP
812380	**Buffer** Powder pH Approx. 7.2	10 cP
812400	**Buffer** Powder pH Approx. 9.0	10 cP
812420	**Buffer** Powder pH Approx. 9.2	10 cP
812440	**Buffer** Powder pH Approx. 10.0	10 cP
812590	· **Buffer** Solution pH 1.0	500 ml 1 lit 5 lit
812600	· **Buffer** Solution pH 2.0 (Citrate)	500 ml 1 lit 5 lit
812610	· **Buffer** Solution pH 3.0 (Citrate)	500 ml 1 lit 5 lit
812620	· **Buffer** Solution pH 4.0 (Phthalate)	500 ml 1 lit 5 lit
812630	· **Buffer** Solution pH 4.0 Citrisol Concentrated	3 Amp 6 Amp
812640	· **Buffer** Solution pH 5.0 (Citrate)	500 ml 1 lit 5 lit
812650	· **Buffer** Solution pH 6.0 (Acetate)	500 ml 1 lit 5 lit
812660	· **Buffer** Solution pH 6.0 (Citrate)	500 ml 1 lit 5 lit
812670	· **Buffer** Solution pH 6.4 (Saline Phosphate)	500 ml 2.5 lit 5 lit
812680	· **Buffer** Solution pH 6.8 (Phosphate)	500 ml 1 lit 5 lit
812690	· **Buffer** Solution pH 7.0 (Phosphate)	500 ml 1 lit 5 lit
812700	· **Buffer** Solution pH 7.0 Citrisol Concentrated	3 Amp 6 Amp
812710	· **Buffer** Solution pH 7.2 (Albumine Phosphate)	500 ml 1 lit 5 lit
812720	· **Buffer** Solution pH 7.6 (CitroPhosphate)	500 ml 2.5 lit 5 lit
812730	· **Buffer** Solution pH 8.0 (Borate)	500 ml 1 lit 5 lit
812740	· **Buffer** Solution pH 9.0 (Borate)	500 ml 1 lit 5 lit
812750	· **Buffer** Solution pH 9.2 (Borate)	500 ml 2.5 lit 5 lit
812760	· **Buffer** Solution pH 10.0	500 ml 1 lit 5 lit
812768	· **Buffer** Solution pH 11.0	500 ml 1 lit 5 lit
812770	· **Buffer** Solution pH 12.0	500 ml 1 lit 5 lit
	Butan-2-OL See Butanol	
	Butan-2-One See Butanone	

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
	Butan-1-OL See N-Butyl Alcohol	
	N-(tert-Butoxycarbonyl-L-Phenylalanine See BOC-L-Phenylalanine	
	N-(tert-Butoxycarbonyl-L-Alanine See BOC-L-Alanine	
	N-(tert-Butoxycarbonyl-L-Proline See BOC-L-Proline	
	N-(tert-Butoxycarbonyl-L-Valine See BOC-L-Valine	
032405 $C_4H_{10}O_2$ (107-88-0)	1,3-**Butanediol** for Synthesis M. W.: 90.12 Assay 98.0%	**500 ml** **2.5 lit**
032425 $C_4H_{10}O_2$ (110-63-4)	1,4-**Butanediol** for Synthesis (1,4-Butylene Glycol, Tetramethylene Glycol) M. W.: 90.12	**500 ml** **2.5 lit**
470135 $C_4H_{10}O_2$ (110-63-4)	1,4-**Butanediol AR** M. W.: 90.12	**1 lit**
	2,3-**Butanedione** See Diacetyl	
	2,3-**Butanedione Oxime** See Diacetyl Monoxime	
470270 $C_4H_9NaO_3S$ (2386-54-1)	1-**Butane Sulphonic Acid Sodium Salt** Anhydrous for **AR**/ HPLC M. W.: 160.17	**25 gm** **100 gm**
709605 $C_4H_9NaO_3S.H_2O$ (127791-51-9)	1-**Butane Sulphonic Acid Sodium Salt** Monohydrate for HPLC M. W : 178.16 Assay 99.0%	**25 gm** **100 gm**
	1-**Butanol** See n-Butanol	
027500 $(CH_3).(CH_2)_3OH$ (71-36-3)	n-**Butanol** for Synthesis (n-Butyl Alcohol, 1-Butanol) M. W.:74.12 Assay(G.C) 98.0%	**500 ml** **1 lit** **2.5 lit** **25 lit** **200 lit**
470410 $(CH_3)(CH_2)_3OH$ (71-36-3)	n-**Butanol AR** (n-Butyl Alcohol, 1-Butanol) M. W.:74.12 Assay (GC) 99.5%	**500 ml** **1 lit** **2.5 lit** **25 lit** **200 lit**
709705 $C_4H_{10}O$ (71-36-3)	n-**Butanol** GC-HS Grade M. W : 74.12 Assay 99.9%	**500 ml** **1 lit**
709700 $C_4H_{10}O$ (71-36-3)	n-**Butanol** HPLC & Spectroscopy M.W : 74.12 Assay 99.7%	**1 lit**
920800 MB $C_4H_{10}O$ (71-36-3)	n-**Butanol** (n-Butyl Alcohol) For Molecular Biology M. W.: 74.12 Assay : ≥ 99.5% Store Below 30°C	**500 ml**
027507 $CH_3.CH_2.CHOH.CH_3$ (78-92-2)	2-**Butanol** for Synthesis (Sec-Butyl Alcohol) M. W.: 74.12 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
470445 $CH_3.CH_2.CHOH.CH_3$ (78-92-2)	2-**Butanol AR** (Sec-Butyl Alcohol) M. W.: 74.12 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
920600 MB $C_4H_{10}O$ (78-92-2)	2-**Butanol** For Molecular Biology M. W.: 74.12 Assay : ≥ 99% Store Below 30°C	**500 ml**
	iso-**Butanol** See Iso Butanol	
027508 $(CH_3)_3.COH$ (75-65-0)	tert-**Butanol** (tert-Butyl Alcohol) M. W.: 74.12 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
470535 $(CH_3)_3COH$ (75-65-0)	tert-**Butanol AR** (Tert-Butyl Alcohol) M. W.: 74.12 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
710000 $(CH_3)_3C.OH$ (75-65-0)	tert-**Butanol for** HPLC & Spectroscopy M. W.: 74.12	**1 lit** **2.5 lit**
032525 C_4H_8O (78-93-3)	**Butanone** for Synthesis M.W.: 72.11	**500 ml** **2.5 lit** **25 lit** **200 lit**
470575 C_4H_8O (78-93-3)	**Butanone AR/ACS** M.W.: 72.11	**500 ml** **2.5 lit** **25 lit** **200 lit**
711100 C_4H_8O (78-93-3)	**Butanone** for HPLC & Spectroscopy M.W.: 72.11	**1 lit**
	trans-2-**Butenoic Acid** See Crotonic Acid	
	2-**Butoxy Ethanol** See Ethylene Glycol Mono Butyl Ether	
027502 $CH_3.COO(CH_2)_3.CH_3$ (123-86-4)	n-**Butyl Acetate** for Synthesis M. W.: 116.16 Assay(GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
470975 $CH_3.COO(CH_2)_3.CH_3$ (123-86-4)	n-**Butyl Acetate AR** M. W.: 116.16 Assay 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
712095 $CH_3.COO(CH_2)_3.CH_3$ (123-86-4)	n-**Butyl Acetate** GC- HS Grade M. W.: 116.16 Assay(GC) 99.7%	**500 ml** **1 lit**
712100 $CH_3.COO(CH_2)_3.CH_3$ (123-86-4)	n-**Butyl Acetate** for Pesticide residue Analysis M. W.: 116.16	**1 lit**

Storage : ❄0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
032605 $C_6H_{12}O_2$ (540-88-5)	tert-**Butyl Acetate** for Synthesis M. W.: 116.16	**500 ml** **2.5 lit** **25 lit** **200 lit**
	iso-**Butyl Acetate** See ISO-butyl Acetate	
025890 $C_7H_{12}O_2$ (141-32-2)	n-**Butyl Acrylate** Monomer M. W.: 128.17 Assay (GC) 99.0%	**500 ml** **2.5 lit**
	n-**Butyl Alcohol** See n-Butanol	
	iso-**Butyl Alcohol** See ISO Butanol	
	sec-**Butyl Alcohol** See 2-Butanol	
	tert-**Butyl Alcohol** See tert-Butanol	
032705 $C_6H_5C(CH_3)_3$ (98-06-6)	tert-**Butyl Benzene** for Synthesis M. W.: 134.22 Assay 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
032805 $C_{11}H_{14}O_2$ (98-73-7)	p-tert-**Butyl Benzoic Acid** M. W.: 178.23 Assay 98.0%	**500 gm**
	Butyl Carbitol See Diethylene Glycol Mono Butyl Ether	
027510 $C_4H_{11}N$ (109-73-9)	n-**Butylamine** M. W.: 73.14 Assay 99.0%	**500 ml** **2.5 lit** **200 lit**
471185 $C_4H_{11}N$ (109-73-9)	n-**Butylamine AR** M. W.: 73.14 Assay 99.0%	**500 ml** **2.5 lit** **200 lit**
025893 $C_4H_{11}N$ (75-64-9)	tert-**Butylamine** for Synthesis M. W.: 73.14 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
471190 $C_4H_{11}N$ (75-64-9)	tert-**Butylamine AR** M. W : 73.14	**500 ml** **25 lit**
027515 $C_{11}H_{16}O_2$ (25013-16-5)	**Butylated Hydroxy Anisole** (B.H.A.) M. W.: 180.25	**100 gm** **500 gm** **10 kg** **25 kg** **50 kg**
028067 $[(CH_3)_3C]_2C_6H_2(CH_3)OH$ (128-37-0)	**Butylated Hydroxy Toluene** (B.H.T) Meets Analytical Specification of IP, BP, Ph. Eur. M. W.: 220.35 Assay(GC) 99.00%	**500 gm** **5 kg** **25 kg** **50 kg**
027442 $CH_3.CH_2.CH_2.CH_2.Br$ (109-65-9)	n-**Butyl Bromide** for Synthesis M. W.: 137.02 Assay (GC) 98.0%	**250 ml** **500 ml** **2.5 lit** **25 lit** **200 lit**
033005 $C_{10}H_{16}O_2$ (109-21-7)	**Butyl Butyrate** M. W.: 144.22 Assay 98.0%	**500 ml**

Product Code	Product Name	Packing
033105 $C_5H_{12}O_2N_2$ (870-46-2)	tert-**Butyl Carbazate** for Synthesis M. W.: 132.16 Assay 98.0%	**25 gm** **100 gm**
027520 $C_{10}H_{14}O_2$ (98-29-3)	p-tert-**Butyl Catechol** (p-tert Butyl Pyrocatechol) M. W.: 166.22 Assay (GC) 97.0%	**500 gm**
	Butyl Cellosolve See Ethylene Glycol Mono Butyl ether	
	Butyl Cellosolve Acetate See Ethylene Glycol Mono butyl Ether Acetate,	
033155 C_4H_9Cl (109-69-3)	n-**Butyl Chloride** for Synthesis (1-Chloro Butane) M. W.: 92.57	**500 ml** **2.5 lit** **25 lit** **200 lit**
714900 C_4H_9Cl (109-69-3)	n-**Butyl Chloride** HPLC (1-Chloro Butane) M. W.: 92.57	**1 lit**
033175 $(CH_3)_3CCl$ (507-20-0)	tert-**Butyl Chloride** for Synthesis M. W.: 92.57 Assay 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
	Butyl Cyanide See Valeronitrile	
033325 $C_8H_{19}NO_2$ (102-79-4)	n-**Butyl Diethanolamine** for Synthesis M. W.: 161.24 Assay 98.5%	**500 ml** **2.5 lit**
	Butyl Digol See Diethylene Glycol Mono Butyl Ether	
033415 $C_6H_{15}ClSi$ (18162-48-6)	tert-**Butyl Dimethylsilyl Chloride** (tert-Butyl (Chloro) Dimethyl silane, TBDMCL) (tert-Butyl dimethyl Chlorosilane) M. W.: 150.72	**25 gm** **100 gm** **500 gm**
	1,3-**Butylene Glycol** See 1,3 Butanediol	
	1,4-**Butylene Glycol** See 1,4 Butanediol	
	n-**Butyl Ether** See Dibutyl Ether	
	Butyl Glycol See Ethylene Glycol Mono Butyl Ether	
033425 $(CH_3)_3COOH$ (75-91-2)	tert-**Butyl Hydroperoxide** 70% in Water M. W.: 90.12	**100 ml** **500 ml**
025892 $C_{11}H_{14}O_3$ (94-26-8)	**Butyl-p-Hydroxy Benzoate** M. W.: 194.23 Assay (GC) 99.0%	**500 gm**
025867 $C_{10}H_{14}O_2$ (1948-33-0)	tert-**Butyl Hydroquinone** (TBHQ) M. W.:166.22 Assay (By GC) 97.0%	**250 gm** **2.5 kg** **10 kg**

Product Code	Product Name	Packing
033625 H_4HgI (542-69-8)	n-**Butyl Iodide** (1-iodobutane) M. W.: 184.02	**100 ml** **500 ml**
033825 $C_7H_{14}O_3$ (138-22-7)	n-**Butyl Lactate** for Synthesis M. W.: 146.18 Assay 98.0%	**250 ml** **500 ml**
034009 C_4H_9Li (109-72-8)	n-**Butyl Lithium** 1.6M in Hexane M. W.: 64.06	**100 ml** **1 lit**
034205 $C_8H_{12}O_2$ (97-88-1)	n-**Butyl Methacrylate** (Stabilised) M. W.: 142.20	**500 ml** **2.5 lit**
029848 $C_5H_{12}O$ (1634-04-4)	tert-**Butyl Methyl Ether** for Synthesis M. W.: 88.15 Assay (By GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
472355 $C_5H_{12}O$ (1634-04-4)	tert-**Butyl Methyl Ether AR** M. W.: 88.15	**500 ml** **2.5 lit** **25 lit**
712900 $C_5H_{12}O$ (1634-04-4)	tert-**Butyl Methyl Ether** for HPLC M. W.: 88.15 Assay (By GC) 99.8%	**1 lit** **2.5 lit**
712897 $C_5H_{12}O$ (1634-04-4)	tert-**Butyl Methyl Ether** for GC-HS Grade M.W : 88.15 Assay 99.9%	**1 lit**
712950 $C_5H_{12}O$ (1634-04-4)	tert-**Butyl Methyl Ether** for Pesticide Residue Trace M. W.: 88.15	**1 lit**
034405 $C_8H_{15}ClN_2$ (79917-90-1)	1-**Butyl**-3-**Methyl Imidazolium Chloride** M. W.: 174.67 Assay 98.0%	**25 gm** **250 gm**
	iso-**Butyl Methyl Ketone** See Iso Butyl Methyl Ketone	
034455 $C_8H_{15}F_6N_2P$ (174501-64-5)	1-**Butyl**-3-**Methylimidazolium Hexafluorophosphate** ($BMIM.PF_6$) extrapure for catalysis and nanotechnology M.W. 284.18 Assay 98.0%	**5 gm** **25 gm** **100 gm**
034505 $C_8H_{15}AlCl_4N_2$ (80432-09-3)	1-**Butyl**-3-**Methylimidazolium Tetrachloroaluminate** ($BMIM.AlCl_4$) extrapure for catalysis and nanotechnology M.W. 308.01 Assay 95%	**10 gm** **25 gm**
034525 $C_8H_{15}BF_4N_2$ (174501-65-6)	1-**Butyl**-3-**Methylimidazolium Tetrafluoroborate (BMIM.BF4) Extrapure** for catalysis and nanotechnology M.W. 226.02 Assay 98%	**5 gm** **25 gm**

Product Code	Product Name	Packing
034625 $C_9H_{15}F_3N_2O_3S$ (174899-66-2)	1-**Butyl**-3-**Methylimidazolium Trifluoromethanesulfonate** (1-Butyl-3-Methylimidazolium Triflate, BMIM.Otf) extrapure for catalysis, proteomics and nanotechnology M.W. 288.29 Assay 95%	**1 gm** **5 gm** **25 gm**
034645 $C_{11}H_{20}F_6N_2O_4S_2$ (223437-11-4)	1-**Butyl**-1-**Methylpyrrolidinium Bis(trifluoromethyl-Sulfonyl)imide** (BMP.TFSI) Extra Pure for catalysis, electrochemistry and nanotechnology M.W. 422.41 Assay.98%	**5 gm** **25 gm** **100 gm**
034665 $C_9H_{20}ClN$ (479500-35-1)	1-**Butyl**-1-**Methylpyrrolidinium Chloride** Extrapure for catalysis and nanotechnology M.W. 177.71 Assay 98%	**5 gm** **25 gm**
034715 $C_9H_{20}F_6NP$ (330671-29-9)	1-**Butyl**-1-**Methylpyrrolidinium Hexafluorophosphate (BMP.FP6)** Extrapure for catalysis and nanotechnology M.W. 287.23 Assay 97.5%	**5 gm** **25 gm** **100 gm**
034745 $C_9H_{20}BF_4N$ (345984-11-4)	1-**Butyl**-1-**Methylpyrrolidinium Tetrafluoroborate (BMP.BF4)** Extrapure for catalysis and nanotechnology M.W. 229.07 Assay 97%	**1 gm** **5 gm** **25 gm**
034845 $C_{22}H_{42}O_2$ (142-77-8)	**Butyl Oleate** for Synthesis M. W.: 338.57 Assay Abt. 75.0%	**500 ml**
	Butyl Paraben See Butyl-p-Hydroxbenzoate	
	Butyl-PBD See 2-(4-tert-Butylphenyl)-5-(4-biphenylyl)-1,3,4-oxadiazole	
035045 $C_{11}H_{14}O_3$ (614-45-9)	tert-**Butyl Perbenzoate** M.W.: 194.23	**500 ml**
035145 $C_{10}H_{14}O$ (98-54-4)	4-tert-**Butyl Phenol** for Synthesis (P-tert-Butylphenol) M. W.: 150.22	**500 gm**
473265 $C_{10}H_{14}O$ (98-54-4)	4- tert-**Butyl Phenol AR** M. W.: 150.22	**1 kg**
035200 ⁂ $C_{24}H_{22}N_2O$ (15082-28-7)	2-(4-**tert-Butyl phenyl**)-5-(4-**Biphenyl**)-1,3,4-**Oxadiazole** (Butyl-PBD) M. W.: 354.44	**5 gm** **100 gm**
	n-**Butyl Phthalate** See Di-n-Butyl Phthalate	
	n-**Butyl Phosphate** See Tri-n-Butyl Phosphate	

Product Code	Product Name	Packing
025847 $C_{22}H_{44}O_2$ (123-95-5)	n-**Butyl Stearate** for Synthesis M. W.: 340.59 Assay (GC) 50.0%	**500 ml** **2.5 lit**
035500 C_4H_8O (123-72-8)	n-**Butyraldehyde** M. W.: 72.11	**500 ml** **2.5 lit** **200 lit**
027535 $CH_3CH_2CH_2COOH$ (107-92-6)	n-**Butyric Acid** M. W.: 88.11 Assay (GC) 99.0%	**500 ml** **2.5 lit**
473455 $CH_3CH_2CH_2COOH$ (107-92-6)	n-**Butyric Acid AR** M. W.: 88.11 Assay (GC) 99.5%	**500 ml** **2.5 lit**
035605 $C_8H_{14}O_3$ (106-31-0)	n-**Butyric Anhydride** for Synthesis M. W.: 158.19 Assay (GC) 98.0%	**500 ml** **1 lit**
	1,4-**Butyrolactone** See -gamma-Butyrolactone	

Product Code	Product Name	Packing
027946 $C_4H_6O_2$ (96-48-0)	gamma- **Butyrolactone** M. W.: 86.09 Assay (GC) 99.0%	**500 ml** **2.5 lit**
	Butyrolactum See 2-Pyrrolidone	
473595 $C_{10}H_{12}O$ (495-40-9)	**Butyrophenone AR** M. W.: 148.20 Assay 99.0%	**25 gm**
035705 C_4H_7ClO (141-75-3)	**Butyryl Chloride** for Synthesis M. W.: 106.55 Assay 99.0%	**100 ml** **500 ml**
035735 $C_9H_{20}NO_2Cl$ (2963-78-2)	**Butyrylcholine Chloride** for biochemistry M.W. 209.70 Assay 98.0%	**1 gm** **5 gm**

Culture Media Bases
Ingredients

Culture Media bases used for isolation cultivation of microorganisms which also provides a broad spectrum of peptides with better microbiological growth to variety of organism.

Product Code	Product Name	Packing
	Cacodylic Acid Sodium Salt See Sodium Cacodylate	
478455 $C_{21}H_{21}N_3O_7$ (561-20-6)	**Cacotheline AR** (Redox Indicator) M. W.: 427.42 Assay (Non-aqueous) 95.0%	**5 gm** **25 gm**
478635 $C_{18}H_{14}N_6O_2$ (5392-67-6)	**Cadion AR** M. W.: 346.34 Assay 98.0%	**100 mg** **5 gm**
813350	**Cadmium** (Cd) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	**100 ml** **250 ml** **500 ml**
813352	**Cadmium** (Cd) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	**100 ml** **250 ml** **500 ml**
813400	**Cadmium** (Cd) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	**100 ml** **500 ml**
813420	**Cadmium** (Cd) CRISTAR® 10,000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	**100 ml** **500 ml**
478685 Cd (7440-43-9)	**Cadmium** Metal **Powder AR** A. W.: 112.41	**100 gm** **500 gm**
025797 Cd (7440-43-9)	**Cadmium** metal Lumps M. W.: 112.41 Assay 99.0%	**100 gm** **500 gm**
478730 Cd (7440-43-9)	**Cadmium** (Metal) Granular **AR** At.W : 112.41 Assay (ex; cd; Complexometric) 99.0%	**100 gm** **500 gm**
041205 Cd (7440-43-9)	**Cadmium** (Shots) M. W.: 112.41 Assay (trace metals basis) 99.999%	**10 gm** **50 gm**
027545 $(CH_3COO)_2Cd.2H_2O$ (5743-04-4)	**Cadmium Acetate** Dihydrate M. W.: 266.53 Assay (complexometric) 98.0%	**100 gm** **250 gm** **500 gm**
478775 $(CH_3COO)_2Cd.2H_2O$ (5743-04-4)	**Cadmium Acetate** Dihydrate **AR** M. W.: 266.53 Assay (complexometric) 99.0%	**100 gm** **250 gm** **500 gm**
025698 CdB_4O_7	**Cadmium Borate** M. W.: 267.60 Assay 98.0%	**500 gm**
027546 $CdBr_2$ (7789-42-6)	**Cadmium Bromide** M. W.: 272.22 Assay (EDTA Titration) 99%	**100 gm** **500 gm**
027547 $CdCO_3$ (513-78-0)	**Cadmium Carbonate** M. W.: 172.42 Assay (cd) 62-66%	**100 gm** **500 gm**
025796 $CdCl_2$ (10108-64-2)	**Cadmium Chloride** Anhydrous Dried M. W.: 183.32 Assay (Argentometric) 95.0%	**100 gm** **500 gm**

Product Code	Product Name	Packing
027548 $CdCl_2H_2O$ (35658-65-2)	**Cadmium Chloride** Monohydrate M. W.: 201.32 Assay (Argentometric) 98.0%	**100 gm** **500 gm**
478820 $CdCl_2H_2O$ (35658-65-2)	**Cadmium Chloride** Monohydrate **AR** M. W.: 201.32 Assay (argentometric) 99.0%	**100 gm** **500 gm**
041395 CdF_2 (7790-79-6)	**Cadmium Fluoride** M. W.: 150.41 Assay 98.0%	**500 gm**
027553 CdI_2 (7790-80-9)	**Cadmium Iodide** M. W.: 366.21 Assay (complexometric) 99.0%	**100 gm** **500 gm**
027554 $Cd(NO_3)_2.4H_2O$ (10022-68-1)	**Cadmium Nitrate** tetrahydrate Purified M. W.: 308.48 Assay (ex Cd) (Complexometric) 99.0%	**100 gm** **250 gm** **500 gm** **25 kg**
478865 $Cd(NO_3)_2.4H_2O$ (10022-68-1)	**Cadmium Nitrate** Tetrahydrate **AR** M. W.: 308.48 Assay (ex Cd) (Complexometric) 99.0%	**500 gm**
025697 $Cd(COO)_2.3H_2O$	**Cadmium Oxalate** Trihydrate M. W.: 254.00 Assay 99.0%	**100 gm** **500 gm**
027556 CdO (1306-19-0)	**Cadmium Oxide** M. W.: 128.41 Assay (ex Cd) (Complexometric) 99.5%	**100 gm** **500 gm**
478910 CdO (1306-19-0)	**Cadmium Oxide AR** M. W.: 128.41 Assay (Complexometric) 99.7%	**250 gm**
041460 $Cd_3(PO_4)_2$	**Cadmium Phosphate** M.W:.527.18 Assay (ex Cd) 98.0%	**100 gm** **500 gm**
041505 CdSe (1306-24-7)	**Cadmium Selenide** M. W.: 191.37 Assay (trace metals basis) 99.99%	**5 gm** **25 gm**
041575 $Na_2Cd(CN)_4$	**Cadmium Sodium Cyanide** M.W : 262.00 Assay 98.5%	**500 gm**
025696 $C_4H_4CdO_4$ (141-00-4)	**Cadmium Succinate** M. W.: 228.48 Assay 98.0%	**100 gm** **500 gm**
027557 $3CdSO_4.8H_2O$ (7790-84-3)	**Cadmium Sulphate** M. W.: 769.52 Assay (Complexometric) 98.0-103.0%	**100 gm** **500 gm**
479000 $3CdSO_4.8H_2O$ (7790-84-3)	**Cadmium Sulphate AR/ACS** M. W.: 769.52 Assay (Complexometric) 98-102%	**500 gm**
H07821 HISURE CdS (1306-23-6)	**Cadmium Sulphide** Powder M. W.: 144.48 Assay (trace metals basis) 99.995%	**25 gm**
027558 CdS (1306-23-6)	**Cadmium Sulphide** Orange M. W.: 144.48 Assay (Complexometric) 99.0%	**100 gm** **500 gm**
041765 CdTe (1306-25-8)	**Cadmium Telluride** M. W.: 240.01 Assay (trace metals basis) 99.9%	**5 gm** **25 gm**

Storage : ● 0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
	Caesium See Cesium	
041865 $C_9H_8O_4$ (331-39-5)	**Caffeic Acid** for Synthesis M. W.: 180.16 Assay 95.0%	**10 gm**
025745 $C_8H_{10}N_4O_2$ (58-08-2)	**Caffeine** Anhydrous Pure M. W.: 194.19 Assay (non-aqueous) 98.5 - 101%	**100 gm** **250 gm** **500 gm** **25 kg**
479235 $C_8H_{10}N_4O_2$ (58-08-2)	**Caffeine** Anhydrous **AR/ACS** Suitable for Determination of Serum Bilirubin M. W.: 194.19	**100 gm** **250 gm** **500 gm**
PCT2544 PTC $C_8H_{10}N_4O_2$ (58-08-2)	**Caffeine** Anhydrous Plant Culture Tested M.W.: 194.19 Store below 30°C	**100 gm** **250 gm**
025763 (8011-96-9)	**Calamine** (Residue on ignition) 68-74%	**500 gm** **1 kg** **25 kg**
	Calcein See Fluorescein Complexone	
814010	**Calcium** (Ca) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **250 ml** **500 ml**
814012	**Calcium** (Ca) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	**100 ml** **250 ml** **500 ml**
814030	**Calcium** (Ca) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HCl in accordance with NIST	**100 ml** **500 ml**
814070	**Calcium** (Ca) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HCl in accordance with NIST	**100 ml** **500 ml**
814050	**Calcium** (Ca) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	**100 ml** **500 ml**
814090	**Calcium** (Ca) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	**100 ml** **500 ml**
046060 Ca (7440-70-2)	**Calcium** metal M. W.:. 40.08 Assay (complexometric) 98.5%	**100 gm** **500 gm**
027576 $(CH_3.COO)_2Ca\ XH_2O$ (114460-21-8)	**Calcium Acetate** for Soil Test M. W.: 158.17 (Anhy.) Assay (Complexometric; Calc. on dried subs. As $(CH_3COO)_2.Ca$) 99.0-100.5%	**500 gm** **25 kg** **50 kg**
479415 $(CH_3COO)_2Ca.XH_2O$ (114460-21-8)	**Calcium Acetate AR/ACS** for Soil Test M. W.: 158.17 (Anhydrous) Assay (on dried material) 99.0%	**500 gm**

Product Code	Product Name	Packing
025769 $Ca(BO_2)_2.2H_2O$ (13701-64-9)	**Calcium Borate** M.W. : 161.73 Assay (EDTA Tritration) 99.0%	**250 gm**
025744 $CaBr_2XH_2O$ (71626-99-8)	**Calcium Bromide** Hydrate M.W. : 199.89 (Anhydrous basis) Assay (Complexometric as $CaBr_2$) 84.70%	**500 gm**
026034 CaC_2 (75-20-7)	**Calcium Carbide** M. W.: 64.1 Assay (Gas Volumetric) 60.0%	**100 gm** **250 gm**
027580 $CaCO_3$ (471-34-1)	**Calcium Carbonate** Precipitated Meets Analytical Specification of FCC. M. W.: 100.09 Assay (Complexometric; after drying) 98.5-100.5%	**500 gm** **5 kg** **25 kg**
479595 $CaCO_3$ (471-34-1)	**Calcium Carbonate** Precipitated **AR** M. W.: 100.09 Assay 99.5%	**500 gm**
PCT2528 PTC $CaCO_3$ (471-34-1)	**Calcium Carbonate** Plant Culture Tested M. W.: 100.09 Assay 98% Store below 30°C	**100 gm** **500 gm** **1 kg**
025767 (9005-43-0)	**Calcium Caseinate**	**100 gm** **500 gm**
026035 $CaCl_2$ (10043-52-4)	**Calcium Chloride** Fused for elementary analysis M. W.: 110.99 Assay (ex Cl on dried substance) 98.0%	**500 gm** **5 kg** **25 kg**
PCT1017 PTC $CaCl_2$ (10043-52-4)	**Calcium Chloride** Anhydrous Plant Culture Tested M. W.: 110.98 Assay 93% Store below 30°C	**500 gm**
TC1097 ATC $CaCl_2$ (10043-52-4)	**Calcium Chloride** Anhydrous Cell Culture Tested M. W.: 110.98 Assay : ≥93% Store below 30°C	**100 gm** **500 gm**
027584 $CaCl_2.2H_2O$ (10035-04-8)	**Calcium Chloride** Dihydrate Pure M. W.: 147.02 Assay ($CaCl_2.2H_2O$, Argentometric) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
479775 $CaCl_2.2H_2O$ (10035-04-8)	**Calcium Chloride** Dihydrate **AR** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 147.02 Assay (Complexometric) 99.0-103.0%	**500 gm** **25 kg**
920900 MB $CaCl_2.2H_2O$ (10035-04-8)	**Calcium Chloride** Dihydrate for Molecular Biology M. W.: 147.02 Assay 99.0%	**100 gm** **500 gm**
PCT1004 PTC $CaCl_2.2H_2O$ (10035-04-8)	**Calcium Chloride** Dihydrate Plant Culture Tested M. W.: 147.01 Assay 99% Store below 30°C	**500 gm** **1 kg** **5 kg** **25 kg**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄ 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
TC1001 ATC $CaCl_2.2H_2O$ (10035-04-8)	**Calcium Chloride** Dihydrate Cell Culture Tested M. W.: 147.01 Assay : ≥98% Store below 30°C	**500 gm** **1 kg**
TC1001M ATC $CaCl_2.2H_2O$ (10035-04-8)	**Calcium Chloride** Dihydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 147.01 Store below 30°	**500 gm** **1 kg**
814240	**Calcium Chloride** CPECTROSOL® 0.005M (0.01N) Standard Solution In accordance with NIST	**1 lit**
814245	**Calcium Chloride** CPECTROSOL® 0.01M (0.02N) Standard Solution In accordance with NIST	**1 lit**
814250	**Calcium Chloride** CPECTROSOL® 0.02M (0.04N) Standard Solution In accordance with NIST	**1 lit**
814270	**Calcium Chloride** CPECTROSOL® 0.05M (1N) Standard Solution In accordance with NIST	**1 lit**
814290	**Calcium Chloride** CPECTROSOL® 0.1M Standard Solution	**1 lit**
814310 MB	**Calcium Chloride** 1.0 M Ultra Pure Volumetric Solution For Molecular Biology	**250 ml** **500 ml**
027590 $(C_6H_5O_7)_2Ca_3.4H_2O$ (5785-44-4)	**Calcium Citrate** Tetrahydrate Pure M. W.: 570.49 Assay (ex Ca on dried subs.) 97.5-100.5%	**500 gm** **25 kg**
PCT2552 PTC $C_{12}H_{10}Ca_3O_{14}.4H_2O$ (5785-44-4)	**Calcium Citrate** Tetrahydrate Plant Culture Tested M. W.: 570.49 Store below 30°C	**500 gm**
	Tri-Calcium Dicitratetetrahydrate EXTRA PURE See Tri-Calcium citrate tetrahydrate extra pure	
	Calcium Dihydrogen Phosphate See Calcium Phosphate Mono	
027594 CaF_2 (7789-75-5)	**Calcium Fluoride** Purified M. W.: 78.08 Assay (after ignition at 500°C; Complexo metric) 97.0%	**500 gm** **2.5 kg** **25 kg**
027595 $C_2H_2CaO_4$ (544-17-2)	**Calcium Formate** M. W.: 130.11 Assay (Complexometric) 98.5%	**500 gm** **5 kg**
027596 $C_{12}H_{22}CaO_{14}H_2O$ (18016-24-5)	**Calcium Gluconate** Monohydrate M. W.: 448.39 Assay (ex Ca Complexometric) 99.0-104.0%	**500 gm** **5 kg** **25 kg** **50 kg**
025773	**Calcium Hardness** Powder	**25 gm**

Product Code	Product Name	Packing
027597 CaH_2 (7789-78-8)	**Calcium Hydride** M. W.: 42.10 Assay (Complexometric) 95.0%	**100 gm** **500 gm**
	Calcium Hydrogen Phosphate See di-Calcium Phosphate	
027599 $Ca(OH)_2$ (1305-62-0)	**Calcium Hydroxide** M. W.: 74.09 Assay (acidimetric) 90.0%	**500 gm** **50 kg**
479955 $Ca(OH)_2$ (1305-62-0)	**Calcium Hydroxide AR** M. W.: 74.09 Assay (acidimetric) 96.0%	**500 gm**
	Calcium Hypochlorite See Bleaching Powder	
042365 $Ca(H_2PO_2)_2$ (7789-79-9)	**Calcium Hypophosphite** M. W.: 170.05	**500 gm**
027602 $Ca(IO_3)_2$ (7789-80-2)	**Calcium Iodate** M. W.: 389.88	**100 gm** **500 gm**
042465 $CaI_2.4H_2O$ (13640-62-5)	**Calcium Iodide** Extra Pure M. W.: 365.95 Assay 99.0%	**100 gm** **500 gm**
027604 $C_6H_{10}CaO_65H_2O$ (5743-47-5)	**Calcium Lactate** for Soil Test Meets Analytical Specification of IP, BP, USP, Ph. Eur. M.W.:308.30 Assay (Complexometric; on dried material) 98.0-102.0%	**250 gm** **1 kg**
027606 $Ca(NO_3)_2\ 4H_2O$ (13477-34-4)	**Calcium Nitrate** Tetrahydrate Purified M. W.: 236.15 Assay (ex Ca) 98.0%	**500 gm** **50 kg**
480135 $Ca(NO_3)_2.4H_2O$ (13477-34-4)	**Calcium Nitrate** Tetrahydrate **AR/ACS** M. W.: 236.15 Assay (Complexometric) 99.0%	**500 gm** **50 kg**
PCT1005 PTC $Ca(NO_3)_2.4H_2O$ (13477-34-4)	**Calcium Nitrate** Tetrahydrate Plant Culture Tested M. W.: 236.15 Assay 99% Store below 30°C	**500 gm** **1 kg** **5 kg** **25 kg**
TC1099 ATC $Ca(NO_3)_2.4H_2O$ (13477-34-4)	**Calcium Nitrate** Tetrahydrate Cell Culture Tested M. W.: 236.15 Assay : ≥99% Store below 30°C	**500 gm** **1 Kg**
027609 $(COO)_2Ca.H_2O$ (5794-28-5)	**Calcium Oxalate** M. W.: 146.12 Assay (ex oxalate) 98.0%	**250 gm** **500 gm**
042510 CaO (1305-78-8)	**Calcium Oxide** (Selected Lump) for chromatographic analysis M. W.: 56.08 Assay (Complexometric) 95.0%	**500 gm** **5 kg** **50 kg**
480315 CaO (1305-78-8)	**Calcium Oxide** Lump **AR** M. W.: 56.08 Assay (Complexometric) 97.5%	**500 gm**

Product Code	Product Name	Packing
027614 CaO (1305-78-8)	**Calcium Oxide** Anhydrous Powder M. W.: 56.08 Assay (After ignition); (Complexometric) 96.0%	**500 gm** **5 kg**
044074 $C_{18}H_{32}CaN_2O_{10}$ (137-08-6)	**Calcium-D-Pantothenate** for Biochemistry M. W.: 476.54 Assay (ex Ca dried) 98.0%	**10 gm** **25 gm** **100 gm** **500 gm**
TC1159 ATC $C_9H_{16}O_5N.1/2Ca$ (137-08-6)	**▲Calcium-D-Pantothenic** Cell Culture Tested M. W.: 238.27 Assay : ≥98%	**25 gm** **100 gm** **500 gm**
PCT1202 PTC $C_9H_{16}O_5N.^1/_2Ca$ (137-08-6)	**▲Calcium-D-Pantothenate** (D-Pantothenic acid hemicalcium salt) Plant Culture Tested M. W.: 238.27 Assay 98%	**25 gm** **100 gm**
042530 CaO_2 (78403-22-2)	**Calcium Peroxide** M.W : 72.08 Assay 65.0%	**1 kg**
	Calcium Phosphate Dibasic See di-Calcium Phosphate	
027598 $CaHPO_4$ (7757-93-9)	di-**Calcium Phosphate** Anhydrous M. W.: 136.06 Assay (Complexometric) 98-100.5%	**500 gm** **50 kg**
042555 $CaHPO_4.2H_2O$ (7789-77-7)	di-**Calcium Phosphate** Dihydrate M. W.: 172.10 Assay (Complexometric) 98.0-102.5%	**500 gm** **25 kg** **50 kg**
042560 $Ca(H_2PO_4)_2.H_2O$ (7757-93-9)	**Calcium Phosphate** Mono Basic (Calcium Dihydrogen Phosphate) M. W.: 252.08 Assay 95.0%	**500 gm**
	Calcium Phosphate Tribasic See tri-Calcium Phosphate	
PCT1006 PTC $Ca_3(PO_4)_2$ (7758-87-4)	**Calcium Phosphate** Tribasic Plant Culture Tested M. W.: 310.2 Assay 90% Store below 30°C	**500 gm** **1 kg** **5 kg**
025694 $Ca_3(PO_4)_2$ (7758-87-4)	tri-**Calcium Phosphate** (Calcium Phosphate Tribasic) M. W.: 310.18 Assay (Complexometric) 90.0%	**500 gm** **5 kg** **25 kg** **50 kg**
025720 $H_4CaO_4P_2$ (7789-79-9)	**Calcium Phosphinate** Pure M. W.: 170.06 Assay (iodometric) 98-101%	**500 gm**
025798 $C_6H_{10}CaO_4$ (4075-81-4)	**Calcium Propionate** Monohydrate Pure M. W.: 186.22 Assay (dried substances acidimetric) 98.0%	**500 gm** **1 kg** **25 kg**
489205 $C_6H_{10}CaO_4$ (4075-81-4)	**Calcium Propionate AR** M. W.: 186.22	**500 gm**
042765 (52009-14-0)	**Calcium Pyruvate** (Pyruvic Acid Calcium Salt)	**25 gm** **100 gm**

Product Code	Product Name	Packing
025768 $C_6H_8CaO_8.4H_2O$ (5793-89-5)	**Calcium-D-Saccharate** Tetrahydrate M. W.: 320.27 Assay (Complexometric) 98.5-102.0%	**100 gm** **500 gm**
042865 $CaSO_3$ (1344-95-2)	**Calcium Silicate** Pure M. W.: 116.16	**500 gm**
PCT2326 PTC $CaSiO_3$ (10101-39-0)	**Calcium Silicate** Plant Culture Tested M. W.: 116.16 Assay 95% Store below 30°C	**50 gm** **250 gm**
042965 $CaSi_2$ (12013-56-8)	**Calcium Silicide** for Synthesis M. W.: 96.25	**500 gm** **25 kg**
026041 $C_{36}H_{70}CaO_4$ (1592-23-0)	**Calcium Stearate** M. W.: 607.04 Assay (as CaO; complexometric) 9.0-10.5%	**500 gm** **5 kg** **25 kg** **50 kg**
027624 $CaSO_4$ (7778-18-9)	**Calcium Sulphate** Anhydrous M. W.: 136.14 Assay (Complexometric) 97.0%	**500 gm** **5 kg** **25 kg**
TC1502 ATC $CaSO_4$ (7778-18-9)	**Calcium Sulphate** Anhydrous Cell Culture Tested M. W.: 136.14 Store below 30°C	**500 gm**
027622 $CaSO_4.2H_2O$ (10101-41-4)	**Calcium Sulphate** Dihydrate M. W.: 172.17 Assay (Complexometric) 98.0%	**500 gm** **25 kg** **50 kg**
489505 $CaSO_4.2H_2O$ (10101-41-4)	**Calcium Sulphate** Dihydrate **AR/ACS** M. W.: 172.17 Assay (Complexometric) 99.0%	**500 gm**
814470	**Calcium Sulphate** TS acc. to USP	**500 ml**
043165 CaS (20548-54-3)	**Calcium Sulphide** Pure M. W.: 72.14	**500 gm**
025792 CaO_4W (7790-75-2)	**Calcium Tungstate** M. W.: 287.93	**100 gm** **500 gm**
PCT2551 PTC $C_{40}H_{42}N_{12}O_{10}S_2Na_2$ (4193-55-9)	**Calcofluor** White M2R Plant Culture Tested M. W.: 960.95 Store below 30°C	**1 gm** **5 gm** **25 gm**
	Calcon See Solochrome Dark Blue	
489595 $C_{21}H_{14}N_2O_7S$ (3737-95-9)	**Calcon Carboxylic Acid AR** M. W.: 438.41 Dye content (titanometry on dried substance) abt. 60.0 %	**5 gm** **25 gm**
489685 $C_{17}H_{14}N_2O_5S$ (3147-14-6)	**Calmagite** Indicator **AR** M. W.: 358.37 Dye content (spectrophotometric)~60.0%	**1 gm** **5 gm** **250 gm**
814520	**Calmagite** 0.1% (w/v) Aqueous Indicator Solution for Water Hardness, APHA	**100 ml**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ·#0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
	Calomel See Mercurous Chloride	
	CALVER II See calmagite (M.I.)	
043405 $C_{10}H_{14}O_2$ (10373-78-1)	DL-**Camphorquinone** for Synthesis (2,3-born anedione) M. W.: 166.22	**25 gm** **100 gm**
027632 $C_{10}H_{16}O$ (76-22-2)	**Camphor** MAR (DL-Camphor) Micro Analytical Reagent M. W.: 152.24 Assay 95.0%	**100 gm** **500 gm**
043565 $C_{10}H_{16}O_4S$ (35963-20-3)	L-(-)**Camphor Sulphonic Acid** M. W.: 232.30 Assay 98.0%	**100 gm** **1 kg**
043575 $C_{10}H_{16}O_4S$ (3144-16-9)	D-**Camphor Sulphonic Acid** for Synthesis (D-10-Camphor Sulphonic Acid) M. W.: 232.30	**100 gm** **500 gm**
	Canada Balsam See Balsam Canada	
025718 $CH_3(CH_2)_8COOH$ (334-48-5)	n-**Capric Acid** M.W.:172.27 Assay (acidimetric) 98.50%	**500 ml** **2.5 lit**
043675 $CH_3(CH_2)_4COOH$ (142-62-1)	**Caproic Acid** for Synthesis M. W.: 116.16	**500 ml** **2.5 lit**
043715 $C_6H_{11}NO$ (105-60-2)	**Caprolactam** for Synthesis M. W.: 113.16	**1 kg**
	N-**Capryl Alcohol** See 1-Octanol	
029413 $CH_3(CH_2)_6COOH$ (124-07-2)	N-**Caprylic Acid** **(**N-Octanoic Acid) M. W.: 144.21 Assay (acidimetric) 97.5%	**500 ml** **2.5 lit** **25 lit**
489535 $CH_3(CH_2)_6COOH$ (124-07-2)	n-**Caprylic Acid AR** M. W.: 144.21	**1 lit**
025717 $C_8H_{15}NaO_2$ (1984-06-1)	N-**Caprylic Acid Sodium Salt** (Octanoic Acid Sodium Salt, Sodium Caprylate) M. W.: 166.20 Assay (on dried material; non-aqueous) 99.0%	**250 gm** **1 kg**
	Carbitol See Diethylene Glycol mono Ethylether	
044517 $C_9H_{19}NO_3S$ (1135-40-6)	**CAPS** Buffer M.W.: 221.32 Assay (T) (Alkalimetric) 99.0%	**25 gm** **100 gm** **500 gm**
920920 MB $C_9H_{19}NO_3S$ (1135-40-6)	**CAPS** Buffer (3-[Cyclohexylamino]-1- Propanesulphonic Acid) For Molecular Biology M. W.: 221.32 Assay : ≥ 99% Store Below 30°C	**25 gm** **100 gm** **250 gm** **1 kg**
043825 (404-86-4)	**Capsaicin** Pract	**1 gm**

Product Code	Product Name	Packing
044108 $C_9H_{19}NO_4S$ (73463-39-5)	**CAPSO** Buffer M. W.: 237.32 Assay (T) (Acidimetric) 97.0%	**25 gm** **100 gm**
814810	**Capsule stain kit**	**KIT**
	N-**(Carbamoylmethyl)-2-Aminoethane Sulphonic Acid** See ACES Buffer	
	N-**(Carbamoylmethyl)Iminodiacetic Acid** See ADA Buffer	
027640 $C_{12}H_9N$ (86-74-8)	**Carbazole** M.W. : 167.21 Assay (GC) 95.0%	**100 gm** **500 gm**
PCT2121 PTC $C_9H_9N_3O_2$ (10605-21-7)	▲**Carbendazim** Plant Culture Tested M. W.: 191.19 Assay 91%	**1 gm** **5 gm** **25 gm**
PCT2501 PTC	**Carbenicillin** solution w/ 100 mg/ml Carbenicillin in sterile distilled water Sterile filtered Plant Culture Tested Store at -20°C	**20 ml** **5X20 ml**
PCT2102 PTC $C_{17}H_{16}N_2O_6SNa_2$ (4800-94-6)	▲**Carbenicillin Disodium Salt** Plant Culture Tested M. W.: 422.36 Potency 770 µg/mg	**250 mg** **1 gm** **5 gm** **10 gm**
TC1199 ATC $C_{17}H_{16}N_2O_6SNa_2$ (4800-94-6)	▲**Carbenicillin Disodium Salt** Cell Culture Tested M. W.: 422.36 Potency : ≥770 µg/mg	**250 mg** **1 gm** **5 gm** **10 gm**
029192 CH_4O (67-56-1)	**Carbinol** for Synthesis M. W.: 32.04 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
582495 CH_4O (67-56-1)	**Carbinol AR/ACS** Meets analytical Specification of BP, Reag. PH. EUR.USP-NF, M. W.: 32.04 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
752140 CH_4O (67-56-1)	**Carbinol** for HPLC & UV Spectroscopy M. W.: 32.04 Assay (GC) 99.8%	**500 ml** **1 lit** **2.5 lit**
043915 CH_6N_4O (497-18-7)	**Carbohydrazide** for Synthesis M. W.: 90.08 Assay 98.0%	**25 gm** **100 gm**
034016 $C_{26}H_{26}ClN_3O$ (4197-24-4)	**Carbol Fuchsin** Powder for Microscopy M. W.: 431.96	**25 gm** **100 gm** **1 kg**
814900	**Carbol Fuchsin** Staining Solution Strong (Ziehl Neelsen Staining Soln.)	**125 ml** **500 ml**
814920	**Carbol Fuchsin** (Dilute) Solution (Ziehl Neelsen Staining Soln.)	**125 ml** **500 ml**
814930	**Carbol Gentian Violet** Stain Grams's Stain an alternative to Gentian Violet	**125 ml**

Storage : ● 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
814940	**Carbol Methylene Blue** Stain Bacterial Stain	125 ml
814950	**Carbol Thionine** Solution (Stain for bacteria and fungi)	100 ml
	Carbolic Acid See Phenol	
025690	**Carbol Xylene** For Microscopy (Content 25% Phenol)	500 ml
025688 CS_2 (75-15-0)	**Carbon Disulphide** for Synthesis M. W.: 76.14 Assay (GC) 99.0% Order must be placed for 4x500 ml	500 ml
489965 CS_2 (75-15-0)	**Carbon Disulphide AR** M. W.: 76.14 Assay (By GC) 99.5% Order must be placed for 4x500 ml	500 ml
713880 Cs_2 (75-15-0)	**Carbon Disulphide** PRA for Pesticide Residue Trace Analysis M. W.: 76.14 Assay 99.9%	1 lit
044015 CBr_4 (558-13-4)	**Carbon Tetrabromide** for Synthesis (Tetrabromethane) M. W.: 331.63	100 gm 500 gm
	Carbon Tetra Chloride See Carbo Tech	
044165 $C_7H_6N_4O$ (530-62-1)	▲N,N'-**Carbonyldiimidazole** for Synthesis (CDI, 1,1-Carbonyldiimidazole M. W.: 162.15	100 gm 500 gm
025739 (9003-01-4)	**Carbopol** 934	500 gm 1 kg 5 kg
044275 (9003-01-4)	**Carbopol** 940® (Carboxypoly methylene-940; CarboxyvinylPolymer-940)	500 gm 1 kg
027645	**Carbo Tech** for Synthesis M. W.: 153.82 Assay (By GC) 99.0%	500 ml 2.5 lit 25 lit
490010	**Carbo Tech AR/ACS** M. W.: 153.82 Assay (GC) 99.5%	500 ml 2.5 lit
713910	**Carbo Tech** for HPLC & Spectroscopy M. W.: 153.82	1 lit
	Carbowax See Polyethylene Glycol	
PCT2144 PTC $C_{12}H_{13}NO_2S$ (5234-68-4)	**Carboxin** Plant Culture Tested M. W.: 235.31 Assay 95% Store below 30°C	250 mg
027929 (9004-32-4)	**Carboxy Methyl Cellulose Sodium Salt** **ACS** High Viscosity	500 gm 25 kg
027649 (9004-32-4)	**Carboxy Methyl Cellulose Sodium Salt** **ACS** Low Viscosity	500 gm 25 kg
044290 (9004-32-4)	**Carboxy Methyl Cellulose Sodium Salt** (High Viscosity) (1100 - 1900 Cps) Confirming to IP	500 gm 25 kg
920960 MB (9004-32-4)	**Carboxy Methyl Cellulose Sodium** **Salt** Medium Viscosity (CMC) For Molecular Biology Viscosity : 400-800cP (1% In Water) Store Below 30°C	100 gm
	4-Carboxy Pyridine See Isonicotinic acid	
	Carmellose Sodium See Carboxymethyl Cellulose Sodium Salt	
034017 (1390-65-4)	**Carmine** Stains for Microscopy C.I. No. 75470	5 gm 25 gm
815100	**Carmine** Best's Solution	100 ml
815105	**Carmine** Solution (Zorkin) (Reagent for Boric acid)	100 ml
815110	**Carmine Aceto** for Microscopical Staining	100 ml 250 ml
490115 $C_{22}H_{20}O_{13}$ (1260-17-9)	**Carminic Acid AR** (M.S.) (Natural Red 4) (C.I. 75470) M. W.: 492.4 Assay 95.0%	1 gm 5 gm
044665 $C_{20}H_{12}N_2Na_2O_7S_2$ (3567-69-9)	**Carmoisine A** (Chromotrope FB) (C.I. 14720) M. W.: 502.44 Dye Content 85.0%	25 gm 1 kg
037001 $C_7H_{15}NO_3$ (541-15-1)	**L-Carnitine** for Biochemistry M. W.: 161.20	5 gm 25 gm 100 gm
044695	**Carnoy** Fluid (Fixative)	100 ml
044745 $C_{40}H_{56}$ (7235-40-7)	B-**Carotene** M. W.: 536.87	1 gm 5 gm
044855 (9000-07-1)	**Carrageenan** (Gelling or Non-Gelling Type Gelatin, Vegetable, Irish Moss) (Irish Moss)	100 gm 500 gm
	Casamino Acid See Casein Acid Hydrolysate	
044020 (9000-71-9)	**Casein** According to Hammarsten for Biochemistry Assay (ex N) 95% Protein	100 gm 500 gm 1 kg
044017 (9000-71-9)	**Casein** Fat free Purified	500 gm 25 kg
044016 (9000-71-9)	**Casein** Protein Rich Purified For feed experiment	500 gm 1 kg 5 kg
025783 (9000-71-9)	**Casein** Soluble in Alkali	500 gm 25 kg

Product Code	Product Name	Packing
	Casein (soluble, light, white) See Casein Protein Rich	
PCT1403 PTC	**Casein Enzymic Hydrolysate** Plant Culture Tested Store below 30°C	**500 gm**
044018 (9000-71-9)	**Casein** Vitamin Free	**500 gm** **25 kg**
033220 (8001-79-4)	**Castor Oil** Saponification value :- 176-187	**500 ml** **2.5 lit** **25 lit**
044995 (9001-05-2)	**Catalase** for Biochemistry 100000 U/g	**1 gm** **5 gm**
TC1037 ATC (9001-05-2)	· **Catalase** Source : Bovine Liver Cell Culture Tested Activity : 100000 U/mg protein	**1 gm** **5 gm** **10 gm**
045045 $C_{15}H_{14}O_6.xH_2O$ (225937-10-0)	**Catechin Hydrate** for Biochemistry M. W.: 290.27 (anhydrous basis)	**1 gm** **5 gm**
	Catechol See Pyrocatechol	
	Catechol Violet See pyrocatechol Violet	
	CATION EXCHANGE RESIN See Cerlite resin see indion resins (18 items)	
	Caustic Potash See Potassium Hydroxide	
	Caustic Soda See Sodium Hydroxide	
	CDI See 1,1'-Carbonyldimidazole	
	CDTA See trans-1, 2-Diaminocylohexane-N,N,N',N'-tetra Acetic Acid	
045100 (8000-27-9)	**Cedar Wood Oil** (Natural)	**25 ml** **100 ml**
025719 (8000-27-9)	**Cedar Wood Oil** For Microscopy	**25 ml** **100 ml**
056011	**Cedepol™** also known as Teepol	**500 ml** **5 lit**
	Cedepol™ also known as Teepol see 056011	
045155 $C_{17}H_{18}ClN_3O_4$ (1562-90-9)	**Celestine Blue** B for Microscopy (C.I. 51050) M. W.: 363.80	**5 gm** **25 gm**
033134 (61790-53-2)	**Celite** 545 Filter Aid	**500 gm** **1 kg** **5 kg** **25 kg**
490205 (61790-53-2)	**Celite** 545 Filter Aid **AR**	**500 gm**
025751 $C_{12}H_{22}O_{11}$ (528-50-7)	D-**Cellobiose** extra Pure for Biochemistry M. W.: 342.30	**5 gm** **25 gm**
PCT2529 PTC $C_{12}H_{22}O_{11}$ (528-50-7)	D-(+)-**Cellobiose** Plant Culture Tested M. W.: 342.3 Assay 98% Store below 30°C	**10 gm** **25 gm** **100 gm**
815210	**Celloidine** 8%	**500 ml**
	Cellosolve See Ethylene Glycol Monoethyl Ether	
028664 $CH_3.COO.CH_2.CH_2.OC_2H_5$ (111-15-9)	**Cellosolve Acetate** (2-Ethoxy ethyl acetate) M. W.:132.12 Assay (GC) 99.0%	**500 ml** **2.5 lit**
045365 (9012-54-8)	**Cellulase** from Aspergilus Niger For Biochemistry 10000 U/g	**1 gm** **5 gm**
PCT2518 PTC $C_{16}H_{18}ClN_3S.3H_2O$ (9012-54-8)	▲**Cellulase** Plant Culture Tested M. W.: 373.9 Potency : =10mg	**5 ku** **25 ku** **50 ku** **100 ku**
025781 (9004-34-6)	**Cellulose** Microcrystalline for TLC	**500 gm**
045370 (9004-34-6)	**Cellulose** Powder for Column Chromatography	**500 gm** **25 kg**
025791 (9004-34-6)	**Cellulose** Powder Pract.	**500 gm**
920990 MB (9004-34-6)	**Cellulose Powder** For Molecular Biology Assay : ≥ 97% Store Below 30°C	**500 gm**
027654 (9004-35-7)	**Cellulose Acetate**	**500 gm**
045275 (9004-36-8)	**Cellulose Acetate Butyrate** Extra Pure	**250 gm**
066071 (9004-38-0)	**Cellulose Acetate Phthalate**	**100 gm** **1 kg**
	Cellulose Nitrate See Nitro Cellulose	
025789 $C_{16}H_{17}N_3O_5S.H_2O$ (66592-87-8)	· **Cephadroxil** Monohydrate for Lab Use M.W. : 381.40 Assay (HPLC) 95.0%	**1 gm**
025790 $C_{16}H_{17}N_3O_4S.xH_2O$ (15686-71-2)	▲**Cephalexin** Hydrate for Lab use (Anhydrous basis) M. W.: 347.39 Assay 95-103%	**1 gm** **5 gm** **25 gm**
PCT2129 PTC $C_{16}H_{17}N_3O_4S$ (15686-71-2)	▲**Cephalexin** Plant Culture Tested M. W.: 347.39 (anhydrous basis) Assay 97%	**1 gm** **5 gm** **10 gm**
098011 $C_{19}H_{17}N_3O_4S_2$ (50-59-9)	**Cephaloridine** for Lab use M. W.: 415.49	**1 gm**

Storage : · #0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
TC1022 ATC $C_{16}H_{15}N_2NaO_6S_2$ (58-71-9)	**▲Cephalothin Sodium Salt** Cell Culture Tested Recommended for use in cell culture Applications at 100 mg/L M. W.: 418.42 Assay : ≥95%	**250 mg** **1 gm** **5 gm**
PCT2502 PTC	**Cephotaxime Solution** w/ 100 mg/ml Cephotaxime in sterile distilled water Sterile filtered Plant Culture Tested Store at -20°C	**20 ml** **5X20 ml**
PCT2505 PTC	**Cephotaxime Solution** w/ 250 mg/ml Cephotaxime in sterile distilled water Sterile filtered Plant Culture Tested Store at -20°C	**20 ml** **5X20 ml** **100 ml**
920970 MB $C_{16}H_{16}N_5NaO_7S_2$ (64485-93-4)	**▲Cephotaxime Sodium Salt** For Molecular Biology M. W.: 477.45 Assay : ≥ 98%	**1 gm** **5 gm** **10 gm** **25 gm**
TC1352 ATC $C_{16}H_{16}N_5O_7S_2Na$ (64485-93-4)	**▲✻Cephotaxime Sodium Salt** Cell Culture Tested M. W.: 477.45 Assay : ≥98% Potency : 916-964 µg/mg	**1 gm** **5 gm** **25 gm**
PCT2103 PTC $C_{16}H_{16}N_5NaO_7S_2$ (64485-93-4)	**▲Cephotaxime sodium salt** Plant Culture Tested M. W.: 477.45 Assay 98% Potency : 916 - 964 µg/mg	**1 gm** **5 gm** **10 gm** **25 gm**
055009	**Ceralite IR 120** Standard grade Particle size 20-50 mesh Na^+Form (Strongly Cationic Resin)	**500 gm**
055011	**Ceralite IRA 400** Standard grade Particle size 20-50 mesh Cl Form (Strongly Basic Anion Exchangers)	**500 gm**
055014	**Ceralite IRA 410** Standard grade Particle size 20-50 mesh Cl Form (Strongly Basic Anion Exchangers)	**500 gm**
055128	**Ceralite IRC 50** Standard grade Particle size 20-50 mesh (Weakly cationic resin)	**500 gm**
033028 (8001-75-0)	**Ceresin Wax** White	**500 gm**
	Ceric Ammonium Nitrate See Ammonium Ceric Nitrate	
	Ceric Ammonium Sulphate See Ammonium Ceric Sulphate	
RE0150 $Ce(OH)_4$ (12014-56-1)	**Ceric Hydroxide AR** M. W.: 208.15 Assay (trace Metals Basis) 99.9%	**50 gm** **100 gm**
RE0165 CeO_2 (1306-38-3)	**Ceric Oxide AR** (Cerium IV Oxide) M. W.: 172.12 Assay (trace metals basis) 99.9%	**100 gm** **500 gm**

Product Code	Product Name	Packing
RE0170 CeO_2 (1306-38-3)	**Ceric Oxide AR** (Cerium IV Oxide) M. W.: 172.12 Assay (trace metals basis) 99.99%	**100 gm** **500 gm**
RE0175 CeO_2 (1306-38-3)	**Ceric Oxide AR** (Cerium IV Oxide) M. W.: 172.12 Assay (trace metals basis) 99.999%	**10 gm** **50 gm**
RE0190 $Ce(SO_4)_2.4H_2O$ (10294-42-5)	**Ceric Sulphate** Tetrahydrate **AR** M. W.: 404.30 Assay (ex Ce) 99.0%	**100 gm** **1 kg**
815300	**Ceric Sulphate** N/10 Solution (0.1N) Volumetric Solution	**500 ml**
815350	**Cerium** (Ce) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **250 ml** **500 ml**
815400	**Cerium** (Ce) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	**100 ml** **500 ml**
815420	**Cerium** (Ce) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	**100 ml** **500 ml**
RE0205 Ce (7440-45-1)	**Cerium** Metal Ingot M. W.: 140.12 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE0210 Ce (7440-45-1)	**Cerium** Metal Lump (1cm) M. W.: 140.12 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE0215 Ce (7440-45-1)	**Cerium** Metal Powder 325 mesh At. W. 140.12 Assay (Trace metals basis) 99.9%	**5 gm** **25 gm**
RE0260 $Ce(CH_3CO_2)_3.xH_2O$ (206996-60-3)	**Cerium (III) Acetate** M. W.: 317.25 (Anhy.) Assay (Trace metal basis) 99.9%	**100 gm** **500 gm**
RE0265 $Ce(CH_3CO_2)_3.xH_2O$ (206996-60-3)	**Cerium (III) Acetate** M. W.: 317.25 (Anhy.) Assay (Trace metal basis) 99.99%	**50 gm** **250 gm**
RE0270 $Ce(CH_3CO_2)_3.xH_2O$ (206996-60-3)	**Cerium (III) Acetate** M. W.: 317.25 (Anhy.) Assay (Trace metal basis) 99.999%	**10 gm** **50 gm**
RE0285 $Ce_2(CO_3)_3.xH_2O$ (54451-25-1)	**Cerium (III) Carbonate** M. W.: 460.27 (Anhy.) Assay (Trace metal basis) 99.9%	**100 gm** **500 gm**
RE0295 $Ce_2(CO_3)_3.xH_2O$ (54451-25-1)	**Cerium (III) Carbonate** M. W.: 460.27 (Anhy.) Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE0310 $CeCl_3$ (7790-86-5)	**Cerium (III) Chloride** M. W.: 246.48 Assay (Trace metal basis) 99.9%	**5 gm** **25 gm** **100 gm** **500 gm**
RE0315 $CeCl_3$ (7790-86-5)	**Cerium (III) Chloride** M. W.: 246.48 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
RE0320 $CeCl_3$ (7790-86-5)	**Cerium (III) Chloride** M. W.: 246.48 Assay (Trace metal basis) 99.999%	**10 gm** **100 gm**
RE0325 $CeCl_3.7H_2O$ (18618-55-8)	**Cerium**(III)**Chloride** Heptahydrate **AR** M. W.: 372.58 Assay (Trace metal basis) 98.5%	**100 gm** **500 gm**
RE0340 CeF_3 (7758-88-5)	**Cerium (III) Fluoride** M. W.: 197.12 Assay (trace metals basis) 99.9%	**25 gm** **100 gm**
RE0345 CeF_3 (7758-88-5)	**Cerium (III) Fluoride** M. W.: 197.12 Assay (trace metals basis) 99.99%	**10 gm** **50 gm**
RE0355 CeI_3 (7790-87-6)	**Cerium (III) Iodide** M. W.: 520.83 Assay (Trace metal basis) 99.95%	**1 gm** **5 gm** **25 gm**
RE0370 $Ce(NO_3)_3.6H_2O$ (10294-41-4)	**Cerium (III) Nitrate** M. W.: 434.23 Assay (trace metals basis) 99.9%	**100 gm** **1 kg**
RE0375 $Ce(NO_3)_3.6H_2O$ (10294-41-4)	**Cerium (III) Nitrate** M. W.: 434.23 Assay (trace metals basis) 99.99%	**50 gm** **250 gm**
RE0380 $Ce(NO_3)_3.6H_2O$ (10294-41-4)	**Cerium (III) Nitrate** M. W.: 434.23 Assay (trace metals basis) 99.999%	**25 gm** **100 gm**
RE0395 $Ce_2(C_2O_4)_3.xH_2O$ (15750-47-7)	**Cerium (III) Oxalate** M. W.: 544.29 (Anhy.) Assay (trace metals basis) 99.9%	**100 gm**
RE0405 $Ce_2(C_2O_4)_3.xH_2O$ (15750-47-7)	**Cerium (III) Oxalate** M. W.: 544.29 (Anhy.) Assay (trace metals basis) 99.999%	**50 gm**
	Cerium (IV) oxide See Ceric oxide	
RE0415 $Ce(SO_4)_3.xH_2O$ (13550-47-5)	**Cerium** (III) **Sulphate** M. W.: 568.42 Assay (ex Ce)(trace metals basis) 99.0%	**50 gm**
RE0425 $Ce(SO_4)_3.xH_2O$ (13550-47-5)	**Cerium (III) Sulphate** M. W.: 568.42 Assay (trace metals basis) 99.99%	**25 gm** **100 gm**
815520	**Cerium** (IV) **Sulphate** CPECTROSOL® 0.05M (0.05N) Standard Solution In accordance with NIST	**1 lit**
815540	**Cerium** (IV) **Sulphate** CPECTROSOL® 0.1M (0.1N) Standard Solution In accordance with NIST	**1 lit**
815545	**Cerium** (IV) **Sulphate** CPECTROSOL® 0.25M (0.25N) Standard Solution In accordance with NIST	**1 lit**
	Cerous See Cerium	
	Cesein Enzyme Hydrolysate See Tryptone	
815590	**Cesium** CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **250 ml** **500 ml**
815610	**Cesium** (Cs) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	**100 ml** **500 ml**
815650	**Cesium** (Cs) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	**100 ml** **500 ml**
815612	**Cesium** (Cs) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H_2O in accordance with NIST	**100 ml** **500 ml**
815652	**Cesium** (Cs) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H_2O in accordance with NIST	**100 ml** **500 ml**
491085 CsBr (7787-69-1)	**Cesium Bromide AR** M. W.: 212.81	**50 gm**
045635 CS_2CO_3 (534-17-8)	**Cesium Carbonate** Extra Pure M. W.: 325.82	**25 gm** **100 gm**
491095 CsCl (7647-17-8)	**Cesium Chloride AR** M. W.: 168.36 Assay(ex Cl) 99.5%	**25 gm** **100 gm**
921000 MB CsCl (7647-17-8)	**Cesium Chloride** for Molecular Biology M. W.: 168.36 Assay (Argentometric) 99.9-100.1%	**100 gm** **500 gm**
491105 CsF (13400-13-0)	**Cesium Fluoride AR** M. W.: 151.90	**25 gm** **100 gm**
491125 CsI (7789-17-5)	**Cesium Iodide** Ultra Pure For Scintillation Counting M. W.: 259.81	**10 gm** **50 gm**
491135 $CsNO_3$ (7789-18-6)	**Cesium Nitrate AR** M. W.: 194.91 Assay (Acid-base titrimetry) 99.0%	**10 gm** **50 gm**
491145 Cs_2SO_4 (10294-54-9)	**Cesium Sulphate AR** M. W.: 361.87 Assay (Trace metal basis) 99.9%	**10 gm** **50 gm**
	Cetane See n-Hexadecane	
025787 $C_{17}H_{38}BrN$ (1119-97-7)	**Cetrimide** M.W.: 336.41 Assay (Iodometric; on anhy. basis) 96.0-101.0%	**100 gm** **500 gm** **25 kg**
921110 MB $C_{17}H_{38}BrN$ (8044-71-1)	**Cetrimide** For Molecular Biology M. W.: 336.4 Assay : ≥ 96% Store Below 30°C	**100 gm** **500 gm**

Storage : ∙ ❄0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
045750 $C_{18}H_{38}OC_{16}H_{34}O$ (8005-44-5)	**Cetostearyl Alcohol** Meets Analytical Specification of IP, BP, USP, MF, Ph. Eur. M. W.: 512.95 Assay (as stearyl alcohol) (GC) 40.0%	**500 gm** **25 kg**
	CETYL BROMIDE See 1-Bromohexadecane	
026048 $CH_3(CH_2)_{14}.CH_2OH$ (36653-82-4)	**Cetyl Alcohol** Pure M. W.: 242.45 Assay (GC) 95.0%	**500 gm** **5 kg** **25 kg**
022775 $C_{25}H_{46}NCl$ (122-18-9)	**Cetyl Dimethyl Benzyl Ammonium Chloride** for Synthesis M.W. : 396.09	**100 gm** **500 gm**
815870	**Cetyl Dimethyl Benzyl Ammonium Chloride** 25% Solution for Synthesis	**500 ml**
921140 MB $C_{20}H_{44}BrN$ (124-03-8)	▲**Cetyl dimethyl ethyl ammonium Bromide** For Molecular Biology M. W.: 378.47 Assay : ≥ 98%	**100 gm**
027664 $C_{21}H_{37}N.HBr.H_2O$ (140-72-7)	**Cetyl Pyridinium Bromide** Monohydrate M. W.: 402.46 Assay (ex br) (Argentometric) 95.0%	**250 gm**
027921 $C_{21}H_{38}NCl.H_2O$ (6004-24-6)	**Cetyl Pyridinium Chloride** Monohydrate M. W.: 358.01 Assay (Redox titration; Calc. with refference to the anhy. Sub.) 99.0-102.0%	**100 gm** **500 gm**
	CETYLKONIUM CHLORIDE See Cetyl Dimethyl Benzyl ammonium chloride	
027665 $C_{19}H_{42}BrN$ (57-09-0)	N-**Cetyl**-N, N, N-**Trimethyl Ammonium Bromide** M. W.: 364.45 Assay (by iodometric on dried substance) 98.0%	**100 gm** **500 gm** **25 kg**
491325 $C_{19}H_{42}BrN$ (57-09-0)	N-**Cetyl**-N, N, N-**Trimethyl Ammonium Bromide AR** M. W.: 364.45 Assay (iodometric, on dried substance) 99.0%	**100 gm** **500 gm**
921160 MB $C_{19}H_{42}BrN$ (57-09-0)	N-**Cetyl**-N,N,N-**Trimethyl Ammonium Bromide** (CTAB) For Molecular Biology M. W.: 364.45 Assay : ≥ 99% Store Below 30°C	**100 gm** **500 gm**
TC1555U ATC (57-09-0)	**Cetyl Trimethyl Ammonium Bromide** Cetrimonium bromide; Hexadecyltrimethylammonium Bromide Meets USP 41-NF 36 testing specifications M. W.: 364.45 Store below 30°C	**25 gm** **100 gm** **500 gm**
815880	N-**Cetyl**-N,N,N-**Trimethyl Ammonium Chloride** 30% w/v	**100 ml** **500 ml**

Product Code	Product Name	Packing
015025 MgO_3Si (1343-88-0)	**Cflorisil™** 60-100 mesh CHR analysis M.W. : 100.39	**100 gm** **500 gm** **1 kg**
044493 $C_{32}H_{58}N_2O_7S$ (75621-03-3)	**CHAPS** Buffer M.W.: 614.90 Assay (ex N) 99.0%	**1 gm** **5 gm** **10 gm**
921190 MB $C_{32}H_{58}N_2O_7S$ (75621-03-3)	**CHAPS** Buffer For Molecular Biology M. W.: 614.88 Assay : ≥ 98% Store Below 30°C	**1 gm** **5 gm** **10 gm**
044494 $C_{32}H_{58}N_2O_8S$ (82473-24-3)	**CHAPSO** Buffer M. W.: 630.88 Assay (By HPLC) 99.0%	**1 gm** **5 gm**
046280 C (7440-44-0)	**Charcoal Activated** Pharma Grade (Acid Washed) Confirming to USP MB Value Min. 180 At. W.: 12.01	**500 gm** **5 kg** **25 kg**
033032 C (7440-44-0)	**Charcoal Activated** Decolorizing Powder Acid Wash MB Value Min. 180 At. W.: 12.01	**500 gm** **5 kg** **25 kg**
491520 C (7440-44-0)	**Charcoal Activated** Acid Washed **AR/ACS** Activated Carbon Meets Analytical Spec. of USP, BP, Ph. Eur., MB Value Min. 280 At. W.: 12.01	**100 gm** **500 gm** **5 kg** **25 kg**
491515 C (7440-44-0)	**Charcoal Activated AR** Phosphorous Free for soil test MB Value Min. 300 At .W. : 12.01	**100 gm** **250 gm** **500 gm** **5 kg**
H09019 HISURE C (7440-44-0)	**Charcoal Activated AR** Certified grade (Acid Washed) At. W.: 12.01	**100 gm** **500 gm** **1 kg**
033034 C (7440-44-0)	**Charcoal Activated** E.P. Granular about 2.0-5.0mm At. W.: 12.01	**500 gm** **5 kg** **25 kg**
TC1100 ATC C (7440-44-0)	**Charcoal, Activated** HCl-washed Cell Culture Tested At. W : 12.01 Store below 30°C	**500 gm** **5 kg**
PCT2001 PTC C (7440-44-0)	**Charcoal Activated** Powder Plant Culture Tested At. W.: 12.01 Store below 30°C	**100 gm** **250 gm** **500 gm** **5 kg**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
921200 MB (11139-85-8)	**Chelex®-100 Sodium Form (50-100 Mesh)** For Molecular Biology Cation Exchange Resin Av. M. W.: 3500 Mesh Size : 50-100 (Dry) Store Below 30°C	**25 gm**
046385 ⁂ $C_8H_{17}NO_3S$ (103-47-9)	**CHES** 2-(Cyclo hexylamino) Ethanesulfonic Acid M. W.: 207.29	**25 gm** **100 gm**
046395 ⁂ (3076-05-9)	**CHES Sodium** 2-(Cyclohexylamino) Ethanesulfonic Acid Sodium Salt	**5 gm** **10 gm**
	China Blue See Aniline Blue	
	China Clay See Kaolin	
046505 $(C_8H_{13}NO_5)n$ (1398-61-4)	**Chitin** Purified Flakes	**100 gm** **500 gm**
046515 $(C_8H_{13}NO_5)n$ (1398-61-4)	**Chitin Purified** Powder	**25 gm** **100 gm** **500 gm**
	Chitosamine Hydrochloride See Glucosamine Hydrochloride	
046555 (9012-76-4)	**Chitosan**	**25 gm** **100 gm** **500 gm**
PCT1817 PTC $(C_6H_{11}NO_4)_n$ (9012-76-4)	**Chitosan** Plant Culture Tested From Shrimp shells Degree of deacetylation =75% Store below 30°C	**25 gm** **100 gm** **500 gm**
TC1242 ATC (9012-76-4)	**Chitosan** Source: Shrimp shells Cell Culture Tested Degree of Deacetylation : ≥75% Store below 30°C	**50 gm** **100 gm** **500 gm**
TC1633 ATC (9012-76-4)	**Chitosan** Source: Shrimp shells Cell Culture Tested Degree of Deacetylation : ≥90% Store below 30°C	**50 gm** **100 gm** **500 gm**
046665 $C_8H_{11}Cl_3O_6$ (15879-93-3)	**α-Chloralose** [(2,2,2-Trichloroethylidene) A-D-Glucofuranose] M. W.: 309.53	**25 gm** **100 gm**
027670 $C_7H_7ClNNaO_2S.3H_2O$ (7080-50-4)	**Chloramine T** M. W.: 281.69 Assay (by iodometric) 95%	**500 gm** **1 kg** **25 kg**
491825 $C_7H_7ClNNaO_2S.3H_2O$ (7080-50-4)	**Chloramine T AR/ACS** M. W.: 281.69	**250 gm** **1 kg**

Product Code	Product Name	Packing
044204 $C_{11}H_{12}Cl_2N_2O_5$ (56-75-7)	· **Chloramphenicol** for Lab use M. W.: 323.13 Assay 98.0%	**5 gm** **25 gm** **100 gm** **500 gm**
PCT2117 PTC $C_{11}H_{12}Cl_2N_2O_5$ (56-75-7)	· **Chloramphenicol** Plant Culture Tested for more details refer PTC section M. W.: 323.13 Assay : 97%	**5 gm** **25 gm** **100 gm**
TC1204 ATC $C_{11}H_{12}Cl_2N_2O_5$ (56-75-7)	· **Chloramphenicol** Cell Culture Tested M. W.: 323.13 Assay : ≥98%	**5 gm** **25 gm**
027671 $C_6Cl_4O_2$ (118-75-2)	**Chloranil** for Synthesis M. W.: 245.88 Assay (Argentometric) 95.0%	**250 gm**
492005 $C_6Cl_4O_2$ (118-75-2)	p-**Chloranil AR** M. W.: 245.88 Assay 99.0%	**25 gm**
492035 $C_6H_2Cl_2O_4$ (87-88-7)	**Chloranillic Acid AR** M. W.: 208.99 Assay (acidimetric) 99.0%	**25 gm**
	Chloranillic Acid Barium Salt See Barium Chloranilate	
PA0167	**Chlorine** test Papers (Estimates free Chlorine 5 to 100 ppm)	**200 lvs**
816010	**Chlorine** Test Reagent	**100 ml**
816005	**Chlorine Water**	**500 ml**
PCT1824 PTC $C_5H_{13}Cl_2N$ (999-81-5)	**Chlormequat Chloride** Plant Culture Tested M. W.: 158.07 Assay 98% Store below 30°C	**1 gm** **5 gm**
046865 C_2H_4ClNO (79-07-2)	2-**Chloro Acetamide** for Synthesis (α-Chloro acetamide) M. W.: 93.51 Assay 97.0%	**500 gm**
492155 C_8H_8ClNO (539-03-7)	p-**Chloro Acetanilide AR** M. W.: 169.61 Assay 99.0%	**25 gm** **100 gm**
	Chloroacetic acid sodium salt see sodium chloroacetate	
	4-Chloroaniline see p-chloroaniline	
	Chlorobenzene see chlorobenzene mono	
	(O-(6-Chlorobenzotriaol-1yl)-N,N,N,N-tetramethyl uronium hexafluorophosphate) see HCTU	
	4-Chlorobromo benzene see 1-Bromo-4-Chloro Benzene	
	2-Chloro-3-Amino see 2-Amino-5-chloro pyridine	
027677 $CH_2Cl.COOH$ (79-11-8)	**Chloro Acetic Acid** Mono Pure M. W.: 94.50 Assay (acidimetric) 99.0%	**500 gm**

Storage : · ❄0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
492335 $CH_2Cl.COOH$ (79-11-8)	**Chloro Acetic Acid** Mono **AR** M. W.: 94.50 Assay 99.5%	**500 gm**
047015 $ClCH_2CN$ (107-14-2)	**Chloro Acetonitrile** for Synthesis M. W.: 75.50 Assay 99.0%	**100 gm** **500 gm**
047115 C_8H_7ClO (99-91-2)	p-**Chloro Acetophenone** for Synthesis (4-chloroacetophenone) M. W.: 154.59 Assay 98.0%	**100 ml** **500 ml**
047105 $C_6H_5COCH_2Cl$ (532-27-4)	o-**Chloro Acetophenone** for Synthesis M. W.: 154.59 Assay 98.0%	**100 gm** **500 gm**
025735 $C_2H_2Cl_2O$ (79-04-9)	**Chloro Acetyl Chloride** for Synthesis M. W.: 112.94 Assay (GC) 98.0%	**500 ml** **2.5 lit**
027682 $Cl.C_6H_4.NH_2$ (108-42-9)	m-**Chloro Aniline** M. W.: 127.57 Assay (GC) 98.0%	**500 ml** **2.5 lit**
027681 $Cl.C_6H_4NH_2$ (95-51-2)	o-**Chloro Aniline** M. W.: 127.6 Assay (GC) 98.0%	**500 ml** **2.5 lit**
027683 $Cl.C_6H_4.NH_2$ (106-47-8)	p-**Chloro Aniline** M. W.: 127.6 Assay (GC) 99.0%	**500 gm**
027686 $HAuCl_4.3H_2O$ (16961-25-4)	**Chloroauric Acid** M. W.: 393.83 Assay (Au) 49%	**1 gm**
816150	tetra-**Chloro Auric Acid** Solution 2% w/v $HAuCl_4$ $3H_2O$	**25 ml**
047495 C_7H_5ClO (89-98-5)	2-**Chloro Benzaldehyde** (o-Chloro benzaldehyde) M. W.: 140.58 Assay 98.0%	**100 ml** **500 ml** **2.5 lit**
047505 C_7H_5ClO (587-04-2)	3-**Chloro Benzaldehyde** for Synthesis (m-Chlorobenzaldehyde) M. W.: 140.57 Assay 97.0%	**100 gm** **500 gm**
025785 C_7H_5ClO (104-88-1)	4-**Chloro Benzaldehyde** (p-Chloro Benzaldehyde) M. W.: 140.57 Assay (GC) 98.0%	**100 gm** **500 gm** **5 kg**
027690 C_6H_5Cl (108-90-7)	**Chloro Benzene** Mono for Synthesis M. W.: 112.56 Assay 99.0%	**500 ml** **2.5 lit** **25 lit**
492645 C_6H_5Cl (108-90-7)	**Chloro Benzene** Mono **AR** M. W.: 112.56 Assay 99.5%	**500 ml** **2.5 lit** **25 lit**
714850 C_6H_5Cl (108-90-7)	**Chloro Benzene** Mono for HPLC M.W. 112.56	**1 lit**
D28827 C_6ClD_5 (3114-55-4)	**Chloro Benzene**-d_5 (for NMR Spectroscopy) M.W.: 117.60 Assay Min. 99.0 atom%D	**5 ml**

Product Code	Product Name	Packing
047595 ✲ $C_6H_5ClSO_3$ (98-66-8)	p-**Chloro Benzene Sulphonic Acid** (4-Chlorobenzene Sulphonic Acid) M. W.: 192.62 Assay 90.0%	**25 gm** **500 gm**
047795 $ClC_6M_4CO_2H$ (535-80-8)	m-**Chloro Benzoic Acid** M. W.: 156.57 Assay 99.0%	**100 gm** **500 gm**
027693 $Cl.C_6H_4.COOH$ (118-91-2)	o-**Chloro Benzoic Acid** M. W.: 156.57 Assay (Acidimetric) 98.0%	**500 gm**
027695 $C_7H_5.ClO_2$ (74-11-3)	p-**Chloro Benzoic Acid** M. W.: 156.57 Assay (acidimetric) 99.0%	**100 gm** **500 gm**
047945 C_7H_4ClN (873-32-5)	2-**Chloro Benzonitrile** for Synthesis (o-Chloro benzonitrile) M. W.: 137.57 Assay 98.0%	**100 gm** **500 gm**
047955 C_7H_4ClN (766-84-7)	3-**Chloro Benzonitrile** for Synthesis (m-Chlorobenzonitrile) M. W.: 137.57 Assay 98.0%	**25 gm** **100 gm**
047965 C_7H_4ClN (623-03-0)	4-**Chloro Benzonitrile** for Synthesis (p-Chloro benzonitrile) M. W.: 137.57 Assay 98.0%	**25 gm** **100 gm** **500 gm**
048055 $C_{13}H_9ClO$ (134-85-0)	p-**Chloro Benzophenone** for Synthesis M. W.: 216.67 Assay 99.0%	**100 gm** **500 gm**
048215 $C_7H_4Cl_2O$ (609-65-4)	2-**Chloro Benzoyl Chloride** for Synthesis M. W.: 175.02 Assay 98.0%	**500 ml**
048225 $C_7H_4Cl_2O$ (122-01-0)	4-**Chloro Benzoyl Chloride** for Synthesis M. W.: 175.02 Assay 98.0%	**500 ml**
048275 ✲ C_7H_7ClO (17849-38-6)	2-**Chloro Benzyl Alcohol** M. W.: 142.58	**25 gm** **100 gm**
048285 ✲ C_7H_7ClO (873-63-2)	3-**Chloro Benzyl Alcohol** M. W.: 142.58	**25 gm** **100 gm**
048295 ✲ C_7H_7ClO (873-76-7)	4-**Chloro Benzyl Alcohol** M. W.: 142.58	**100 gm** **500 gm**
048375 $C_7H_6Cl_2$ (611-19-8)	2-**Chloro Benzyl Chloride** for Synthesis (o-Chloro benzyl Chloride) M. W.: 161.03	**250 ml**
048385 $C_7H_6Cl_2$ (620-20-2)	3-**Chloro Benzyl Chloride** (m-Chlorobenzyl Chloride) M. W.: 161.03	**100 ml**
048395 $C_7H_6Cl_2$ (104-83-6)	4-**Chloro Benzyl Chloride** (p-Chlorobenzyl Chloride) M. W.: 161.03	**100 ml** **500 ml**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
048485 $ClC_6H_4CH_2CN$ (2856-63-5)	2-**Chloro Benzyl Cyanide** (o-Chlorobenzyl Cyanide) M. W.: 151.59	**100 gm** **500 gm**
048505 $ClC_6H_4CH_2CN$ (140-53-4)	4-**Chloro Benzyl Cyanide** for Synthesis (p-Chloro benzyl Cyanide) M. W.: 151.59	**100 gm** **500 gm**
048585 C_7H_8ClN (89-97-4)	2-**Chloro Benzylamine** for Synthesis M. W.: 141.6	**100 ml** **500 ml**
	1-**Chloro Butane** for Synthesis See N-Butyl Chloride	
048895 $Cl(CH_2)_2COCl$ (4635-59-0)	4-**Chloro Butyryl Chloride** for Synthesis M. W.: 141.00	**500 ml**
817000	**Chloro Choline Chloride** 50% Aqueous Solution	**100 ml** **500 ml**
027702 C_7H_7ClO (59-50-7)	4-**Chloro**-3-**Cresol** M. W.: 142.59 Assay (GC) 98-101%	**250 gm** **500 gm** **5 kg** **25 kg**
049135 $C_6H_{11}Cl$ (542-18-7)	**Chloro Cyclohexane** for Synthesis (Cyclohexyl Chloride) M. W.: 118.06	**250 ml**
	2-**Chloro**-N-**Dimethyl Ethylamine Hydrochloride** See 2-Dimethyl Amino Ethyl Chloride Hydrochloride	
	4-**Chloro**-3,5-**XYLENOL** See 4-Chloro-m-Xylenol (PCMX)	
	4-**Chloro**-3,5-**Dimethyl**-**Phenol** (4-Chloro-3,5-Xylenol) See 4-Chloro-m-Xylenol	
049190 $C_6H_3ClN_2O_4$ (97-00-7)	1-**Chloro**-2, 4-**Dinitro Benzene** for Synthesis M. W.: 202.55 Assay(GC) 98.0%	**500 gm** **1 kg**
921300 MB $C_6H_3ClN_2O_4$ (97-00-7)	1-**Chloro**-2,4-**Dinitro Benzene** For Molecular Biology M. W.: 202.55 Assay : ≥ 99% Store Below 30°C	**500 gm**
492735 $C_6H_3ClN_2O_4$ (97-00-7)	1-**Chloro**-2, 4-**Dinitro Benzene AR** for the detection of Nicotinic Acid, Nicotinamide M. W.: 202.55 Assay (GC) 99.0%	**25 gm** **100 gm**
817100	1-**Chloro**-2,4-**Dinitrobenzene** Reagent Solution (test for mercaptens)	**100 ml**
493505 $C_5H_2ClN_3O_4$ (2578-45-2)	· 2,-**Chloro**-3,5-**Dinitropyridine AR** Terminal N-Blocking Reagent for Proteins M. W.: 203.55	**1 gm** **5 gm**

Product Code	Product Name	Packing
	2-**Chloroethyl Trimethlammonium Chloride** See Chloro Choline Chloride	
	1-**Chloro**-2,3-**Epoxy Propane** See Epichlorohydrin	
	N-(2-Chloroethyl)-morpholinium chloride See 4-(2-chloroethyl) morpholine hydrochloride	
	Chloroformic acid isobutylester See Iso butyl chloroformate	
	Chloroformic acid phenyl ester See Phenyl chloroformate	
025733 C_2H_5ClO (107-07-3)	2-**Chloro Ethanol** M. W.: 80.51 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit**
493685 C_2H_5ClO (107-07-3)	2-**Chloro Ethanol AR** M. W.: 80.51 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
049485 $C_2H_6ClN.HCl$ (870-24-6)	2-**Chloro Ethyl Ammonium Hydro Chloride** for Synthesis M. W.: 115.99	**500 gm**
025793 $C_2H_6ClO_3P$ (16672-87-0)	2-**Chloro Ethyl Phosphonic Acid** (Ethrel) An effective germinating agent M. W.: 144.49 Assay About 39.0%	**100 ml** **250 ml**
049695 ✣ $C_6H_{12}ClN.HCl$ (7250-67-1)	1-(2-**Chloro Ethyl**)**Pyrrolidine Hydro Chloride** for Synthesis M. W.: 170.08	**100 gm** **500 gm**
049885 $ClC_6H_3(F)NH_2$ (367-21-5)	3-**Chloro**-4-**Fluoro Aniline** for Synthesis M. W.: 145.56	**100 gm** **500 gm**
049965 $FC_6H_4COCH_2CH_2Cl$ (347-93-3)	3-**Chloro**-4-**Fluoropropiophenone** for Synthesis M. W.: 186.61	**25 gm** **100 gm**
027710 $CHCl_3$ (67-66-3)	**Chloroform** for Synthesis M. W.: 119.38 Assay(GC) 99.5%	**500 ml** **1 lit** **2.5 lit** **25 lit** **200 lit**
493905 $CHCl_3$ (67-66-3)	**Chloroform AR** M. W.: 119.38 Assay (By GC) (excluding stabilizer) 99.0-99.4%	**500 ml** **1 lit** **2.5 lit** **25 lit** **200 lit**
493915 $CHCl_3$ (67-66-3)	**Chloroform** Specially Dried **AR** M. W.: 119.38 Assay (GC) 99.0-99.4%	**500 ml** **2.5 lit**
715916 $CHCl_3$ (67-66-3)	**Chloroform** GC HS Grade M.W. 119.38 Assay 99.5%	**1 lit**
715910 $CHCl_3$ (67-66-3)	**Chloroform** for HPLC & Spectroscopy M. W.: 119.38 Assay(GC) 99.0%	**1 lit** **2.5 lit**

Storage : · ❄0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
921400 MB $CHCl_3$ (67-66-3)	**Chloroform** For Molecular Biology M. W.: 119.38 Assay : ≥ 99.8% Store Below 30°C	**100 ml** **500 ml**
921500 MB	**Chloroform : Iso Amyl Alcohol** 24:1 for Molecular Biology	**500 ml**
715940 $CHCl_3$ (67-66-3)	**Chloroform** for Pesticide Residue Trace Analysis (tri-Chloromethane) M. W.: 119.38	**1 lit**
D29718 CCl_3D (865-49-6)	▲**Chloroform**-d (for NMR Spectroscopy) M.W.: 120.39 Assay Min. 99.8 atom%D	**10x0.75 ml**
D29727 CCl_3D (865-49-6)	▲**Chloroform**-d (for NMR Spectroscopy) M.W.: 120.39 Assay Min. 99.8 atom%D	**25 ml** **100 ml**
D29754 CCl_3D (865-49-6)	▲**Chloroform**-d, **Cont**. 0.03 v/v% **TMS** (for NMR Spectroscopy) M.W.: 120.39 Assay Min. 99.8 atom%D	**10x0.75 ml**
D29772 CCl_3D (865-49-6)	▲**Chloroform**-d, **Cont**. 0.03 v/v% **TMS** (for NMR Spectroscopy) M.W.: 120.39 Assay Min. 99.8 atom%D	**100 ml**
066082 $C_{16}H_{18}O_9$ (327-97-9)	**Chlorogenic Acid** M. W.: 354.31 Assay (on dry basis) 95.0%	**100 mgm** **1 gm** **5 gm**
817200	**Chlorohexidine Gluconate** 20% Solution in water for Lab Use only	**500 ml** **5 lit**
PCT2146 PTC $C_{34}H_{54}C_{12}N_{10}O_{14}$ (18472-51-0)	**Chlorhexidine digluconate** Plant Culture Tested M. W.: 897.8 Store below 30°C	**250 ml** **1 lit**
	2-**Chloro**-5-**Hydroxy Toluene** See 4-Chloro-3-Cresol	
050165 C_2H_5ClO (107-30-2)	**Chloro Methyl Methyl Ether** M. W.: 80.51	**25 gm** **100 gm** **500 gm**
050365 $C_{10}H_7CH_2Cl$ (86-52-2)	1-**Chloro Methyl Naphthalene** M. W.: 176.64	**100 gm** **500 gm**
	2-**Chloro**-2-**Methylpropane** See Tert-Butyl Chloride	
050555 ✻ $C_{10}H_7Cl$ (90-13-1)	1-**Chloro Naphthalene** for Synthesis M. W.: 162.62	**500 ml** **2.5 lit**
050655 $C_6H_5ClN_2O_2$ (121-87-9)	2-**Chloro**-4-**Nitroaniline** for Synthesis M. W.: 172.57	**250 gm**
050665 $C_6H_5ClN_2O_2$ (89-63-4)	4-**Chloro**-2-**Nitroaniline** M. W.: 172.57	**250 gm**

Product Code	Product Name	Packing
027723 $Cl.C_6H_4.NO_2$ (88-73-3)	1-**Chloro**-2-**Nitro Benzene** M. W.:157.66 Assay (GC) 99.0%	**500 gm**
025686 $C_6H_4ClNO_2$ (121-73-3)	1-**Chloro**-3-**Nitro Benzene** M. W.: 157.66 Assay (GC) 98.0%	**250 gm** **500 gm**
027725 $Cl.C_6H_4.NO_2$ (100-00-5)	1-**Chloro**-4-**Nitro Benzene** M. W.: 157.66 Assay (GC) 99.0%	**500 gm**
050795 $C_7H_4ClNO_4$ (99-60-5)	2-**Chloro**-4-**Nitro Benzoic Acid** for Synthesis M. W.: 201.56	**100 gm**
050805 $C_7H_4ClNO_4$ (2516-96-3)	2-**Chloro**-5-**Nitro Benzoic Acid** for Synthesis M. W.: 201.56	**100 gm** **500 gm**
050995 $C_7H_5ClO_3$ (937-14-4)	m-**Chloro Perbenzoic Acid** for Synthesis (3-Chloro Peroxy Benzoic Acid) M. W.: 172.57	**100 gm** **500 gm**
051000 ClC_6H_4OH (108-43-0)	m-**Chlorophenol** M. W.: 128.56 Assay 98.0%	**25 gm** **100 gm** **500 gm**
027728 $Cl.C_6H_4.OH$ (95-57-8)	o-**Chlorophenol** M. W.: 128.56 Asssay (GC) 99.0%	**500 ml** **2.5 lit**
027730 $Cl.C_6H_4.OH$ (106-48-9)	p-**Chlorophenol** M. W.: 128.56 Assay (By GC) 99.5%	**500 gm**
494515 $C_{19}H_{12}Cl_2O_5S$ (4430-20-0)	**Chloro Phenol Red** Indicator **AR** M. W.: 423.28	**5 gm** **25 gm**
817340	**Chloro Phenol Red** Indicator Solution	**125 ml**
051275 $C_8H_7ClO_3$ (122-88-3)	p-**Chloro Phenoxy Acetic Acid** for Synthesis M. W.: 186.59	**100 gm**
PCT1841 PTC $C_8H_7ClO_3$ (122-88-3)	p-**Chloro Phenoxy Acetic Acid** Plant Culture Tested M. W.: 186.59 Assay 98% Store below 30°C	**25 gm** **100 gm** **500 gm**
051375 $C_8H_{17}ClO_2$ (2444-36-2)	2-**Chloro Phenylacetic Acid** (o-chlorophenylacetic acid) M. W.: 170.6	**25 gm** **100 gm** **500 gm**
051385 $C_8H_7ClO_2$ (1878-66-6)	4-**Chloro Phenylacetic Acid** (p-chlorophenylacetic acid) M. W.: 170.6	**100 gm** **500 gm** **5 kg**
025795 $C_6H_6BClO_2$ (63503-60-6)	3-**Chloro Phenyl Boronic Acid** M.W. : 156.37 Assay 98.0%	**5 gm** **25 gm** **500 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄ 0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
051505 C_8H_9ClO (1875-88-3)	4-**Chloro Phenyl Ethyl Alcohol** (4-Chloro Phenethyl Alcohol) M. W.: 156.61	**5 gm** **25 gm**
051605 $C_8H_{10}ClN$ (13078-79-0)	2-(3-**Chloro Phenyl**) **Ethylamine** M. W.: 155.62 Assay 97.0%	**5 gm** **25 gm**
051675 $C_8H_{10}ClN$ (156-41-2)	2-(4-**Chloro Phenyl**) Ethylamine M. W.: 155.62 Assay 98.0%	**5 gm** **25 gm**
817410	**Chloro Platinic Acid** 5% Soln. W/v **AR**	**25 ml**
024641 $H_2PtCl_6.XH_2O$ (26023-84-7)	**Chloro Platinic Acid** Pt 40% M. W.: 409.81(Anhy.) Assay (Gravimetric) (as Pt) about 40%	**1 gm**
	3-**Chloro**-1-**Propene** See Allyl Chloride	
051785 C_3H_5ClO (78-95-5)	1-**Chloro**-2-**Propanone** for Synthesis M. W.: 92.53	**250 gm**
051845 $C_3H_7ClO_2$ (96-24-2)	3-**Chloro**-1,2-**Propanediol** for Synthesis M. W.: 110.54	**250 gm**
025777 $C_3H_5ClO_2$ (598-78-7)	2-**Chloro Propionic Acid** M. W.: 108.52 Assay (GC) 98.0%	**100 ml** **500 ml**
051925 $CH_3CHClCOCl$ (7623-09-8)	2-**Chloro Propionyl Chloride** M. W.: 126.97	**100 gm** **500 gm**
051935 $ClCH_2CH_2COCl$ (625-36-5)	3-**Chloro Propionyl Chloride** M. W.: 126.97	**500 ml**
052035 C_5HClN (109-09-1)	2-**Chloro Pyridine** for Synthesis M. W.: 113.54	**500 ml**
052045 C_5HClN (626-60-8)	3-**Chloro Pyridine** for Synthesis M. W.: 113.54	**100 ml**
052125 $C_6H_5ClO_2$ (95-88-5)	4-**Chloro Resorcinol** for Synthesis M. W.: 144.56	**100 gm** **500 gm**
052215 $C_7H_5ClO_2$ (635-93-8)	5-**Chloro Salicylaldehyde** M. W.: 156.57 Assay 98.0%	**5 gm** **25 gm**
025774 $C_4H_4ClNO_2$ (128-09-6)	n-**Chloro Succinimide** M. W.: 133.53 Assay (iodometric) 98.0%	**100 gm** **500 gm**
025732 $ClSO_3H$ (7790-94-5)	**Chloro Sulphonic Acid** Pract M. W.: 116.52 Assay 97.0%	**500 ml**
494825 $ClSO_3H$ (7790-94-5)	**Chloro Sulphonic Acid AR** M. W.: 116.52	**500 ml**
052365 C_7H_7Cl (95-49-8)	o-**Chloro Toluene** for Synthesis (2-Chlorotoluene) M. W.: 126.58	**500 ml** **2.5 lit**
052375 C_7H_7Cl (108-41-8)	m-**Chloro Toluene** for Synthesis (3-chlorotoluene) M. W.: 126.58	**250 ml** **1 lit**
052385 C_7H_7Cl (106-43-4)	p-**Chloro Toluene** for Synthesis (4-chlorotoluene) M. W.: 126.58	**500 ml** **2.5 lit**
	1-**Chloro**-p-**Toluenesulphonamide** **Sodium Salt** See Chloramine T	
052425 C_3H_9ClSi (75-77-4)	**Chloro Trimethylsilane** for Synthesis (Trimethylsilyl Chloride) M. W.: 108.64	**100 ml** **500 ml** **2.5 lit**
	Chloro Triphenylmethane See Trityl Chloride	
495135 ⁂ $(CH_3)_2C_6H_3Cl$ (615-60-1)	4-**Chloro** O-**Xylene AR** M. W.: 140.61 Assay 90.0%	**5 gm** **25 gm**
049285 C_8H_9ClO (88-04-0)	4-**Chloro**-m-**Xylenol** (PCMX) M. W. : 156.61 Assay (GC) 98.0%	**500 gm**
PCT2145 PTC $C_{12}H_{12}ClN_5O_4S$ (64902-72-3)	**Chlorsulfuron** Plant Culture Tested M. W. : 357.8 Assay : > 95 % Store below 30°C	**100 mg**
	3-[(3-**Cholamidopropyl**) **Dimethylammonio**] -1-**Propanesulphonate** See Chaps Buffer	
	3-[(3-**Cholamidopropyl**) **Dimethlammnio**] -2-**Hydroxy**-1-**Propanesulphonate** See Chapso Buffer	
	3-[(**Cholamidopropyl**) **Dimethylammonio**] **-1-propanesulphonate** See Caps Buffer	
PCT1216 PTC $C_{27}H_{44}O$ (67-97-0)	▲**Cholecalciferol** (Vitamin D3) Plant Culture Tested M. W. : 384.64 Assay 97%	**1 gm** **10 gm**
TC1029 ATC $C_{27}H_{44}O$ (67-97-0)	▲**Cholecalciferol** (Vitamin D3) Cell Culture Tested M. W. : 384.64 Assay : ≥97%	**1 gm** **10 gm** **25 gm**
043011 $C_{27}H_{46}O$ (57-88-5)	· **Cholesterol** M. W.: 386.66 Assay (GC) 95.0%	**25 gm** **100 gm** **500 gm**
495315 $C_{27}H_{46}O$ (57-88-5)	· **Cholesterol AR** M. W.: 386.66 Assay (GC) 99.0%	**5 gm** **25 gm** **100 gm**
TC1101 ATC $C_{27}H_{46}O$ (57-88-5)	· **Cholesterol** (5-Cholesten-3β-ol) Cell Culture Tested M. W. : 386.65 Assay : ≥98%	**5 gm** **25 gm** **100 gm**

Storage : · #0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
052515 (9026-00-0)	**Cholesterol Esterase** from Porcine pancreas Lyophilized powder, activity ~ 35 U/mg (sterol-ester acylhydrolase)	**10 mgm**
052525 (9028-76-6)	**Cholesterol Oxidase** Ex. Streptomyces Micro organism Lyophilized Powder, Activity ~ 15 U/mg	**500 units**
817500	**Cholesterol** Stock Standard Soln. 0.1% Assay 0.099-0.101%	**125 ml**
052625 $C_{24}H_{40}O_5$ (81-25-4)	**Cholic Acid** for Biochemistry M. W.: 408.57	**25 gm** **100 gm**
	Cholic Acid Sodium Salt See Sodium Cholate	
052695 $C_9H_{19}NO_7$ (87-67-2)	**Choline Bitartrate** M.W. 253.25 Assay 99.0%	**500 gm**
042014 $[CH_2.(OH).CH_2.N(CH_3)_3]Cl$ (67-48-1)	**Choline Chloride** Pure M. W.:139.63	**100 gm** **500 gm** **25 kg**
PCT1203 PTC $C_5H_{14}ClNO$ (67-48-1)	**Choline Chloride** Plant Culture Tested M. W.: 139.62 Assay 99% Store below 30°C	**100 gm** **500 gm**
TC1102 ATC $C_5H_{14}ClNO$ (67-48-1)	**Choline Chloride** Cell Culture Tested M. W.: 139.62 Assay : ≥97% Store below 30°C	**100 gm** **500 gm** **1 kg**
025784	**Choline Chloride** for Feed experiments	**2.5 kg**
TC1040 ATC (39455-18-0)	**▲Chondroitin Sulfate A Sodium Salt** Cell Culture Tested Assay : ≥90%	**5 gm** **25 gm**
052725 $C_{23}H_{13}Cl_2Na_3O_9S$ (1667-99-8)	**Chromazural S** (Chrome azural S, pM Indicator) (C.I. 43825) M. W.: 605.29	**10 gm** **25 gm**
	Chrome Alum See Chromium Potassium Sulphate	
	Chromic See Chromium	
	Chromic Acid See Chromium Trioxide	
817540	**Chromium** (Cr) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **250 ml** **500 ml**
817542	**Chromium** (Cr) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	**100 ml** **250 ml** **500 ml**
817580	**Chromium** (Cr) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl in accordance with NIST	**100 ml** **500 ml**
817600	**Chromium** (Cr) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl in accordance with NIST	**100 ml** **500 ml**
817620	**Chromium** (Cr) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	**100 ml** **500 ml**
817640	**Chromium** (Cr) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	**100 ml** **500 ml**
H09738 HISURE Cr (7440-47-3)	**Chromium** Metal **AR** M. W.: 51.10 Assay (Trace metals basis) 99.999%	**10 gm**
495790 Cr (7440-47-3)	**Chromium** (Metal) Powder **AR** At W. 52.00 Assay 99.0%	**100 gm** **500 gm**
025700 $Cr(CH_3COO)_3$ (1066-30-4)	**Chromium** (III) **Acetate** Tech. M. W.: 229.13 Assay 98.0%	**250 gm**
025701 $Cr_2(CO_3)_3$ (51142-19-9)	**Chromium**(III) **Carbonate** Tech. M. W.: 284.01 Assay (Cr content) 50.0-55.0%	**500 gm**
025702 $CrCl_3.6H_2O$ (10060-12-5)	**Chromium**(III) **Chloride** Tech. M. W.: 266.45	**500 gm**
027874 $CrCl_3.6H_2O$ (10060-12-5)	**Chromium** (III) **Chloride** Hexahydrate M. W.: 266.45 Assay (iodometric) 96.0%	**500 gm**
495820 $CrCl_3.6H_2O$ (10060-12-5)	**Chromium** (III) **Chloride Hexahydrate AR** (Chromic Chloride) M. W.: 266.45	**500 gm**
052995 CrF_3 (7788-97-8)	**Chromium Fluoride** M. W.: 108.99	**500 gm**
025703 $Cr(OH)_33H_2O$ (41646-40-6)	**Chromium** (III) **Hydroxide** Tech. M. W.: 157.02 Assay 98.0%	**250 gm**
025704 $Cr(NO_3)_3.9H_2O$ (7789-02-8)	**Chromium** (III) **Nitrate** Tech. M. W.: 400.15	**250 gm**
027755 $Cr(NO_3)_3.9H_2O$ (7789-02-8)	**Chromium** (III) **Nitrate** Nonahydrate M. W.: 400.15 Assay (exCr) 98.0%	**500 gm**
495845 $Cr(NO_3)_3.9H_2O$ (7789-02-8)	**Chromium Nitrate** Nonahydrate **AR** M. W.: 400.15	**500 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ·#0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
053145 ⁂ $CrC_2H_2O_4$ (814-90-4)	**Chromium** (II) **Oxalate** M. W.: 140.00	**500 gm**
027757 Cr_2O_3 (1308-38-9)	**Chromium** (III) **Oxide** Green M. W.: 151.99 Assay 99.0%	**500 gm** **5 kg**
N09765 Cr_2O_3 (1308-38-9)	**Chromium Oxide Nanopowder** (60nm) M. W.: 151.99 Assay 99+%	**10 gm** **100 gm**
	Chromium (VI) **Oxide** See Chromium Trioxide	
053195 $C_{18}H_{12}CrN_3O_6$ (14639-25-9)	**Chromium Piconilate** for Synthesis Confirms to USP M.W. 418.3 Assay 98%	**100 gm**
027758 $CrK(SO_4)_2.12H_2O$ (7788-99-0)	**Chromium (**III) **Potassium Sulphate** Dodecahydrate M. W.: 499.39 Assay (iodometric) 98.0-102.0%	**500 gm**
025782 $CrK(SO_4)_2.12H_2O$ (7788-99-0)	**Chromium Potassium Sulphate** Pract M. W.: 499.39	**500 gm**
495900 $CrK(SO_4)_2.12H_2O$ (7788-99-0)	**Chromium** (III) **Potassium Sulphate** Dodecahydrate **AR/ACS** M. W.: 499.39 Assay (iodometric) 99.0%%	**500 gm**
025705 (39380-78-4)	**Chromium** (III) **Sulphate** Tech.	**500 gm**
027759 $Cr_4(SO_4)_5.(OH)_2$ (39380-78-4)	**Chromium** (III) **Sulphate** Basic M. W.: 722.30	**500 gm** **2.5 kg**
027762 CrO_3 (1333-82-0)	**Chromium Trioxide** Purified M. W.: 99.99 Assay (iodometric) 99.0%	**500 gm** **1 kg** **2.5 kg** **5 kg** **50 kg**
495935 CrO_3 (1333-82-0)	**Chromium Trioxide AR** M. W.: 99.99 Assay 99.0%	**500 gm**
	Chromoxane Cyanine R See Eriochrome Cyanine R	
034020 $C_{16}H_{10}N_2Na_2O_8S_2$ (4197-07-3)	**Chromotrope** 2R for Microscopy M. W.: 468.37 Dye content (titanometry, dried) about 75.0%	**10 gm** **25 gm**
010714 $C_{10}H_6Na_2O_8S_2.2H_2O$ (5808-22-0)	**Chromotropic Acid Disodium Salt** Dihydrate M. W.: 400.28	**25 gm**
496360 $C_{10}H_6Na_2O_8S_2.2H_2O$ (5808-22-0)	**Chromotropic Acid Disodium Salt** Dihydrate **AR** M. W.: 400.28 Assay (by acidimetry on anhydrous substances) 98.5%	**10 gm** **25 gm**
034021 $C_{13}H_{15}N_4Cl$ (4438-16-8)	**Chrysoidine R** for Microscopy C.I. No. 11320 M. W.: 262.74 Dye content (titanometry, dried) abt. 65.0%	**25 gm** **100 gm**

Product Code	Product Name	Packing
034106 $C_{12}H_{12}N_4HCl$ (532-82-1)	**Chrysoidine Y** for Microscopy C.I.No. 11270 M. W.: 248.72 Dye content (titanometry, dired) abt. 90.0%	**25 gm** **100 gm**
053335 (9004-07-3)	α-**Chymotrypsin** Crystalline	**250 mgm** **1 gm** **5 gm**
	Cinnamic Aldehyde See Cinnamaldehyde	
	D-cinchonine see cinechonine Anhydrous	
053435 $C_{19}H_{22}N_2O$ (118-10-5)	**Cinchonine** for Synthesis M. W.: 294.39	**25 gm** **100 gm**
027772 C_9H_8O (104-55-2)	**Cinnamaldehyde** M. W.: 132.16 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit**
027773 $C_9H_8O_2$ (140-10-3)	**Cinnamic Acid** for Synthesis M. W.: 148.16 Assay (acidimetric) 99.0%	**250 gm** **500 gm**
496370 $C_9H_8O_2$ (140-10-3)	**Cinnamic Acid AR** M. W.: 148.16 Assay (HPLC) 99.0%	**250 gm**
PCT1846 PTC $C_9H_8O_2$ (140-10-3)	trans-**Cinnamic Acid** Plant Culture Tested M. W.: 148.16 Store below 30°C	**10 gm** **25 gm**
053545 $C_{11}H_{12}O_2$ (103-54-8)	**Cinnamyl Acetate** for Synthesis M. W.: 176.21	**500 gm**
053635 $C_9H_{10}O$ (104-54-1)	**Cinnamyl Alcohol** for Synthesis (3-Phenylallyl Alcohol, 3-Phenyl-2-Propene-1-ol) M. W.: 134.17	**500 ml**
025770 $C_{17}H_{18}FN_3O_3.HCl.H_2O$ (86393-32-0)	· **Ciprofloxacin Hydrochloride** for Lab Use M.W. : 385.82 Assay (on anhydrous basis) 98.0%	**1 gm** **5 gm** **25 gm**
TC1447 ATC $C_{17}H_{18}FN_3O_3HCl.H_2O$ (86393-32-0)	· **Ciprofloxacin Hydrochloride** Monoydrate Cell Culture Tested M. W.: 385.82 Assay : ≥98%	**1 gm** **5 gm** **25 gm**
025772 $C_{10}H_{16}O$ (5392-40-5	**Citral** (Cis+trans) M. W.: 152.23 Assay (GC) 96.0%	**100 ml** **500 ml**
053725 $C_6H_5NO_4$ (99-11-6)	**Citrazinic Acid** for Synthesis M. W.: 155.11	**25 gm**
027984 $C_6H_8O_7$ (77-92-9)	**Citric Acid** Anhydrous M. W.: 192.13 Assay(acidimetric) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
496415 $C_6H_8O_7$ (77-92-9)	**Citric Acid** Anhydrous **AR** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 192.13 Assay (Acidimetric; Cal. on anhsuy. b.) 99.5-101.0%	**500 gm** **5 kg** **25 kg** **50 kg**

Storage : · #0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
922000 MB $C_6H_8O_7$ (77-92-9)	**Citric Acid** Anhydrous For Molecular Biology M. W.: 192.12 Assay : ≥ 99.5% Store Below 30°C	**500 gm**
PCT1501 PTC $C_6H_8O_7$ (77-92-9)	**Citric Acid** Anhydrous Plant Culture Tested M. W.: 192.12 Assay 99.7% Store below 30°C	**500 gm**
TC1105 ATC $C_6H_8O_7$ (77-92-9)	**Citric Acid** Anhydrous Cell Culture Tested M. W.: 192.12 Assay : ≥97% Store below 30°C	**100 gm** **500 gm**
TC1105M ATC $C_6H_8O_7$ (77-92-9)	**Citric Acid** Anhydrous Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 192.12 Store below 30°	**100 gm** **500 gm**
027780 $C_6H_8O_7H_2O$ (5949-29-1)	**Citric Acid** Monohydrate M. W.: 210.14 Assay (acidimetric) 99.5%	**500 gm** **5 kg** **25 kg** **50 kg**
496420 $C_6H_8O_7H_2O$ (5949-29-1)	**Citric Acid** Monohydrate **AR/ACS** Meets Analytical Specification of IP, BP, USP, Ph. Eur., FCC. M. W.: 210.14 Assay (Acidimetric; Cal. on anhy. sub.) 99.5-100.5%	**500 gm** **5 kg** **25 kg** **50 kg**
716610 $C_6H_8O_7H_2O$ (5949-29-1)	**Citric Acid** Monohydrate for HPLC & Spectroscopy M. W.: 210.14 Assay (Acidimetric) 99.7%	**500 gm**
TC1454M ATC $C_6H_8O_7.H_2O$ (5949-29-1)	**Citric Acid** Monohydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 210.14 Store below 30°C	**500 gm** **1 kg**
	Citric Acid Trisodium Salt Dihydrate See tri sodium citrate	
025771 $C_{10}H_{18}O$ (106-23-0)	**Citronellal** Pract. M. W.: 154.26	**500 ml**
025753 $C_{10}H_{20}O$ (106-22-9)	**Citronellol** Pract. M. W.: 156.27	**500 ml**
053905 $C_{12}H_{22}O_2$ (150-84-5)	**Citronellyl Acetate** for Synthesis (Citronellol Acetate) M. W.: 198.30	**500 gm**
053915 $C_{14}H_{26}O_2$ (141-16-2)	**Citronellyl Butyrate** for Synthesis (Citronellol Butyrate) M. W.: 226.36	**500 gm**
053925 $C_{11}H_{20}O_2$ (105-85-1)	**Citronellyl Formate** for Synthesis (Citronellol Formate) M. W.: 184.28	**500 gm**

Product Code	Product Name	Packing
025775 $C_6H_{13}N_3O_3$ (372-75-8)	L-**Citrulline** CHR (for Biochemistry) M.W. : 175.19 Assay (Non-aqueous) 98.0%	**10 gm** **25 gm**
025714	**Clentorn**™ MA 01 Alkaline For Industrial & Laboratory Cleaning pH 6.0 - 12.0	**500 ml** **5 lit** **25 lit**
025715	**Clentorn**™ MA 02 Neutral For Cleaning Laboratory Glassware Instruments pH 7.2 - 7.5	**500 ml** **5 lit** **25 lit**
025716	**Clentorn**™ MA 03 Phosphate Free For Specific Cleaning work in Laboratories	**500 ml** **5 lit** **25 lit**
PCT2147 PTC $C_{18}H_{33}ClN_2O_5S.HCl$ (21462-39-5)	▲**Clindamycin Hydrochloride** Plant Culture Tested M. W.: 461.05	**5 gm**
036063 (8000-34-8)	**Clove Oil** for Microscopy	**100 ml** **500 ml**
025766 $C_{19}H_{18}ClN_3NaO_5S.H_2O$ (61-72-3)	**Cloxacillin** for Lab Use M.W. : 475.90	**1 gm**
922100 MB (9000-11-7)	**CM-Cellulose Cm 32** **(Dry Macrogranular)** For Caution Exchange For Molecular Biology Store Below 30°C	**500 gm** **1 kg**
817710	**Cobalt** (Co) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **250 ml** **500 ml**
817712	**Cobalt** (Co) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	**100 ml** **250 ml** **500 ml**
817740	**Cobalt** (Co) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	**100 ml** **500 ml**
817770	**Cobalt** (Co) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	**100 ml** **500 ml**
	COBALT (II) See cobalt	
054035 Co (7440-48-4)	**Cobalt** Metal (Cathode) At. W. 58.93	**250 gm**
027786 Co (7440-48-4)	**Cobalt** (Metal) Powder At. W. 58.93 Assay (complexometric) 99.5%	**100 gm** **500 gm** **1 kg**
027787 $C_4H_6CoO_4.4H_2O$ (6147-53-1)	**Cobalt** (Ous) **Acetate** Purified (Cobalt II Acetate) M. W.: 249.08 Assay (complexometric) 99.0%	**100 gm** **500 gm** **50 kg**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
496445 $C_4H_6CoO_4.4H_2O$ (6147-53-1)	**Cobalt** (Ous) **Acetate** Tetrahydrate **AR/ACS** (Cobalt (II) Acetate) M. W.: 249.08 Assay (ex Co) 99.0%	**100 gm** **500 gm**
025706 $B_4CoO_710H_2O$	**Cobalt** (Ous) **Borate** M. W.: 394.10 Assay (ex Co) 99.0-102.0%	**100 gm** **500 gm**
027789 $CoCO_3$ (12602-23-2)	**Cobalt** (Ous) **Carbonate** Purified (Cobalt (II) Carbonate) M. W.: 118.94 Assay cobalt : 45-50%	**100 gm** **500 gm**
027790 $CoCl_2.6H_2O$ (7791-13-1)	**Cobalt** (Ous) **Chloride** Hexahydrate Purified (Cobalt (II) Chloride) M. W.: 237.93 Assay (complexometric) (ex Co) 98.0%	**100 gm** **500 gm** **5 kg** **50 kg**
496465 $CoCl_2.6H_2O$ (7791-13-1)	**Cobalt** (Ous) **Chloride** Hexahydrate **AR/ACS** Reagent for zinc M. W.: 237.93 Assay (complexometric) (ex Co) 99.0-102.0%	**100 gm** **500 gm** **5 kg**
PCT1103 PTC $CoCl_2.6H_2O$ (7791-13-1)	**Cobalt Chloride** Hexahydrate Plant Culture Tested M. W.: 237.93 Assay 99% Store below 30°C	**100 gm** **500 gm**
TC1107 ATC $CoCl_2.6H_2O$) (7791-13-1)	**Cobalt Chloride** Hexahydrate Cell Culture Tested M. W.: 237.93 Assay : ≥98% Store below 30°C	**25 gm** **100 gm**
PA0190	**Cobalt Chloride Paper**	**200 lvs**
054185 (61789-51-3)	**Cobalt Naphthenate** (6% Co) for Synthesis Assay (CO) 5.8-6.2%	**500 gm** **5 kg**
027795 $Co(NO_3)_2.6H_2O$ (10026-22-9)	**Cobalt** (Ous) **Nitrate** Hexahydrate Purified (Cobalt (II) Nitrate) M. W.: 291.03 Assay (complexometric) (ex Co) 97.0-101.0%	**100 gm** **500 gm** **25 kg**
496475 $Co(NO_3)_2.6H_2O$ (10026-22-9)	**Cobalt** (Ous) **Nitrate** Hexahydrate **AR/ACS** (Cobalt (II) Nitrate) M. W.: 291.03 Assay (complexometric) 99.0%	**100 gm** **500 gm**
PCT1120 PTC $Co(NO_3)_2.6H_2O$ (10026-22-9)	**Cobalt Nitrate** Hexahydrate Plant Culture Tested M. W.: 291.03 Assay 99% Store below 30°C	**100 gm** **250 gm** **500 gm**
025707 $CoC_2O_4.2H_2O$ (5965-38-8)	**Cobalt** (Ous) **Oxalate** Dihydrate M. W.: 182.95 Assay (ex Co) 99.0-101.0%	**100 gm** **500 gm**
H10053 HISURE Co_3O_4 (1308-06-1)	**Cobalt Oxide** M. W.: 240.80 Assay (Trace metal basis) 99.995%	**10 gm**
025760 Co_3O_4 (1308-06-1)	**Cobalt Oxide** Black (II & III) M. W.: 240.80 Assay (complexometric) 70.0%	**100 gm** **500 gm**

Product Code	Product Name	Packing
496485 Co_3O_4 (1308-06-1)	**Cobalt Oxide** Black **AR** (II & III) M. W.: 240.80 Assay (by complexometric Co) 71.0-74.0%	**100 gm** **500 gm**
025759 $Co_3(PO_4)_2.8H_2O$ (10294-50-5)	**Cobalt** (Ous) **Phosphate** Octahydrate Purified M. W.: 510.87 Assay (ex Co) 98.0%	**100 gm** **500 gm**
027801 $CoSO_4.7H_2O$ (10026-24-1)	**Cobalt** (Ous) **Sulphate** Heptahydrate (Cobalt (II) Sulphate) M. W.: 281.10 Assay (complexometric) 98.0%	**100 gm** **500 gm** **50 kg**
496500 $CoSO_4.7H_2O$ (10026-24-1)	**Cobalt** (Ous) **Sulphate** Heptahydrate **AR** M. W.: 281.10 Assay (complexometric) 99.0%	**100 gm** **500 gm**
PCT1414 PTC	▲**Coconut Water** Sterile filtered Plant Culture Tested	**100 ml** **5X100 ml**
	Cocktail's For Scintillation	
054400	**Cocktail 'O'** Scintillation Grade Contents per litre 6gm PPO and 0.2gm POPOP	**1 lit** **2.5 lit**
054410	**Cocktail 'T'** Scintillation Grade Contents per litre 5gm PPO and 0.15gm POPOP in toluene	**1 lit** **2.5 lit**
054420	**Cocktail 'W'** Scintillation Grade Contents per litre 10 gm PPO, 0.25gm POPOP and 100 gm Naphthalene in 1,4-dioxan	**1 lit** **2.5 lit**
025750 (68411-97-2)	**Cocobetaine**	**500 gm**
025749 (68603-42-9)	**Cocodiethanolamide**	**500 gm**
025748 (68140-00-1)	**Cocomonoethanolamide**	**500 gm**
042090 (303-98-0)	**Coenzyme** Q10	**100 mg** **1 gm** **5 gm**
PCT2553 PTC $C_{21}H_{25}NO_5$ (477-30-5)	**Colcemid** Plant Culture Tested M. W.: 371.43 Store below 30°C	**5 mg** **10 mg** **50 mg**
TC1566 ATC $C_{21}H_{25}NO_5$ (477-30-5)	▲**Colcemid®** Demecolcine Cell Culture Tested M. W.: 371.43 Assay : ≥95%	**5 mg** **10 mg** **50 mg**
818700	**Cold Stain** TB Kit For Mycobacteria	**1 kit**
027805 $C_{22}H_{25}NO_6$ (64-86-8)	**Colchicine** Used in Research in Plant M. W.: 399.45 Assay (on anhydrous, substance) 98.0%	**1 gm** **10 gm**
PCT2302 PTC $C_{22}H_{25}NO_6$ (64-86-8)	**Colchicine** Plant Culture Tested MW : 399.44 Assay 95% Store below 30°C	**1 gm** **10 gm**

Product Code		Product Name	Packing
TC1030	ATC	**Colchicine** Cell Culture Tested M. W.: 399.44 Assay : ≥95% Store below 30°C $C_{22}H_{25}NO_6$ (64-86-8)	**500 mg** **1 gm** **10 gm**
PCT2142	PTC	**▲Colistin Sulphate** Plant Culture Tested Potency : > 19.000 units / mg (1264-72-8)	**1 gm** **5 gm**
TC1211	ATC	**▲Collagenase** Type I Source : Clostridium histolyticum Suggested for epithelial, liver, lung and adrenal primary cell isolations Cell Culture Tested Activity : ≥125 units per mg of dry weight M. W.: 68- 130 kDa (9001-12-1)	**100 mg** **500 mg** **1 gm** **5 gm**
TC1212	ATC	**▲Collagenase** Type II Clostridopeptidase A) Source : *Clostridium histolyticum* Suggested for bone, heart, liver, thyroid and salivary primary cell Isolation Cell Culture Tested Activity : ≥125 units per mg of dry weight (9001-12-1)	**100 mg** **500 mg** **1 gm** **5 gm**
TC1214 (9001-12-1)	ATC	**▲Collagenase** Type IV Source : *Clostridium histolyticum* Prepared to contain lower tryptic activity levels to limit damage to membrane proteins and receptors but with normal to above normal collagenase activity, Suggested for pancreatic islet primary isolation Cell Culture Tested Activity : ≥160 units per mg (dry weight basis)	**100 mg** **500 mg** **1 gm** **5 gm**
TC1280	ATC	**▲Collagenase** Animal Origin Free Cell Culture Tested Activity : ≥150 units per mg of dry weight (9001-12-1)	**100 mg** **500 mg** **1 gm**
TC1253	ATC	**▲Collagenase** Purified 50 Caseinase units/mg Chromatographically purified collagenase which is specially purified to reduce caseinase activity and provide high specific activity. It is typically used for pancreatic and parotid acini isolations and collagen structural analysis Cell Culture Tested Activity : ≥500 U/mg dry basis (9001-12-1)	**10000 Units**
TC1343	ATC	**Collagen Peptide** **Hydrolysed form of collagen type I** Cell Culture Tested Assay : 90% Store below 30°C	**5 gm** **10 gm** **25 gm**

Product Code	Product Name	Packing
818805	**Collodion** 7%	**500 ml**
343795	2,4,6 -**Collidine** for Synthesis (2,4,6-Trimethyl Pyridine) M. W.: 121.18 $C_8H_{11}N$ (108-75-8)	**100 ml** **500 ml**
818790	**Collodion** 2% in Amyl Acetate For Microscopy	**500 ml**
818800	**Collodion** 4%	**500 ml**
818810 (9004-70-0)	**Collodion** Flexible	**500 ml**
	Colophony See Gum Rosin	

Conductivity Standard Solutions

818830	**Conductivity Standard 5** CRISTAR® **Microsiemense** in accordance with NIST	**500 ml**
818833	**Conductivity Standard 10** CRISTAR® **Microsiemense** in accordance with NIST	**500 ml**
818836	**Conductivity Standard 15** CRISTAR® **Microsiemense** in accordance with NIST	**500 ml**
818839	**Conductivity Standard 20** CRISTAR® **Microsiemense** in accordance with NIST	**500 ml**
818842	**Conductivity Standard 25** CRISTAR® **Microsiemense** in accordance with NIST	**500 ml**
818845	**Conductivity Standard 29.4** CRISTAR® **Microsiemense** in accordance with NIST	**500 ml**
818848	**Conductivity Standard 50** CRISTAR® **Microsiemense** in accordance with NIST	**500 ml**
818851	**Conductivity Standard 70** CRISTAR® **Microsiemense** in accordance with NIST	**500 ml**
818855	**Conductivity Standard 75** CRISTAR® **Microsiemense** in accordance with NIST	**500 ml**
818858	**Conductivity Standard 84** CRISTAR® **Microsiemense** in accordance with NIST	**500 ml**
818861	**Conductivity Standard 100** CRISTAR® **Microsiemense** in accordance with NIST	**500 ml**
818864	**Conductivity Standard 147** CRISTAR® **Microsiemense** in accordance with NIST	**500 ml**
818867	**Conductivity Standard 185** CRISTAR® **Microsiemense** in accordance with NIST	**500 ml**
818870	**Conductivity Standard 200** CRISTAR® **Microsiemense** in accordance with NIST	**500 ml**
818873	**Conductivity Standard 250** CRISTAR® **Microsiemense** in accordance with NIST	**500 ml**
818876	**Conductivity Standard 300** CRISTAR® **Microsiemense** in accordance with NIST	**500 ml**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ·#0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
818879	**Conductivity Standard 390** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818882	**Conductivity Standard 400** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818885	**Conductivity Standard 500** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818888	**Conductivity Standard 600** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818891	**Conductivity Standard 718** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818894	**Conductivity Standard 1000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818987	**Conductivity Standard 1412** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818900	**Conductivity Standard 1413** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818903	**Conductivity Standard 2000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818906	**Conductivity Standard 2060** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818909	**Conductivity Standard 2500** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818912	**Conductivity Standard 3000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818915	**Conductivity Standard 5000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818918	**Conductivity Standard 7000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818921	**Conductivity Standard 10000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818924	**Conductivity Standard 12880** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818927	**Conductivity Standard 13250** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818930	**Conductivity Standard 13400** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818933	**Conductivity Standard 15000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818936	**Conductivity Standard 20000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818939	**Conductivity Standard 30000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818942	**Conductivity Standard 35000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818945	**Conductivity Standard 40000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818948	**Conductivity Standard 50000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818951	**Conductivity Standard 58700** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818954	**Conductivity Standard 60000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818957	**Conductivity Standard 80000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818960	**Conductivity Standard 84000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818963	**Conductivity Standard 100000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818966	**Conductivity Standard 111800** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818969	**Conductivity Standard 150000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818976	**Conductivity Standard 200000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818979	**Conductivity Standard 300000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818982	**Conductivity Standard 500000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
TC1220 ATC (11028-71-0)	· **Concanavalin A** Cell Culture Tested Assay : ≥90% Store at - 2-8°C	**25 mg** **100 mg**
TC1411 ATC $C_{28}H_{38}N_2O_6$ (72263-05-9)	**Conglobatin** (3Z,5R,7S,8S,11Z,13R,15S,16S)-3,5,7,11,13,15- hexamethyl-8, 16-bis (1, 3-oxazol-5-ylmethyl)-1,9-Dioxacyclohexadeca-3,11-diene-2,10-dione Cell Culture Tested M. W.: 498.61 Assay : ≥95% Store at - 20°C	**1 mg**
034022 $C_{32}H_{22}N_6Na_2O_6S_2$ (573-58-0)	**Congo Red** Indicator C.I. No. 22120 M. W.: 696.68	**25 gm** **100 gm** **1 kg**
PA0210	**Congo Red** Paper	**200 lvs**
819040	**Congo Red** Solution	**125 ml**
819045	**Congo Red** TS acc.to USP	**125 ml**
044310 $C_{47}H_{48}N_3O_7S_2Na$ (6104-58-1)	**Coomassie Brilliant Blue** G for Electrophoresis (Brilliant Blue G 250) C.I. No. 42655 M W.: 854.04	**5 gm** **25 gm**

Storage : · ❄0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
922460 MB $C_{47}H_{48}N_3NaO_7S_2$ (6104-58-1)	**Coomassie® Brilliant Blue G - 250** For Molecular Biology C. I. No. : 42655 M. W.: 854.02 Store Below 30°C	**5 gm** **25 gm**
044328 $C_{45}H_{44}N_3NaO_7S_2$ (6104-59-2)	**Coomassie Brilliant Blue** R 250 C.I. 42660 For Electrophoresis M. W.: 825.99	**5 gm** **25 gm**
922510 MB $C_{45}H_{44}N_3NaO_7S_2$ (6104-59-2)	**Coomassie Brilliant Blue R 250** For Molecular Biology C. I. No. : 42660 M. W.: 825.97 Store Below 30°C	**5 gm** **25 gm** **100 gm**
819100	**Copper** (Cu) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in Accordance with NIST	**100 ml** **250 ml** **500 ml**
819102	**Copper** (Cu) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in Accordance with NIST	**100 ml** **250 ml** **500 ml**
819150	**Copper** (Cu)1000 ppm Single Element Std. Soln. for ICP-MS in HNO_3 in Accordance with NIST	**100 ml** **500 ml**
819180	**Copper** (Cu)10000 ppm Single Element Std. Soln. for ICP-MS in HNO_3 in Accordance with NIST	**100 ml** **500 ml**
027810 Cu (7440-50-8)	**Copper** (Metal) Powder 325 mesh Electrolytic At W. 63.55 Assay (iodometric) 99.5%	**500 gm** **25 kg**
496595 Cu (7440-50-8)	**Copper** (Metal) Powder Fine **AR** At. W. 63.55 Assay (iodometric) 99.7%	**500 gm**
N10368 Cu (7440-50-8)	**Copper Nanopowder** (40nm) At. W. 63.55 Assay 99.9%	**5 gm** **25 gm**
027812 Cu (7440-50-8)	**Copper** (Metal) Turning At W. 63.55 Assay (iodometric) 99.5%	**100 gm** **500 gm**
025746 Cu (7440-50-8)	**Copper Foil** tech. M. W.: 63.55 Assay (Iodometric) 99.5%	**100 gm**
027808 Cu (7440-50-8)	**Copper Foil** 0.1 mm Approx. At W. 63.55 Assay (iodometric) 99.7%	**500 gm**
496605 Cu (7440-50-8)	**Copper Foil** Approx. 0.1 mm **AR** At W. 63.55	**500 gm**
819280	**Copper Acetate** TS acc. to USP	**500 ml**
027829 $C_4H_6CuO_4.H_2O$ (6046-93-1)	**Copper** (II) **Acetate** Monohydrate M. W.: 199.65 Assay (iodometric) 98.0%	**250 gm** **500 gm** **25 kg**
496630 $C_4H_6CuO_4.H_2O$ (6046-93-1)	**Copper** (II) **Acetate** Monohydrate **AR** M. W.: 199.65 Assay (iodometric) 99.0%	**250 gm**
923560 MB $(CH_3COO)_2Cu.H_2O$ (6046-93-1)	**Copper Acetate** Monohydrate For Molecular Biology M. W.: 199.65 Assay : ≥ 98.0% Store Below 30°C	**50 gm** **100 gm** **500 gm**
027830 (39290-85-2)	**Copper** (II) **Borate** Assay 95.0%	**250 gm**
054865 $CuBr_2$ (7789-45-9)	**Copper** (II) **Bromide** for Synthesis M. W.: 223.35	**500 gm**
027833 $CuCO_3.Cu(OH)_2$ (12069-69-1)	**Copper** (II) **Carbonate** Purified M.W.:221.12 Assay (as Copper) (Iodometric): 54.0-57.0%	**500 gm** **25 kg** **50 kg**
819300	**Copper** (II) **Chloride** 0.3M Solution (Cupric Chloride 0.3M Solution)	**500 ml** **1 lit** **2.5 lit**
496655 $CuCl_2$ (7447-39-4)	**Copper** (II) **Chloride** Anhydrous **AR** M. W.: 134.45 Assay (iodometric) 98.0%	**500 gm**
027834 $CuCl_2.2H_2O$ (10125-13-0)	**Copper** (II) **Chloride** Dihydrate Cryst. M. W.: 170.48 Assay (iodometric) (ex Cu) 99.0%	**500 gm** **25 kg** **50 kg**
496660 $CuCl_2.2H_2O$ (10125-13-0)	**Copper** (II) **Chloride** Dihydrate **AR** M. W.: 170.48 Assay (Iodometric) (ex Cu) 99.0-100.5%	**500 gm** **25 kg**
TC1108 ATC $CuCl_2.2H_2O$ (10125-13-0)	**Copper** (II) **Chloride** Dihydrate (Cupric chloride dihydrate) Cell Culture Tested M. W.: 170.48 Assay : ≥99% Store below 30°C	**100 gm** **500 gm**
TC1108M ATC $CuCl_2.H_2O$ (10125-13-0)	**Copper** (II) **Chloride** Dihydrate Cupric dichloride; Copper(II) chloride Meets USP 41-NF 36 testing specifications M. W.: 170.48 Store below 30°C	**100 gm** **500 gm**
054985 $2CuO.Cr_2O_3$ (12053-18-8)	**Copper Chromite** for Synthesis M. W.: 311.08	**500 gm** **2.5 kg**
025709 $C_6H_4Cu_2O_7 2½H_2O$ (10402-15-0)	**Copper** (II) **Citrate** Hemipentahydrate M. W.: 360.19 Assay 99.0-101.0%	**500 gm**
819320 $C_4H_{18}CuN_4O_2$ (14552-35-3)	**Copper** (II) **Ethylenediamine** Complex, 1M Solution In Water M.W : 217.76	**1 lit**
	Copper (II) **Hydroxide Carbonate** See Copper(II) Carbonate	
055150 (1338-02-9)	**Copper Napthenate**	**500 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : • 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
027839 $Cu(NO_3)_2.3H_2O$ (10031-43-3)	**Copper** (II) **Nitrate** Trihydrate M. W.: 241.60 Assay (Iodometric) (ex Cu) 99.0%	**250 gm** **500 gm** **50 kg**
496685 $Cu(NO_3)_2.3H_2O$ (10031-43-3)	**Copper** (II) **Nitrate** Trihydrate **AR/ACS** M. W.: 241.60 Assay (by (Iodometry) 99.5%	**500 gm**
027842 CuC_2O_4 (814-91-5)	**Copper** (II) **Oxalate** M. W.: 151.56 Assay 98.0%	**500 gm**
496700 CuO (1317-38-0)	**Copper Oxide** WIRE **AR** for Elementary Analysis M.W.: 79.54	**100 gm**
027843 CuO (1317-38-0)	**Copper** (II) **Oxide** Powder M. W.: 79.55 Assay (Iodometric) 97.0%	**100 gm** **500 gm**
496710 CuO (1317-38-0)	**Copper** (II) **Oxide** Powder **AR/ACS** Suitable for Elementary Analysis M. W.: 79.55 Assay (Iodometric) 99.0%	**100 gm** **500 gm**
H10542 HISURE Cu_2O (1317-39-1)	**Copper Oxide AR** M. W.: 143.08 Assay (Based on trace metal analysis) 99.99%	**25 gm**
H10539 HISURE CuO (1317-38-0)	**Copper** (II) **Oxide AR** M. W.: 79.55 Assay (Based on trace metal analysis) 99.99%	**25 gm**
N10450 CuO (1317-38-0)	**Copper Oxide Nanopowder/** **Nanoparticles** (40nm) M. W.: 79.55 Assay 99%	**5 gm** **25 gm** **100 gm**
027841 (7798-23-4)	**Copper** (II) **Phosphate**	**250 gm**
819380	**Copper** (II) **Sulphate** CPECTROSOL® 0.1M (0.1N) Standardized Solution In accordance with NIST	**1 lit**
819390	**Copper Sulphate** TS acc. to USP	**500 ml**
027850 $CuSO_4$ (7758-98-7)	**Copper** (II) **Sulphate** Anhydrous M. W.: 159.61 Assay 99.0%	**500 gm**
496780 $CuSO_4$ (7758-98-7)	**Copper** (II) **Sulphate** Anhydrous **AR** (Cupric Sulphate Anhydrous) M.W. 159.60 Assay 99%	**500 gm**
TC1609M ATC $CuSO_4$ (7758-98-7)	**Copper** (II) **Sulphate** Anhydrous Cupric (II)sulphate Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications M. W.: 159.61 Store below 30°C	**100 gm** **1 kg**
027849 $CuSO_4.5H_2O$ (7758-99-8)	**Copper** (II) **Sulphate** Pentahydate M. W.: 249.68 Assay (iodometric) 99.0%	**500 gm** **1 kg** **5 kg** **50 kg**
496775 $CuSO_4.5H_2O$ (7758-99-8)	**Copper** (II) **sulphate** Pentahydrate **AR** **/ACS** M. W.: 249.68 Assay (Iodometric) 99.5%	**500 gm** **5 kg** **50 kg**
922780 MB $CuSO_4.5H_2O$ (7758-99-8)	**Copper** (II) **Sulphate** Pentahydrate For Molecular Biology M. W.: 249.69 Assay : ≥ 99.5% Store Below 30°C	**100 gm** **500 gm**
PCT1104 PTC $CuSO_4.5H_2O$ (7758-99-8)	**Copper (II) Sulphate** Pentahydrate Plant Culture Tested M. W.: 249.69 Assay 99.5% Store below 30°C	**250 gm** **500 gm**
TC1003 ATC $CuSO_4.5H_2O$ (7758-99-8)	**Copper** (II) **Sulphate** Pentahydrate (Cupric sulphate pentahydrate) Cell Culture Tested M. W.: 249.69 Assay : ≥98.5% Store below 30°C	**500 gm** **1 kg**
TC1003M ATC $CuSO_4.5H_2O$ (7758-99-8)	**Copper** (II) **Sulphate** Pentahydrate Cupric sulphate pentahydrate Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications M. W.: 249.69 Store below 30°C	**500 gm** **1 kg**
055335 CuS (1317-40-4)	**Copper** (II) **Sulphide** **(Cupric Sulphide)** M. W.: 95.61	**500 gm**
	Corn Oil See Oil Corn	
	Cortisol See Hydrocortisone	
055580 $C_{37}H_{27}N_3O_9S_3Na_2$ (28983-56-4)	**Cotton Blue** for Microscopy M. W.: 799.80	**25 gm** **100 gm**
859260	**Cotton Blue Lactophenol** Solution	**500 ml**
027816 $C_9H_6O_2$ (91-64-5)	**Coumarin** for Synthesis M. W.: 146.15	**250 gm** **500 gm**
	Cream of Tartar See Potassium Hydrogen (+) Tartrate	
	Creatine phosphate disodium salt See Creatine phosphoric acid disodium salt	
037047 $C_4H_9N_3O_2H_2O$ (6020-87-7)	**Creatine** (Monohydrate) M. W.: 149.15 Assay (non-aqueous dried) 8.0%	**25 gm** **100 gm** **1 kg**
498365 $C_4H_8N_3Na_2O_5P.4H_2O$ (922-32-7)	· **Creatine Phosphoric Acid Disodium** **Salt AR** (Creatine Phosphate Disodium Salt, Phosphocreatine) M. W.: 327.15 Assay 98.0%	**1 gm** **5 gm**
037049 $C_4H_7N_3O$ (60-27-5)	**Creatinine** Pure M. W.: 113.12 Assay (Non aqueous) 99.0%	**25 gm** **100 gm** **1 kg**
498400 $C_4H_7N_3O$ (60-27-5)	**Creatinine AR** for determination of Creatine in Blood M. W.:113.12 Assay (Non-aqueous; dried basis) 99.5%	**25 gm** **100 gm** **1 kg**

Product Code	Product Name	Packing
819600	**Creatinine** Standard Solution Concentration 0.0099-0.011mg/lit	**125 ml**
025726 $C_4H_7N_3O.HCl$ (19230-81-0)	**Creatinine Hydrochloride** for Biochemistry M. W.:149.58 Assay (argentometric) 99.5%	**25 gm** **100 gm**
037051 (62708-52-5)	**Creatinine Zinc Chloride**	**10 gm** **250 gm**
025712 (8021-39-4)	**Creosote** Beechwood	**500 gm**
025695 C_7H_8O (1319-77-3)	**Cresol** Mixed (Cresylic Acid) M. W.: 108.14	**500 ml** **2.5 lit**
027820 C_7H_8O (108-39-4)	m-**Cresol** M. W.: 108.14 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit**
498445 C_7H_8O (108-39-4)	m-**Cresol** 99% **AR/ACS** M. W.: 108.14 Assay GC) 99.0%	**500 ml**
027818 C_7H_8O (95-48-7)	o-**Cresol** M. W.: 108.14 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
027821 C_7H_8O (106-44-5)	p-**Cresol** M. W.: 108.14 Assay (GC) 98.0%	**500 gm** **2.5 kg** **25 kg**
020026 $C_{22}H_{18}O_4$ (596-27-0)	o-**Cresolphthaleine** pH Indicator M. W.: 346.39	**5 gm** **25 gm** **100 gm**
020027 $C_{32}H_{32}N_2O_{12}$ (2411-89-4)	o-**Cresolphthaleine Complexone** (Phthalein Purple) M.W.: 636.62	**1 gm** **5 gm**
819650	o-**Cresolphthalein** pH Indicator Solution (pH transition 8.2 (colorless) to 10.4 (red))	**100 ml**
498470 $C_{21}H_{18}O_5S$ (2303-01-7)	m-**Cresol Purple** pH Indicator **AR** M. W.:382.43	**1 gm** **5 gm**
819700	m-**Cresol Purple** Solution	**125 ml**
498495 $C_{21}H_{18}O_5S$ (1733-12-6)	**Cresol Red** Indicator **AR** M.W.: 382.44	**5 gm** **25 gm**
819740	**Cresol Red** Indicator Solution	**125 ml**
	Cresol and Soap Solution See Lysol	
	Cresyl Blue See Brilliant Cresyl Blue	
	p-Cresyl methyl ether See 4-methylanisole	
	Cresylic Acid See Cresol (mixed isomers)	
055745 $C_{18}H_{15}N_3O_3$ (10510-54-0)	**Cresyl Violet** (Acetate) for Microscopy M. W.: 321.33	**1 gm** **5 gm**

Product Code	Product Name	Packing
030632 $C_{34}H_{62}O_{11}$ (9002-93-1)	**Criton**™X100 M. W.: 646.87 Assay (iodometric) 98-021%	**500 ml** **2.5 lit** **25 lit**
923500 MB $C_{34}H_{62}O_{11}$ (9002-93-1)	**Criton**™X100 for Molecular Biology M. W.: 646.87	**50 ml** **100 ml** **500 ml**
014630 $C_{34}H_{62}O_{11}$ (9002-93-1)	**Criton**™ X100 Scintillation Grade M. W.: 646.87 Assay (iodometric) 98-102%	**500 ml** **2.5 lit**
TC1286 ATC $C_{34}H_{62}O_{11}$ (9002-93-1)	**Criton**® X-100 Cell Culture Tested M. W.: 646.87 Store below 30°C	**100 ml** **500 ml**
055865 C_4H_6O (123-73-9)	**Crotonaldehyde** for Synthesis M. W.: 70.1 Assay 99.0%	**500 ml** **2.5 lit** **25 lit**
025764 $C_4H_6O_2$ (107-93-7)	**Crotonic Acid** M. W.: 86.09 Assay (GC) 98.0%	**100 gm** **500 gm**
055965 $C_{14}H_{20}O_5$ (14098-44-3)	**Crown Ether /Benzo**-15-**Crown**-5 for Synthesis M. W.: 268.31	**5 gm** **25 gm**
055985 $C_{10}H_{20}O_5$ (33100-27-5)	**Crown Ether** /15-**Crown**-5 for Synthesis M. W.: 220.26	**5 gm** **25 gm**
025727 $C_{12}H_{24}O_6$ (17455-13-9)	18-**Crown**-6-**Ether** for Synthesis M. W.:264.32 Assay (GC) 99.0%	**25 gm** **100 gm** **500 gm**
055995 $C_{20}H_{20}O_6$ (14187-32-7)	**Crown Ether / Dibenzo-18-Crown-6** for Synthesis(Dibenzo 18-Crown-6) M. W.: 360.40	**5 gm** **25 gm**
027825 Na_3AlF_6 (15096-52-3)	**Cryolite** Powder (Sodium Hexafluoro Aluminate) M. W.: 209.94 Assay (Gravimetric) (ex F) 97.0%	**500 gm** **2.5 kg** **25 kg**
034024 $C_{25}H_{30}ClN_3$ (548-62-9)	**Crystal Violet** for Microscopy C.I. No. 42555 M.W:.407.99 Dye content (Titanometry, on dried subs.) 88.0%	**25 gm** **100 gm** **500 gm** **1 kg**
819900	**Crystal Violet** for Microscopy Staining Solution Oxalated	**125 ml**
819905	**Crystal Violet** 1% w/v in Glacial Acetic Acid (For Non-Aqueous Titration)	**100 ml**
499345 (548-62-9)	**Crystal Violet AR/ACS** for Microscopy C.I. No. 42555 Dye content (Titanometry, on dried subs.) 96.0%	**25 gm** **100 gm**
819960	**C.S.F.** Diluting Fluid	**125 ml**
056080 (80-15-9)	**Cumene Hydroperoxide** for Synthesis Assay 70.0%	**100 ml** **500 ml**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
499660 $C_6H_9N_3O_2$ (135-20-6)	**Cupferron AR** M.W.: 155.16 Assay (Acidimetric) (NH_4) 97.0%	**25 gm** **100 gm**
	Cupric Bromide See Copper (II) Bromide	
	Cupric (I) **Compound** See Cuprous Compound	
	Cupric (II) **Compounds** See Copper Compounds	
	Cupric Sulphide See Copper (II) Sulphide	
	Cuprizon See BIS-cyclohexanone oxalyl dihydrazone	
	Cuproin AR See 2,2'-Biquinoyl AR	
	Cupron See a-Benzoin-Oxime	
025725 CuBr (7787-70-4)	**Cuprous Bromide** Anhydrous M. W.: 143.45 Assay (redox titration) 97.0%	**500 gm**
027854 CuCl (7758-89-6)	**Cuprous Chloride** (Copper I Chloride) M. W.: 99.00 Assay (by Iodometric titration of reductive Capacity of cul) 96.0%	**500 gm** **1 kg** **25 kg**
499705 CuCl (7758-89-6)	**Cuprous Chloride AR/ACS** M. W.: 99.00 Assay(by cerimetry) 97.0%	**250 gm**
056185 ⚛ CuCN (544-92-3)	**Cuprous Cyanide** for Synthesis [Copper (I) Cyanide] M. W.: 89.56	**500 gm**
056195 CuI (7681-65-4)	**Cuprous Iodide** for Synthesis (Copper (I) Iodide) M. W.: 190.45	**100 gm** **500 gm**
027858 Cu_2O (1317-39-1)	**Cuprous Oxide** Red (Copper I Oxide) M. W.: 143.08 Assay (as Cu_2O) 94.0%	**500 gm**
056220 ⚛ C_2CuKN_2 (13682-73-0)	**Cuprous Potassium** Cyanide M.W :154.67	**500 gm**
020031 $C_{21}H_{20}O_6$ (458-37-7)	**Curcumin** Crystalline C.I. 75300 M. W.: 368.39 Assay (HPLC mix of curcumin) 95.0%	**5 gm** **10 gm**
820000	**Curcumin Reagent** Solution (Reagent for Boron & For TLC Derivatization)	**100 ml**
056240 (9005-64-5)	**Cween** 20	**500 ml** **25 lit** **200 lit**
H10836 HISURE $C_{58}H_{114}O_{26}$ (9005-64-5)	**Cween** 20 (Confirms to Pharma Grade) M.W.1227.72	**500 ml**

Product Code	Product Name	Packing
923600 MB $C_{58}H_{114}O_{26}$ (9005-64-5)	**Cween** 20 for Molecular Biology (Polyoxyethylene (20) Sorbitan Monolaurate) M.W. 1227.72	**100 ml** **500 ml**
TC1287 ATC (9005-64-5)	**Cween** 20 (See: Polysorbate 20) Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications Store below 30°C	**100 ml** **5x100 ml**
TC1287M ATC (9005-64-5)	**Cween** 20 (See: **Polysorbate** 20) Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications Store below 30°C	**100 ml** **5x100 ml**
024295 (9005-67-8)	**Cween** 60	**500 ml**
056023 (9005-65-6)	**Cween** 80 Meets Analytical Specification of IP, BP, USP, Ph. Eur.	**500 ml** **2.5 lit** **25 lit** **200 lit**
H10863 HISURE (9005-65-6)	**Cween** 80 (Polyoxyethylene (20) Sorbitan Monooleate) Confirming to BP, USP	**500 ml** **2.5 lit**
PCT2310 PTC (9005-64-5)	**Cween®** 20 Plant Culture Tested Store below 30°C	**500 ml**
PCT2513 PTC (9005-65-6)	**Cween®** 80 Plant Culture Tested Store below 30°C	**100 ml** **500 ml**
TC1543M ATC (9005-65-6)	**Cween** 80 (See: Polysorbate 80) Polyxyethylene 20 sorbitan monooleate Meets USP and EP testing specifications Store below 30°C	**100 ml** **500 ml**
056345 $NCCH_2CONH_2$ (107-91-5)	**Cyanoacetamide** for Synthesis (2-Cyanoacetamide) M. W.: 84.08	**100 gm** **500 gm**
499945 NCC_6H_4CHO (105-07-7)	4-**Cyanobenzaldehyde AR** M. W.: 131.13	**5 gm** **25 gm** **100 gm**
044023 $C_{63}H_{88}CoN_{14}O_{14}P$ (68-19-9)	· **Cyanocobalamin** for Biochemistry (Vitamin B12) M. W.: 1355.38 Assay(by Spectrophotometry) (on dried material) 96.0%	**250 mgm** **1 gm**
PCT1204 PTC $C_{63}H_{88}CoN_{14}O_{14}P$ (68-19-9)	▲**Cyanocobalamin** (Vitamin B12) Plant Culture Tested M. W.: 1355.37 Assay 97%	**250 mg** **1 gm**

Storage : • 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
TC1183 ATC $C_{63}H_{88}CoN_{14}O_{14}P$ (68-19-9)	▲**Cyanocobalamin** (See: Vitamin B12) Cell Culture Tested M. W.: 1355.37 Assay : ≥96%	**100 mg** **250 mg** **1 gm** **5 gm**
TC1183M ATC $C_{63}H_{88}CoN_{14}O_{14}P$ (68-19-9)	▲**Cyanocobalamin** (See: Vitamin B12) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 1355.37	**100 mg** **250 mg** **1 gm** **5 gm**
025794 CNBr (506-68-3)	· **Cyanogen Bromide** for Synthesis M. W.: 105.93 Assay (Iodometric) 98.0%	**100 gm** **500 gm**
	1-**Cyanoguanidine** See Dicyanadiamide	
	5-**Cyanoindole** See Indole-5-Carbonitrile	
056585 $C_6H_4N_2$ (100-54-9)	3-**Cyanopyridine** (Pyridine-3-Carbonitrile) M. W.: 104.12	**100 gm**
056587 $C_6H_4N_2$ (100-48-1)	4-**Cyanopyridine** (Isonicotinic Acid Nitrile) M. W.: 104.12	**100 gm** **500 gm**
056765 $C_3Cl_3N_2$ (108-77-0)	**Cyanuric Chloride** (2,4,6,-Trichloro-1,3,5-Triazine) (for Synthesis) M. W.: 184.41	**500 gm**
500195 $C_{10}H_{24}N_4$ (295-37-4)	**Cyclam AR** M. W.: 200.32	**1 gm** **5 gm**
500335 $C_{36}H_{60}O_{30}$ (10016-20-3)	a-**Cyclodextrin AR** M. W.: 972.84	**1 gm** **5 gm** **25 gm**
PCT1608 PTC $C_{36}H_{60}O_{30}$ (10016-20-3)	a-**Cyclodextrin** Plant Culture Tested M. W.: 972.84 Assay 98% Store below 30°C	**1 gm** **10 gm**
TC1103 ATC $C_{36}H_{60}O_{30}$ (10016-20-3)	α - **Cyclodextrin** Cell Culture Tested M. W.: 972.84 Assay : ≥98% Store below 30°C	**1 gm** **5 gm**
056845 $C_{42}H_{70}O_{35}$ (7585-39-9)	▲β-**Cyclodextrin** M. W.: 1134.98	**100 gm** **500 gm**
PCT1609 PTC $C_{42}H_{70}O_{35}$ (7585-39-9)	▲β-**Cyclodextrin** Plant Culture Tested M. W.: 1134.98 Assay 98%	**100 gm** **500 gm**
TC1104 ATC $C_{42}H_{70}O_{35}$ (7585-39-9)	▲β - **Cyclodextrin** Cell Culture Tested M. W.: 1134.98 Assay : ≥98.5%	**5 gm** **25 gm** **100 gm**

Product Code	Product Name	Packing
027867 C_6H_{12} (110-82-7)	**Cyclohexane** for Synthesis M. W.: 84.16 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
500380 C_6H_{12} (110-82-7)	**Cyclohexane AR** M. W.: 84.16 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
500390 C_6H_{12} (110-82-7)	**Cyclohexane** Specially Dried **AR** M. W.: 84.16 Assays (By GC) 99.5%	**500 ml** **2.5 lit**
717595 C_6H_{12} (110-82-7)	**Cyclohexane** GC-HS Grade M.W. 84.16 Assay (GC) 99.9%	**1 lit**
717600 C_6H_{12} (110-82-7)	**Cyclohexane** For HPLC & Spectroscopy M. W.: 84.16 Assay (GC) 99.7%	**1 lit** **2.5 lit**
717700 C_6H_{12} (110-82-7)	**Cyclohexane** for Pesticide Residue Trace Analysis M. W.: 84.16	**1 lit** **2.5 lit**
056995 $C_6H_{10}(CO_2H)_2$ (2305-32-0)	trans-1-2-**Cyclohexane Dicarboxylic Acid** M. W.: 172.18 Assay 95.0%	**25 gm** **500 gm**
	1,2-**Cyclohexanediamine Tetra Aceteic Acid (CDTA)** See Trans-1,2-Diaminocyclohexane N,N,N'N-Tetra Acetic Acid	
057025 $C_6H_8O_2$ (504-02-9)	1,3-**Cyclohexane Dione** for Synthesis M. W.: 112.13 Assay 97.0%	**25 gm** **100 gm** **500 gm**
027870 $C_6H_{12}O$ (108-93-0)	**Cyclohexanol** for Synthesis M. W.: 100.16 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
500845 $C_6H_{12}O$ (108-93-0)	**Cyclohexanol AR** M. W.: 100.16	**500 ml** **2.5 lit** **25 lit** **200 lit**
027871 $C_6H_{10}O$ (108-94-1)	**Cyclohexanone** for Synthesis M.W.: 98.15 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
500865 $C_6H_{10}O$ (108-94-1)	**Cyclohexanone AR** M. W.:98.15 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
717800 $C_6H_{10}O$ (108-94-1)	**Cyclohexanone** for Pesticide Residue Trace Analysis M.W.: 98.15	**1 lit**
717850 $C_6H_{10}O$ (108-94-1)	**Cyclohexanone** for GC-HS M.W.: 98.15	**1 lit** **2.5 lit**
	Cycloheximide See Actidione	

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
027875 $C_6H_{13}N$ (108-91-8)	**Cyclohexylamine** for Synthesis M. W.: 99.18 Assay (Acidimetric) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
	3-(Cyclohexylamino-1-propane suphonic acid See CAPS	
	3-(Cyclohexylamino-2-hydroxy-1-propane suphonic acid See CAPSO	
	Cyclohexylbromide See Bromocyclohexane	
	Cyclohexylchloride See Chlorocyclohexane	
057465 $C_{10}H_{20}N_2$ (17766-28-8)	1-**Cyclohexylpiperazin** M. W.: 168.28 Assay 97.0%	**5 gm**
057525 $C_8H_{14}O$ (502-49-8)	**Cyclooctanone** for Synthesis M. W.: 126.20 Assay 98.0%	**25 gm**
	Cyclopentadiene(Dimer) See Dicyclopentadiene	
057685 C_5H_{10} (287-92-3)	**Cyclopentane** for Synthesis M. W.: 70.13	**250 ml** **25 lit**
057745 C_5H_9OH (96-41-3)	**Cyclopentanol** for Synthesis M. W.: 86.13	**500 ml**
057815 C_5H_8O (120-92-3	**Cyclopentanone** for Synthesis M. W.: 84.12	**500 ml** **2.5 lit** **25 lit** **200 lit**
057855 $C_{13}H_{16}O_3$ (427-49-6)	a-**Cyclopentylmandelic Acid** M.W. 220.27 Assay 98%	**5 gm**
501475 $C_6H_{12}O$ (5614-37-9)	**Cyclopentyl Methyl Ether AR** M. W.: 100.16 Assay 99.0%	**500 ml** **1 lit**
057905 C_3H_5CN (5500-21-0)	**Cyclopropanecarbonitrile** M. W.: 67.09 Assay 98.0%	**5 gm** **25 gm**
501535 ✻ $C_3H_5CO_2H$ (1759-53-1)	**▲Cyclopropane Carboxylic Acid AR** M. W.: 86.09 Assay 95.0%	**100 gm** **500 gm**
057995 ✻ $C_3H_5CH_2NH_2.HCl$ (7252-53-1)	**Cyclopropanemethylamine Hydro Chloride** M. W.: 107.58 Assay 99.0%	**1 gm** **10 gm**
058115 $C_3H_5NH_2$ (765-30-0)	**Cyclopropylamine** for Synthesis M. W.: 57.09 Assay 98.0%	**100 ml** **500 ml**
058285 $C_3H_5COCH_3$ (765-43-5)	**Cyclopropylmethylketone** (Acetylcy clopropane) M. W.: 84.12 Assay 99.0%	**25 ml** **100 ml**

Product Code	Product Name	Packing
PCT2130 PTC $C_3H_6N_2O_2$ (68-41-7)	**▲D-Cycloserine** **(D-4-Amino-3-isoxazolidone)** Plant Culture Tested M. W.: 102.09 Assay 98%	**1 gm** **5 gm**
058385 $C_{10}H_{14}$ (99-87-6)	p-**Cymene** for Synthesis M. W.: 134.22 Assay 99.0%	**250 ml**
058485 $C_2H_7NS.HCl$ (156-57-0)	**Cysteamine Hydrochloride** for Synthesis (2-Mercapto Ethylamine HCl, 2-Amino Ethanethiol Hcl) M. W.: 113.61 Assay 98.0%	**100 gm** **500 gm**
037218 $C_3H_7SNO_2$ (52-90-4)	L-**Cysteine** for Biochemistry M. W.: 121.16 Assay (Iodometric ex SH) 98.0%	**25 gm** **100 gm** **500 gm**
PCT1305 PTC $C_3H_7NO_2S$ (52-90-4)	**L-Cysteine** Plant Culture Tested M. W.: 121.16 Assay 99% Store below 30°C	**25 gm** **100 gm** **500 gm**
TC1060 ATC $C_3H_7NO_2S$ (52-90-4)	**L-Cysteine** (From non-animal source) Cell Culture Tested M. W.: 121.16 Assay : ≥98% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
TC1062 ATC $C_6H_{12}N_2O_4S_2.2HCl$ (30925-07-6)	**L-Cysteine** Dihydrochloride (From non-animal source) Cell Culture Tested M. W.: 313.22 Assay : ≥98.5% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
TC1070 ATC $C_6H_{12}N_2O_4S_2$ (56-89-3)	**L-Cysteine** (From non-animal source) Cell Culture Tested M. W.: 240.3 Assay : ≥98.5% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
501715 $C_3H_7NO_2S.HCl.H_2O$ (7048-04-6)	L-**Cysteine Hydrochloride AR** (Monohydrate) for Biochemistry M. W.: 175.63 Assay (Iodometric; calc. to the dried sub.) 99.5-101.0%	**25 gm** **100 gm** **500 gm** **1 kg**
PCT1325 PTC $C_3H_7NO_2S.HCl.H_2O$ (7048-04-6)	**L-Cysteine HCl** Monohydrate Plant Culture Tested MW : 175.63 Assay 98% Store below 30°C	**25 gm** **100 gm** **500 gm**
TC1058 ATC $C_3H_7NO_2S.HCl.H_2O$ (7048-04-6)	**L-Cysteine Hydrochloride** (From non-animal source) Cell Culture Tested MW : 175.63 Assay : ≥98.5% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**

Storage : · #0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
TC1058M ATC $HSCH_2CH(NH_2)COOH.HCl.H_2O$ (7048-04-6)	**L-Cysteine Hydrochloride** Monohydrate (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 175.63 Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
037057 $C_6H_{12}N_2O_4S_2$ (56-89-3)	L-**Cystine** for Biochemistry M. W.: 240.30 Assay (Non-aqueous) 99.0%	**25 gm** **100 gm** **1 kg**
PCT1306 PTC $C_6H_{12}N_2O_4S_2$ (56-89-3)	**L-Cystine** Plant Culture Tested M. W.: 240.3 Assay 99% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
TC1070M ATC $HSCH_2CH(NH_2)CO_2H$ (56-89-3)	**L-Cystine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 240.3 Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
025762 $C_6H_{12}N_2O_4S_2.2HCl$ (30925-07-6)	L-**Cystine Dihydrochloride** M. W.: 313.22 Assay (Iodometric; calc. to the dried subs.) 98.0%	**25 gm**

Product Code	Product Name	Packing
042017 $C_9H_{13}N_3O_5$ (65-46-3)	▲**Cytidine** for Biochemistry M.W.: 243.22 Assay (Non-aq) 98.0%	**1 gm** **5 gm** **25 gm**
TC1110 ATC $C_9H_{13}N_3O_5$ (65-46-3)	▲**Cytidine** Cell Culture Tested M. W.: 243.22 Assay : ≥99%	**1 gm** **5 gm** **50 gm**
042072 $C_9H_{14}N_3O_8P$ (63-37-6)	· **Cytidine**-5-**Monophosphate** (5-CMP) M. W.: 323.20	**1 gm** **5 gm**
TC1224 ATC $C_{29}H_{37}NO_5$ (14930-96-2)	**Cytochalasin B** Cell Culture Tested M. W.: 479.61 Assay : ≥98% Store at -20°C	**5 mg** **5x5 mg**
058585 (9007-43-6)	· **Cytochrome**- 'C' (Oxidised) Ex Horse Heart Extra Pure for Biochemistry (Approx. 10% Reduced from) Assay (UV) 90.0%	**100 mg** **1 gm**
	Cytokinine for Biochemistry See Kinetin	
025713 $C_4H_5N_3O$ (71-30-7)	**Cytosine** for Biochemistry M. W.: 111.10 Assay (HPLC) 98.0%	**5 gm** **25 gm**

AGAROSE

Low / Medium / High **EEO**
RNase and DNase free
(Refer to pg. no. 6 & 7)

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
025600 H_2O (7732-18-5)	**D.M. Water** M. W.: 18.02	**500 ml** **5 lit**
	Daminozide See ALAR (B9)	
PCT1838 PTC $C_6H_{12}N_2O_3$ (1596-84-5)	**Daminozide** (Alar) Plant Culture Tested M. W.: 160.17 Assay 99% Store below 30°C	**1 gm** **5 gm**
923800 MB $C_{16}H_{15}N_5.2HCl$ (28718-90-3)	· **DAPI Dihydrochloride** (4',6-Diamidino-2-Phenylindole Dihydrochloride) For Molecular Biology M. W.: 350.25 Assay : ≥ 95%	**10 mg** **25 mg**
PCT2539 PTC $C_{16}H_{15}N_5.2HCl$ (28718-90-3)	· **DAPI Dihydrochloride** (4',6-Diamidino-2-phenylindole Dihydrochloride) Plant Culture Tested M. W.: 350.25 Assay 98%	**5 mg** **25 mg**
033033 (7440-44-0)	**Darco** G 60	**500 gm**
505495 (7440-44-0)	**Darco** G 60 **AR**	**500 gm**
TC1417 ATC $C_{27}H_{29}NO_{10}.HCl$ (23541-50-6)	▲**Daunorubicin Hydrochloride** Cell Culture Tested M. W.: 563.98 Assay : ≥90%	**5 mg** **25 mg**
	DDQ See 2,3-Dichloro-5,6-dicyano-p-Benzoquinone	
	Deacetylated Chitin See Chitosan	
062805 (9013-34-7)	**Deae Cellulose** 11 for Column Chromatography	**5 gm** **25 gm** **100 gm**
923850 MB (9013-34-7)	**Deae Cellulose -** 52 (Diethylaminoethyl-Cellulose) Fine Mesh For Column Chromatography For Molecular Biology Store Below 30°C	**5 gm** **25 gm** **100 gm**
923900 MB (9015-73-0)	**Deae Dextran** For Molecular Biology Av. M. W. : 500000 Store Below 30°C	**25 gm** **100 gm**
062905 $C_{10}H_{22}O$ (112-30-1)	1-**Decanol** for Synthesis (Decan-1-OL, n-Decanol) M.W.: 158.28	**500 ml** **2.5 lit** **25 lit** **200 lit**
062955 $C_{10}H_{22}$ (124-18-5)	n-**Decane** for Synthesis M. W.: 142.29 Assay 97.0%	**500 ml** **2.5 lit**
505785 $C_{10}H_{22}$ (124-18-5)	n-**Decane AR** M. W.: 142.29	**500 ml**
063005 $C_{10}H_{21}NaO_3S.H_2O$ (13419-61-9)	1-**Decanesulphonic Acid Sodium Salt** Monohydrate M. W.: 262.33	**25 gm** **100 gm**
720200 $CH_3(CH_2)_8CH_2SO_3Na$ (13419-61-9)	1-**Decanesulphonic Acid Sodium Salt AR** for HPLC Anhydrous M. W.: 244.33	**25 gm** **100 gm**
	n-**Decanoic Acid** See n-Capric Acid	
063065 $C_{10}H_{19}ClO$ (112-13-0)	**Decanoyl Chloride** for Synthesis M.W. 190.71 Assay 98.0%	**100 ml** **500 ml**
	n-**Decyl Sulphate Sodium Salt** See Sodium Decyl Sulphate	
063115 $C_{19}H_{28}O_2$ (53-43-0)	**Dehydroepiandrosterone** for Synthesis (Trans-Dehydroandrosterone) M. W.: 288.42	**5 gm** **25 gm**
026065 $C_{10}H_{18}$ (91-17-8)	**Dekalin** for Synthesis M. W.: 138.25 Assay (GC) 99.0% (Cis+trans isomer)	**500 ml** **2.5 lit** **25 lit** **200 lit**
824650	**Denige's** Reagent (Reagent for Citrates in Milk)	**100 ml**
063205 $C_{10}H_{13}N_5O_3.H_2O$ (16373-93-6)	· 2-**Deoxy Adenosine** Extra Pure for Biochemistry M. W.: 269.26 Assay 99.0%	**1 gm** **5 gm** **10 gm**
TC1111 ATC $C_{10}H_{13}N_5O_3.H_2O$ (16373-93-6)	· 2'-**Deoxyadenosine** Monohydrate Cell Culture Tested M. W.: 269.26 Assay : ≥99%	**1 gm** **5 gm**
063285 $C_6H_5COCH_2C_6H_5$ (451-40-1)	**Deoxybenzoin** for Synthesis (α-Phenylacetophenone) M. W.: 196.24	**25 gm** **100 gm**
063315 $C_{24}H_{40}O_4$ (83-44-3)	· **Deoxy Cholic Acid** for Biochemistry M. W.: 392.57 Assay (TLC) 99.0%	**25 gm** **100 gm**
	▲**Deoxycholic Acid Sodium Salt** See Sodium Deoxycholate	
TC1112 ATC $C_9H_{13}N_3O_4.HCl$ (3992-42-5)	2'-**Deoxycytidine** Hydrochloride Cell Culture Tested M. W.: 263.68 Assay : ≥99% Store below 30°C	**250 mg** **1 gm** **10 gm**
063405 $C_6H_{12}O_5$ (154-17-6)	· 2-**Deoxy**-D-**Glucose** for Biochemistry M. W.: 164.16	**1 gm** **5 gm**
063505 (9003-98-9)	**Deoxyribonuclease** Type I for Biochemistry (DNase-I) Ex. Bovine Pancreas 1800 K Unit U/mg	**10000 unit** **50000 unit**

Product Code		Product Name	Packing
924550	MB	**Deoxy ribonuclease I** From Bovien Pancreas For Molecular Biology E. C. No. : 3.1.21.1 M. W.: ~31 kDa Activity : ≥ 400 Units/mg (Kunitz) (9003-98-9) Store at 20°C	**3750 unit** **37500 unit** **75000 unit**
TC1696	ATC	**Deoxyribonuclease I Dnase I** Source : Pineapple stem Cell Culture Tested Av M. W.: ~84.5 kDa Activity : NLT 30 U/mg (9003-98-9) Store at -20°C	**10 ku** **20 ku** **40 ku**
063615		**Deoxy Ribonucleic Acid** for Biochemistry Degraded free acid (100403-24-5) ex fish sperm	**5 gm** **25 gm** **100 gm**
063625		**Deoxy Ribonucleic Acid Sodium Salt Extra Pure** for Biochemistry Ex. Calf Thymus (DNA Sodium Salt) (Highly Polymerised From Calf Thymus) (73049-39-5)	**100 mg** **500 mg**
924600	MB	**▲Deoxy ribonucleic Acid Sodium Salt** From Calf Thymus, Highly Polymerised For Molecular Biology (73049-39-5)	**100 mg** **500 mg**
063655		**Deoxyribonucleic Acid Sodium Salt** ex. salmon mist (Not Highly Polymerised) (9007-49-2) (DNA sodium salt, SS-DNA, SM-DNA)	**5 gm** **25 gm** **100 gm**
042029 $C_5H_{10}O_4$ (533-67-5)		· 2-**Deoxy**-D-**Ribose** for Biochemistry M. W.: 134.13 Assay (HPLC) 97.0%	**1 gm** **5 gm** **25 gm**
TC1114 $C_5H_{10}O_4$ (533-67-5)	ATC	· 2'-**Deoxy**-D-**Ribose** Cell Culture Tested M. W.: 134.13 Assay : ≥99%	**1 gm** **5 gm**
034687		**Dermutit**	**500 gm**
506135 $C_{13}H_{13}IO_8$ (87413-09-0)		**▲Dess Martin Periodinane Puriss AR** (Triacetoxy Periodine, 1,1,1-Tris (Acetyloxy)(1,1-Dihydro-1,2-Benziodoxol-3(1H) M. W.: 424.14	**5 gm** **25 gm**

Disinfectant & Detergent for Medical, Industrial, Domestic

HAND WASH GEL/ SOAP

DI032	**HWS09** (Hand Wash Soap)	**100 ml** **500 ml**
Description	Liquid Microbicidal Handwash Soap	**5 lit**
Contents	0.5% w/v of Triclosan, Skin Emollients, Soap base q.s., Perfume, Permitted Colours.	
Action	Fights germs leaving hands soft and totally clean	
Use	Domestic Medical Industrial	
DI050	**HWG09** Dispenser Pump (Instant hand Sanitizer)	**50 ml** **500 ml**
Description	Liquid Handrub Antiseptic with Triple Action	
Contents	Denatured Alchol 69.4% w/w Other Ingredients: water, Acrylates C10-30 Alkyl Acrylate crosspolymer, PEG/PPG 17/6 copolymer, Tetrahydroxypropyl ethylenediamine, propylene Glycol, Perfume	
Action	Kills 99.9% of germs in seconds without water	
Use	Domestic, Medical, Industrial	

ENVIRONMENT DISINFECTANT

DI280	**ED005**	**250 ml**
Description	Air and surface spray disinfectant solution for preventing cross infection	**500 ml** **5 lit**
Contents	0.5% w/v Benzalkonium chloride solution 70% v/v 2-propanol, perfume, permitted colours	
Action	An air and surface sprayable disinfectant for preventing cross infections	
Use	Medical Industrial	
DI325	**ED009**	**1 lit**
Description	Aerial Fumigant and Surfaceand Water Disinfectant Solution	**5 lit** **25 lit**
Contents	0.01% w/v Silver Nitrate, 10.0% w/v Hydrogen peroxide	
Action	Disinfectant solution for Surface and Water Disinfection as well as for Aerial Fumigation	
Use	Medical Industrial	

SURFACE DISINFECTANT

Di500	**SD005**	**500 ml**
Description	Disinfectant Cleaner for Floors & Hard Surfaces	**5 lit**
Contents	Min. 0.6% Sodium Hypochlorite, Stabilisers, Perfume.	
Use	Domestic Medical Industrial	
DI522	**SD009**	**500 ml**
Description	Disinfectant Solution for Floors & Hard Surfaces	**5 lit**
Contents	4 % w/v of Benzalkonium Chloride, Perfume, Permitted colours.	
Use	Domestic Medical Industrial	
DI541	**SD014**	**1 lit**
Description	Disinfectant for hospital, hotels, food and pharmaceutical industry	**5 lit**
Contents	3% w/v poly(hexamethylenebiguanide) hydrochloride (PHMB) 10% w/v Didecyl ammonium chloride	
Action	Medical- Disinfection of NICU, ICU, OT paediatric wards, sterile areas, hospital surface. Industry-In hotel, food, dairy and pharmaceutical industry for disinfection of processing areas, work stations, storage objects and processing Equipments	
Use	Medical, Industrial.	

Cedepol™ also known as Teepol
See 056011

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
	LABORATORY DISINFECTANT	
DI675	**LD009**	**10x500 ml**
Description	Disinfectant Solution for heat sensitive Lab ware	**2x5 lit**
Contents	5 % w/v Phenol, Permitted colours.	
Action	Disinfectant solution for laboratory ware and disposal of laboratory bio hazard material	
Use	Medical Industrial	
	INSTRUMENT DISINFECTANT	
DI770	**ID018**	**500 ml**
Description	Multi Enzyme Cleaner for Surgical, Medical & Dental Instruments	**1 lit** **2.5 lit** **5 lit**
Contents	12% Enzymes (Combination of Proteases,Lipases and Amylases), Non Ionic surfactants, Preservatives	
Action	Medical:- To rapidly clean surgical instruments before sterilization Industry:- In pharmaceutical, hotel, food & dairy industry for surface cleaning to remove organic debris particularly as a pre-soak to remove biofilms	
Use	Medical, Industrial	
DI774	**ID045**	**1 lit**
Description	High Efficiency Rust Remover	**5 lit**
Contents	Inorganic acid (>30% phosphoric acid) Non Ionic surfactants (<5%).	
Action	Removal of Rust from Surgical/Medical Instruments and Surfaces.	
Use	Medical, Industrial	
DI792	**ID063**	**500 ml**
Description	High level Surgical Instrument Sterilizing and Disinfectant Solution	**5 lit**
Contents	5% w/v Benzal konium Chloride Solution BP, 2% w/v Glutaraldehyde Solution (Acid Stabilized), Corrosion Inhibitior.	
Action	Concentrated Acid Stable Glutaraldehyde Solution for High level Surgical Instrument Sterilization and Disinfection	
Use	Medical	
DI810	**ID072**	**1 lit**
Description	2.4% Glutaraldehyde Solution for High Level Disinfection	**5 lit**
Contents	2.45% w/v Glutaraldehyde	
Action	Surfactant free High ievel Surgical Instrument Sterilizing and Disinfectant solution	
Use	Medical	
DI819	**ID090**	**1 lit**
Description	Aldehyde Free High level Disinfectant for medical devices.	**5 lit**
Contents	3% w/v poly(hexamethylene biguanide) hydrochloride (PHMB) 10% w/v Didecyl dimethyl ammonium chloride	
Action	Medical-Sterilization of endoscopes & surgical instruments surface disinfection. Industry- As a surface disinfectant for general Purposes	
Use	Medical, Industrial	
DI837	**ID099**	**500 ml**
Description	For high level disinfection.	**5 lit**
Contents	0.55% w/v ortho-Phthalaldehyde,Permitted colours.	
Action	Glutaraldehyde free, High level Surgical	
Use	Medical	

Product Code	Product Name	Packing
	Criton X100 See 030632	
MB	**Criton** X100 for Molecular Biology See 923500	
	Criton X100 Scintillation Grade See 014630	
	Clentron MA 01 Alkaline For Industrial & Laboratory Cleaning See 025714	
	Clentorn MA 02 Neutral For Cleaning Laboratory Glassware Instruments See 025715	
	Clentorn MA 03 Phosphate Free For Specific Cleaning work in Laboratories See 025716	
	DISINFECTANT FOR LABORATORY HOSPITAL, HOTELS AND DAIRY/FOOD,INDUSTRY	
DI910	**DW009** (Dish Wash)	**500 ml**
	Iodophor Disinfectant See 849990	
	Iodophor-FD See 849995	
	Lysol (Cresol and Soap Solution) See 033218	
	Sodium Hypochlorite Solution See 023039	
DI918	**FCL09** (Fabric Cleaner Liquid)	**1 lit**
DI927	**FCP09** (Fabric Cleaner Powder)	**1 kg**
FW009	**FW009** (Floor Wash)	**5 lit**
DI963	**GC009** (Glass Cleaner)	**500 ml**
DI936	**TC009** (Toilet Cleaner)	**500 ml** **1 lit**
DI945	**TW009** (Tiles Wash)	**500 ml** **1 lit**
063765 D_2O (7789-20-0)	**Deuterium Oxide** (heavy water) for NMR Spectroscopy M.W.: 20.03	**25 gm**
020009 (8049-11-4)	**Devardas Alloy** Powder	**100 gm** **500 gm**
506225 (8049-11-4)	**Devardas Alloy** Powder **AR** Reducing Agent	**100 gm** **250 gm**
TC1277 ATC $C_{22}H_{29}FO_5$ (50-02-2)	**▲Dexamethasone** Cell Culture Tested M. W.: 392.46 Assay : ≥97%	**25 mg** **100 mg** **500 mg** **1 gm**

D

Laboratory Chemicals

Storage : ❄ 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
924685 MB $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 5** For Molecular Biology Av.M. W.: 4000-6000	**25 gm**
924690 MB $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 6** For Molecular Biology Av.M. W.: 5500-7500	**25 gm**
924695 MB $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 10** For Molecular Biology Av.M. W.: 10,000	**25 gm**
924700 MB $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 20** For Molecular Biology Av.M. W.: 17000-23000	**25 gm**
924705 MB $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 40** For Molecular Biology Av.M. W.: 35000-45000	**25 gm**
924710 MB $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 60** For Molecular Biology Av.M. W.: 54000-66000	**25 gm**
924715 MB $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 70** For Molecular Biology Av.M. W.: 64000-76000	**25 gm**
924720 MB $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 110** For Molecular Biology Av.M. W.: 1,00,000 - 1,20,000	**25 gm**
924725 MB $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 150** For Molecular Biology Av.M. W.:1,35,000 - 1,65,000	**25 gm**
924730 MB $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 250** For Molecular Biology Av.M. W.: 2,25,000 - 2,75,000	**25 gm**
924735 MB $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 500** For Molecular Biology Av.M. W.: 4,50,000 - 5,50,000	**25 gm**
924740 MB $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 750** For Molecular Biology Av.M. W.:5,00,000	**5 gm**
924745 MB $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 2000** For Molecular Biology Av.M. W.: 1,500,000 - 3,500,000	**5 gm**
924780 MB (9011-18-1)	▲**Dextran Sulphate Sodium Salt** For Molecular Biology M. W.: ~8,000	**25 gm**
924785 MB (9011-18-1)	▲**Dextran Sulphate Sodium Salt** For Molecular Biology M. W.: ~40,000	**5 gm**
924790 MB (9011-18-1)	▲**Dextran Sulphate Sodium Salt** For Molecular Biology M. W.: ~500,000	**5 gm**
TC1589 ATC (9011-18-1)	▲**Dextran Sulphate, Sodium Salt** Cell Culture Tested M. W.: 5,00,000 Assay : ≥98%	**10 gm** **50 gm**

Product Code	Product Name	Packing
063815 (9004-53-9)	**Dextrin White** for Bacteriology	**500 gm**
025570 $(C_6H_{10}O_5)n.XH_2O$ (9004-53-9)	**Dextrin** White Pract	**500 gm** **25 kg**
028450 $C_6H_{12}O_6$ (50-99-7)	**Dextrose** Anhydrous Purified M. W.: 180.16	**500 gm** **5 kg** **25 kg** **50 kg**
506250 $C_6H_{12}O_6$ (50-99-7)	**Dextrose** Anhydrous **AR** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 180.16	**500 gm** **5 kg** **25 kg** **50 kg**
924900 MB $C_6H_{12}O_6$ (50-99-7)	**Dextrose** Anhydrous For Molecular Biology M. W. : 180.16 Assay : ≥ 99.5% Store Below 30°C	**100 gm** **500 gm**
PCT1603 PTC $C_6H_{12}O_6$ (50-99-7)	**D-(+)-Dextrose** Anhydrous Plant Culture Tested M. W.: 180.16 Assay 99.5% Store below 30°C	**500 gm** **1 kg**
TC1130 ATC $C_6H_{12}O_6$ (50-99-7)	**D-(+)-Dextrose** Anhydrous (Dextrose anhydrous) Cell Culture Tested M. W.: 180.16 Assay : ≥99% Store below 30°C	**100 gm** **1 kg** **5 kg** **10 kg**
TC1130M ATC $C_6H_{12}O_6$ (50-99-7)	**D-(+)-Dextrose** Anhydrous Dextrose Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 180.16 Store below 30°C	**100 gm** **1 kg**
063940 $C_6H_{12}O_6.H_2O$ (14431-43-7)	**Dextrose** Monohydrate M. W.:198.17	**500 gm** **25 kg** **50 kg**
506260 $C_6H_{12}O_6H_2O$ (14431-43-7)	**Dextrose** Monohydrate **AR** for Microbiology M. W.: 198.17	**500 gm** **25 kg** **50 kg**
PCT1612 PTC $C_6H_{12}O_6.H_2O$ (14431-43-7)	**Dextrose** Monohydrate Plant Culture Tested M. W.: 198.17 Assay 99.5% Store below 30°C	**500 gm**
TC1208 ATC $C_6H_{12}O_6.H_2O$ (14431-43-7)	**D-(+)-Dextrose** Monohydrate (Dextrose monohydrate) Cell Culture Tested M. W.: 198.17 Assay : ≥99% Store below 30°C	**500 gm** **1 kg** **5 kg** **10 kg**
028010 $C_6H_{12}O_2$ (123-42-2)	**Diacetone Alcohol** Purified M. W.: 116.16 Assay (GC) 99.0%	**500 ml** **2.5 lit**
028011 $C_4H_6O_2$ (431-03-8)	**Diacetyl** for Synthesis M. W.: 86.09 Assay (GC) 97.0%	**100 ml**
025601 $C_4H_7NO_2$ (57-71-6)	**Diacetyl Monoxime** M. W.: 101.11 Assay (N) 98.0%	**25 gm**
506600 $C_4H_7NO_2$ (57-71-6)	**Diacetyl Monoxime AR** M. W.: 101.11 Assay (Gravimetric) 99.0%	**25 gm** **100 gm** **500 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
824705	**Diacetyl Monoxine** Solution 2%	**125 ml**
064005 $C_{14}H_{14}O_4$ (131-17-9)	**Diallyl Phthalate** for Synthesis M. W.: 246.26 Assay 97.0%	**100 ml** **500 ml**
064115 $C_{14}H_{10}N_2O_2$ (128-95-0)	1,4-**Diamino Anthraquinone** for Synthesis M. W.: 238.24 Assay 95.0%	**25 gm** **100 gm**
506685 $C_{12}H_{14}N_4$ (91-95-2)	▲3,3-**Diamino Benzidine Base AR** M. W.: 214.27 Assay (HPLC) 99.0%	**5 gm** **25 gm** **100 gm**
506688 $C_{12}H_{14}N_4.4HCl.2H_2O$ (7411-49-6)	▲3-3'-**Diaminobenzidine Tetra Hydrochloride AR** M.W : 396.14	**1 gm** **5 gm**
064185 ✲ $C_7H_8N_2O_2$ (535-87-5)	3,5-**Diamino Benzoic Acid** for Synthesis M. W.: 152.15 Assay 98.0%	**100 gm** **500 gm**
064225 ✲ $C_6H_5COC_6H_3(NH_2)_2$ (39070-63-8)	3,4-**Diamino Benzophenone** M. W.: 212.25 Assay 97.0%	**25 gm** **100 gm**
025642 $C_{12}H_{12}N_2$ (92-87-5)	4,4-**Diamino Biphenyl** M. W.: 184.25	**10 gm** **25 gm** **100 gm**
025597 (531-85-1)	4,4- **Diamino Biphenyl Hydrochloride**	**10 gm** **25 gm** **100 gm**
064275 $C_{14}H_{22}N_2O_8.H_2O$ (125572-95-4)	trans-1,2-**Diamino Cyclohexane-N,N,N',N'-Tetra Acetic Acid** (CDTA) Monohydrate M.W : 364.35 Assay 97.0%	**25 gm** **100 gm**
506905 $C_{14}H_{22}N_2O_8.H_2O$ (125572-95-4)	trans-1,2 **Diamino Cyclohexane N,N,N',N' Tetra Acetic Acid** (CDTA**) AR/ACS** M. W.: 364.35 Assay (Complexometric) 99.0%	**25 gm** **100 gm**
064305 ✲ $C_{12}H_{12}N_2O$ (101-80-4)	4,4-**Diamino Diphenyl Ether** for Synthesis M. W.: 200.24 Assay 97.0%	**100 gm**
064365 ✲ $C_{13}H_{14}N_2$ (101-77-9)	4,4-**Diamino Diphenyl Methane** for Synthesis M. W.: 198.26 Assay (GC) 97.0%	**500 gm**
064415 ✲ $C_{12}H_{12}N_2O_2S$ (80-08-0)	4.4-**Diamino Diphenyl Sulphone** for Synthesis M. W.: 248.30 Assay 97.0%	**100 gm**
	1,2-**Diamino Ethane** See Ethylenediamine	
064505 $C_8H_{20}N_2$ (373-44-4)	1:8-**Diamino Octane** for Synthesis M. W.: 144.26 Assay 98.0%	**25 gm**
064545 $NH_2(CH_2)_5NH_2$ (462-94-2)	1:5-**Diamino Pentane** for Synthesis M. W.: 102.18 Assay 95.0%	**5 ml**
507175 $NH_2(CH_2)_3NH_2$ (109-76-2)	1,3-**Diamino Propane AR** M. W.: 74.12 Assay 99.0%	**100 ml**
064615 $C_5H_7N_3$ (141-86-6)	2,6-**Diamino Pyridine** for Synthesis M. W.: 109.13	**25 gm** **100 gm** **500 gm**
064685 C (7782-40-3)	**Diamond Powder** 1 Micron At. W.: 12.01	**1 gm** **5 gm**
064695 C (7782-40-3)	**Diamond Powder** 50 Micron At. W.: 12.01	**1 gm** **5 gm**
N11930 C (7782-40-3)	**Diamond Nanoparticles/ Nanopowder** (3-10nm) At. W.: 12.01 Assay 98%	**1 gm** **5 gm** **25 gm**
025648 $C_{14}H_{16}N_2O_2$ (119-90-4)	▲o-**Dianisidine** M.W.: 244.30 Assay (Non-aq) 96.0%	**25 gm** **100 gm** **500 gm**
TC1462 ATC (9001-18-7**)**	▲**Diaphorase** Source : *Cl. Kluyveri* Cell Culture Tested Activity: NLT 30 U/mg	**1 ku**
039013 (9000-92-4)	**Diastase** Amylase Activity 1300 IU/g	**100 gm** **500 gm**
064755 $C_6H_{12}N_2$ (280-57-9)	· 1,4-**Diazabicyclo (2.2.2) Octane** (Dabco, Ted,Triethylenediamine) M. W.: 112.17 Assay 99.0%	**100 gm** **500 gm**
064825 $C_9H_{16}N_2$ (6674-22-2)	1:8-**Diaza Bicyclo Undecene** for Synthesis (DBU) M. W.: 152.24 Assay 98.0%	**25 ml** **100 ml** **500 ml**
	2,6-**Di-Tert-4-Methyl Phenol** See Butylated Hydroxy Toluene	
824800	**Diazo** Reagent **A**	**125 ml**
824810	**Diazo** Reagent **B**	**125 ml**
064905 $C_4H_2N_4O_2$ (2435-76-9)	**5-Diazo Uracil** for Biochemistry M. W.: 138.1	**1 gm**
	Dibenzo-18-**Crown**-6 See 18-Crown-6-Ether	
507385 $(C_6H_5CO)_2CH_2$ (120-46-7)	**Dibenzoyl Methane AR** M. W.: 224.25 Assay 98.0%	**25 gm** **100 gm**
065055 $C_{18}H_{14}O_8$ (2743-38-6)	(-)-2,3-**Dibenzoyl**-L-**Tartaric Acid** Anhy. M. W.: 358.30	**25 gm** **100 gm**
507525 $C_{18}H_{14}O_8.H_2O$ (62708-56-9)	(-)-o,o-**Dibenzoyl** L-**Tartric Acid** Mono Hydrate **AR** M. W.: 376.31	**100 gm** **500 gm**

Storage : · #0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
025606 $C_{18}H_{14}O_8$ (17026-42-5)	(+)-2,3-**Dibenzoyl**-D-**Tartaric Acid** Anhy. [(+)-Di-Benzoyl-D-Tartaric Acid, (+)-2,3-Di-Benzoyl-D-Tartaric Acid) M. W.: 358.30 Assay (T) Acidimetric 98.0%	**25 gm** **100 gm**
025605 $C_{18}H_{14}O_8.H_2O$ (80822-15-7)	(+)-2,3-**Dibenzoyl**-D-**Tartaric Acid** Monohydrate M.W. : 358.30 (anhy.)	**25 gm** **100 gm**
065185 $C_{14}H_{15}N$ (103-49-1)	**Dibenzylamine** for Synthesis [N,N-Bis (Methylphenyl) Amine] M. W.: 197.28 Assay 97.0%	**100 ml** **500 ml**
065265 $C_{14}H_{14}S_2$ (150-60-7)	**Dibenzyl Disulphide** for Synthesis M. W.: 246.39 Assay 98.0%	**25 gm** **100 gm** **1 kg**
065335 $C_{14}H_{15}O_4$ (1623-08-1)	**Dibenzyl Phosphate** for Synthesis M. W.: 298.25	**5 gm** **25 gm**
065415 $C_7H_6Br_2O$ (74137-36-3)	3,5-**Dibromo Anisole** M. W.: 265.93 Assay 97.0%	**5 gm**
065615 $C_6H_4Br_2$ (106-37-6)	1,4-**Dibromo Benzene** for Synthesis M. W.: 235.90	**500 gm**
065715 $C_4H_8Br_2$ (110-52-1)	1,4-**Dibromo Butane** for Synthesis (Tetramethylene Dibromide) M. W.: 215.91	**250 ml**
	1,8-**Dibromo Butane** See 1,8-**Dibromo octane**	
065805 $C_5H_6Br_2N_2O_2$ (77-48-5)	1,3-**Dibromo** 5,5-**Dimethyl Hydantion** for Synthesis M. W.: 285.92 Assay 98.0%	**500 gm** **5 kg**
025604 $C_2H_4Br_2$ (106-93-4)	1,2-**Dibromo Ethane** for Synthesis M. W.: 187.89 Assay (GC) 98.0%	**250 ml** **500 ml** **2.5 lit** **25 lit** **200 lit**
507835 $C_2H_4Br_2$ (106-93-4)	1-2-**Dibromo Ethane AR** M. W.: 187.86 Assay (GC) 98.0%	**500 ml** **2.5 lit**
065905 $C_{20}H_{10}Br_2O_5$ (596-03-2)	4:5-**Dibromo Fluorescein** M. W.: 490.10 Assay Dye Content 95.0%	**50 gm**
508005 $Br(CH_2)_6Br$ (629-03-8)	1,6-**Dibromo Hexane AR** M. W.: 243.97 Assay 96.0%	**100 gm** **500 gm**
066005 CH_2Br_2 (74-95-3)	**Dibromo Methane** for Synthesis (Methylene Bromide) M. W.: 173.83 Assay 99.0%	**500 gm**
066105 $C_5H_{10}Br_2$ (111-24-0)	1,5-**Dibromo Pentane** for Synthesis (Pentamethylenedibromide) M. W.: 229.94 Assay 97.0%	**500 gm**

Product Code	Product Name	Packing
066215 $Br_2C_6H_3OH$ (608-33-3)	2,6-**Dibromo Phenol** M. W.: 251.90 Assay 99.0%	**5 gm** **25 gm** **100 gm**
066265 $Br(CH_2)_3Br$ (109-64-8)	1,3-**Dibromo Propane** (trimethylene dibromide) M. W. : 201.89	**100 ml** **500 ml**
508140 (537-45-1)	2,6-**Dibromo Quinone**-4-**Chlorimide AR**	**5 gm**
028064 $C_8H_{19}N$ (111-92-2)	**Di**-n-**Butylamine** for Synthesis (Dibutylamine) M. W.: 129.25 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
	2,6-**Di**-Tert-**Butyl**-p-**Cresol** See Butylated Hydroxy Toluene	
	Di-tert-**Butyl Dicarbonate** See Boc-Anhydride	
066405 $C_8H_{18}O$ (142-96-1)	**Dibutyl Ether** for Synthesis M. W.: 130.23	**500 ml** **2.5 lit** **25 lit** **200 lit**
508275 $C_8H_{18}O$ (142-96-1)	**Dibutyl Ether AR** (n-Butyl ether) M. W.: 130.23	**500 ml** **2.5 lit** **25 lit** **200 lit**
025626 $C_{12}H_{20}O_4$ (105-76-0)	**Di**-n-**Butyl Maleate** (DBM) M. W.: 228.29 Assay (GC) 97.0%	**500 ml** **2.5 lit** **25 lit**
	2,6-**Di**-tert-**Butyl**-4-**Methyl Phenol** See Butylated Hydroxy Toluene	
028073 $C_{16}H_{22}O_4$ (84-74-2)	**Di**-n-**Butyl Phthalate** M. W.: 278.35 Assay (GC) 98.0%	**500 ml** **2.5 lit** **5 lit** **25 lit**
508365 $C_{16}H_{22}O_4$ (84-74-2)	**Di**-n-**Butyl Phthalate AR/ACS** M. W.: 278.35 Assay (GC) 98.5%	**500 ml** **2.5 lit**
	Di-tert-**Butyl Pyrocarbonate** See BOC Anhydride	
066515 $(CH_3CH_2CH_2CH_2)_2Sn(OCOCH_3)_2$ M. W.: 351.03 (1067-33-0)	**Dibutyl Tin Diacetate**	**100 gm** **500 gm**
066555 $(CH_3CH_2CH_2CH_2)_2Sn(OCO(CH_2)10CH_3)_2$ M. W.: 631.56 (77-58-7)	**Dibutyl Tin Dilaurate** for Synthesis Assay 95.0%	**500 ml**
066595 $C_{12}H_{20}O_4Sn$ (78-04-6)	**Dibutyl Tin Dimaleate** for Synthesis M. W.: 346.99 Assay 95.0%	**500 gm**
028641 $C_8H_{18}OSn$ (818-08-6)	**Di-Butyl Tin Oxide** for synthesis M. W.: 248.92 Assay (ex Sn) 98.0%	**250 gm** **1 kg**

Product Code	Product Name	Packing
TC1467 ATC $C_{18}H_{23}N_5O_8PNa$ (16980-89-5)	▲N6-2'-O-**Dibutyryladenosine-3',5' Cyclic Monophosphate Sodium Salt** Bucladesine sodium salt, Dibutyryl cAMP sodium salt, Dibutyryl cyclic-AMP sodium salt Cell Culture Tested M. W.: 491.37 Assay : ≥95%	**25 mg** **100 mg** **250 mg** **1 gm**
	Dicalcium Phosphate See di-**Calcium Phosphate**	
PCT1834 PTC $C_8H_6Cl_2O_3$ (1918-00-9)	▲**Dicamba** (3,6 dichloro-o-anisic acid) Plant Culture Tested M. W.: 221.04 Assay 98%	**100 mg** **1 gm**
066795 $C_8H_6Cl_2O$ (2234-16-4)	2,4-**Dichloroacetophenone** for Synthesis M. W.: 189.04	**100 gm** **500 gm**
066835 $C_8H_6Cl_2O$ (2642-63-9)	3,4-**Dichloroacetophenone** for Synthesis M. W.: 189.04	**25 gm** **100 gm**
066925 $C_6H_5Cl_2N$ (608-27-5)	2,3-**Dichloroaniline** for Synthesis M. W.: 162.02	**500 ml** **2.5 lit**
066945 ⁂ $C_6H_5Cl_2N$ (554-00-7)	2,4-**Dichloroaniline** for Synthesis M. W.: 162.02	**100 gm** **500 gm**
066965 $Cl_2C_6H_3NH_2$ (95-82-9)	2:5-**Dichloroaniline** for Synthesis M. W.: 162.02 Assay 99.0%	**500 gm**
067005 $Cl_2C_6H_3NH_2$ (608-31-1)	2,6-**Dichloroaniline** M. W.: 162.02 Assay 98.0%	**250 gm**
067025 $Cl_2C_6H_3NH_2$ (95-76-1)	3,4-**Dichloroaniline** for Synthesis M. W.: 162.02	**500 gm**
067115 $Cl_2C_6H_3CHO$ (874-42-0)	2:4-**Dichlorobenzaldehyde** for Synthesis M. W.: 175.01 Assay 99.0%	**100 gm** **500 gm**
067145 ⁂ $Cl_2C_6H_3CHO$ (6287-38-3)	3,4-**Dichlorobenzaldehyde** for Synthesis M. W.: 175.01 Assay 95.0%	**5 gm** **25 gm**
	m-**Dichloro Benzene** See 1,3-Dichlorobenzene	
028082 $C_6H_4Cl_2$ (95-50-1)	o-**Dichloro Benzene** for Synthesis (1, 2-Dichlorobenzene) M. W.: 147.00 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
508585 $C_6H_4Cl_2$ (95-50-1)	o-**Dichlorobenzene AR** (1,2-Dichlorobenzene) M. W.: 147.00	**500 ml** **2.5 lit** **25 lit** **200 lit**

Product Code	Product Name	Packing
720650 $C_6H_4Cl_2$ (95-50-1)	o-**Dichloro Benzene** for HPLC (1,2-Dichloro benzene) M.W : 147.00 Assay (GC) 99.0%	**1 lit**
	1,2-**Dichloro Benzene** See o-Dichloro Benzene	
	1,4-**Dichloro Benzene** See p-Dichloro Benzene	
067225 $C_6H_4Cl_2$ (541-73-1)	1,3-**Dichlorobenzene** for Synthesis (m-Dichlorobenzene) M. W.: 147.00	**500 ml** **2.5 lit** **25 lit** **200 lit**
028084 $C_6H_4Cl_2$ (106-46-7)	p-**Dichloro Benzene** for Synthesis (1,4-Dichloro Benzene) M. W.: 147.00 Assay (GC) 97.0%	**500 gm** **25 kg**
025635 $C_7H_4Cl_2O_2$ (50-84-0)	2,4-**Dichloro Benzoic Acid** M. W.: 191.02 Assay (acidimetric) 98.0%	**500 gm**
067405 ⁂ $C_{13}H_8Cl_2O$ (90-98-2)	4,4'-**Dichlorobenzophenone** for Synthesis M. W.: 251.11 Assay 99.0%	**100 gm**
067555 ⁂ $Cl_2C_6H_3CH_2OH$ (1777-82-8)	2,4-**Dichlorobenzyl Alcohol** for Synthesis M. W.: 177.03 Assay 99.0%	**50 gm**
067715 ⁂ $Cl_2C_6H_3CH_2NH_2$ (102-49-8)	3,4-**Dichlorobenzylamine** M. W.: 176.04 Assay 95.0%	**5 gm** **25 gm**
067855 $C_7H_5Cl_3$ (94-99-5)	2,4-**Dichlorobenzyl Chloride** (A-2,4-Trichlorotoluene) M. W.: 195.47	**500 ml**
067895 $C_4H_8Cl_2$ (110-56-5)	1,4-**Dichlorobutane** for Synthesis (Tetramethylene dichloride) M.W: 127.01	**500 ml**
068025 $C_8Cl_2N_2O_2$ (84-58-2)	▲2,3-**Dichloro**-5,6-**Dicyano**-P-**Benzoquinone** for Synthesis (DDQ) M. W.: 227.00 Assay 98.0%	**25 gm** **100 gm** **500 gm**
068335 $C_2H_6Cl_2Si$ (75-78-5)	**Dichlorodimethylsilane** for Synthesis (Repelsilane, Dimethyldichlorosilane) M. W.: 129.06 Assay 98.0%	**500 ml** **2.5 lit**
068435 $C_{12}H_{10}Cl_2Si$ (80-10-4)	**Dichlorodiphenylsilane** for Synthesis (Diphenyl dichlorosilane) M. W.: 253.21 Assay 98.0%	**100 gm** **500 gm**
028093 $C_2H_4Cl_2$ (107-06-2)	1,2-**Dichloroethane** M. W.: 98.96 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**

Storage : ❄0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
508635 $C_2H_4Cl_2$ (107-06-2)	1,2-**Dichloroethane AR** M. W.: 98.96 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
720750 $C_2H_4Cl_2$ (107-06-2)	1,2-**Dichloroethane** for HPLC & Spectroscopy M. W.: 98.96 Assay (GC) 99.5%	**1 lit**
068545 $Cl_2C_6H_3F$ (1435-48-9)	2:4-**Dichlorofluoro Benzene** M. W.: 164.99 Assay 99.0%	**100 gm**
508665 $C_{20}H_{10}Cl_2O_5$ (76-54-0)	2,7-**Dichloro fluoroscein AR/ACS** Adsorption Indicator M. W.: 401.20 Assay Abt. 90.0%	**5 gm** **25 gm**
824755	**Dichlorofluorescein** indicator 0.1% w/v in 70% Alcohol	**100 ml**
068575 $Cl_2C_6H_2(OH)CO_2H$ (3336-41-2)	3,5-**Dichloro**-4-**Hydroxy Benzoic Acid** M. W.: 207.01 Assay 97.0%	**25 gm**
068605 $C_3Cl_2N_3NaO_3.2H_2O$ (51580-86-0)	**Dichloroiso-Cyanuric Acid** **Sodium Salt** for Synthesis M. W.: 255.98 Assay 98.0%	**500 gm**
028096 CH_2Cl_2 (75-09-2)	**Dichloromethane** Pure M. W.: 84.93 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
508705 CH_2Cl_2 (75-09-2)	**Dichloromethane AR/ACS** M. W.: 84.93 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
508710 CH_2Cl_2 (75-09-2)	**Dichloromethane** Specially Dried **AR** M. W.: 84.93 Assay (GC) 99.5%	**500 ml** **2.5 lit**
720946 CH_2Cl_2 (75-09-2)	**Dichloromethane** GC HS Grade M.W : 84.93 Assay (GC) 99.9%	**1 lit**
720950 CH_2Cl_2 (75-09-2)	**Dichloromethane** for HPLC & Spectroscopy M. W.: 84.93 Assay (GC) 99.7%	**1 lit** **2.5 lit**
721050 CH_2Cl_2 (75-09-2)	**Dichloromethane** for Pesticide Residue Trace Analysis (Methylene Chloride) M. W.: 84.93	**1 lit**
D39663 CD_2Cl_2 (1665-00-5)	**Dichloromethane-d_2** (for NMR Spectroscopy) M.W.: 86.95 Assay Min. 99.5 atom%D	**10x0.75ml**
D39672 CD_2Cl_2 (1665-00-5)	**Dichloromethane-d_2** (for NMR Spectroscopy) M.W.: 86.95 Assay Min. 99.5 atom%D	**10 ml**

Product Code	Product Name	Packing
068815 $C_3H_6Cl_2Si$ (124-70-9)	**Dichloromethyl Vinyl Silane** for Synthesis M. W.: 141.07 Assay 97.0%	**100 gm** **500 gm**
068845 $C_{10}H_4Cl_2O_2$ (117-80-6)	2,3-**Dichloro**-1,4-**Naphthoquinone** for Synthesis M. W.: 227.04 Assay 98.0%	**25 gm** **500 gm**
068935 $Cl_2C_6H_3NO_2$ (99-54-7)	3:4-**Dichloronitro Benzene** for Synthesis M. W.: 192.00 Assay 99.0%	**100 gm** **500 gm** **1 kg**
068925 $Cl_2C_6H_3NO_2$ (611-06-3)	2:4-**Dichloronitro Benzene** for Synthesis M.W. : 192.0 Assay 97.0%	**100 gm**
069065 $C_{13}H_{10}O_2Cl_2$ (97-23-4)	**Dichlorophene Pract** for Synthesis [5,5-Dichloro-2,2-Dihydroxy Diphenyl Methane, bis (5-Chloro-2-Hydroxyphenyl) Methane] M. W.: 269.14 Assay 95.0%	**500 gm**
069225 $Cl_2C_6H_3OH$ (576-24-9)	2,3-**Dichlorophenol** M. W.: 163.00 Assay 98.0%	**25 gm** **100 gm** **500 gm**
069235 $Cl_2C_6H_3OH$ (120-83-2)	2,4-**Dichlorophenol** for Synthesis M. W.: 163.00	**100 gm** **500 gm**
025638 $C_6H_4OCl_2$ (120-83-2)	2,4-**Dichloro Phenol** Pract M.W.: 163.0 Assay (GC) 98.0%	**250 gm**
025636 $C_6H_4Cl_2O$ (87-65-0)	2,6-**Dichloro Phenol** M. W.: 163.0 Assay (GC) 98.0%	**100 gm** **500 gm**
508805 $C_{12}H_6Cl_2NNaO_2.XH_2O$ (620-45-1)	2,6-**Dichloro Phenol Indophenol** **Sodium Salt AR** for the determination of Ascorbic Acid M. W.: 290.08 (Anhy.) Assay (By Titanometry on anhydrous material) 98.0%	**1 gm** **5 gm** **25 gm**
069315 $C_8H_6Cl_2O_3$ (94-75-7)	2,4-**Dichlorophenoxy Acetic Acid** M. W.: 221.04 Assay 97.0%	**250 gm**
PCT1825 PTC $C_8H_6Cl_2O_3$ (94-75-7)	2,4-**Dichlorophenoxy Acetic Acid** **Discontinued** **(2,4-D)** Plant Culture Tested M. W.: 221.04 Assay : ≥ 98% Store below 30°C	**100 gm** **250 gm**
PCT2401 PTC	▲2,4-**Dichlorophenoxy Acetic Acid** **(2,4-D) solution** w/ 1 mg/ml 2,4-D in sterile distiiled water Sterile filtered Plant Culture Tested	**20 ml** **5X20 ml**
069365 $C_8H_6Cl_2O_2$ (19719-28-9)	2,4-**Dichlorophenyl Acetic Acid** for Synthesis M. W.: 205.04 Assay 99.0%	**25 gm** **100 gm**
069385 ⁂ $Cl_2C_6H_3CH_2CO_2H$ (5807-30-7)	3,4-**Dichlorophenyl Acetic Acid** M. W.: 205.04 Assay 98.0%	**5 gm** **25 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
024836 $Cl_2C_6H_3B(OH)_2$ (67492-50-6)	3,5-**Dichloro Phenyl Boronic Acid** M. W.: 190.82 Assay 98.0%	**1 gm** **5 gm** **25 gm**
069445 $C_{10}H_{12}Cl_2N_2$ (57260-67-0)	1-(3,4-**Dichlorophenyl) Piperazine** M. W.: 231.12 Assay (GC) 98.0%	**5 gm** **25 gm**
069645 $C_8H_2Cl_2O_3$ (942-06-3)	4,5-**Dichlorophthalic Anhydride** M. W.: 217.01 Assay 98.0%	**5 gm** **100 gm**
069725 $C_9H_5Cl_2N$ (86-98-6)	4:7-**Dichloroquinoline** for Synthesis M. W.: 198.05 Assay 99.0%	**25 gm**
069795 $C_6H_2Cl_3NO$ (101-38-2)	▲2,6-**Dichloroquinone**-4-Chloroimide (N,2,6-Trichloro-p-Benzoquinonemide Gibbs Reagent, Reagent for Vitamin B_6) M.W.: 210.45 Assay 98.0%	**5 gm** **10 gm**
068875 $Cl_2C_6H_2(OH)CHO$ (90-60-8)	3:5-**Dichlorosalicylaldehyde** for Synthesis M.W.: 191.01 Assay 99.0%	**5 gm** **25 gm**
069935 $C_7H_6Cl_2$ (95-73-8)	2,4-**Dichlorotoluene** for Synthesis M. W.: 161.03 Assay 98.0%	**250 ml**
069955 $C_7H_6Cl_2$ (95-75-0)	3,4-**Dichlorotoluene** for Synthesis M. W.: 161.03 Assay 98.0%	**500 gm**
509565 $C_{14}H_{10}Cl_2NNaO_2$ (15307-79-6)	**Diclofenac Sodium AR** for Lab use only M. W.: 318.13 Assay (HPLC) 98.5%	**5 gm** **25 gm** **100 gm**
070155 $C_{18}H_{22}O_2$ (80-43-3)	**Dicumyl Peroxide** M. W.: 270.37 Assay 98.0%	**250 gm**
028108 $C_2H_4N_4$ (461-58-5)	**Dicyandiamide** Pure M. W.: 84.08 Assay (HPLC) 98.0%	**500 gm** **5 kg** **25 kg**
	Dicyanomethane See Malononitrile	
028111 $C_{12}H_{23}N$ (101-83-7)	**Dicyclohexylamine** for Synthesis M. W.: 181.32 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
509755 $C_{12}H_{23}N$ (101-83-7)	**Dicyclohexylamine AR** M. W.: 181.32 Assay (GC) 99.0%	**500 ml**
070235 $C_{13}H_{22}N_2$ (538-75-0)	▲n,n'-**Dicyclohexyl Carbodiimide** for Synthesis M. W.: 206.33	**100 gm** **500 gm**
824855 ⁂	n,n'-**Dicyclohexylcarbodiimide** 1M Solution in Dichloromethane	**100 ml**
070355 $C_{20}H_{26}O_4$ (84-61-7)	**Dicyclo Hexyl Phthalate** for Synthesis M. W.: 330.42 Assay 99.0%	**500 gm**

Product Code	Product Name	Packing
070465 $C_{10}H_{12}$ (77-73-6)	**Dicylopentadiene** for Synthesis (Stabilized) M. W.: 132.20	**100 ml** **500 ml**
025622 $Nd_2O_3.Pr_2O_3$ (11141-21-2)	**Didymium Oxide** M. W.: 666.29	**25 gm** **100 gm**
028612 $C_4H_{11}NO_2$ (111-42-2)	**Diethanolamine** for Synthesis M. W.: 105.14 Assay (acidimetric) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
509965 $C_4H_{11}NO_2$ (111-42-2)	**Diethanolamine AR/ACS** for Biochemistry M. W.: 105.15 Assay 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
070655 $C_5H_{12}O_2$ (462-95-3)	**Diethoxymethane** for Synthesis (Formaldehyde Diethyl Acetal, Ethylal) (Stabilized with BHT) M. W.: 104.15 Assay 99.0%	**500 ml** **2.5 lit**
510155 $C_5H_{12}O_2$ (462-95-3)	**Diethoxymethane AR** (Stabilized with BHT) M.W.: 104.15 Assay 99.0%	**500 ml**
028120 $(C_2H_5)_2NH$ (109-89-7)	**Diethylamine** for Synthesis M. W.: 73.14 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
510405 $(C_2H_5)_2NH$ (109-89-7)	**Diethylamine AR** M. W.: 73.14 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
721800 $(C_2H_5)_2NH$ (109-89-7)	**Diethylamine** for HPLC & Spectroscopy M. W.: 73.14	**1 lit**
070805 $C_4H_{11}N.HCl$ (660-68-4)	**Diethylamine Hydrochloride** for Synthesis (Diethyl ammonium Chloride) M. W .:109.6 Assay 98.0%	**500 gm**
028122 $C_6H_{15}NO$ (100-37-8)	2-**Diethyl Amino Ethanol** (N,N-Diethyl Amino Ethanolamine) M.W.: 117.19 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
510455 $C_6H_{15}NO$ (100-37-8)	2-**Diethyl Amino Ethanol AR** M. W.: 117.19	**500 ml**
070865 $(C_2H_5)_2NCH_4Cl.HCl$ (869-24-9)	▲2-**Diethyl Amino Ethyl Chloride** **Hydrochloride** for Synthesis M. W.: 172.10 Assay 99.0%	**25 gm** **100 gm** **1 kg**
025652 $C_{10}H_{15}N$ (91-66-7)	n,n'-**Diethyl Aniline** M. W.: 149.25 Assay (GC) 98.5%	**500 ml** **2.5 lit** **25 lit**
510495 $C_{10}H_{15}N$ (91-66-7)	n,n-**Diethyl Aniline AR** M. W.: 149.25 Assay (GC) 99.0%	**500 ml**

Storage : · #0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
510615 $C_6H_{10}N_2O_4$ (1972-28-7)	**Diethyl Azodicarboxylate AR** (Dad, Daed, Azocarboxylicacid Diethylester) M. W.: 174.16	5 gm 25 gm 100 gm
	Diethyl Carbamoyl Chloride See Diethyl Carbamyl Chloride,	
070975 $C_5H_{10}CINO$ (88-10-8)	**Diethyl Carbamyl Chloride** (Diethyl Carbamoyl Chloride) M.W : 135.59 Assay 99.0%	100 gm
071125 $C_5H_{10}O_3$ (105-58-8)	**Diethyl Carbonate** for Synthesis M. W.: 118.13 Assay 99.0%	500 ml 2.5 lit 25 lit
	Diethylene Diamine See Piperazine	
028150 $C_4H_{10}O_3$ (111-46-6)	**Diethylene Glycol** for Synthesis M. W.: 106.12 Assay (GC) 98.5%	500 ml 2.5 lit 25 lit 200 lit
510705 $C_4H_{10}O_3$ (111-46-6)	**Diethylene Glycol AR** M. W.: 106.12 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
510795 $(C_2H_5OCH_2CH_2)_2O$ (112-36-7)	**Diethylene Glycol Diethylether AR** (Diethyldiglycol) M. W.: 162.23	500 ml 2.5 lit
071365 $C_6H_{14}O_3$ (111-96-6)	**Diethylene Glycol Dimethyl Ether** (Dimethyl Digol, Diglyme) M. W.: 134.18 Assay (GC) min. 99%	500 ml 2.5 lit 25 lit
027522 $C_8H_{18}O_3$ (112-34-5)	**Diethylene Glycol Mono Butyl Ether** (Butyl Carbitol, Butyl Digol) M. W.: 162.23 Assay (GC) 97.0%	500 ml 2.5 lit 25 lit
026091 $C_6H_{14}O_3$ (111-90-0)	**Diethylene Glycol Mono Ethyl Ether** for Synthesis (Ethyl Digol) M. W.: 134.18 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit
510940 $C_6H_{14}O_3$ (111-90-0)	**Diethylene Glycol Mono Ethyl Ether AR** M. W.: 134.18	1 lit
025618 $C_5H_{12}O_3$ (111-77-3)	**Diethylene Glycol Mono Methyl Ether** for Synthesis (Methyl Digol) M.W.: 120.15 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit
026079 $C_4H_{13}N_3$ (111-40-0)	**Diethylene Triamine** for Synthesis M. W.: 103.17 Assay (GC) 97.0%	500 ml 2.5 lit 25 lit
025651 $C_{14}H_{23}N_3O_{10}$ (67-43-6)	**▲Diethylene Triamine Penta Acetic Acid** (D.T.P.A.) M. W.: 393.35 Assay 98.0%	100 gm 500 gm 5 kg 25 kg
511545 $C_{14}H_{23}N_3O_{10}$ (67-43-6)	**▲Diethylene Triamine Penta Acetic Acid** (D.T.P.A.) **AR** M. W.: 393.35 Assay (anhydrous substance) 99.0%	100 gm 500 gm 5 kg
824895	**Diethylene Triaminepenta Acetic Acid Pentasodium Salt** 40% Aq. Soln. (DTPA Na5)	500 ml
028132 $(C_2H_5)_2O$ (60-29-7)	**Diethyl Ether** M. W.: 74.12 Assay (GC) 99.5%	500 ml 2.5 lit 25 lit 200 lit
511080 $(C_2H_5)_2O$ (60-29-7)	**Diethyl Ether AR** M. W.: 74.12 Assay (GC) 99.5%	500 ml 2.5 lit 25 lit 200 lit
511085 $(C_2H_5)_2O$ (60-29-7)	**Diethyl Ether** Dry **AR** (Solvent Ether, Ethyl Ether) Meets Analytical Specification of ACS M. W.: 74.12 Assay 99.5%	500 ml 2.5 lit
721900 $(C_2H_5)_2O$ (60-29-7)	**Diethyl Ether** for HPLC (Solvent Ether, Ethyl Ether) M. W.: 74.12	1 lit
722000 $(C_2H_5)_2O$ (60-29-7)	**Diethyl Ether** for Pesticide Residue Trace Analysis M. W.: 74.12	1 lit
071545 $C_{10}H_{16}O_5$ (87-13-8)	**Diethyl Ethoxy Methylene Malonate** for Synthesis M. W.: 216.23 Assay 98.0%	500 ml
071585 $C_{16}H_{35}O_4P$ (298-07-7)	**Di-2-Ethyl Hexyl Phosphate** M. W.: 322.43	500 gm
071625 $CH_3CH_2COCH_2CH_3$ (96-22-0)	**Diethyl Ketone** for Synthesis (3-Pentanone) M. W.: 86.13	500 ml
028138 $C_7H_{12}O_4$ (105-53-3)	**Diethyl Malonate** for Synthesis M. W.: 160.17 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit
511275 $C_7H_{12}O_4$ (105-53-3)	**Diethyl Malonate AR** M. W.: 160.17 Assay 99.0%	500 ml 2.5 lit
511365 $C_8H_{11}O_5Na$ (40876-98-0)	**Diethyl Oxalacetate Sodium Salt AR** M.W.: 210.16 Assay 95.0%	100 gm 500 gm
025634 $C_6H_{10}O_4$ (95-92-1)	**Diethyl Oxalate** M.W.: 146.14 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit
511455 $C_6H_{10}O_4$ (95-92-1)	**Diethyl Oxalate AR** M. W.: 146.14	500 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
511480 $(C_2H_5)_2NC_6H_4NH_4.H_2SO_4$ (6283-63-2)	N,N-**Diethyl**-P-**Phenylenediamine Sulphate AR** M.W.: 262.33 Assay 98.0%	**100 gm** **500 gm**
028142 $C_{12}H_{14}O_4$ (84-66-2)	**Diethyl Phthalate** for Synthesis M. W.: 222.24 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
511605 $C_{12}H_{14}O4$ (84-66-2)	**Diethyl Phthalate AR** M. W.: 222.24 Assay 97.0%	**500 ml**
924300 MB $C_6H_{10}O_5$ (1609-47-8)	▲**Diethyl Pyrocarbonate** (DEPC) For Molecular Biology M. W.: 162.14 Assay : ≥ 99%	**25 ml** **100 ml**
PCT2510 PTC $O(COOC_2H_5)_2$ (1609-47-8)	▲**Diethyl Pyrocarbonate** Plant Culture Tested M. W.: 162.14 Assay 97.0%	**25 ml** **50 ml** **100 ml**
071925 $C_8H_{14}O_4$ (123-25-1)	**Diethyl Succinate** for Synthesis M.W.: 174.19 Assay 99.0%	**500 ml**
028144 $C_4H_{10}SO_4$ (64-67-5)	**Diethyl Sulphate** M. W.: 154.19 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit**
	(2R,3R)-(+)-**Diethyl Tartrate** See (+)-Diethyl L-Tartrate	
025607 $C_8H_{14}O_6$ (13811-71-7)	**Diethyl**-D-(-)-**Tartarate** M. W.: 206.20	**100 gm** **500 gm**
072095 $C_8H_{14}O_6$ (87-91-2)	(+)-**Diethyl** L-**Tartrate** M.W. 206.20	**100 gm** **500 gm**
072015 $C_{11}H_{17}N$ (91-67-8)	N,N-**Diethyl**-M-**Toluidine** for Synthesis M. W.: 163.27	**100 ml** **500 ml**
072165 $F_2C_6H_3NH_2$ (367-25-9)	2:4-**Difluoro Aniline** M. W.: 129.11 Assay 99.0%	**25 gm** **100 gm**
072175 ✲ $F_2C_6H_3NH_2$ (372-39-4)	3:5-**Difluoro Aniline** M. W.: 129.11 Assay 98.0%	**5 gm**
072225 ✲ $F_2C_6H_3CHO$ (437-81-0)	2,6-**Difluoro Benzaldehyde** M. W.: 142.10 Assay 98.0%	**5 gm** **25 gm**
072305 ✲ $F_2C_6H_3C(O)NH_2$ (18063-03-1)	2,6-**Difluoro Benzamide** M. W.: 157.12 Assay 97.0%	**25 gm**
	m-**Difluorobenzene** See 1,3-Difluorobenzene	
072385 $C_6H_4F_2$ (372-18-9)	1,3-**Difluoro Benzene** (m-Difluorobenzene) M. W.: 114.10 Assay 99.0%	**100 ml** **500 ml**
072425 ✲ $(FC_6H_4)_2CO$ (345-92-6)	4,4-**Difluoro Benzophenone** for Synthesis M. W.: 218.20 Assay 99.0%	**250 gm**

Product Code	Product Name	Packing
072525 $C_5H_2ClF_2N$ (89402-43-7)	2,3-**Difluoro** 5-**Chloro Pyridine** M. W.: 149.53 Assay 95%	**5 gm**
072795 $C_6H_3F_2NO_2$ (446-35-5)	2:4-**Difluoro Nitro Benzene** M. W.: 159.09 Assay 99.0%	**25 gm** **100 gm** **500 gm**
072825 ✲ $F_2C_6H_3NO_2$ (2265-94-3)	3:5-**Difluoro Nitro Benzene** M. W.: 159.09 Assay 99.0%	**5 gm** **25 gm**
511785 $C_{56}H_{92}O_{29}$ (11024-24-1)	**Digitonin AR** M. W.: 1229.34 Assay (Gravimetric) 98.0%	**1 gm**
	Diglyme See Diethylene Glycol Dimethyl Ether	
	Digol See Diethylene Glycol	
072845 C_5H_8O (110-87-2)	3,4-**Dihydro**-2H-**Pyran** M.W : 84.12	**100 ml** **500 ml**
072945 $(HO)_2C_6H_3COCH_3$ (89-84-9)	2,4-**Dihydroxy Acetophenone** for Synthesis (4-Acetylresorcinol, Resacetophenone) M. W.: 152.15	**100 gm** **500 gm**
072885 $C_6H_{12}O_6$ (26776-70-5)	1,3-**Dihydroxy Acetone** for Synthesis (Dimer) M. W.: 180.16	**25 gm** **100 gm**
025645 $C_8H_8O_3$ (490-78-8)	2,5-**Dihydroxy Acetophenone** (2-Acetyl Hydroquinone, Quinacetophenone) M. W.: 152.15 Assay (GC) 98.0%	**5 gm** **25 gm** **100 gm**
025644 $C_8H_8O_3$ (699-83-2)	2,6-**Dihydroxy Acetophenone** M.W 152.15 Assay (GC) 99.0%	**5 gm** **25 gm**
	1,4-**Dihydroxy Anthraquinone** See Quinizarine	
512515 $C_7H_6O_3$ (139-85-5)	3,4-**Dihydroxy Benzaldehyde AR** (Protocatechualdehyede) M. W.: 138.12	**25 gm** **100 gm** **500 gm**
	1,4-**Dihydroxy Benzene** See Hydroquinone	
	o-**Dihydroxy Benzene** See Pyrocatechol	
	1,2-**Dihydroxybenzene**-3,5-**Disulfonic Acid Sodium Salt** See Tiron	
073085 $C_7H_6O_4$ (89-86-1)	2,4-**Dihydroxy Benzoic Ac** for Synthesis (β-resor-cylic acid) M. W.: 154.12 Assay 98.0%	**100 gm** **500 gm**
073105 $C_7H_6O_4$ (99-10-5)	3,5-**Dihydroxy Benzoic Acid** for Synthesis (α-resor-cylic acid) M. W.: 154.12 Assay 98.0%	**100 gm** **500 gm**
073125 $C_{13}H_{10}O_3$ (131-56-6)	· 2,4-**Dihydroxy Benzophenone** for Synthesis M. W.: 214.22 Assay 99.0%	**100 gm** **500 gm**

Storage : · #0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

D

Laboratory Chemicals

Product Code	Product Name	Packing
073165 ⁂ $(HOC_6H_4)_2CO$ (611-99-4)	4,4-**Dihydroxy Benzophenone** for Synthesis M. W.: 214.22	**25 gm** **100 gm**
	1,3-**Dihydroxynapthalene** See Naphthoresorcinol	
073255 $C_{10}H_8O_2$ (83-56-7)	▲1,5-**Dihydroxynaphthalene** M. W.: 160.17	**500 gm**
	3,(3-4-**Dihydroxy Phenyl)** Di- **Alanine** See DL-DOPA	
	3-(3-4-**Dihydroxy Phenyl)-l-Alanine** See L-DOPA	
	2,2-**Di** (4-**Hydroxy Phenyl) Propane** See Bisphenol A	
073315 $C_9H_{10}O_3$ (938-46-5)	2,5-**Dihydroxy Propiophenone** M. W.: 166.17 Assay 98.0%	**25 gm**
	1,8-**Dihydroxy-2-(4-Sulfophenylazo) Naphthalene-3, 6-Disulfonic Trisodium Salt** See SPADNS	
	3,5-**Dihydroxytoluene** See Orcinol	
PCT1852 PTC $C_{10}H_{15}N_5O$ (14894-18-9)	▲**Dihydrozeatin (DHZ)** Plant Culture Tested M. W.: 221.3	**25 mg** **50 mg** **100 mg** **250 mg**
073365 CH_2I_2 (75-11-6)	**Diiodomethane** for Synthesis Separation of Minerals M.W : 267.84 Assay 98.0%	**100 gm**
025615 $C_6H_{15}N$ (108-18-9)	**Di**-ISO-**Propylamine** for Synthesis M. W.: 101.19 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
	Diisopropyl Azodiformate See Diisopropylazodicarboxylate	
073405 $C_8H_{14}N_2O_4$ (2446-83-5)	**DI**-ISO-**Propyl Azo Dicarboxylate** for Synthesis M. W.: 202.21	**25 gm** **100 gm**
028268 $C_6H_{14}O$ (108-20-3)	**Di**-ISO-**Propyl Ether** M. W.: 102.18 Assay (G.C) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
512605 $C_6H_{14}O$ (108-20-3)	**Di**-ISO-**Propyl Ether AR/ACS** M. W.: 102.18 Assay (GC) 98.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
073505 $C_8H_{19}N$ (7087-68-5)	n, n'-**Di**-ISO-**Propyl Ethylamine** for Synthesis M. W.: 129.25	**250 ml** **500 ml** **25 lit**
PCT1832 PTC $C_{12}H_{18}O_7.H_2O$ (68539-16-2)	· **Dikegulac** Plant Culture Tested M. W.: 292.28 Assay 97.5%	**500 mg** **1 gm**

Product Code	Product Name	Packing
926490 MB	**Diluent** For DNA Extraction (For Molecular Biology) Assay : ≥ 99.8% Store Below 30°C	**100 ml** **500 ml** **10x500 ml**
	Diluting Fluide WBC See W.B.C.Diluting Fluid (Turk's)	
512695 $C_8H_{12}O_2$ (126-81-8)	**Dimedone AR** M. W.: 140.18 Assay (acidimetric) 99.5%	**25 gm** **100 gm**
825950	**Dimedone** Reagent (Reagent for aldehydes)	**100 ml**
073665 $C_{10}H_{12}O_3$ (829-20-9)	2,4-**Dimethoxy Acetophenone** for Synthesis (Resacetophenonedimethyl Ether) M. W.: 180.21 Assay 98.0%	**25 gm** **100 gm**
073675 $C_{10}H_{12}O_3$ (1201-38-3)	2,5-**Dimethoxy Acetophenone** for Synthesis (Resacetophenonedimethyl Ether) M. W.: 180.21 Assay 99.0%	**100 gm** **500 gm**
073685 $C_{10}H_{12}O_3$ (1131-62-0)	3,4-**Dimethoxy Acetophenone** M. W.: 180.21 Assay 98.0%	**25 gm** **100 gm**
073715 $C_9H_{10}O_3$ (120-14-9)	▲3,4-**Dimethoxy Benzaldehyde** for Synthesis (veratraldehyde) M. W.: 166.17 Assay ≥ 98.0%	**100 gm** **500 gm**
	1,4-**Dimethoxybenzene** See Hydroquinone Dimethyl Ether	
	3,3'-**Dimethoxybenzidine** See O-Dianisidine	
073745 $(CH_3OC_6H_4)_2CO$ (90-96-0)	4,4'-**Dimethoxy Benzophenone** M. W.: 242.27 Assay 97.0%	**25 gm** **100 gm**
073805 $C_4H_{10}O_2$ (110-71-4)	1,2-**Dimethoxy Ethane** (Ethylene Glycol Dimethyl Ether, Monoglyme) (Stabilised with BHT ~ 100 ppm) M. W.: 90.12 Assay 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
073845 $C_3H_8O_2$ (109-87-5)	1,2-**Dimethoxy Methane** (FormaldehydeDimethyl Acetal, Methylal) M. W.: 76.10 Assay 98.0%	**500 ml** **2.5 lit**
512895 $C_3H_8O_2$ (109-87-5)	1,2-**Dimethoxy Methane** Anhydrous **AR** M. W.: 76.10 Assay 99.5%	**500 ml** **2.5 lit**
073905 $C_5H_{12}O_2$ (77-76-9)	2,2-**Dimethoxy Propane** for Synthesis (Acetone Dimethyl Acetal) M. W.: 104.15 Assay 98.0%	**500 ml** **2.5 lit**
073985 $C_6H_{12}O_3$ (696-59-3)	2:5-**Dimethoxy Tetrahydrofuran** For Synthesis M. W.: 132.16	**100 gm** **500 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
074115 $C_{21}H_{19}ClO_2$ (40615-36-9)	4,4'-**Dimethoxy Trityl Chloride** for Biochemistry M. W.: 338.83 Assay 95.0%	**5 gm** **25 gm** **100 gm**
027011 C_4H_9NO (127-19-5)	n,n'-**Dimethyl Acetamide** M. W.: 87.12 Assay (GC) 99.0%	**500 ml** **1 lit** **2.5 lit** **25 lit**
513210 C_4H_9NO (127-19-5)	n,n'-**Dimethyl Acetamide AR** M. W.: 87.12 Assay (GC) 99.5%	**500 ml** **1 lit** **2.5 lit** **25 lit**
513215 C_4H_9NO (127-19-5)	n,n'-**Dimethyl Acetamide** "Dry" **AR** M. W.: 87.12 Assay 99.5%	**500 ml** **2.5 lit**
723000 C_4H_9NO (127-19-5)	n,n;-**Dimethyl Acetamide** For HPLC & Spectroscopy M. W.: 87.12 Assay (GC) 99.7%	**1 lit**
723100 C_4H_9NO (127-19-5)	N,N-**Dimethyl Acetamide** For GC-HS M. W.: 87.12	**1 lit** **2.5 lit**
074225 ✻ $C_5H_8O_2$ (541-47-9)	3,3-**Dimethyl Acrylic Acid** for Synthesis (3-**Methyl**-2-**Butenoic Acid**) M. W.: 100.12 Assay 97.0%	**100 gm** **500 gm**
074335 $C_8H_{14}O_4$ (627-93-0)	**Dimethyl Adipate** M. W.: 174.2 Assay 98.0%	**500 ml**
025614 C_2H_7N (124-40-3)	**Dimethylamine** Solution 40% for Synthesis M. W.: 45.08 Assay $(CH_3)_2NH$ abt. 40% w/w	**500 ml** **2.5 lit** **25 lit**
	Dimethylamine Hydrochloride See Dimethyl Ammonium Chloride	
074465 $C_{13}H_{17}N_3O$ (58-15-1)	4-**Dimethyl Amino Antipyrine** (Aminopyrine,4-Dimethylamino-1, 5-Dimethy-2-Phenylpyrazol-3-one) M. W.: 231.30	**25 gm** **100 gm**
028189 $C_9H_{11}NO$ (100-10-7)	▲p-**Dimethyl Amino Benzaldehyde** for Synthesis (EHRLICH Reagent) M. W.: 149.19 Assay (non aqueous) 98.0%	**100 gm** **1 kg** **25 kg**
513305 $C_9H_{11}NO$ (100-10-7)	▲p-**Dimethyl Amino Benzaldehyde AR/ACS** M. W.: 149.19 Assay (Non-aqueous) 99.0%	**100 gm** **1 kg** **25 kg**
513350 $C_{12}H_{12}N_2OS_2$ (536-17-4)	p-**Dimethylaminobenzylidene** **Rhodanine AR** M. W.: 264.36	**5 gm** **25 gm**
825990	▲p-**Dimethylamine Benzylidine** Rhodamine Solution (Reagent for Au, Hg & Ag)	**100 ml**
513375 $C_{11}H_{13}NO$ (6203-18-5)	▲p-**Dimethyl Amino Cinnamaldehyde AR** M. W.: 175.23 Assay (HPLC) 98.0%	**5 gm** **25 gm**
028190 $C_4H_{11}NO$ (108-01-0)	n,n'-**Dimethyl Amino Ethanol** M. W.: 89.14 Assay (GC) 99.0%	**500 ml** **2.5 lit**
025627 $C_4H_{10}ClN.HCl$ (4584-46-7)	2-**Dimethyl Amino Ethyl Chloride** **Hydrochloride** M. W.: 144.04 Assay (non aqueous) 99.0%	**100 gm** **1 kg**
074675 $C_5H_{14}N_2$ (109-55-7)	3-**Dimethyl Amino**-1-**Propylamine** M. W.: 102.18 Assay 98.0%	**500 ml** **2.5 lit**
074715 $C_5H_{12}ClN.HCl$ (5407-04-5)	3-**Dimethyl Aminopropyl Chloride** **Hydrochloride** for Synthesis M. W.: 158.07	**100 gm** **500 gm**
074785 (25952-53-8)	· 1-(3-**Dimethyl Aminopropyl**)-3- **Ethylcarbodiimide Hydrochloride** Assay 98.0%	**5 gm** **25 gm** **100 gm** **500 gm**
074895 $C_7H_{10}N_2$ (1122-58-3)	p-**Dimethyl Amino Pyridine** for Synthesis (4-Dimethylaminopyridine) M. W.: 122.17	**100 gm** **1 kg**
355001	p-**Dimethyl Amino Styryl-** B-**Naphthiazole Methiodide AR**	**100 mgm**
028194 $C_2H_7N.HCl$ (506-59-2)	**Dimethyl Ammonium Chloride** for Synthesis M. W.: 81.55 Assay (argentometric) 97.0%	**100 gm** **500 gm** **5 kg** **25 kg**
513405 $(CH_3)_2NH.HCl$ (506-59-2)	**Dimethyl Ammonium Chloride AR** (Dimethylamine Hydrochloride) M. W.: 81.54	**250 gm**
	2,4-**Dimethylaniline** See 2,4 Xylidine	
	2,6-**Dimethylaniline** See 2,6 Xylidine	
028196 $C_8H_{11}N$ (121-69-7)	N,N-**Dimethyl Aniline** M. W.: 121.18 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
513450 $C_8H_{11}N$ (121-69-7)	N,N-**Dimethyl Aniline AR** M. W.: 121.18 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
074995 $C_9H_{11}NO_2$ (85-91-6)	**Dimethyl Anthranilate** M. W.: 165.19	**500 gm**
	Dimethyl Arsenic Acid Sodium Salt See Sodium Cacodylate	
075085 $C_9H_{10}N_2$ (582-60-5)	5,6-**Dimethyl Benzimidazole** M. W.: 146.19 Assay 99.0%	**25 gm** **100 gm**
	N,N'-**Dimethyl Benzylamine** See N,N-**Dimethyl Aniline**	
514115 $C_6H_{12}O_2$ (595-37-9)	2,2-**Dimethyl Butyric Acid AR** M. W.: 116.16	**25 ml** **500 ml**

Storage : · ❄0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code		Product Name	Packing
075285 $C_3H_6O_3$ (616-38-6)		**Dimethyl Carbonate** for Synthesis M. W.: 90.08 Assay 99.0%	**500 ml** **2.5 lit** **25 lit**
		5,5-**Dimethyl**-1,3-**Cyclohexanedione** See Dimedone	
075395 $C_8H_{17}N$ (98-94-2)		N,N-**Dimethyl Cyclohexylamine** for Synthesis M. W.: 127.23 Assay 99.0%	**500 ml**
		Dimethyl Dichlorosilane See Dichloro dimethyl silane	
		Dimethyldigol See Diethylene Glycol Dimethyl Ether	
		2,9-**Dimethyl**-4, 7-**Diphenyl**-1,10 **Phenanthroline** See Bathocuproin	
075505 $C_2H_6S_2$ (624-92-0)		**Dimethyl Disulphide** M. W.: 94.2	**250 ml**
		N,n'-**Dimethyl Ethanolamine** See N,N-Dimethyl Amino Ethanol	
028425 C_3H_7NO (68-12-2)		n,n'-**Dimethyl Formamide** M. W.: 73.09 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
514360 C_3H_7NO (68-12-2)		n,n'-**Dimethyl Formamide AR** M. W.: 73.09 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
514365 C_3H_7NO (68-12-2)		n,n'-**Dimethyl Formamide** Specially Dried **AR/ACS** M. W.: 73.09 Assay (GC) 99.5%	**500 ml** **2.5 lit**
723600 C_3H_7NO (68-12-2)		n,n'-**Dimethyl Formamide** for HPLC & Spectroscopy M. W.: 73.09 Assay (GC) 99.5%	**500 ml** **1 lit**
926500 C_3H_7NO (68-12-2)	MB	n,n'-**Dimethyl Formamide** for Molecular Biology M. W.: 73.09	**500 ml**
723700 C_3H_7NO (68-12-2)		N,N-**Dimethyl Formamide** for Pesticide Residue Trace Analysis M. W.: 73.09	**1 lit**
727800 C_3H_7NO (68-12-2)		N,N-**Dimethyl Formamide** For GC-HS M. W.: 73.09	**1 lit** **2.5 lit**
PCT2533 C_3H_7NO (68-12-2)	PTC	N,N-**Dimethyl Formamide** Plant Culture Tested M. W.: 73.09 Store below 30°C	**500 ml**
TC1736 C_3H_7NO (68-12-2)	ATC	**N,N-Dimethyl Formamide** DMF Cell Culture Tested M. W.: 73.09 Store belwo 30°C	**500 ml**
D44172 C_3HD_6NO (185990-36-7)		N,N-**Dimethyl**-d_6-**Formamide** (DMF-d_6) (for NMR Spectroscopy) M.W.: 79.14 Assay Min. 99 atom%D	**5 ml**
514375 $C_5H_{13}NO_2$ (4637-24-5)		N,N-**Dimethyl Formamide** **Dimethylacetal AR** M. W.: 119.16	**100 ml** **500 ml**
075765 C_8H_{10} (2175-91-9)		6,6-**Dimethyl Fulvene** M. W.: 106.17	**1 gm** **5 gm**
075855 $C_4H_8N_2O_2$ (95-45-4)		**Dimethyl Glyoxime** for Industrial Use M. W.: 116.12	**5 kg**
013046 $C_4H_8N_2O_2$ (95-45-4)		**Dimethyl Glyoxime** (2,3-Butanedione Dioxime) M. W.: 116.12 Assay (Gravimetric via Nickel complex, on dried subs.) 98.0%	**100 gm** **500 gm**
514465 $C_4H_8N_2O_2$ (95-45-4)		**Dimethyl Glyoxime AR/ACS** reagent for Nickel M. W.: 116.12 Assay Gravimetric via Nickel complex, on dried subs.) 99.0%	**100 gm** **500 gm**
826040		**Dimethyl Glyoxime** Solution (Reagent for Bi, CO, Ni, Ag)	**100 ml**
514530 $C_4H_6N_2Na_2O_2.8H_2O$ (75006-64-3)		**Dimethyl Glyoxime Di Sodium Salt** Octahydrate **AR** M. W.: 304.21 Assay (anhydrous non aqueous) 99.0%	**250 gm**
075965 $C_5H_{10}N_2O$ (80-73-9)		N, N-**Dimethyl Imidazolidinone** for pesticide residue analysis for Residual Solvent Impurity Profile & Headspace Analysis (1,3-Dimethyl-2-Imidazolidinone) M. W.: 114.15	**100 ml** **500 ml** **2.5 lit**
076005 $C_5H_8O_4$ (108-59-8)		**Dimethyl Malonate** for Synthesis M. W.: 132.11	**500 ml** **2.5 lit**
076065 $C_8H_{10}N_2O$ (138-89-6)		n,n-**Dimethyl**-4-**Nitrosoaniline** for Synthesis M. W.: 150.18	**25 gm**
728250 $C_{10}H_{23}N$ (7378-99-6)		n,n-**Dimethyl Octylamine** for HPLC M. W.: 157.3	**25 ml**
		2,9-**Dimethyl** 1,10-**Phenanthroline Hydrochloride** See Neocuproine Hydrochloride	
076155 $C_8H_{10}O$ (526-75-0)		2,3-**Dimethyl Phenol** M. W.: 122.16	**100 gm**
076165 $C_8H_{10}O$ (105-67-9)	✲	2,4-**Dimethyl Phenol** for Synthesis M. W.: 122.16	**25 ml** **100 ml**
076175 $C_8H_{10}O$ (95-87-4)	✲	2,5-**Dimethyl Phenol** for Synthesis M. W.: 122.16	**100 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code		Product Name	Packing
076185	⁂	2,6-**Dimethyl Phenol** for Synthesis M. W.: 122.16	**25 gm** **500 gm**
$C_8H_{10}O$ (576-26-1)			
076195	⁂	3,4-**Dimethyl Phenol** for Synthesis M. W.: 122.16	**25 gm** **500 gm**
$C_8H_{10}O$ (95-65-8)			
076205	⁂	3,5-**Dimethyl Phenol** for Synthesis M. W.: 122.16	**100 gm** **500 gm**
$C_8H_{10}O$ (108-68-9)			
514895		n,n-**Dimethyl** P-**Phenylene Diamine Oxalate** for Synthesis M. W.: 181.21	**5 gm** **25 gm**
$C_{18}H_{26}N_4O_4$ (62778-12-5)			
514925		n,n-**Dimethyl** P-**Phenylenediamine Dihydrochloride AR** M. W.: 209.12	**25 gm**
$C_8H_{12}N_2.2HCl$ (536-46-9)			
514935		n,n-**Dimethyl** P-**Phenylene Diamine Sulphate Salt AR** M. W.: 234.27	**5 gm** **25 gm**
$C_8H_{12}N_2H_2.SO_4$ (536-47-0)			
076405		**Dimethyl Phthalate** M. W.: 194.19 Assay 99.0%	**500 ml** **2.5 lit** **25 lit**
$C_{10}H_{10}O_4$ (131-11-3)			
515025		**Dimethyl Phthalate AR** M. W.: 194.19	**1 lit**
$C_{10}H_{10}O_4$ (131-11-3)			
		Dimethyl Polysiloxane See Silicon oil	
076505		**Dimethyl Popop** Scintillation Grade [1,4-Bis(4-Methyl-5-Phenyl-2-Oxazolyl)Benzene] M. W.: 392.45	**5 gm** **25 gm**
$C_{26}H_{20}N_2O_2$ (3073-87-8)			
		2,2-**Dimethyl**-1,3-**Propanediol** See Neopentyl Glycol	
515225		**Dimethyl Propylene Urea AR** (DMPU) M. W.: 128.17	**100 gm** **500 gm**
$C_6H_{12}N_2O$ (7226-23-5)			
		2,3 **Dimethyl Pyridine** See 2,3 Lutidine	
		2,6 **Dimethyl Pyridine** See 2,6 Lutidine	
		3,4 **Dimethyl Pyridine** See 3,4 Lutidine	
		3,5 **Dimethyl Pyridine** See 3,5 Lutidine	
PCT2554	PTC	**Dimethylsiloxane Ethylene Oxide Block Copolymer** Plant Culture Tested $(C_2H_{40})_n.C_{11}H_{30}O_3Si_3$ M. W.: 338.66 Store below 30°C * Equivalent to Silwet L-77	**10 ml** **25 ml** **100 ml**
(27306-78-1)			
028214		**Dimethyl Sulphate** for Synthesis M. W.: 126.13 Assay (GC) 99.0%	**500 ml**
$C_2H_6O_4S$ (77-78-1)			
515415		**Dimethyl Sulphide AR** M.W.: 62.12	**500 ml** **2.5 lit**
C_2H_6S (75-18-3)			

Product Code		Product Name	Packing
		Dimethyl Sulphone See Methyl sulphonyl methane	
028216		**Dimethyl Sulphoxide** for Synthesis M. W.: 78.13 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
C_2H_6SO (67-68-5)			
515505		**Dimethyl Sulphoxide AR** M. W.: 78.13 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit**
C_2H_6SO (67-68-5)			
515510		**Dimethyl Sulphoxide** Specially Dried **AR** M. W.: 78.13 Assay (GC) 99.5%	**500 ml** **2.5 lit**
C_2H_6SO (67-68-5)			
728300		**Dimethyl Sulphoxide** for HPLC & Spectroscopy M. W.: 78.13 Assay (GC) 99.8%	**500 ml** **1 lit** **2.5 lit**
C_2H_6SO (67-68-5)			
926590	MB	**Dimethyl Sulphoxide** for Molecular Biology M. W.: 78.13 Assay 99.0%	**100 ml** **500 ml**
C_2H_6SO (67-68-5)			
728400		**Dimethyl Sulphoxide** for Pesticide residue analysis M. W.: 78.13	**1 lit**
C_2H_6SO (67-68-5)			
728700		**Dimethyl Sulphoxide** for GC-HS M. W.: 78.13 Assay 99.0%	**1 lit** **2.5 lit**
C_2H_6SO (67-68-5)			
PCT2303	PTC	**Dimethyl Sulphoxide (DMSO)** Plant Culture Tested M. W.: 78.13 Assay 99.5% Store below 30°C	**100 ml** **500 ml**
C_2H_6OS (67-68-5)			
TC1450M	ATC	▲**Dimethyl Sulphoxide** (See: CryoXL ™ DMSO) Sterile Filtered Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications M. W.: 78.13 Assay : ≥99.5%	**100 ml**
C_2H_6OS (67-68-5)			
TC1349	ATC	**Dimethyl Sulphoxide (DMSO), Sterile** Sterile Filtered Cell Culture Tested M. W.: 78.13 Assay : ≥99.5% Store below 30°C	**100 ml**
C_2H_6OS (67-68-5)			
TC1185	ATC	**Dimethyl Sulphoxide (DMSO)** Cell Culture Tested M. W.: 78.13 Assay : ≥99.5% Store below 30°C	**100 ml** **250 ml**
C_2H_6OS (67-68-5)			
D54072		**Dimethyl-d_6 Sulphoxide** (DMSO-d_6) M.W.: 84.18 (for NMR Spectroscopy) Assay Min. 99.8 atom%D	**10x0.75ml**
C_2D_6OS (2206-27-1)			
D54126		**Dimethyl-d_6 Sulphoxide** (DMSO-d_6) M.W.: 84.18 (for NMR Spectroscopy) Assay Min. 99.8 atom%D	**10 ml** **25 ml**
C_2D_6OS (2206-27-1)			

Storage : · ❄0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
926640 MB $C_{18}H_{16}BrN_5S$ (298-93-1)	▲3-(4,5-**Dimethyl**-2-**Thiazolyl**)-2,5-**Diphenyl**-2H-**Tetrazolium Bromide)** (See : MTT: Thiazolyl Blue) For Molecular Biology M. W.: 414.32 Assay : ≥ 98%	**100 mg** **500 mg** **1 gm**
076900 $C_3H_8N_2S$ (534-13-4)	n,n-**Dimethyl Thiourea** for Synthesis M. W.: 104.17 Assay 98.5%	**100 gm**
028218 $C_9H_{13}N$ (99-97-8)	n,n-**Dimethyl**-p-**Toluidine** M. W.: 135.21 Assay (GC) 98.0%	**500 ml**
	1,3-**Dimethylurea** See N,N'-Dimethylurea	
076915 $C_3H_8N_2O$ (96-31-1)	n,n'-**Dimethyl Urea** for Synthesis (1,3-Dimethylurea) M. W.: 88.11	**500 gm**
025640 $C_{14}H_{15}N_3$ (60-11-7)	**Dimethyl Yellow** Indicator pH 2.9-4.0 Red to Orange Yellow Carcinogenic M. W.: 225.3	**10 gm** **25 gm** **100 gm**
020127 $C_{20}H_{18}BrN_3$ (518-67-2)	**Dimidium Bromide** M. W.: 380.29 Assay (Spectrophotometric br) about 95.0%	**100 mg** **1 gm**
826080	**Dimidium Bromide** Disulphine Blue Indicator Stock Solution (for use in the two phase method for anionic surfactant)	**100 ml**
028220 $C_6H_5N_3O_4$ (97-02-9)	2,4-**Dinitro Aniline** M. W.: 183.12 Assay (HPLC) 98.0%	**100 gm** **500 gm**
	1,3 **Dinitrobenzene** See m-Dinitrobenzene	
077115 $C_6H_4(NO_2)_2$ (99-65-0)	m-**Dinitro Benzene** tech M. W.: 168.11 Assay (GC) 97.0%	**250 gm** **500 gm**
028224 $C_6H_4(NO_2)_2$ (99-65-0)	m-**Dinitro Benzene** for Synthesis M. W.: 168.11 Assay (GC) 98.0%	**250 gm** **500 gm** **25 kg**
515605 $C_6H_4(NO_2)_2$ (99-65-0)	m-**Dinitro Benzene AR** for determination of 17 Ketosteroids M. W.: 168.11 Assay (GC) 99.0%	**25 gm** **100 gm** **500 gm**
826110	m-**Dinitro Benzene** Reagent Solution (test reagent for glucose & other reducing sugars)	**100 ml**
077125 $C_6H_4N_2O_4$ (528-29-0)	1,2-**Dinitrobenzene** M. W.: 168.11	**5 gm**
077135 $C_6H_4N_2O_4$ (100-25-4)	1-4,**Dinitro Benzene** for Synthesis M. W.: 168.11	**5 gm**
025633 $C_7H_4N_2O_6$ (99-34-3)	3,5-**Dinitro Benzoic Acid** M. W.: 212.12 Assay (acidimetric) 99.0%	**100 gm** **500 gm**

Product Code	Product Name	Packing
515785 $C_7H_4N_2O_6$ (99-34-3)	3,5-**Dinitro Benzoic Acid AR** M. W.: 212.12 Assay 99.7%	**100 gm** **500 gm**
	2,4 **Dinitro Chloro Benzene** See 1-Chloro-2,4-Dinitro Benzene	
077365 $C_6H_4N_2O_5$ (51-28-5)	2,4-**Dinitro Phenol** (1-Hydroxy-2,4-Dinitrobenzene, A-Dinitrophenol) M. W.: 184.11 Assay 97.0%	**25 gm** **100 gm**
028234 $C_6H_6N_4O_4$ (119-26-6)	2,4-**Dinitro Phenyl Hydrazine** M. W.: 198.14 Assay (HPLC) 98.0%	**25 gm** **100 gm** **500 gm**
515875 $C_6H_6N_4O_4$ (119-26-6)	2,4-**Dinitro Phenyl Hydrazine AR** Reagent for aldehydes and ketones M. W.: 198.14 Assay (HPLC) 99.0%	**25 gm** **100 gm** **500 gm**
826135	2,4-**Dinitrophenyl Hydrazine** Solution For TLC spray (For Detection Of Aldehyde & Ketones)	**125 ml**
028235 $C_7H_4N_2O_7$ (609-99-4)	3,5-**Dinitro Salicylic Acid** for Synthesis M. W.: 228.12 Asssay (HPLC) 98.0%	**25 gm** **100 gm**
515920 $C_7H_4N_2O_7$ (609-99-4)	3,5-**Dinitro Salicylic Acid AR** M. W.: 228.12 Assay (HPLC) 99.0%	**25 gm** **100 gm**
926780 MB $C_7H_4N_2O_7$ (609-99-4)	3,5-**Dinitro Salicylic Acid** For Molecular Biology M. W.: 228.12 Assay : ≥ 98% Store Below 30°C	**25 gm** **100 gm**
	Dioctyl Sebacate See Bis-2-Ethylhexyl Sebacate	
	Dioctyl Phthalate See Bis-(2-ethyl hexyl) phthalate	
056007 $C_{20}H_{37}NaO_7S$ (577-11-7)	**Dioctyl Sodium Sulphosuccinate** M. W.: 444.56 Assay (Redox titration, calculated on anhydrous basis) 99-100.5%	**500 gm** **5 kg** **25 kg**
028238 $C_4H_8O_2$ (123-91-1)	1,4-**Dioxane** Pure M. W.: 88.11 Assay (GC) 99.0%	**500 ml** **1 lit** **2.5 lit** **25 lit** **200 lit**
515965 $C_4H_8O_2$ (123-91-1)	1,4-**Dioxane AR** M. W.: 88.11 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
014623 $C_4H_8O_2$ (123-91-1)	1,4-**Dioxane** Scintillation Grade M. W.: 88.11 Assay (GC) 99.5%	**500 ml** **2.5 lit**
515970 $C_4H_8O_2$ (123-91-1)	1,4-**Dioxane** Specially Dried **AR** M. W.: 88.11 Assay (GC) 99.5%	**500 ml** **2.5 lit**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
729496 $C_4H_8O_2$ (123-91-1)	1,4-**Dioxane** GC HS Grade M.W : 88.11 Assay (GC) 99.9%	**1 lit**
729500 $C_4H_8O_2$ (123-91-1)	1,4-**Dioxane** for HPLC & Spectroscopy M. W.: 88.11 Assay (GC) 99.7%	**500 ml** **1 lit**
729700 $C_4H_8O_2$ (123-91-1)	1,4- **Dioxane** for Pesticide residue Analysis M. W.: 88.11	**1 lit**
077675 $C_3H_6O_2$ (646-06-0)	1,3-**Dioxolane** for Synthesis (Ethylene Glycol Methylene Ether) M. W.: 74.08 Assay 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
516055 $C_3H_6O_2$ (646-06-0)	1,3-**Dioxolane AR** M. W.: 74.08	**500 ml** **2.5 lit** **25 lit** **200 lit**
077885 $C_{10}H_{16}$ (138-86-3)	**Dipentene** for Synthesis M. W.: 136.23	**2.5 lit**
025617 $C_{17}H_{21}NO.HCl$ (147-24-0)	**Diphenhydramine Hydrochloride** M. W.: 291.82 Assay 99.0%	**100 gm**
	Diphenyl See Biphenyl	
028243 $(C_6H_5)_2NH$ (122-39-4)	**Diphenylamine** for Synthesis Reagent for Nitrate M. W.: 169.23 Assay (GC) 98.0%	**250 gm** **500 gm**
516295 $(C_6H_5)_2NH$ (122-39-4)	**Diphenylamine AR/ACS** M. W.: 169.23 Assay (GC) 99.0%	**100 gm** **500 gm**
826165	**Diphenylamine** Solution (Kopp's Reagent) (Reagent for nitrates & nitrites)	**100 ml**
	Diphenylamine-4-Sulphonic Acid Barium Salt See Barium Diphenylamine Sulphonate	
	Diphenylamine-4-Sulphonic Acid Sodium Salt See Sodium Diphenylamine Sulphonate	
078185 $C_{12}H_{11}NH_2SO_4$ (587-84-8)	**Diphenylamine Sulphate** M. W.: 267.30 Assay 98.0%	**100 gm** **500 gm**
078255 $C_{14}H_{12}O_2$ (117-34-0)	**Diphenyl Acetic Acid** for Synthesis M. W.: 212.25 Assay 98.0%	**100 gm** **500 gm**
516475 $C_{15}H_{14}O$ (102-04-5)	1,3-**Diphenyl Acetone AR** M. W.: 210.27	**100 gm**
025594 $.C_{14}H_{11}N$ (86-29-3)	**Diphenyl Acetonitrile** M. W.: 193.25 Assay (GC) 99.0%	**100 gm**

Product Code	Product Name	Packing
516505 $(C_6H_4.NH.C_6H_5)_2$ (531-91-9)	N,N-**Diphenyl Benzidine AR** M. W.: 336.44 Assay (ex-N) 96.5%	**5 gm**
826195	**Diphenyl Benzidine** Indicator Solution (Oxidation - Reduction Indicator)	**100 ml**
826215	**Diphenyl Carbazide** Solution (Reagent for arsenate, Cd, Cr, Hg)	**100 ml**
013053 $C_{13}H_{14}N_4O$ (140-22-7)	1,5-**Diphenyl Carbazide** M. W.: 242.28 Assay(HPLC) 97.0%	**25 gm** **100 gm**
516525 $C_{13}H_{14}N_4O$ (140-22-7)	1,5-**Diphenyl Carbazide AR/ACS** M. W.: 242.28 Assay (HPLC) 98.0%	**10 gm** **25 gm**
078400 $C_{13}H_{12}N_4O$ (538-62-5)	1,5-**Diphenyl Carbazone** M. W.: 240.27	**25 gm**
516535 $C_{13}H_{12}N_4O$ (538-62-5)	1,5-**Diphenyl Carbazone AR** M. W.: 240.27	**5 gm** **25 gm** **100 gm**
826245	**Diphenyl Carbazone** Solution (Reagent for Ge & Hg)	**100 ml**
826265	**Diphenyl Carbazone Bromophenol** Blue (0.5 : 0.05) w/v in 95% Alcohol (For Chloride)	**100 ml**
	Diphenylcarbinol See Benzhydrol	
078445 $(C_6H_5O)_2CO$ (102-09-0)	**Diphenyl Carbonate** for Synthesis M. W.: 214.22	**250 gm** **1 kg**
078505 $C_{12}H_{10}Se_2$ (1666-13-3)	**Diphenyl Diselenide** for Synthesis (Phenyl Diselenide) M. W.: 312.1 Assay 97.0%	**5 gm** **25 gm**
078545 $C_{12}H_{10}O$ (101-84-8)	**Diphenyl Ether** for Synthesis (Diphenyloxide,Phenylether) M. W.: 170.21	**500 ml** **2.5 lit** **25 lit**
516665 $C_{12}H_{10}O$ (101-84-8)	**Diphenyl Ether AR** M. W.: 170.21	**500 ml**
516855 $C_{14}H_{12}N_2O_2$ (23873-81-6)	**Diphenyl Glyoxime AR** (Anti-Diphe -nylglyoxime) (α-Benzyl Dioxime) M. W.: 240.26	**5 gm** **25 gm** **100 gm**
078615 $C_{13}H_{13}N_3$ (102-06-7)	1,3-**Diphenyl Guanidine** for Synthesis M. W.: 211.26	**500 gm**
078695 $C_{15}H_{12}N_2O_2$ (57-41-0)	5,5-**Diphenyl Hydantoin** for Synthesis M. W.: 252.27	**100 gm** **500 gm**
025620 $(C_6H_5)_2CH_2$ (101-81-5)	▲**Diphenyl Methane** M. W.: 168.24 Assay (GC) 99.0%	**500 ml** **2.5 lit**
	2,5-**Diphenyl Oxazole** See PPO	

Storage : · #0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
	Diphenyl Oxide See Diphenyl Ether	
	4, 7-**Diphenyl**-1, 10-**Phenanthroline** See Bathophenanthroline	
	1,4-**Di**-2-(5-**Phenyl Oxazolyl) Benzene** See POPOP	
078745 $C_{18}H_{12}N_5O_6$ (1898-66-4)	▲2,2-**Diphenyl**-1-**Picrylhydrazyl** M. W.: 394.32	**1 gm** **5 gm**
926800 MB $C_{18}H_{12}N_5O_6$ (1898-66-4)	▲2,2-**Diphenyl**-1-**Picryl Hydrazyl** For Molecular Biology M. W.: 394.32 Assay : 95.0%	**1 gm**
	Diphenyl Thiocarbazone See Dithizone	
078805 $C_{13}H_{12}N_2S$ (102-08-9)	n,n'-**Diphenyl Thiourea** for Synthesis M. W.: 228.31 Assay 98.0%	**100 gm**
	Diphospho Pyridine Nucleotide See Nicotinamide Adenine Dinucleotide	
517045 $C_7H_5NO_4$ (499-83-2)	2,6-**Dipicolinic Acid AR** M. W.: 167.12 Assay 99.0%	**25 gm** **100 gm** **500 gm**
079100 $C_7H_{16}O_3$ (34590-94-8)	**Dipropylene Glycol Monomethyl Ether** M. W.: 148.20	**500 ml** **2.5 lit**
	2,2-**Dipyridyl** See 2,2-Bipyridyl	
	2,2'-**Diquinolyl** See 2,2'-Biquinoline	
	Dish Wash See Dw009	
	Disodium Phenyl Phosphate See Phenyl Phosphate Disodium Salt	
TC1303 ATC (42613-33-2)	▲**Dispase®** Cell Culture Tested Activity : ≥0.5 Units/mg dry weight	**100 mg**
	Disulphine Blue See Patent Blue VF	
	Distilled Water See Water Distilled	
517135 $(C_6H_4SCN)_2S_2$ (120-78-5)	2,2-**Dithio Bisbenzothiazole AR** M. W.: 332.49 Assay 99.0%	**25 gm**
079195 $C_{14}H_8N_2O_8S_2$ (69-78-3)	· 5,5-**Dithio Bis** Extra Pure (2-Nitro Benzoic Acid) M. W.: 396.35 Assay 98.0%	**1 gm** **5 gm** **10 gm** **25 gm**
079285 ✲ $C_4H_6O_4S_2$ (505-73-7)	**Dithiodiglycollic Acid** for Synthesis M. W.: 182.22	**5 gm**
044211 $C_4H_{10}O_2S_2$ (6892-68-8)	· **Dithioerythreitol** (D.T.E.) M. W.: 154.24 Assay (Iodometric; ex SH) 97.0%	**1 gm** **5 gm**
928500 MB $C_4H_{10}O_2S_2$ (6892-68-8)	· **Dithioerythreitol** (D.T.E.) For Molecular Biology M. W.: 154.24	**1 gm** **5 gm**
	Dithiol See Toluene 3,4 Dithiol	
044149 $C_4H_{10}O_2S_2$ (3483-12-3)	· DL-**Dithiothreitol** (D.T.T.) (Cleland's regent) M. W.: 154.24 Assay (Iodometric; ex SH) 98.0%	**1 gm** **5 gm** **25 gm**
928550 MB $C_4H_{10}O_2S_2$ (3483-12-3)	· DL-**Dithiothreitol** (D.T.T.) for Molecular Biology M. W.: 154.24	**1 gm** **5 gm**
TC1540 ATC $HSCH_2CH(OH)CH(OH)CH_2SH$ (3483-12-3)	· DL-**Dithiothreitol** Threo-1,4-Dimercapto-2,3- butanediol, Cleland's reagent, DTT Cell Culture Tested M. W.: 154.25 Assay : ≥99%	**1 gm** **5 gm** **25 gm**
079395 $C_2H_4N_2S_2$ (79-40-3)	· **Dithiooxamide** (Rubeanic Acid) M. W.: 120.20	**1 gm** **10 gm**
826310	**Dithioxamide** Solution (Rubeanic Acid Solution) (Reagent for Co, Cu, Fe, Ni)	**50 ml**
013063 $C_{13}H_{12}N_4S$ (60-10-6)	**Dithizone** M. W.: 256.33	**5 gm** **25 gm**
517225 $C_{13}H_{12}N_4S$ (60-10-6)	**Dithizone AR** Reagent for Lead, Mercury and Zinc M. W.: 256.33 Assay (Spectrophotometry) 85.0%	**5 gm** **25 gm**
826330	**Dithizone** Reagent (For detection of Pb)	**100 ml**
079525 $C_{20}H_{18}O_8$ (32634-66-5)	**(-)-Di**-o,o'-P-**Toluyl**-L-**Tartaric Acid** for Synthesis M. W.: 386.35 Assay (T) 97.0%	**25 gm** **100 gm**
025610 $C_{20}H_{18}O_8$ (32634-68-7)	(±)-**Di**-o,o'-**p-Toluyl**-D-**Tartaric Acid** (Anhydrous) M. W.: 386.35 Assay 98.0%	**25 gm** **100 gm**
	DMSO See Dimethyl Sulphoxide	
079635 $C_{22}H_{46}$ (629-97-0)	n-**Docosane** for Synthesis M. W.: 310.60 Assay 99.0%	**25 gm** **100 gm**
	Docusate Sodium Salt See Dioctyl Sodium Sulphosuccinate	
	Dodecan-1-ol See Lauryl Alcohol	
079705 $C_{12}H_{26}$ (112-40-3)	n-**Dodecane** for Synthesis M. W.: 170.34	**500 ml**
730300 $CH_3(CH_2)_{11}SO_3Na$ (2386-53-0)	1-**Dodecane Sulphonic Acid Sodium** **Salt AR** for HPLC M. W.: 272.38	**25 gm** **100 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
	1-Dodecanethiol See n-Dodecyl Mercaptan	
	n-Dodecanoic Acid See Lauric Acid	
079815 $C_{16}H_{26}O_3$ (26544-38-7)	**Dodecenyl Succinic Anhydride** for Synthesis M.W. : 266.38	**25 gm**
	Dodecyl Alcohol **(1-Dodecan-1-ol)** See Lauryl Alcohol	
079905 $C_{12}H_{27}N$ (124-22-1)	**Dodecylamine** for Synthesis (Laurylamine) M. W.: 185.35 Assay 99.0%	**100 ml** **500 ml**
	Dodecyl Benzene See 1-Phenyl dodecane	
080035 $C_{18}H_{29}NaO_3S$ (25155-30-0)	**Dodecyl Benzene Sulphonic Acid Sodium Salt** M. W. : 348.48	**500 gm** **25 kg**
080105 $C_{18}H_{36}O_6$ (59122-55-3)	n-**Dodecyl β-D-GlucoPyranoside for Biochemistry** (Dodecyl Glucoside) M. W.: 348.47	**100 mgm** **250 mgm**
080195 $C_{12}H_{25}SH$ (25103-58-6)	tert-**Dodecyl Mercaptan** M. W.: 202.40	**500 ml** **2.5 lit**
080205 $C_{12}H_{26}S$ (112-55-0)	n-**Dodecyl Mercaptan** (1-Dodecanethiol) M. W.: 204.4	**500 ml** **2.5 lit**
080265 $C_{17}H_{30}ClN.XH_2O$ (207234-02-4)	1-**Dodecyl Pyridinium Chloride** hydrate for Synthesis M. W.: 283.88 (anhy.)	**25 gm** **1 kg**
	Dodecyl Sulphate Sodium Salt See Sodium Lauryl Sulphate	
080325 $CH_3(CH_2)_{11}N(CH_3)_3Br$ (1119-94-4)	**Dodecyl Trimethyl Ammonium Bromide** for Synthesis (Lauryltrimethyl AmmoniumBromide) M. W.: 308.34 Assay 98.0%	**100 gm** **500 gm**
517615 $CH_3(CH_2)_{11}N(CH_3)_3Br$ (1119-94-4)	**Dodecyl Trimethyl Ammonium Bromide AR** M. W.: 308.34	**25 gm** **100 gm**
037079 $C_9H_{11}NO_4$ (59-92-7)	L-**Dopa** For Biochemistry M. W.: 197.19 Assay (non aqueous) 98.5%	**5 gm** **25 gm**
037038 $C_9H_{11}NO_4$ (63-84-3)	DL-**Dopa** M. W.: 197.2 Assay (non aqueous) 97.0%	**5 gm** **25 gm**

Product Code	Product Name	Packing
TC1281 ATC $C_8H_{11}NO_2.HCl$ (62-31-7)	▲**Dopamine Hydrochloride** Cell Culture Tested M. W.: 189.64 Assay : ≥98%	**1 gm** **5 gm** **25 gm**
	DOSS See Dioctyl Sodium Sulphosuccinate	
	Dowex See Towex	
TC1420 ATC $C_{27}H_{29}NO_{11}.HCl$ (25316-40-9)	▲**Doxorubicin Hydrochloride** DOX, Hydroxydaunorubicin hydrochloride M. W.: 579.98 Assay : ≥98%	**10 mg**
025631 $C_{22}H_{24}N_2O_8.HCl$ (10592-13-9)	▲**Doxycycline Hydrochloride** for Lab Use M. W.: 480.90	**1 gm** **5 gm**
PCT2138 PTC $C_{22}H_{24}N_2O_8.HCl$ (10592-13-9)	▲**Doxycycline Hydrochloride** Plant Culture Tested M. W.: 480.9	**10 gm** **25 gm**
	DPN See a-Nicotinamide Adenine Dinucleotide	
	DPNH See a-Nicotinamide Adenine Dinucleotide Reduced	
036029	**DPX Mountant** for Microscopy & Histology	**250 ml** **500 ml**
827000	**Drabkin's** Solution	**1 lit** **5 lit**
827020	**Dragendorff's** Reagent	**125 ml**
	DTPA Penta Sodium Salt See Diethylene Triamine Penta acetic acid Penta Sodium Salt	
	Dulcite See Dulcitol	
	iso-**Dulcite** See L(+)Rhamnose	
028281 $C_6H_{14}O_6$ (608-66-2)	▲**Dulcitol** for Microbiology M. W.: 182.17	**25 gm** **100 gm**
RE0435 Dy (7429-91-6)	**Dysprosium** Metal Ingot M. W.: 162.50 Assay (Trace metals basis) 99.99%	**5 gm** **25 gm**
RE0440 Dy (7429-91-6)	**Dysprosium** Metal Lump M. W.: 162.50 Assay (Trace metals basis) 99.99%	**5 gm** **25 gm**
RE0445 Dy (7429-91-6)	**Dysprosium** Metal Powder 325 mesh M. W.: 162.50 Assay (Trace metals basis) 99.99%	**5 gm** **10 gm** **25 gm**
RE0485 $(CH_3CO_2)_3Dy.XH_2O$ (304675-49-8)	**Dysprosium** (III) **Acetate** M. W.: 339.62 (Anhy.) Assay (Trace metals basis) 99.9%	**25 gm**
RE0490 $(CH_3CO_2)_3Dy.XH_2O$ (304675-49-8)	**Dysprosium** (III) **Acetate** M. W.: 339.62 (Anhy.) Assay (Trace metals basis) 99.99%	**10 gm** **50 gm**
RE0495 $(CH_3CO_2)_3Dy.XH_2O$ (304675-49-8)	**Dysprosium** (III) **Acetate** M. W.: 339.62 (Anhy.) Assay (Trace metals basis) 99.999%	**1 gm** **10 gm**

Product Code	Product Name	Packing
RE0505 $DyBr_3$ (14456-48-5)	**Dysprosium** (III) **Bromide** M. W.; 402.21 Assay (Trace metals basis) 99.95%	**10 gm** **50 gm**
RE0515 $Dy_2(CO_3)_3.XH_2O$ (38245-35-1)	**Dysprosium** (III) **Carbonate** M. W.: 505.03 Assay (Trace metals basis) 99%	**25 gm** **100 gm**
RE0520 $Dy_2(CO_3)_3.XH_2O$ (38245-35-1)	**Dysprosium** (III) **Carbonate** M. W.: 505.03 Assay (Trace metals basis) 99.99%	**5 gm** **25 gm**
RE0525 $Dy_2(CO_3)_3.XH_2O$ (38245-35-1)	**Dysprosium** (III) **Carbonate** M. W.: 505.03 Assay (Trace metals basis) 99.999%	**5 gm** **25 gm**
RE0540 $DyCl_3.6H_2O$ (15059-52-6)	**Dysprosium** (III) **Chloride** M. W.: 376.95 Assay (Trace metals basis) 99.99%	**10 gm** **50 gm**
RE0545 $DyCl_3.6H_2O$ (15059-52-6)	**Dysprosium** (III) **Chloride** M. W.: 376.95 Assay (Trace metals basis) 99.999%	**5 gm** **25 gm**
RE0565 DyF_3 (13569-80-7)	**Dysprosium** (III)**Fluoride** M. W.: 219.50 Assay (Trace metals basis) 99.99%	**25 gm**
RE0570 DyF_3 (13569-80-7)	**Dysprosium** (III) **Fluoride** M. W.: 219.50 Assay (Trace metals basis) 99.999%	**5 gm** **25 gm**
RE0580 DyI_3 (15474-63-2)	**Dysprosium** (III) **Iodide** M. W.: 543.21 Assay (Trace metals basis) 99.9%	**1 gm** **5 gm**
RE0585 DyI_3 (15474-63-2)	**Dysprosium** (III) **Iodide** M. W.: 543.21 Assay (Trace metals basis) 99.99%	**1 gm** **5 gm** **25 gm**
RE0600 $Dy(NO_3)_3.XH_2O$ (100641-13-2)	**Dysprosium** (III) **Nitrate** M. W.: 348.52 Assay (Trace metals basis) 99.9%	**25 gm** **100 gm**

Product Code	Product Name	Packing
RE0605 $Dy(NO_3)_3.XH_2O$ (100641-13-2)	**Dysprosium** (III) **Nitrate** M. W.: 348.52 Assay (Trace metals basis) 99.99%	**5 gm** **25 gm**
RE0610 $Dy(NO_3)_3.XH_2O$ (100641-13-2)	**Dysprosium** (III) **Nitrate** M. W.: 348.52 Assay (Trace metals basis) 99.999%	**5 gm** **25 gm**
RE0625 $Dy_2(C_2O_4)_3.10H_2O$ (24670-07-3)	**Dysprosium** (III) **Oxalate** M. W.: 769.21 Assay (Trace metals basis) 99.9%	**25 gm** **100 gm**
RE0630 $Dy_2(C_2O_4)_3.10H_2O$ (24670-07-3)	**Dysprosium** (III) **Oxalate** M. W.: 769.21 Assay (Trace metals basis) 99.99%	**5 gm** **25 gm**
RE0635 $Dy_2(C_2O_4)_3.10H_2O$ (24670-07-3)	**Dysprosium** (III) **Oxalate** M. W.: 769.21 Assay (Trace metals basis) 99.999%	**5 gm** **25 gm**
RE0650 Dy_2O_3 (1308-87-8)	**Dysprosium** (III) **Oxide** M. W.: 373.00 Assay (Trace metals basis) 99.9%	**5 gm** **25 gm** **100 gm**
RE0655 Dy_2O_3 (1308-87-8)	**Dysprosium** (III) **Oxide** M. W.: 373.00 Assay (Trace metals basis) 99.99%	**25 gm**
RE0660 Dy_2O_3 (1308-87-8)	**Dysprosium** (III) **Oxide** M. W.: 373.00 Assay (Trace metals basis) 99.999%	**5 gm** **25 gm**
RE0675 $Dy(SO_4)_3.XH_2O$ (14373-91-2)	**Dysprosium** (III) **Sulphate** M. W.: 613.19 (Anhy.) Assay (Trace metals basis) 99.9%	**25 gm** **100 gm**
RE0680 $Dy(SO_4)_3.XH_2O$ (14373-91-2)	**Dysprosium** (III) **Sulphate** M. W.: 613.19 (Anhy.) Assay (Trace metals basis) 99.99%	**5 gm** **25 gm**

HPLC SOLVENTS

Product Features

- Solvents of this Special Quality are carefully analysed to exceed or to meet the limit of UV absorbtion.
- These Solvents of high quality standards are of much greater mechanical strength.
- Solvent particles are much smaller than conventional liquid solvents. Columns are operated at a very high pressure to maintain high quality standards.
- Solvents are filtered through 0.22 m filter.
- All of our HPLC Solvents are packed under Nitrogen for its better Resistance and bottles are sealed with Teflon Liner to prevent contamination.

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ▪ 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
PCT1121 PTC $C_{18}H_{16}O_6N_2NaFe$ (16455-61-1)	**Fe-EDDHA** Ethylenediamine-N,N'-bis (2hydroxyphenylaceticacid) ferric-sodium complex Plant Culture Tested M. W.: 435.17 Assay : 5 - 7% Fe Store below 30°C	**25 gm** **50 gm** **100 gm**
829050	**Edetate Disodium** TS acc. to USP	**500 ml**
	E.D.T.A Acid and it's Salt See Ethylene Diamine Tetra Acetic Acid and it's Salt	
829100	**E.D.T.A** 5% w/v Solution	**125 ml**
829120	**E.D.T.A** 10% w/v Solution	**125 ml**
829150	**E.D.T.A** N/10 Solution	**500 ml**
829180	**E.D.T.A** N/50 Solution	**500 ml** **2.5 lit**
829210	**E.D.T.A** 0.01 M (0.02N) CITRISOL	**1 Amp** **3 Amp** **6 Amp**
829280	**E.D.T.A** CPECTROSOL® 0.01 M (0.02N) CTITRINORM Standard Soln. In accordance with NIST	**1 lit**
829320	**E.D.T.A** CPECTROSOL® 0.1 M (0.2N) Standard Soln. In accordance with NIST	**1 lit**
829360	**EDTA** CPECTROSOL® 0.1M (0.2N) for 500 ml Standard Solution in accordance with NIST	**1 Amp** **3 Amp** **6 Amp**
829400	**EDTA** CPECTROSOL® 0.1M (0.2N) Standard Solution In accordance with NIST	**500 ml** **1 lit** **2.5 lit**
829420	**EDTA** CPECTROSOL® 0.5M (1N) Standard Solution In accordance with NIST	**1 lit**
829450	**E.D.T.A** Caustic Soda Powder (for estimatiion of milk fat by electronic milko tester)	**52.6 gm**
	E.G.T.A. See (Ethylene Glycol-O-,O'-bis (2-Amino Ethyl) N,N,N',N'-Tetra Acetic Acid	
025544 (9006-59-1)	· **Egg Albumin** Flakes (Protein - 95 %)	**25 gm** **500 gm**
082190 (9006-59-1)	· **Egg Albumin** Powder	**500 gm**
829520	**Ehrlich's** Reagent	**125 ml** **500 ml**
082225 $CH_3(CH_2)_{18}CH_3$ (112-95-8)	n-**Eicosane** for Synthesis M. W.: 282.55 Assay 97%	**25 gm** **100 gm**
TC1283 ATC $C_{20}H_{42}O$ (629-96-9)	**1-Eicosanol** Cell Culture Tested M. W.: 298.55 Assay : ≥98% Store below 30°C	**5 gm** **25 gm**
TC1311 ATC (39445-21-1)	▲**Elastase** Suitable for the isolation of Type II lung cells Cell Culture Tested Activity : ≥3 Units/mg Protein M. W.: 282.46	**10 mg** **25 mg** **100 mg**
025528	**Emulsifying Wax**	**500 gm**
015191 $C_{12}H_8Cl_6O$ (72-20-8)	**Endrin** M. W.: 380.91	**100 mgm** **1 gm**
034025 $C_{20}H_6Br_2N_2Na_2O_9$ (548-24-3)	**Eosine Blue** for Microscopy C.I. No. 45400 M. W.: 624.09 Dye content (Gravimetry; on dried substance) >85.0%	**25 gm** **100 gm**
034026 $C_{22}H_{11}Br_4KO_5$ (6359-05-3)	**Eosine** Spirit Soluble C.I. No. 45386 M.W.: 714.07 Dye content (spectro, dried) 90.0%	**25 gm** **100 gm**
034027 $C_{20}H_6Br_4Na_2O_5$ (17372-87-1)	**Eosine** Yellow Indicator for Microscopy Water Soluble C.I. No. 45380 M. W.: 691.88 Dye content (Gravimetric, dried) 88.0%	**25 gm** **100 gm** **500 gm**
829620	**Eosine** Yellow Stain Solution 2% w/v	**125 ml** **500 ml**
829660	**Eosinophil** Diluting Fluid	**125 ml**
TC1284 ATC $C_{19}H_{30}O_2$ (481-29-8)	**Epiandrosterone** Cell Culture Tested M. W.: 290.44 Assay : ≥97% Store below 30°C	**1 gm** **5 gm**
PCT2550 PTC $C_{28}H_{48}O_6$ (78821-43-9)	**Epibrassinolide** Plant Culture Tested M. W.: 480.68 Assay: ≥85% Store below 30°C	**5 mg** **10 mg**
027706 C_3H_5ClO (106-89-8)	**Epichlorohydrin** M. W.: 92.53 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit**
522265 C_3H_5ClO (106-89-8)	**Epichlorohydrin AR** (1-Chloro-2,3-Epoxypropane) M. W.: 92.53 Assay 99.0%	**500 ml** **2.5 lit** **25 lit**
	Epinephrine See L-Adrenaline	
TC1063 ATC $C_9H_{20}N_2O_4S$ (16052-06-5)	**EPPS** (HEPPS) [N-(2-Hydroxyethyl) piperazine-N'-3- propanesulfonic acid] Cell Culture Tested M. W.: 252.33 Assay : ≥99% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
	Epsom Salt See Magnesium Sulphate Dried	

Storage : · #0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
829695	**Erbium** (Er) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **500 ml**
829700	**Erbium** (Er) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	**100 ml** **500 ml**
RE0700 Er (7440-52-0)	**Erbium** Metal **Ingot** M. W.: 167.26 Assay (Trace metal basis) 99.99%	**10 gm**
RE0705 Er (7440-52-0)	**Erbium** Metal **Lump** (1 cm) M. W.: 167.26 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE0710 Er (7440-52-0)	**Erbium** Metal **Powder** 325 Mesh M. W.: 167.26 Assay (Trace metal basis) 99.9%	**5 gm** **25 gm**
RE0755 $C_6H_9ErO_6.XH_2O$ (207234-04-6)	**Erbium** (III) **Acetete** M. W.: 344.39 Assay (Trace metal basis) 99.9%	**5 gm** **10 gm** **25 gm** **100 gm**
RE0760 $C_6H_9ErO_6.XH_2O$ (207234-04-6)	**Erbium** (III) **Acetete** M. W.: 344.39 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE0765 $C_6H_9ErO_6.XH_2O$ (207234-04-6)	**Erbium** (III) **Acetete** M. W.: 344.39 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE0780 $Er_2(CO_3)_3.XH_2O$ (22992-83-2)	**Erbium** (III) **Carbonate** M. W. : 514.54 (anhy.) Assay (Trace metal basis) 99.9%	**5 gm** **25 gm** **100 gm**
RE0785 $Er_2(CO_3)_3.XH_2O$ (22992-83-2)	**Erbium** (III) **Carbonate** M. W. : 514.54 (anhy.) Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE0790 $Er_2(CO_3)_3.XH_2O$ (22992-83-2)	**Erbium** (III) **Carbonate** M. W. : 514.54 (anhy.) Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE0805 $ErCl_3.6H_2O$ (10025-75-9)	**Erbium** (III) **Chloride** M. W.: 381.71 Assay (Trace metal basis) 99.9%	**25 gm** **100 gm**
RE0810 $ErCl_3.6H_2O$ (10025-75-9)	**Erbium** (III) **Chloride** M. W.: 381.71 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE0815 $ErCl_3.6H_2O$ (10025-75-9)	**Erbium** (III) **Chloride** M. W.: 381.71 Assay (Trace metal basis) 99.999%	**20 gm**
RE0825 ErI_3 (13813-42-8)	**Erbium** (III) **Iodide** M. W.: 547.97 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE0840 $Er(NO_3)_3.5H_2O$ (10031-51-3)	**Erbium** (III) **Nitrate** M. W.: 443.35 Assay (Trace metal basis) 99.9%	**25 gm** **100 gm**
RE0845 $Er(NO_3)_3.5H_2O$ (10031-51-3)	**Erbium** (III) **Nitrate** M. W.: 443.35 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE0850 $Er(NO_3)_3.5H_2O$ (10031-51-3)	**Erbium** (III) **Nitrate** M. W.: 443.35 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE0865 Er_2O_3 (12061-16-4)	**Erbium** (III) **Oxide** M. W.: 382.56 Assay (Trace metal basis) 99.9%	**25 gm** **100 gm** **1 kg**
RE0870 Er_2O_3 (12061-16-4)	**Erbium** (III) **Oxide** M. W.: 382.56 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm** **100 gm** **500 gm**
RE0875 Er_2O_3 (12061-16-4)	**Erbium** (III) **Oxide** M. W.: 382.56 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm** **100 gm**
RE0890 $Er_2(SO_4)_3.8H_2O$ (10031-52-4)	**Erbium** (III) **Sulphate** M. W.: 766.82 Assay (Trace metal basis) 99.9%	**5 gm** **50 gm** **100 gm**
RE0895 $Er_2(SO_4)_3.8H_2O$ (10031-52-4)	**Erbium** (III) **Sulphate** M. W.: 766.82 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE0900 $Er_2(SO_4)_3.8H_2O$ (10031-52-4)	**Erbium** (III) **Sulphate** M. W.: 766.82 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
	Eriochrome Blue Black B See Solochrome Dark blue	
	Eriochrome Blue Black R See Solochrome Dark blue	
025529 $C_{20}H_{12}N_3NaO_7S$ (1787-61-7)	**Eriochrome Black** T C.I. 14645 M. W.: 461.38	**25 gm** **100 gm** **1 kg**
522415 $C_{20}H_{12}N_3NaO_7S$ (1787-61-7)	**Eriochrome Black** T **AR/ACS** C.I. 14645 Metal (pH) Indicator M. W.: 461.38	**25 gm** **100 gm**
829710	**Eriochrome Black** T Indicator Solution	**125 ml**
522505 $C_{23}H_{15}Na_3O_9S$ (3564-18-9)	**Eriochrome Cyanine** R **AR** M. W.: 536.40	**10 gm** **25 gm**
H15660 HISURE $C_{37}H_{34}N_2Na_2O_9S_3$ (3844-45-9)	**Erioglaucine A** Certified grade (C.I.No. 42090) M. W.: 792.86	**5 gm** **25 gm**
522550 $C_{37}H_{34}N_2Na_2O_9S_3$ (3844-45-9)	**Erioglaucine AR** (C.I. No. : 42090) M. W.: 792.86 Dye content Abt. 70.0%	**10 gm** **25 gm**
TC1412 ATC $C_{22}H_{23}N_3O_4$ (183321-74-6)	▲**Erlotinib** Cell Culture Tested M. W.: 393.44 Assay : ≥98%	**1 gm** **5 gm**
082635 $C_4H_{10}O_4$ (149-32-6)	**Erythritol** (Erythrite) for Biochemistry M.W.: 122.12	**5 gm** **25 gm** **100 gm** **500 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ·#0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
082705 $C_{37}H_{67}NO_{13}$ (114-07-8)	▲**Erythromycin** M.W.: 733.93	**5 gm** **25 gm**
PCT2123 PTC $C_{37}H_{67}NO_{13}$ (114-07-8)	▲**Erythromycin** Plant Culture Tested M. W.: 733.93 Potency 850µg/mg	**1 gm** **5 gm** **25 gm**
TC1024 ATC $C_{37}H_{67}NO_{13}$ (114-07-8)	▲**Erythromycin** Cell Culture Tested Recommended for use in Cell culture applications at 100 mg/L M. W.: 733.93 Assay : ≥98% Potency : ≥920 µg/mg	**1 gm** **5 gm**
025541 $C_{40}H_{71}NO_{14}.C_{12}H_{26}SO_4$ M.W.: 1056.39 (3521-62-8)	**Erythromycin Estolate** for Lab Use	**5 gm**
025540 $C_{37}H_{67}NO_{13}.C_{18}H_{36}O_2$ M.W.: 1018.40 (643-22-1)	**Erythromycin Stearate** for Lab Use	**5 gm**
034029 $C_{20}H_6I_4Na_2O_5$ (16423-68-0)	**Erythrosin** B for Microscopy C.I. 45430 M. W.: 879.87 Dye content (Gravimetric; on dried substance) >80.0%	**25 gm** **100 gm**
829820	**Esbach's** Reagent	**125 ml** **500 ml**
522640 (8007-09-8)	**Eschka's** Mixture **AR** For determination of Sulphur in coal Assay (complexometric, Mg) 38-42%	**250 gm** **1 kg**
	Esculin See Aesculin	
025542 $C_{18}H_{24}O_2$ (50-28-2)	b-**Estradiol** M. W.: 272.38	**1 gm** **5 gm** **25 gm** **100 gm**
TC1346 ATC $C_{18}H_{24}O_2$ (50-28-2)	β-**Estradiol** Cell Culture Tested M. W.: 272.38 Assay : ≥97% Store below 30°C	**1 gm**
082815 $C_{18}H_{22}O_2$ (53-16-7)	**Estrone** for Biochemistry M. W.: 270.37	**1 gm** **5 gm**
	Ethanediol See Ethylene glycol	
730850 $NaO_3SCH_2CH_2SO_3Na$ M.W.: 234.16 (5325-43-9)	**Ethane**-1,2-**Disulfonic Acid Disodium Salt** (Anhydrous) HPLC for Ion Pair Chromatography	**5 gm** **25 gm**
082975 $C_2H_6S_2$ (540-63-6)	**Ethane Dithiol** for Synthesis M. W.: 94.20 Assay (GC) 98.0%	**25 ml**
082985 $CH_3CH_2SO_3H$ (594-45-6)	**Ethane Sulphonic Acid** M. W.: 110.13 Assay 95.0%	**25 gm**

Product Code	Product Name	Packing
028306 C_2H_7NO (141-43-5)	**Ethanolamine** Mono for Synthesis M. W.: 61.08 Assay (acidimetric) 99.0%	**500 ml** **2.5 lit** **25 lit**
522830 C_2H_7NO (141-43-5)	**Ethanolamine** Mono **AR/ACS** M. W.: 61.08 Assay (Acidimetric) 99.0%	**500 ml** **2.5 lit** **25 lit**
083105 C_2H_8ClNO (2002-24-6)	**Ethanolamine Hydrochloride** (2-Hydroxymethyl Ammonium Chloride) M. W.: 97.55 Assay 98.0%	**500 gm**
TC1044 ATC $C_2H_7NO.HCl$ (2002-24-6)	**Ethanolamine Hydrochloride** (2-Aminoethanol; 2-Amino ethyl alcohol; Monoethanolamine) Cell Culture Tested MW: 97.54 Assay : ≥99% Store below 30°C	**5 gm** **25 gm**
PCT1853 PTC $ClCH_2CH_2P(O)(OH)_2$ (16672-87-0)	▲**Ethephon** Plant Culture Tested MW : 144.49 Assay > 97.5%	**100 mg** **500 mg** **1 gm**
	Ether Solvent See Diethyl Ether	
	Ethrel See 2-Chloroethyl Phosphonic acid	
044159 $C_{21}H_{20}BrN_3$ (1239-45-8)	**Ethidium Bromide** M. W.: 394.32 Assay (Non-aqueous, on dried Subs.) 98.0%	**1 gm** **5 gm**
932400 MB $C_{21}H_{20}BrN_3$ (1239-45-8)	**Ethidium Bromide** For Molecular Biology M. W.: 394.31 Assay : ≥ 95% Store Below 30°C	**1 gm** **5 gm**
829930	▲**Ethidium Bromide Solution** ~1% in Water for Fluorescence	**50 ml**
932450 MB $C_{21}H_{20}BrN_3$ (1239-45-8)	▲**Ethidium Bromide Solution (10mg/ml)** For Molecular Biology M. W.: 394.31 Assay : ≥ 95%	**10 ml**
083275 $C_{10}H_{12}O_2$ (2142-67-8)	o-**Ethoxy Acetophenone** for Synthesis M. W.: 164.20 Assay 98.0%	**25 gm**
083295 $C_{10}H_{12}O_2$ (1676-63-7)	p-**Ethoxy Acetophenone** for Synthesis M. W.: 164.20 Assay 98.0%	**25 gm**
083390 $C_9H_{11}NO_2$ (938-73-8)	2-**Ethoxy Benzamide** M.W. 165.19 Assay 97.0%	**25 gm** **100 gm**
083355 $C_9H_{10}O_2$ (10031-82-0)	p-**Ethoxy Benzaldehyde** for Synthesis M. W.: 150.17 Assay 99.0%	**25 gm** **500 gm**
083415 $C_9H_{10}O_3$ (619-86-3)	p-**Ethoxy Benzoic Acid** for Synthesis M. W.: 166.17 Assay 99.0%	**25 gm** **100 gm**

Storage : ❄ 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
	Ethoxy Carbonil Chloride See Ethyl Chloroformate	
	2-**Ethoxy Ethanol** See Ethylene Glycol Monoethyl Ether	
	2-**Ethoxy Ethyl Acetate** See Cellosolve acetate	
025527 (61790-81-6)	**Ethoxylated Lanolin**	**500 gm**
083465 $C_8H_{10}O_2$ (94-71-3)	2-**Ethoxyphenol** M.W : 138.17 Assay 97.5%	**100 ml** **500 ml**
028311 $CH_3.COOC_2H_5$ (141-78-6)	**Ethyl Acetate** for Synthesis M. W.: 88.11 Assay (GC) 99.0%	**500 ml** **1 lit** **2.5 lit** **25 lit** **200 lit**
522920 $CH_3.COOC_2H_5$ (141-78-6)	**Ethyl Acetate AR/ACS** M. W.: 88.11 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
522925 $CH_3.COOC_2H_5$ (141-78-6)	**Ethyl Acetate** "Dry" **AR** M. W.: 88.11	**500 ml** **2.5 lit**
730897 $CH_3.COOC_2H_5$ (141-78-6)	**Ethyl Acetate** GC-HS Grade M.W : 88.11	**1 lit**
730900 $CH_3.COOC_2H_5$ (141-78-6)	**Ethyl Acetate** for HPLC & Spectroscopy M. W.: 88.11 Assay (GC) 99.7%	**500 ml** **1 lit** **2.5 lit**
731000 $CH_3.COOC_2H_5$ (141-78-6)	**Ethyl Acetate** for Pesticide Residue Trace Analysis M. W.: 88.11	**1 lit** **2.5 lit**
731100 $CH_3.COOC_2H_5$ (141-78-6)	**Ethyl Acetate** for Protein Sequence Analysis for Biochemistry M. W.: 88.11	**500 ml**
028312 $C_6H_{10}O_3$ (141-97-9)	**Ethyl Acetoacetate** for Synthesis M. W.: 130.14 Assay (GC) 97.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
523105 $C_6H_{10}O_3$ (141-97-9)	**Ethyl Acetoacetate AR** M. W.: 130.14	**1 lit**
028313 $C_5H_8O_2$ (140-88-5)	**Ethyl Acrylate** for Synthesis M. W.: 100.1 Assay (GC) 99.0%	**500 ml** **2.5 lit**
	Ethylal See Diethoxy Methane	
025532 C_2H_7N (75-04-7)	**Ethylamine** Solution for Synthesis (Mono Ethylamine) M. W.: 45.08 Assay (Acidimetric) 70% w/w	**500 ml** **2.5 lit** **25 lit** **200 lit**
083715 $C_4H_{11}NO$ (110-73-6)	2-(**Ethylamino) Ethanol** for Synthesis M.W.: 89.14	**500 ml** **2.5 lit**
083825 $C_8H_{11}N$ (103-69-5)	n-**Ethyl Aniline** for Synthesis (Monoethyl Aniline) M. W.: 121.18	**500 ml** **2.5 lit** **25 lit** **200 lit**
083855 $C_8H_{11}N$ (587-02-0)	3-**Ethyl Aniline** M. W.: 121.18 Assay 98.0%	**5 ml**
083945 $C_9H_{11}NO_2$ (87-25-2)	**Ethyl Anthranilate** for Synthesis M.W.: 165.19 Assay 99.0%	**500 ml**
028320 $C_6H_5.C_2H_5$ (100-41-4)	**Ethyl Benzene** M. W.: 106.17 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
028321 $C_9H_{10}O_2$ (93-89-0)	**Ethyl Benzoate** M. W.: 150.18 Assay(GC) 99.0%	**500 ml** **2.5 lit**
084215 $C_{11}H_{12}O_3$ (94-02-0)	**Ethyl Benzoyl Acetate** for Synthesis M.W.: 192.21 Assay 97.0%	**100 ml** **500 ml**
	Ethyl Bromide See Bromo Ethane	
025530 $C_4H_7BrO_2$ (105-36-2)	**Ethyl Bromo Acetate** for Synthesis M. W.: 167.01 Assay (GC) 97.0%	**250 ml** **500 ml**
084395 ✲ $BrC_9H_9O_2$ (24398-88-7)	**Ethyl**-3-**Bromo Benzoate** for Synthesis M. W.: 229.07 Assay 98.0%	**25 gm** **100 gm**
084415 ✲ $BrC_9H_9O_2$ (5798-75-4)	**Ethyl**-4-**Bromo Benzoate** for Synthesis M. W.: 229.07 Assay 98.0%	**25 gm** **100 gm**
084475 ✲ $BrC_5H_9O_2$ (535-11-5)	**Ethyl**-2-**Bromo Propionate** for Synthesis M. W.: 181.03 Assay 99.0%	**100 gm** **500 gm**
084495 $BrC_5H_9O_2$ (539-74-2)	**Ethyl**-3-**Bromo Propionate** for Synthesis M. W.: 181.03 Assay 98.0%	**100 gm**
025538 $C_6H_{12}O_2$ (105-54-4)	**Ethyl Butyrate** M. W.: 116.16 Assay (GC) 98.0%	**500 ml** **2.5 lit**
084585 $C_8H_{16}O_2$ (123-66-0)	**Ethyl Caproate** for Synthesis M. W.: 144.21	**500 ml**
084605 $C_{10}H_{20}O_2$ (106-32-1)	**Ethyl Caprylate** for Synthesis M. W.: 172.26	**500 gm**
084625 $C_3H_8N_2O_2$ (4114-31-2)	**Ethyl Carbazate** M. W.: 104.11 Assay 97.0%	**25 gm**
	Ethyl Carbitol See Diethylene Glycol Monoethyl Ether	
	Ethyl Cellosolve See Etheylene Glycol Monoethyl Ether	
	Ethyl Cellosolve Acetate See Cellosolve Acetate	

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · ❄0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
028330 (9004-57-3)	**Ethyl Cellulose** 18-22 CPS	**100 gm** **500 gm**
084655	**Ethyl Cellulose** Low Viscosity (7 CPS)	**500 gm**
025522 $C_4H_7ClO_2$ (105-39-5)	**Ethyl Chloro Acetate** for Synthesis M. W.: 122.55 Assay (GC) 98.0%	**500 ml** **2.5 lit**
084715 $C_6H_9O_3Cl$ (638-07-3)	**Ethyl-4-Chloro Aceto Acetate** for Synthesis M. W.: 164.59 Assay 95.0%	**100 gm** **500 gm**
	Ethyl Chlorocarbonate See Ethyl Chloroformate	
084805 $C_3H_5O_2Cl$ (541-41-3)	**Ethyl Chloroformate** (Ethyl Chlorocarbonate) M. W.: 108.52	**500 ml** **2.5 lit** **25 lit**
084915 $C_5H_9O_2Cl$ (535-13-7)	**Ethyl-2-Chloro Propionate** for Synthesis M. W.: 136.58 Assay 97.0%	**100 ml**
025545 $C_{11}H_{12}O_2$ (103-36-6)	**Ethyl Cinnamate** M. W.: 176.22 Assay (GC) 98.0%	**500 ml**
	Ethyl Cyanide See Propionitrile	
028337 $C_5H_7NO_2$ (105-56-6)	**Ethyl Cyanoacetate** for Synthesis M. W.: 113.12 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit**
085105 C_8H_{16} (1678-91-7)	**Ethyl Cyclohexane** for Synthesis M. W.: 112.21 Assay 97.0%	**500 ml** **2.5 lit**
	Ethyl Digol See Diethylene Glycol Mono Ethyl Ether	
	1-**Ethyl**-3-3-**Dimethyl Amino Propylcarbodimide Hydrochloride** See 1-(3-Dimethyl amino Propyl)-3-ethyl Carbodiimide Hydrochloride	
	Ethylene Bromide See 1,2-Dibromoethane	
	Ethylene Chloride See 1,2-Dichloroethane	
	Ethylene Chlorohydrine See 2-Chloroethanol	
028016 $C_2H_8N_2$ (107-15-3)	**Ethylene Diamine** for Synthesis (1,2-Diamino Ethane) M. W.: 60.10 Assay 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
523455 $C_2H_8N_2$ (107-15-3)	**Ethylene Diamine AR** M. W.: 60.10	**500 ml**
025521 $C_2H_8N_2.2HCl$ (333-18-6)	**Ethylenediamine Dihydrochloride** M. W.: 133.03 Assay (Argentometric) 99.0%	**100 gm** **500 gm**

Product Code	Product Name	Packing
085415 $C_2H_8N_2H_2SO_4$ (22029-36-3)	**Ethylene Diamine Sulphate** for Synthesis M. W.: 158.177	**25 gm**
085425 $C_{10}H_{16}N_2O_8$ (60-00-4)	**Ethylene Diamine Tetra Acetic Acid** M. W.: 292.25 Assay (Complexometric) 98.0%	**100 gm** **500 gm** **5 kg** **25 kg** **50 kg**
523495 $C_{10}H_{16}N_2O_8$ (60-00-4)	**Ethylene Diamine Tetra Acetic Acid AR/ACS** For Complexometry M. W.: 292.25 Assay (Complexometric) 99.0%	**100 gm** **500 gm** **5 kg** **25 kg** **50 kg**
TC1115 ATC $C_{10}H_{16}N_2O_8$ (60-00-4)	**Ethylene Diamine Tetra Acetic Free Acid** Anhydrous Cell Culture Tested M. W.: 292.24 Assay : ≥99% Store below 30°C	**100 gm** **500 gm**
TC1115M ATC $C_{10}H_{16}N_2O_8$ (60-00-4)	**Ethylene Diamine Tetra Acetic Free Acid** (See: Edetic Acid, EDTA free acid, anhydrous) Diaminoethane-tetraacetic acid, Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications M. W.: 292.24 Store below 30°C	**100 gm** **500 gm**
025520 $C_{10}H_{12}CaN_2Na_2O_8.XH_2O$ (304695-78-1)	**Ethylene Diamine Tetra Acetic Acid Calcium Disodium Salt** M. W.: 374.27. XH2O Assay (Complexometric; on anhydrous basis) 97-102%	**500 gm** **25 kg** **50 kg**
028024 $C_{10}H_{14}K_2O_8N_2.2H_2O$ (25102-12-9)	**Ethylene Diamine Tetra Acetic Acid Dipotassium Salt** M.W.: 404.46 Assay (Complexometric) 98.0%	**100 gm** **500 gm** **25 kg** **50 kg**
523515 $C_{10}H_{14}K_2O_8N_2.2H_2O$ (25102-12-9)	**Ethylene Diamine Tetra Acetic Acid Dipotassium Salt AR** M. W.: 404.46 Assay (complexometric) 99.0%	**100 gm** **500 gm** **5 kg** **25 kg** **50 kg**
028021 $C_{10}H_{14}O_8Na_2N_2.2H_2O$ (6381-92-6)	**Ethylene Diamine Tetra Acetic Acid Disodium Salt** M. W.: 372.24 Assay (complexometric) 98.0%	**100 gm** **500 gm** **5 kg** **25 kg**
523525 $C_{10}H_{14}O_8Na_2N_2.2H_2O$ (6381-92-6)	**Ethylene Diamine Tetra Acetic Acid Disodium Salt AR/ACS** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 372.24 Assay (Complexometric) 99.5%	**100 gm** **500 gm** **5 kg** **25 kg**
932500 MB $C_{10}H_{14}N_2Na_2O_8.2H_2O$ (6381-92-6)	**Ethylene Diamine Tetra Acetic Acid Disodium Salt** for Molecular Biology M. W.: 372.24 Assay (Complexometric) 99.5%	**100 gm** **500 gm** **5 kg**

Storage : ❄ 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
TC1038M ATC $C_{10}H_{14}N_2O_8Na_2..2H_2O$ M. W.: 372.24 (6381-92-6)	**Ethylene Diamine Tetra Acetic Acid Disodium Salt** Dihydrate EDTA disodium salt Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications Store below 30°C	**100 gm** **500 gm**
TC1038 ATC $C_{10}H_{14}N_2O_8.Na_2.2H_2O$ M. W.: 372.24 (6381-92-6)	**Ethylene Diamine Tetra Acetic Acid Disodium Salt** Dihydrate Cell Culture Tested Assay : ≥99% Store below 30°C	**500 gm** **1 kg** **5 kg**
PCT1105 PTC $C_{10}H_{14}N_2Na_2O_8.2H_2O$ M. W.: 372.24 (6381-92-6)	**Ethylene Diamine Tetra Acetic Acid Disodium Salt** Dihydrate Plant Culture Tested Assay 99.5% Store below 30°C	**100 gm** **500 gm** **1 kg** **5 kg**
028023 $C_{10}H_{12}FeN_2NaO_8.3H_2O$ M. W.: 421.10 (18154-32-0)	**Ethylene Diamine Tetra Acetic Acid Ferric Monosodium Salt** Fe content (on anhydrous basis) 12-14%	**100 gm** **500 gm** **25 kg** **50 kg**
PCT1106 PTC $C_{10}H_{12}FeN_2NaO_8.3H_2O$ M. W.: 421.10 (18154-32-0)	**Ethylene Diamine Tetra Acetic Acid Ferric Monosodium Salt** Plant Culture Tested Assay : 12 -14% Fe Store below 30°C	**100 gm** **500 gm** **1 kg** **5 kg**
016149 $C_{10}H_{12}MgN_2O_8.2Na.XH_2O$ M. W.: 358.50 (Anhy.) (14402-88-1)	**Ethylene Diamine Tetra Acetic Acid Magnesium Disodium Salt**	**500 gm** **50 kg**
028026 $C_{10}H_{12}N_2Na_4O_8.2H_2O$ M. W.: 416.20 (10378-23-1)	**Ethylene Diamine Tetra Acetic Acid Tetra Sodium Salt** Assay (complexometric) 98.0%	**500 gm** **5 kg** **25 kg**
085515 $(KOOCCH_2)_2NCH_2CH_2N(CH_2COOK)CH_2COOH \bullet 2H_2O$ (65501-24-8)	**Ethylene Diamine Tetra Acetic Acid Tripotassium Salt** (Dihydrate) Reagent for Complexometry M. W.: 442.54 Assay 98.0%	**500 gm** **1 kg** **5 kg**
TC1116 ATC $C_{10}H_{12}N_2Na_4O_82H_2O$ M. W.: 416.2 (10378-23-1)	**Ethylene Diamine Tetra Acetic Acid Tetra Sodium Salt** EDTA Dihydrate Cell Culture Tested Assay : ≥99% Store below 30°C	**100 gm** **500 gm**
025526 $C_{10}H_{13}N_2Na_3O_82H_2O$ (150-38-9)Anhy.	**Ethylenediamine Tetra Acetic Acid Tri Sodium Salt** M. W.: 394.22 Assay 98.0%	**100 gm** **500 gm** **50 kg**
	Ethylenedibromide See 1,2-Dibromoethane	
	Ethylene Dinitrilotetra Acetic Acid See Ethylenediamine Tetra Acetic Acid	
	Ethylenedichloride See 1,2-Dichloro Ethane	
028296 $CH_2(OH)CH_2OH$ (107-21-1)	**Ethylene Glycol** for Synthesis M. W.: 62.07 Assay (GC) 99.0%	**500 ml** **1 lit** **2.5 lit** **25 lit**
523575 $CH_2(OH)CH_2OH$ (107-21-1)	**Ethylene Glycol AR** M. W.: 62.07	**500 ml** **2.5 lit** **25 lit**
	Ethylene Glycol Dimethyl Ether See 1,2-Dimethoxyethane, (Monoglyme)	
	Ethylene Glycol Methylene Ether See 1,3-Dioxolane	
027932 $C_6H_{14}O_2$ (111-76-2)	**Ethylene Glycol Mono Butyl Ether** (2-Butoxy Ethanol) for Synthesis M. W.:118.18 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
085535 $C_8H_{16}O_3$ (112-07-2)	**Ethylene Glycol Mono Butyl Ether Acetate** for Synthesis (Butyl Cellosolve acetate) M.W : 160.21	**500 ml** **2.5 lit** **25 lit** **200 lit**
028309 $C_4H_{10}O_2$ (110-80-5)	**Ethylene Glycol Mono Ethyl Ether** (2-Ethoxy Ethanol) for Synthesis M. W.: 90.12 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit**
029198 $C_3H_8O_2$ (109-86-4)	**Ethylene Glycol Mono Methyl Ether** for Synthesis (2-Methoxy Ethanol) M. W.: 76.10 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
523610 $C_3H_8O_2$ (109-86-4)	**Ethylene Glycol Mono Methyl Ether AR/ACS** (2-Methoxy Ethanol) M. W.: 76.10	**500 ml** **2.5 lit** **25 lit** **200 lit**
731250 $C_3H_8O_2$ (109-86-4)	**Ethylene Glycol Mono Methyl Ether** for HPLC (2-Methoxy Ethanol) M. W.: 76.10 Assay (GC) 99.9%	**1 lit**
025515 $C_8H_{10}O_2$ (122-99-6)	**Ethylene Glycol Mono Phenyl Ether** (Phenyl cellosolve) M. W.: 138.17 Assay 99.0-100.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
TC1549M ATC $C_8H_{10}O_2$ (122-99-6)	**Ethylene Glycol Mono Phenyl Ether** Phenoxyethanol, 2-Phenoxyethyl alcohol Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications M. W.: 138.16 Store below 30°C	**500 ml**
025525 $C_{20}H_{40}O_3$ (111-60-4)	**Ethylene Glycol Mono Stearate** M. W.: 328.54	**500 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
028672 $C_{14}H_{24}N_2O_{10}$ (67-42-5)	▲**Ethylene Glycol**-O,O-**bis (2-Amino Ethyl)** N,N,N',N'-**Tetra Acetic Acid** (E.G.T.A.) M. W.: 380.35 Assay (complexometric) 98.0%	**10 gm**
932600 MB $C_{14}H_{24}N_2O_{10}$ (67-42-5)	▲**Ethylene Glycol**-O,O-**bis (2-Amino Ethyl)** N,N,N',N'-**Tetra Acetic Acid** (E.G.T.A.) For Molecular Biology M. W.: 380.35 Assay : ≥ 99%	**10 gm**
TC1721 ATC $C_{14}H_{24}O_{10}N_2$ (67-42-5)	▲**Ethylene glycol-bis(2-aminoethyl Ether)-N,N,N'N'-tetraacetic Acid** Cell Culture Tested (EGTA) M. W.: 380.35 Assay : ≥97%	**10 gm** **25 gm** **100 gm**
TC1722 ATC $C_{26}H_{40}N_2O_8$ (99590-86-0)	**Ethylene glycol-bis(β-aminoethyl Ether)-N,N,N'N'-tetraacetoxy methyl ester** Cell Culture Tested **(EGTA AM)** Store at -20°C	**10 mg**
085585 $C_3H_6N_2S$ (96-45-7)	**Ethylene Thiourea** for Synthesis M. W.: 102.16	**500 gm**
085635 $C_3H_6N_2O$ (120-93-4)	**Ethylene Urea** for Synthesis M. W.: 86.09	**500 gm**
	Ethyl Eosin for Microscopy See Eosin (Spirit Soluble)	
	n-**Ethyl Ethanolamine** See 2-(Ethylamino) Ethanol	
025535 $C_3H_6O_2$ (109-94-4)	**Ethyl Formate** for Synthesis (Formic Acid Ethyl Ester) M. W.: 74.08 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit**
	Ethylglycinate Hydrochloride See Glycine Ethylester Hydrochloride	
085815 $C_9H_{18}O_2$ (106-30-9)	**Ethyl Heptanoate** for Synthesis M. W.: 158.24 Assay (GC) 99.0%	**500 gm**
085885 $C_8H_{16}O_2$ (149-57-5)	2-**Ethyl Hexanoic Acid** for Synthesis (Ethyl Caproic Acid, Octoic Acid) M. W.: 144.21	**500 ml** **2.5 lit** **25 lit**
523775 $C_8H_{16}O_2$ (149-57-5)	2-**Ethyl Hexanoic Acid AR** M.W.: 144.21	**1 lit**
028345 $C_8H_{18}O$ (104-76-7)	2-**Ethyl**-1-**Hexanol** (2-Ethyl Hexane-1-ol) M. W.: 130.23 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
025533 $C_{11}H_{20}O_2$ (103-11-7)	2-**Ethyl Hexyl Acrylate** M.W.: 184.28 Assay (GC) 99.0%	**500 ml** **2.5 lit**
523965 $C_{11}H_{20}O_2$ (103-11-7)	2-**Ethyl Hexyl Acrylate AR** M.W.: 184.28	**1 lit**
085775 $C_{12}H_{22}O_2$ (688-84-6)	2-**Ethyl Hexyl Methacrylate** for Synthesis (Stabilized) M. W.: 198.30 Assay 98.0%	**250 ml** **2.5 lit**
025543 $C_9H_{10}O_3$ (120-47-8)	**Ethyl**-p-**Hydroxy Benzoate** (Ethyl Paraben) M.W.: 166.17 Assay (GC) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
085920 $C_9H_9NaO_3$ (35285-68-8)	**Ethyl**-p-**Hydroxy Benzoate Sodium Salt** (Ethyl Paraben Sodium) M.W : 188.16	**500 gm**
028581 C_2H_5I (75-03-6)	**Ethyl Iodide** for Synthesis M. W.: 155.97 Assay (GC) 99.0%	**100 ml** **500 ml**
085955 $C_6H_{12}O_2$ (97-62-1)	**Ethyl-Iso-Butyrate** for Synthesis M. W.: 116.16	**500 gm**
086025 $C_7H_{14}O_2$ (108-64-5)	**Ethyl-Iso-Valerate** for Synthesis M. W.: 130.18	**500 gm**
086075 $C_5H_{10}O_3$ (97-64-3)	**Ethyl Lactate** (Biodegradeble) Solvent Replacement for Optical and Microelectronical Purpose M. W.: 118.13 Assay 98.0%	**250 ml** **2.5 lit**
044037 $C_6H_7NO_2$ (128-53-0)	n-**Ethyl Maleimide** M. W.: 125.13	**5 gm** **25 gm**
086125 $C_3H_8O_3S$ (62-50-0)	**Ethyl Methane Sulfonate** (Plant Mutagen) M. W.: 124.16	**10 gm** **100 gm**
PCT2324 PTC $C_3H_8O_3S$ (62-50-0)	**Ethyl Methane Sulfonate** (Methanesulphonic acid ethyl ester) (1ml = 1.21g) Plant Culture Tested MW : 124.16 Assay 99% Store below 30°C	**10 gm** **100 gm**
086275 C_3H_9N (624-78-2)	n-**Ethyl Methylamine** M. W.: 59.11 Assay 97.0%	**5 gm** **25 gm**
087395 $C_{11}H_{13}N$ (40876-94-6)	1-**Ethyl**-2-**Methyl Indole** M. W.: 159.23	**5 gm**
	Ethyl Methyl Ketone See Butanone	
087515 $C_6H_{13}NO$ (100-74-3)	n-**Ethyl Morpholine** for Synthesis (4-Ethylmorpholine) M. W.: 115.17	**250 ml** **2.5 lit**
028356 $C_{20}H_{38}O_2$ (111-62-6)	▲**Ethyl Oleate** for Synthesis M. W.: 310.52 Assay (Saponification) 98.0%	**500 ml** **2.5 lit** **25 lit**
087605 $C_{16}H_{18}N_3.Na.SO_3$ (62758-12-7)	**Ethyl Orange Sodium Salt** M. W.: 355.39 Dye content 90.0%	**25 gm**

Storage : · #0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
	Ethyl Orthoformate See Triethyl Orthoformate	
	Ethyl Paraben See Ethyl-p-Hydroxybenzoate	
	Ethyl Paraben Sodium See Ethyl-p-Hydroxybenzoate sodium	
025537 $C_{10}H_{12}O_2$ (101-97-3)	**Ethyl Phenyl Acetate** M. W.: 164.20	**500 ml**
025518 $C_6H_{14}N_2$ (5308-25-8)	n-**Ethyl Piperazine** for Synthesis M. W.: 114.19	**250 ml** **1 lit**
087725 $C_7H_{14}N_2O_2$ (120-43-4)	**Ethyl Piperazine**-1-**Carboxylate** M. W.: 158.20 Assay 99.0%	**25 gm**
	Ethyl Potassium Xanthate See Potassium Ethyl Xanthate	
025536 $C_5H_{10}O_2$ (105-37-3)	**Ethyl Propionate** M. W.: 102.13 Assay (GC) 99.0%	**500 ml**
087805 $C_5H_8O_3$ (617-35-6)	**Ethyl Pyruvate** for Synthesis M. W.: 116.12 Assay 98.0%	**100 gm** **500 gm**
	o-**Ethyl Salicylamide** See 2-Ethoxybenzamide	
025534 2-(OH)$C_6H_4CO_2C_2H_5$ (118-61-6)	**Ethyl Salicylate** M. W.: 166.17	**500 ml**
087900 $C_6H_9ClO_3$ (14794-31-1)	**Ethyl Succinyl Chloride** M.W. 164.59 Assay 98.0%	**100 ml**
087945 $C_4F_3H_5O_2$ (383-63-1)	**Ethyl Trifluoroacetate** for Synthesis M. W.: 142.08 Assay 99.0%	**100 gm** **500 gm**
	Ethyl Triphenyl Phosphonium Bromide See Triphenylethyl Phosphonium Bromide	
088185 $C_9H_{10}O_3$ (121-32-4)	**Ethyl Vanilin** for Synthesis M. W.: 166.17	**100 gm** **500 gm**
088215 $C_{31}H_{42}N_3Cl$ (2390-59-2)	**Ethyl Violet** for Microscopy C.I.No.42600 M. W.: 492.14	**25 gm**
	Ethynyl Carbinol See Propargyl Alcohol	
025539 (8000-48-4)	**Eucalyptus Oil** Assay (as cineole content) >60.0%	**250 ml**
088995 (25086-15-1)	**Eudragit L-100** for Synthesis	**100 gm** **250 gm**
089015 (3343-24-1)	**Eudragit RL-100** for Synthesis	**100 gm** **250 gm**
089035 (3343-24-1)	**Eudragit RS -100** for Synthesis	**100 gm** **250 gm**
089055 (25086-15-1)	**Eudragit S -100** for Synthesis	**100 gm** **250 gm**

Product Code	Product Name	Packing
028374 $C_{10}H_{12}O_2$ (97-53-0)	**Eugenol** Pure M. W.: 164.21 Assay (GC) 99.0%	**100 ml** **500 ml**
089150 $C_{12}H_{14}O_3$ (93-28-7)	**Eugenol Acetate** for Synthesis M. W.: 206.24	**500 gm**
	Eugenol Methyl Ether See Methyl Eugenol	
089195	**Euparol** for Microscopy	**100 ml**
830070	**Europium** (Eu)CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **500 ml**
830080	**Europium** (Eu) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	**100 ml** **500 ml**
RE0910 Eu (7440-53-1)	**Europium** Metal **Ingot** M. W.: 151.96 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm** **25 gm**
RE0915 Eu (7440-53-1)	**Europium** Metal **Lump** M. W.: 151.96 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm** **25 gm**
RE0925 $Eu(O_2C_2H_3)_3.XH_2O$ (62667-64-5)	**Europium** (III) **Acetate** M. W.: 329.1 (anhy.) Assay (Trace metal basis) 99.9%	**5 gm** **25 gm**
RE0930 $Eu(O_2C_2H_3)_3.XH_2O$ (62667-64-5)	**Europium** (III) **Acetate** M. W.: 329.1 (anhy.) Assay (Trace metal basis) 99.99%	**1 gm** **5 gm** **25 gm**
RE0935 $Eu(O_2C_2H_3)_3.XH_2O$ (62667-64-5)	**Europium** (III) **Acetate** M. W.: 329.1 (anhy.) Assay (Trace metal basis) 99.999%	**1 gm** **10 gm** **50 gm**
RE0945 $EuBr_3.XH_2O$ (560069-78-5)	**Europium** (III) **Bromide** M. W.: 391.68 (anhy.) Assay (Trace metal basis) 99.99%	**5 gm**
RE0955 $Eu_2(CO_3)_3.XH_2O$ (86546-99-8)	**Europium** (III) **Carbonate** M. W.: 483.95 (anhy.) Assay (Trace metal basis) 99.9%	**5 gm** **25 gm**
RE0960 $Eu_2(CO_3)_3.XH_2O$ (86546-99-8)	**Europium** (III) **Carbonate** M. W.: 483.95 (anhy.) Assay (Trace metal basis) 99.99%	**1 gm** **5 gm** **25 gm**
RE0965 $Eu_2(CO_3)_3.XH_2O$ (86546-99-8)	**Europium** (III) **Carbonate** M. W.: 483.95 (anhy.) Assay (Trace metal basis) 99.999%	**1 gm** **5 gm** **25 gm**
RE0975 $EuCl_3.6H_2O$ (13759-92-7)	**Europium** (III) **Chloride** M. W.: 366.41 Assay (Trace metal basis) 99.9%	**5 gm** **25 gm**
RE0980 $EuCl_3.6H_2O$ (13759-92-7)	**Europium** (III) **Chloride** M. W.: 366.41 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm** **25 gm**
RE0985 $EuCl_3.6H_2O$ (13759-92-7)	**Europium** (III) **Chloride** M. W.: 366.41 Assay (Trace metal basis) 99.999%	**1 gm** **5 gm** **25 gm**
RE0995 $Eu(NO_3)_3.6H_2O$ (10031-53-5)	**Europium** (III) **Nitrate** M. W.: 446.06 Assay (Trace metal basis) 99.9%	**1 gm** **2 gm** **10 gm** **50 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
RE1000 $Eu(NO_3)_3.6H_2O$ (10031-53-5)	**Europium** (III) **Nitrate** M. W.: 446.06 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm** **25 gm**
RE1005 $Eu(NO_3)_3.6H_2O$ (10031-53-5)	**Europium** (III) **Nitrate** M. W.: 446.06 Assay (Trace metal basis) 99.999%	**1 gm** **5 gm** **25 gm**
RE1015 $Eu_2(C_2O_4)_3.XH_2O$ (304675-55-6)	**Europium** (III) **Oxalate** M. W.: 567.99 (anhy.) Assay (Trace metal basis) 99.9%	**10 gm** **25 gm**
RE1020 $Eu_2(C_2O_4)_3.XH_2O$ (304675-55-6)	**Europium** (III) **Oxalate** M. W.: 567.99 (anhy.) Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE1025 $Eu_2(C_2O_4)_3.XH_2O$ (304675-55-6)	**Europium** (III) **Oxalate** M. W.: 567.99 (anhy.) Assay (Trace metal basis) 99.999%	**1 gm** **5 gm** **25 gm**
RE1035 Eu_2O_3 (1308-96-9)	**Europium** (III) **Oxide** M. W.: 351.92 Assay (trace metals basis) 99.9%	**1 gm** **5 gm** **25 gm**
RE1040 Eu_2O_3 (1308-96-9)	**Europium** (III) **Oxide** M. W.: 351.92 Assay (trace metals basis) 99.99%	**1 gm** **5 gm** **25 gm** **100 gm**
RE1045 Eu_2O_3 (1308-96-9)	**Europium** (III) **Oxide** M. W.: 351.92 Assay (trace metals basis) 99.999%	**1 gm** **5 gm**

Product Code	Product Name	Packing
RE1055 $Eu_2(SO_4)_3.XH_2O$ (20814-06-6)	**Europium** (III) **Sulphate** M. W.: 592.10 (anhy.) Assay (trace metals basis) 99.9%	**1 gm** **5 gm** **25 gm**
RE1060 $Eu_2(SO_4)_3.XH_2O$ (20814-06-6)	**Europium** (III) **Sulphate** M. W.: 592.10 (anhy.) Assay (trace metals basis) 99.99%	**1 gm** **5 gm** **25 gm**
RE1065 $Eu_2(SO_4)_3.XH_2O$ (20814-06-6)	**Europium** (III) **Sulphate** M. W.: 592.10 (anhy.) Assay (trace metals basis) 99.999%	**1 gm** **5 gm** **25 gm**
034115 $C_{34}H_{24}N_6Na_4O_{14}S_4$ (314-13-6)	**Evans Blue** for Microscopy For estimation of blood volume M. W.: 960.82 Dye content (titanometric dried) About 85.0%	**5 gm** **25 gm**
	Extract of Meat See Meat Extract	
	Extract of Yeast See Yeast Extract	
830180	**Exton's** Reagent (Test reagent for albumin in urine)	**100 ml**
	Extra Special Neutral Detergent For Cleaning Laboratory Glass Wares & Instruments See CEDEPOL	

63 Europium
Eu
151.96
$[Xe]4f^7 6s^2$

Europium, atomic no.: 63, symbol as Eu, weight at 151.96, is utilized primarily for its unique luminescent behavior. Excitation of the Europium atom by absorption of ultra violet radiation can result in specific energy level transitions within the atom creating an emission of visible radiation. It is a dopant in some types of glass in lasers and other optoelectronic devices. Europium Oxide (Eu_2O_3) is widely used as a red phosphor in television sets and fluorescent lamps, and as an activator for Yttrium-based phosphors.

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
	Fe-EDDHA See Ethylenediamine-N,N'-bis (2hydroxyphenylaceticacid) ferric-sodium complex	
	Fabric Cleaner Liquid See FCL009	
	Fabric Cleaner Powder See FCP009	
092265 $C_{14}H_{12}N_4O_2Cl_2.ZNCl_2$ (14263-94-6)	▲**Fast Blue B Salt** (C.I. 37235) M. W.: 475.47	**25 gm** **100 gm** **1 kg**
092295 $C_{17}H_{18}ClN_3O_3.1/2\ ZnCl_2$ (5486-84-0)	▲**Fast Blue BB Salt** for Microbiology (C.I. 37175) M. W.: 415.94 Dye content 80.0%	**5 gm**
092325 $C_{15}H_{14}ClN_3O_3.1/2\ ZNCl_2$ (14726-29-5)	▲**Fast Blue RR Salt** (C.I. 37155) M. W.: 387.89	**5 gm**
092365 $C_{14}H_{14}N_4O_4S$ (101-89-3)	**Fast Garnet GBC Salt** Purified (C. I. No. 37210) M. W.: 334.35	**25 gm**
034045 $C_{52}H_{54}N_4O_{12}$	**Fast Green** for Microscopy C.I. 42000 M.W.: 927.02 Dye content (titanometric on dried substance) Abt. 90.0%	**25 gm** **100 gm**
034030 $C_{37}H_{34}N_2Na_2O_{10}S_3$ (2353-45-9)	**Fast Green FCF** for Microscopy C.I. No. 42053 M.W.: 808.85 Dye content (titanometry, on dried subs.) >85.0%	**5 gm** **25 gm**
933200 MB $C_{37}H_{34}N_2O_{10}S_3Na_2$ (2353-45-9)	**Fast Green FCF** For Molecular Biology C. I. No. : 42053 M. W.: 808.85 Store Below 30°C	**10 gm** **25 gm**
834100	**Fast Green** FCF Solution (Useful for non-lignified tissues)	**100 ml**
092465 $C_{20}H_{14}N_2O_7S_2.2Na$ (2302-96-2)	**Fast Red E** (C.I. 16045) M. W.: 502.43	**25 gm**
020049 $C_{30}H_{17}N_4Na_3O_{11}S_3$ (3682-47-1)	**Fast Sulphon Black** F C.I. No. 26990 M. W.: 774.6 Dye content (titanometry) Approx 30.0%	**25 gm**
092545 $C_{15}H_{16}N_3O_2.0.5\ Cl_4Zn$ (14726-28-4)	**Fast Violet** B **Salt** for Microscopy (C.I.No. 37165) M. W.: 371.89 Dye content 97.0%	**1 gm** **5 gm**
	Fehling's Solution A and B See Fehling's Solution 1 and 2	
834200	**Fehling's** Solution NO. 1 Assay iodometric ($CuSO_4$) min. 7.0%w/v	**500 ml**
834220	**Fehling's** Solution NO. 2	**500 ml**
092675 $C_4H_7.FeO_5$ (10450-55-2)	**Ferric Acetate** Basic M.W.: 190.93	**500 gm**
092725 $C_{15}H_{21}O_6.Fe$ (14024-18-1)	**Ferric Acetyl Acetonate** for Synthesis (Iron. III Acetyl Acetronate) M. W.: 353.17	**100 gm** **500 gm**
	Ferric Alum See Ammonium Ferric Sulphate	
	Ferric Ammonium Citrate See Ammonium Ferric Citrate	
	Ferric Ammonium Sulphate See Ammonium Ferric Sulphate	
092855 $BFeO_3$ (20542-97-6)	**Ferric Borate** M.W.: 114.65	**500 gm**
092900 $FeCl_3$ (7705-08-0)	**Ferric Chloride** Anhydrous M. W.: 162.21 Assay (iodometric) 97.0%	**500 gm** **1 kg** **5 kg** **50 kg**
528615 $FeCl_3$ (7705-08-0)	**Ferric Chloride** Anhydrous **AR** M. W.: 162.21 Assay (Iodometric) 98.0%	**500 gm**
934400 MB $FeCl_3$ (7705-08-0)	**Ferric Chloride** Anhydrous For Molecular Biology M. W.: 162.2 Assay : ≥ 98% Store Below 30°C	**50 mg** **1 gm** **5 gm**
TC1583 ATC $FeCl_2$ (7705-08-0)	**Ferric Chloride** Anhydrous Ferric chloride Cell Culture Tested M. W.: 162.2 Assay : 14-16% Fe Store below 30°C	**5 gm** **25 gm** **100 gm**
028691 $FeCl_3.6H_2O$ (10025-77-1)	**Ferric Chloride** Hexahydrate M. W.: 270.30 Assay (Iodometric) 98.0%	**500 gm** **50 kg**
528620 $FeCl_3.6H_2O$ (10025-77-1)	**Ferric Chloride** Hexahydrate **AR/ACS** M. W.: 270.30 Assay (Iodometric) 98.0%	**500 gm**
PCT1108 PTC $FeCl_3.6H_2O$ (10025-77-1)	**Ferric Chloride** Hexahydrate Plant Culture Tested M. W.: 270.3 Assay 99% Store below 30°C	**100 gm** **250 gm** **500 gm** **1 kg**
TC1587M ATC $FeCl_3.6H_2O$ (10025-77-1)	**Ferric Chloride** Hexahydrate Iron(III) chloride hexahydrate Meets EP 9.0, and BP 2016 testing specifications M. W.: 270.28 Store below 30°C	**5 gm** **25 gm** **100 gm**
834320	**Ferric Chloride** Solution 10% (Gerhardt's Reagent) Assay 9.9-10.1%	**125 ml** **1 lit**
834325	**Ferric Chloride** TS acc. to USP	**500 ml**
028381 $C_6H_5FeO_7.3H_2O$ (2338-05-8)	**Ferric Citrate** M. W.: 298.99 Iron (Fe) Iodometric 18-20%	**500 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
PCT1109 PTC $C_6H_5FeO_7.H_2O$ (2338-05-8)	**Ferric Citrate** Monohydrate Plant Culture Tested M. W.: 262.96 Assay : 18 - 20% Fe Store below 30°C	**250 gm** **500 gm**
TC1117 ATC $C_6H_5FeO_7.H_2O$ (2338-05-8)	**Ferric Citrate** Monohydrate Cell Culture Tested M. W.: 262.96 Assay : ≥98% Store below 30°C	**250 gm** **500 gm** **1 kg**
	Ferric Diphosphate Hydrate See Ferric Pyrophosphate	
028384 $Fe(NO_3)_3.9H_2O$ (7782-61-8)	**Ferric Nitrate** (Iron (III) Nitrate) M. W.: 404.00 Assay (oxidimetric) 98.0%	**500 gm** **25 kg** **50 kg**
528650 $Fe(NO_3)_3.9H_2O$ (7782-61-8)	**Ferric Nitrate** Nonahydrate **AR/ACS** M. W.: 404.00 Assay (Oxidimetric) 99-101%	**500 gm**
TC1118 ATC $FeN_3O_9.9H_2O$ (7782-61-8)	**Ferric Nitrate** Nonahydrate Cell Culture Tested M. W.: 404 Assay : ≥98% Store below 30°C	**100 gm** **500 gm**
093155 Fe_2O_3 (1309-37-1)	**Ferric Oxide Black** M. W.: 159.69	**500 gm**
028386 Fe_2O_3 (1309-37-1)	**Ferric Oxide Red** (Iron Oxide Red) M. W.: 159.69 Assay (Iodometric) 98.5%	**100 gm** **500 gm** **5 kg** **50 kg**
528675 ⚛ $Fe(ClO_4)_3.XH_2O$ (15201-61-3)	**Ferric Perchlorate AR** M. W.: 354.20 (Anhy.) Assay 97.0%	**100 gm** **500 gm** **1 kg**
028385 $FePO_4.4H_2O$ (31096-47-6)	**Ferric** ortho **Phosphate** M. W.: 222.88 Assay (by cerimetry, Fe) 24%	**500 gm**
528705 $FePO_4.4H_2O$ (31096-47-6)	**Ferric** ortho **Phosphate AR** M. W.: 222.88	**500 gm**
093195 $Fe_4(P_2O_7)_3$ (10058-44-3)	**Ferric Pyrophosphate** Pure Iron. III Pyro Phosphate M. W.: 745.21	**500 gm**
026094 $Fe_2(SO_4)_3.XH_2O$ (15244-10-7)	**Ferric Sulphate** M. W.: 399.88 Assay (as Fe) (Iodometric) 20.5%	**500 gm** **25 kg** **50 kg**
528795 $Fe_2(SO_4)_3.XH_2O$ (15244-10-7)	**Ferric Sulphate Hydrate AR** [Iron (III) Sulphate Hydrate] M. W.: 399.88 (anhydrous)	**500 gm**
PCT1124 PTC $Fe_2(SO_4)_3.xH_2O$ (10028-22-5)	**Ferric Sulphate** Hydrate Plant Culture Tested M. W.: 399.88 (anhydrous basis) Store below 30°C	**500 gm**

Product Code	Product Name	Packing
093285 $Fe_2(C_4H_4O_6)_3$ (2944-68-5)	**Ferric Tartrate** M. W.: 555.90	**500 gm**
093445 $Fe(C_5H_5)_2$ (102-54-5)	**Ferrocene** for Synthesis (Dicyclopentadienyliron) M.W. : 186.03	**100 gm** **1 kg**
834360	**Ferroin** Indicator Solution 0.1 Wt% in H_2O	**500 ml**
834365	**Ferroin** Solution 0.025M **AR** (Redox Indicator)	**25 ml** **100 ml** **500 ml**
834369	**Ferroin** Indicator Solution in Sulphuric Acid	**100 ml**
529000 $C_9H_6INO_4S$ (547-91-1)	**Ferron AR** M. W.: 351.12	**25 gm**
	Ferrous Ammonium Sulphate See Ammonium Ferrous Sulphate	
025450 $FeCO_3$ (563-71-3)	**Ferrous Carbonate** M. W.: 115.86 Assay 97.0%	**500 gm**
028394 $FeCl_2.XH_2O$ (13478-10-9)	**Ferrous Chloride** Hydrate Tech. M. W.: 126.75	**500 gm**
025443 $C_4H_2FeO_4$ (141-01-5)	**Ferrous Fumarate** Pure M. W.: 169.90 Assay (Fe) 31-33%	**500 gm**
093595 $C_{12}H_{22}FeO_{14}.XH_2O$ (699014-53-4)	**Ferrous Gluconate** for Synthesis M. W.: 446.14 (anhy.)	**500 gm**
025449 $C_2FeO_4.2H_2O$ (6047-25-2)	**Ferrous Oxalate** Dihydrate M. W.: 179.89 Assay 98.0%	**100 gm** **500 gm**
025446 $Fe_3(PO_4)_2.8H_2O$ (10028-23-6)	**Ferrous Phosphate** M. W.: 501.60	**500 gm**
028400 $FeSO_4.7H_2O$ (7782-63-0)	**Ferrous Sulphate** Heptahydrate Purified M. W.: 278.01 Assay (Redox titration) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
529075 $FeSO_4.7H_2O$ (7782-63-0)	**Ferrous Sulphate** Heptahydrate **AR/ACS** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 278.01 Assay (Redox titration) 99.5%	**500 gm**
TC1119 ATC $FeSO_4.7H_2O$ (7782-63-0)	**Ferrous Sulphate** Heptahydrate Cell Culture Tested M. W.: 278.01 Assay : ≥99.5% Store below 30°C	**500 gm** **1 kg**
TC1119M ATC $FeSO_4.7H_2O$ (7782-63-0)	**Ferrous Sulphate** Heptahydrate Iron(II) sulphate hexahydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 278.01 Store below 30°C	**500 gm** **1 kg**

Storage : ❄0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
PCT1111 PTC $Fe_2SO_4.7H_2O$ (7782-63-0)	**Ferrous Sulphate** Heptahydrate Plant Culture Tested M. W.: 278.01 Assay 99% Store below 30°C	**500 gm** **1 kg** **5 kg**
028401 $FeSO_4.XH_2O$ (13463-43-9)	**Ferrous Sulphate** Hydrate (Ferrous Sulphate Exsiccated (Dried)) M. W.: 151.91(anhy.) Assay ($FeSO_4$) 86-90%	**500 gm**
026096 FeS (1317-37-9)	**Ferrous Sulphide** Fused Sticks for Producing H_2S M. W.: 87.92 Assay (Oxidimetry) 95.0%	**1 kg** **50 kg**
737530 $C_{20}H_{13}N_4NaO_6S_2$ (69898-45-9)	**Ferrozine** for Biochemistry [3-(2-Pyridyl)-5,6-Diphenyl- 1,2,4-Triazine-4, 4"-Disulphonic Acid Sodium Salt, PDT Disulphonate] (for Spectrophotometric det. of Fe) M. W.: 492.46	**1 gm** **5 gm**
093775 $C_{10}H_{10}O_4$ (537-98-4)	▲trans-**Ferulic Acid** for Synthesis M. W.: 194.2	**10 gm** **50 gm**
TC1278 ATC (9014-81-7)	· **Fetuin** Cell Culture Tested	**100 mg** **1 gm** **5 gm**
	Feulgen Solution See Schiff's Reagent	
934650 MB (26873-85-8)	· **Ficoll 400** For Molecular Biology Av. M. W.: 400000	**5 gm** **25 gm**
034121	**Field's** Stain A	**25 gm** **1 kg**
025432	**Field's** Stain B	**25 gm** **1 kg**
834430	**Field's Stain** Solution A	**125 ml** **500 ml**
834440	**Field's Stain** Solution B	**125 ml** **500 ml**
	Floor Wash See FW009	
015020 (1343-88-0)	**Florisil** 30-60™Mesh (Adsorbent for Chromatography) TM of US Silicate	**100 gm** **500 gm**
015025 MgO_3Si (1343-88-0)	**Florisil** 60-100™Mesh for Column-Chromatography M.W. : 100.39 TM of US Silicate	**100 gm** **500 gm** **1 kg**
026099 HBF_4 (16872-11-0)	**Fluo Boric Acid** Abt. 40% M.W:.87.81 Assay 38.5-42.5%	**500 ml** **5 lit**
094025 $C_{13}H_{10}$ (86-73-7)	**Fluorene** for Synthesis M. W.: 166.22	**100 gm** **500 gm**

Product Code	Product Name	Packing
094105 $C_{14}H_{12}O$ (24324-17-2)	▲9-**Fluorene Methanol** M. W.: 196.24 Assay 99.0%	**25 gm** **100 gm**
094195 $C_{13}H_8O$ (486-25-9)	9-**Fluorenone** for Synthesis M.W. : 180.20 Assay 98.0%	**100 gm** **500 gm**
028406 $C_{20}H_{12}O_5$ (2321-07-5)	**Fluorescein** C.I. No. 45350 M. W.: 332.31 Dye Content : Abt. 95.0%	**25 gm** **100 gm** **1 kg**
834700	**Fluorescein** Indicator Solution (Adsorption indicator for precipitation analysis)	**100 ml**
834705	**Fluorescein** Solution (Reagent for Bromate)	**100 ml**
529870 $C_{30}H_{26}N_2O_{13}$ (1461-15-0)	**Fluorescein Complexone AR** (Calcein Indicator) M. W.: 622.55 Abs. Max. (1N NaOH) 499 nm	**1 gm** **5 gm**
094385 $C_{21}H_{11}NO_5S$ (3326-32-7)	· **Fluorescein**-iso-**Thiocyanate** M.W.: 389.38 Assay (HPLC) 98.0%	**100 mgm** **1 gm**
028409 $C_{20}H_{10}Na_2O_5$ (518-47-8)	**Fluorescein Sodium** C.I. No. 45350 M. W.: 376.3 Assay (by spectro. In buffer pH 8.0 Calc. on dried basis 98.0%	**25 gm** **100 gm** **1 kg**
010910 (68611-47-2)	**Fluorescent** F 254 Indicator for TLC	**50 gm**
834730	**Fluorescent stains kit** for mycobacteria	**KIT**
094495 C_8H_7FO (403-42-9)	4-**Fluoro Acetophenone** for Synthesis M. W.: 138.14 Assay 99.0%	**100 gm** **500 gm**
094675 C_6H_6FN (348-54-9)	2-**Fluoro Aniline** for Synthesis M. W.: 111.12 Assay 99.0%	**100 ml** **500 ml**
094985 ⁂ C_6H_6FN (372-19-0)	3-**Fluoro Aniline** M. W.: 111.12	**25 gm** **100 gm**
094995 C_6H_6FN (371-40-4)	4-**Fluoro Aniline** for Synthesis (p-fluoroaniline) (1-Amino-4-Fluorobenzene) M. W.: 111.12	**100 gm** **500 gm**
095055 FC_6H_4CHO (459-57-4)	4-**Fluoro Benzaldehyde** M. W.: 124.11 Assay 98.0%	**100 gm** **500 gm**
095060 C_6H_5F (462-06-6)	**Fluoro Benzene** for Synthesis M.W : 96.11 Assay 99.0%	**500 ml** **2.5 lit**
095085 $C_4H_4FN_3O$ (2022-85-7)	▲5-**Fluoro Cytosin** for Biochemistry M. W.: 129.09	**1 gm** **5 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
529900 $C_6H_3FN_2O_4$ (70-34-8)	1-**Fluoro**-2, 4-**Dinitro Benzene AR** M. W.: 186.10 Assay (GC) 99.0%	**25 gm** **100 gm**
095195 ✲ $FC_6H_3(NO_2)NH_2$ (369-36-8)	2-**Fluoro**-5-**Nitro Aniline** for Synthesis M. W.: 156.11 Assay 98.0%	**25 gm** **100 gm**
095255 $FC_6H_4NO_2$ (350-46-9)	1-**Fluoro**-4-**Nitro Benzene** for Synthesis M. W.: 141.10 Assay 98.0%	**100 gm** **500 gm**
095345 ✲ FC_6H_4OH (367-12-4)	2-**Fluoro Phenol** M. W.: 112.10 Assay 97.5%	**25 gm** **100 gm**
529925 ✲ FC_6H_4OH (371-41-5)	4-**Fluoro Phenol AR** M. W.: 112.10 Assay 98.5%	**100 gm**
095495 ✲ $C_8H_7FO_2$ (405-50-5)	4-**Fluoro Phenyl Acetic Acid** for Synthesis M. W.: 154.14	**25 gm** **100 gm**
095515 $C_{10}H_{13}FN_2$ (2252-63-3)	1-(4-**Fluoro Phenyl) Piperazine** M. W.: 180.22 Assay 98.0%	**25 gm** **100 gm**
095625 C_5H_4FN (372-48-5)	2-**Fluoro Pyridine** M. W.: 97.02 Assay 98.0%	**25 gm** **100 gm**
530035 $C_{24}H_{16}O_7$ (596-09-8)	**Fluoro Science Diacetate AR** M. W.: 416.38	**5 gm**
095735 H_2SiF_6 (16961-83-4)	**Fluoro Silicic Acid** for Synthesis M.W. : 144.90	**500 ml**
530145 ✲ C_7H_7F (352-32-9)	4-**Fluoro Toluene AR** M. W.: 110.13 Assay 97.0%	**100 gm** **500 gm**
025442 $C_4H_3FN_2O_2$ (51-21-8)	▲5-**Fluoro Uracil** M. W.: 130.08 Assay (Acidimetric, dried basis) 99.0-102.0%	**1 gm** **5 gm**
PCT2139 PTC $C_4H_3FN_2O_2$ (51-21-8)	▲5-**Fluoro Uracil (5-FU)** Plant Culture Tested M. W.: 130.1 Assay 98 %	**1 gm** **5 gm**
PCT1843 PTC $C_{19}H_{14}F_3NO$ (59756-60-4)	**Fluridon** Plant Culture Tested M. W.: 329.3 Assay > 99 % Store below 30°C	**100 mg** **250 mg**
PCT1844 PTC $C_{15}H_{15}F_3N_2O_2$ (56425-91-3)	**Flurprimidol** Plant Culture Tested M. W.: 312.29 Store below 30°C	**10 mg** **100 mg**
FM0055 ✲ $C_{18}H_{17}NO_4$ (79990-15-1)	· **FMOC**-D-**Alanine** M. W.: 311.33	**1 gm** **5 gm** **25 gm**
FM0065 ✲ $C_{18}H_{17}NO_4$ (35661-39-3)	· **FMOC**-L-**Alanine** M. W.: 311.33	**5 gm** **25 gm** **100 gm**
TC1654 ATC $C_{18}H_{17}NO_4$ (35661-39-3)	· **FMOC-Ala-OH** Fmoc-L-alanine; N-(9-Fluorenylmethoxycarbonyl)-L-alanine M. W.: 311.33	**5 gm** **25 gm** **100 gm** **1 kg**
FM0075 ✲ $C_{15}H_{13}NO_2$ (84418-43-9)	· **FMOC-Amide** for Biochemistry M. W.: 239.27	**1 gm** **5 gm**
FM0085 ✲ $C_{19}H_{19}NO_4$ (135112-27-5)	· **FMOC**-2-**Aminobutric Acid** M. W.: 325.36	**1 gm** **5 gm**
TC1653 ATC $C_{19}H_{19}NO_4$ (94744-50-0)	**FMOC-Aib-OH** N-♋-Fmoc-♋-aminoisobutyric acid M. W.: 325.36 Store below 30°C	**5 gm**
FM0095 ✲ (130752-32-8)	· **FMOC**-D-**Arginine**	**1 gm** **25 gm**
FM0105 ✲ $C_{21}H_{24}N_4O_4$ (91000-69-0)	· **FMOC**-L-**Arginine** M. W.: 396.44	**1 gm** **5 gm** **25 gm** **100 gm**
FM0115 ✲ $C_{19}H_{18}N_2O_5$ (108321-39-7)	· **FMOC**-D-**Asparagine** M. W.: 354.36	**1 gm** **5 gm** **25 gm**
TC1655 ATC $C_{34}H_{40}N_4O_7S$ (154445-77-9)	**FMOC-L-Arg(Pbf)-OH** $N_{♋}$-Fmoc-N⬥-Pbf-L-arginine M. W.: 648.77 Store below 30°C	**5 gm** **25 gm** **100 gm** **1 kg**
TC1657 ATC $C_{23}H_{25}NO_6$ (71989-14-5)	**FMOC-L-Asp(OtBu)-OH** Fmoc-L-aspartic acid 4-tert-butyl ester M.W.: 411.45 Store below 30°C	**5 gm** **25 gm** **100 gm** **1 kg**
FM0125 ✲ $C_{19}H_{18}N_2O_5$ (71989-16-7)	· **FMOC**-L-**Asparagine** M. W.: 354.36	**5 gm** **25 gm** **100 gm**
TC1656 ATC $C_{38}H_{32}N_2O_5$ (132388-59-1)	· **FMOC-Asn(trt)-OH** $N_{♋}$-Fmoc-N♑-trityl-L-asparagine M.W.: 596.67	**5 gm** **25 gm** **100 gm** **1 kg**
FM0135 ✲ $C_{26}H_{23}NO_6$ (86060-84-6)	· **FMOC-L-Aspartic Acid-4- Benzy Ester** for Biochemistry M. W.: 445.46	**10 gm** **25 gm**
FM0145 ✲ (53298-33-2)	· **FMOC-S-Benzyl-L-Cysteine** (FMOC-L-Cys(BZL)-OH)	**10 gm** **25 gm**
FM0155 ✲ $C_{25}H_{23}NO_5$ (83792-48-7)	· **FMOC-O-Benzyl-L-Serine** for Biochemistry M. W.: 417.45	**10 gm** **25 gm**
FM0165 $C_{15}H_{11}ClO_2$ (28920-43-6)	· **FMOC-Chloride** for Biochemistry M. W.: 258.70	**5 gm** **25 gm**

Storage : · ❄0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
FM0175 ✲ (200344-33-8)	· **FMOC**-D-**Citrulline**	**100 mgm** **500 mgm**
FM0185 ✲ $C_{21}H_{23}N_3O_5$ (133174-15-9)	· **FMOC**-L-**Citrulline** M. W.: 397.42	**1 gm** **5 gm**
TC1658 ATC $C_{21}H_{22}N_2O_5S$ (86060-81-3)	· **FMOC-Cys(Acm)-OH** N_{α}-Fmoc-S-acetaminomethyl-L-cysteine M. W.: 414.47	**5 gm** **25 gm**
TC1659 ATC $C_{22}H_{25}NO_4S_2$ (73724-43-3)	**FMOC-L-Cys(StBu)-OH** N_{α}-Fmoc-S-*tert*-butylthio-L-cysteine M. W.: 431.57 Store below 30°C	**1 gm**
TC1660 ATC $C_{37}H_{31}NO_4S$ (103213-32-7)	**FMOC-Cys(Trt)-OH** N_{α}-Fmoc-S-trityl-L-cysteine M. W.: 585.71 Store below 30°C	**5 gm** **25 gm** **100 gm** **1 kg**
TC1661 ATC $C_{39}H_{34}N_2O_5$ (132327-80-1)	· **FMOC-L-Gln(Trt)-OH** N_{α}-Fmoc-N-trityl-L-glutamine M. W.: 610.7	**5 gm** **25 gm** **100 gm** **1 kg**
TC1662 ATC $C_{24}H_{27}NO_6$ (71989-18-9)	· **FMOC-L-Glu(otBu)-OH** Fmoc-L-glutamic acid 5-tert-butyl ester M. W.: 425.47	**5 gm** **25 gm** **100 gm** **1 kg**
FM0195 ✲ $C_{27}H_{25}NO_6$ (123639-61-2)	· **FMOC-L-Glutamic Acid-Benzyl Ester** for Biochemistry M. W.: 459.49	**10 gm** **25 gm**
FM0205 ✲ $C_{20}H_{20}N_2O_5$ (112898-00-7)	· **FMOC**-D-**Glutamine** M. W.: 368.38	**500 mg** **25 gm**
FM0215 ✲ $C_{20}H_{20}N_2O_5$ (71989-20-3)	· **FMOC**-L-**Glutamine** M. W.: 368.38	**5 gm** **25 gm** **100 gm**
FM0225 ✲ (29022-11-5)	· **FMOC**-L-**Glycine**	**5 gm** **25 gm** **100 gm**
TC1663 ATC $C_{17}H_{15}NO_4$ (29022-11-5)	· **FMOC-Gly-OH** Fmoc-glycine M. W.: 297.31	**5 gm** **25 gm** **100 gm** **500 gm**
TC1664 ATC $C_{40}H_{33}N_3O_4$ (109425-51-6)	· **FMOC-L-His(trt)-OH** N_{α}-Fmoc-$N_{(im)}$-trityl-L-histidine M. W.: 619.71	**5 gm** **25 gm** **100 gm** **1 kg**
FM0235 ✲ $C_{21}H_{23}NO_4$ (143688-83-9)	· **FMOC**-D-**Isoleucine** M. W.: 353.41	**500 mgm**

Product Code	Product Name	Packing
FM0245 ✲ $C_{21}H_{23}NO_4$ (71898-23-6)	**FMOC**-L-**Isoleucine** M. W.: 353.41	**5 gm** **25 gm** **100 gm**
TC1665 ATC $C_{21}H_{23}NO_4$ (71989-23-6)	· **FMOC-Ile-OH** Fmoc-L-isoleucine M. W.: 353.41	**5 gm** **25 gm** **100 gm** **1 kg**
FM0255 ✲ $C_{21}H_{23}NO_4$ (114360-54-2)	· **FMOC**-D-**Leucine** M. W.: 353.41	**1 gm** **5 gm** **25 gm**
FM0265 ✲ $C_{21}H_{23}NO_4$ (35661-60-0)	· **FMOC**-L-**Leucine** M. W.: 353.41	**5 gm** **25 gm** **100 gm**
TC1666 ATC $C_{21}H_{23}NO_4$ (35661-60-0)	· **FMOC-L-Leu-OH** Fmoc-L-leucine M. W.: 353.41	**5 gm** **25 gm** **100 gm** **1 kg**
FM0285 ✲ $C_{29}H_{30}N_2O_6$ (86060-82-4)	· **FMOC-N-e-Z-L-Lysine** for Biochemistry M. W.: 502.56	**10 gm** **25 gm**
TC1667 ATC ✲# $C_{26}H_{32}N_2O_6$ (71989-26-9)	**FMOC-L-Lys(Boc)-OH** N_{α}-Fmoc-N^{ε}(Boc)-L-lysine M. W.: 468.54	**5 gm** **25 gm** **100 gm** **1 kg**
FM0275 ✲ $C_{25}H_{28}N_2O_6$ (146982-27-6)	· **FMOC-Lys (Alloc)-OH** for Biochemistry M. W.: 452.50	**1 gm** **5 gm**
TC1668 ATC $C_{31}H_{36}N_2O_6$ (150629-67-7)	**FMOC-Lys(Dde)-OH** N_{α}-Fmoc-N^{ε}-1-(4,4-dimethyl-2,6-dioxycyclohex-1-ylidene) ethyl-L-lysine M. W.: 532.63 Store below 30°C	**1 gm**
FM0295 ✲ $C_{20}H_{21}NO_4S$ (112883-40-6)	· **FMOC**-D-**Methionine** M. W.: 371.45	**1 gm** **5 gm** **25 gm**
FM0315 ✲ $C_{20}H_{21}NO_4S$ (71989-28-1)	· **FMOC**-L-**Methionine** M. W.: 371.45	**5 gm** **25 gm** **100 gm**
TC1669 ATC $C_{20}H_{21}NO_4S$ (71989-28-1)	· **FMOC-L-Met-OH** Fmoc-L-methionine M. W.: 371.45 Store below 30°C	**5 gm** **25 gm** **100 gm**
FM0325 ✲ $C_{24}H_{20}N_2O_6$ (95753-55-2)	· **FMOC**-4-**Nitro-L-Phenylalanine** for Biochemistry M. W.: 432.43	**5 gm**
FM0335 ✲ $C_{21}H_{23}NO_4$ (112883-41-7)	· **FMOC**-D-**Norleucine** M W.: 353.41	**1 gm** **5 gm**
FM0355 ✲ $C_{20}H_{21}NO_4$ (144701-24-6)	· **FMOC**-D-**Norvaline** M. W.: 339.4	**1 gm** **5 gm**

Product Code	Product Name	Packing
FM0345 ✲ $C_{21}H_{23}NO_4$ (77284-32-3)	· **FMOC-L-Norleucine** M W.: 353.41	**1 gm** **5 gm**
FM0365 ✲ $C_{20}H_{21}NO_4$ (135112-28-6)	· **FMOC-L-Norvaline** M. W.: 339.4	**1 gm** **5 gm**
TC1670 ATC $C_{25}H_{30}N_2O_6$ (109425-55-0)	**FMOC-Orn(Boc)-OH** N_{α}-Fmoc-N^{ω}-Boc-L-Ornithin M. W.: 454.52 Store below 30°C	**5 gm** **25 gm**
FM0375 $C_{19}H_{15}NO_5$ (82911-69-1)	· **FMOC-Osu** for Biochemistry M. W.: 337.33	**5 gm** **25 gm**
FM0385 ✲ $C_{24}H_{21}NO_4$ (86123-10-6)	· **FMOC-D-Phenylalanine** M. W.: 387.43	**1 gm** **5 gm** **25 gm** **100 gm**
TC1671 ATC $C_{24}H_{21}NO_4$ (35661-40-6)	· **FMOC-L-Phe-OH** Fmoc-L-phenylalanine M. W.: 387.43	**5 gm** **25 gm** **100 gm**
FM0395 ✲ $C_{24}H_{21}NO_4$ (35661-40-6)	· **FMOC-L-Phenylalanine** M. W.: 387.43	**5 gm** **25 gm** **100 gm**
FM0405 ✲ $C_{23}H_{19}NO_4$ (111524-95-9)	· **FMOC-D-Phenylglycine** for Biochemistry M. W.: 373.40	**10 gm** **25 gm**
FM0415 ✲ $C_{23}H_{19}NO_4$ (102410-65-1)	· **FMOC-L-Phenylglycine** for Biochemistry M. W.: 373.40	**10 gm** **25 gm**
FM0425 ✲ $C_{20}H_{19}NO_4$ (101555-62-8)	· **FMOC-D-Proline** M. W.: 337.37	**1 gm** **5 gm** **25 gm**
FM0435 ✲ $C_{20}H_{19}NO_4$ (71989-31-6)	· **FMOC-L-Proline** M. W.: 337.37	**5 gm** **25 gm** **100 gm**
TC1672 ATC $C_{20}H_{19}NO_4$ (71989-31-6)	· **FMOC-Pro-OH** Fmoc-L-proline M. W.: 337.37	**25 gm** **100 gm**
TC1673 ATC $C_{22}H_{25}NO_5$ (71989-33-8)	· **FMOC-L-Ser(tBu)-OH** Fmoc-O-tert-Butyl-L-serine M. W.: 383.44	**5 gm** **25 gm** **100 gm** **1 kg**
FM0445 ✲ $C_{18}H_{17}NO_5$ (116861-26-8)	· **FMOC-D-Serine** M. W.: 327.33	**500 mgm** **25 gm**
FM0455 ✲ $C_{18}H_{17}NO_5$ (73724-45-5)	· **FMOC-L-Serine** M. W.: 327.33	**5 gm** **25 gm** **100 gm**
FM0465 ✲ $C_{19}H_{19}NO_5.H_2O$ (157355-81-2)	· **FMOC-D-Threonine** M. W.: 359.37	**5 gm** **25 gm** **100 gm**
FM0475 ✲ $C_{19}H_{19}NO_5.H_2O$ (73731-37-0)	· **FMOC-L-Threonine** M. W.: 359.37	**5 gm** **25 gm** **100 gm**
TC1674 ATC $C_{23}H_{27}NO_5$ (71989-35-0)	**FMOC-Thr(tBu)-OH** Fmoc-O-tert-Butyl-L-threonine M. W.: 397.46 Store below 30°C	**5 gm** **25 gm** **100 gm** **1 kg**
FM0485 ✲ $C_{26}H_{22}N_2O_4$ (86123-11-7)	· **FMOC-D-Tryptophan** M. W.: 426.46	**1 gm** **5 gm** **25 gm**
TC1675 ATC $C_{31}H_{30}N_2O_6$ (143824-78-6)	**FMOC-L-Trp(Boc)-OH** N_{α}-Fmoc-N(in)-Boc-L-tryptophan M. W.: 526.58 Store below 30°C	**5 gm** **25 gm** **100 gm** **1 kg**
FM0495 ✲ $C_{26}H_{22}N_2O_4$ (35737-15-6)	· **FMOC-L-Tryptophan** M. W.: 426.46	**5 gm** **25 gm** **100 gm**
FM0505 ✲ $C_{24}H_{21}NO_5$ (112883-29-1)	· **FMOC-D-Tyrosine** M. W.: 403.43	**1 gm** **5 gm** **25 gm**
FM0515 ✲ $C_{24}H_{21}NO_5$ (92954-90-0)	· **FMOC-L-Tyrosine** M. W.: 403.43	**5 gm** **25 gm** **100 gm**
TC1676 ATC $C_{28}H_{29}NO_5$ (71989-38-3)	· **FMOC-L-Tyr(tBu)-OH** Fmoc-O-tert-Butyl-L-tyrosine M. W.: 459.53	**5 gm** **25 gm** **100 gm** **1 kg**
FM0525 ✲ $C_{20}H_{21}NO_4$ (84624-17-9)	· **FMOC-D-Valine** M. W.: 339.39	**1 gm** **5 gm** **25 gm**
FM0635 ✲ $C_{20}H_{21}NO_4$ (68858-20-8)	· **FMOC-L-Valine** M. W.: 339.39	**5 gm** **25 gm** **100 gm**
TC1677 ATC $C_{20}H_{21}NO_4$ (68858-20-8)	· **FMOC-L-Val-OH** Fmoc-L-valine M. W.: 339.39	**25 gm** **100 gm**
044043 $C_{19}H_{19}N_7O_6$ (59-30-3)	**Folic Acid** for Biochemistry M. W.: 441.40 Assay (ex N on dry material) 94.0-101.0%	**5 gm** **10 gm** **25 gm** **100 gm**
PCT1205 PTC $C_{19}H_{19}N_7O_6$ (59-30-3)	▲**Folic Acid** (Vitamin M; Vitamin B9) Plant Culture Tested M. W.: 441.4 Assay 98%	**5 gm** **10 gm** **100 gm**
TC1123 ATC $C_{19}H_{19}N_7O_6$ (59-30-3)	▲**Folic Acid** (Vitamin M; Vitamin B9) Cell Culture Tested M. W.: 441.4 Assay : ≥95%	**5 gm** **25 gm**
TC1123M ATC $C_{19}H_{19}N_7O_6$ (59-30-3)	▲**Folic Acid** Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 441.4	**5 gm** **25 gm**

Storage : · ❄0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
835020	**Folin & Ciocalteu's Phenol** Reagent	**125 ml** **250 ml** **500 ml**
835030	**Folin & Ciocalteu's Phenol** Reagent **AR** Suitable for use in protein determination (2.0 normal)	**125 ml** **500 ml**
802860	**Folin & Wu's Alkaline Copper** Solution	**500 ml**
835100	**Folin & Wu's Phosphate Molybdate** Solution Percentage of H_3PO_4 30-35% w/v	**100 ml** **500 ml**
835210	**Food adulteration test kit** (For the detection of common adulterants in food products)	**20x25 te**
835250	**Formaldehyde** 4% Buffered (pH 6.9) For Histology	**5 lit**
835270	**Formaldehyde** 20% Solution **AR** Stabilized with 10% methanol	**500 ml** **1 lit** **2.5 lit**
TC1557M ATC CH_2O (50-00-0)	**Formaldehyde** Sol, ≥35% Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 30.03 Store below 30°C	**500 ml**
028421 CH_2O (50-00-0)	**Formaldehyde** Solution 37-41% w/v for Synthesis (Formalin) M. W.: 30.03 Assay (acidimetric after oxidation) 37-41% w/v	**500 ml** **2.5 lit** **5 lit** **30 lit** **100 lit**
531140 CH_2O (50-00-0)	**Formaldehyde** Solution 37-41% w/v **AR/ACS** M. W.: 30.03 Assay (acidimetric after oxidation) 37.0-41.0%v	**500 ml** **2.5 lit** **30 lit** **100 lit**
935800 MB CH_2O (50-00-0)	**Formaldehyde** Soln. 37-41% (Formalin; Methanal) For Molecular Biology M. W.: 30.03 Assay : 37-41% Store Below 30°C	**500 ml**
	Formaldehyde Diethyl Acetal See Diethoxy Methane (DEM)	
	Formaldehyde Dimethyl Acetal See 1,2 Dimethoxy methane	
	Formaldehyde Sodium Bisulphite See Sodium Formaldehyde Bisulphite	
	Formalin See Formaldehyde	
028422 CH_3NO (75-12-7)	**Formamide** M. W.: 45.04 Assay(GC) 98.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
531160 CH_3NO (75-12-7)	**Formamide AR/ACS** M. W.: 45.04 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**

Product Code	Product Name	Packing
937530 MB CH_3NO (75-12-7)	**Formamide** for Molecular Biology M. W.: 45.04 Assay (GC) 99.5%	**500 ml** **1 lit**
737800 CH_3NO (75-12-7)	**Formamide** for UV Spectroscopy M. W.: 45.04	**500 ml** **1 lit**
096005 $NH=CHNH_2.CH_3COOH$ (3473-63-0)	**Formamidine Acetate** for Synthesis M. W.: 104.11 Assay 99.0%	**100 gm** **500 gm**
	Formdiethylamide See N,N Dimethylformamide	
028428 H.COOH (64-18-6)	**Formic Acid** for Synthesis M. W.: 46.03 Assay(acidimetric) about 85.0%	**500 ml** **2.5 lit** **25 lit**
028430 H.COOH (64-18-6)	**Formic Acid** for Synthesis M. W.: 46.03 Assay (acidimetric) 98.0%	**500 ml** **2.5 lit** **25 lit**
531190 H.COOH (64-18-6)	**Formic Acid AR** M. W.: 46.03 Assay(acidimetric) 98.0%	**500 ml** **2.5 lit**
	Formic Acid Ethyl Ester See Ethyl Formate	
737845 $C_7H_5NaO_4S$ (1008-72-6)	2-**Formyl Benzene-Sulphonic Acid Sodium Salt** (Benzaldehyde-2-Sulphonic Acid Sodium Salt) M. W.: 208.17 Assay 95.0%	**100 gm** **500 gm**
531235 ✻ $HO_2CC_6H_4CHO$ (619-66-9)	4-**Formyl Benzoic Acid AR** M. W.: 150.13 Assay 96.5-103.5%	**25 gm** **100 gm**
	Formyldimethyl Aniline See p-Dimethylamino Benzaldehyde	
531305 $C_6H_{11}NO$ (2591-86-8)	n-**Formyl Piperidine AR** (Piperidine -1-Carboxaldehyde) M. W.: 113.16 Assay 99.0%	**100 gm** **500 gm**
TC1472 ATC $C_{22}H_{34}O_7$ (66575-29-9)	**Forskolin** 7β-Acetoxy-8,13-epoxy-1α,6β,9α–trihydroxylabd-14-en-11-one, Coleonol, Colforsin Cell Culture Tested M. W.: 410.5 Assay : ≥99.5% Store below 30°C	**10 mg** **25 mg**
835500	**Fouchet's** Reagent for Bile Pigment	**125 ml**
028433 $C_6H_{12}O_6$ (57-48-7)	D-**Fructose** Pure M. W.: 180.16	**100 gm** **250 gm** **500 gm** **50 kg**
531345 $C_6H_{12}O_6$ (57-48-7)	D-**Fructose AR** M. W.: 180.16	**100 gm** **500 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
937600 MB $C_8H_{12}O_6$ (57-48-7)	**D-Fructose** For Molecular Biology M. W.: 180.16 Assay : ≥ 99% Store Below 30°C	**100 gm** **500 gm** **1 kg**
PCT1601 PTC $C_6H_{12}O_6$ (57-48-7)	**D-(-)-Fructose** Plant Culture Tested M. W.: 180.16 Assay 99% Store below 30°C	**100 gm** **500 gm** **1 kg**
TC1124 ATC $C_6H_{12}O_6$ (57-48-7)	D-(-)-**Fructose** (Fruit sugar) Cell Culture Tested M. W.: 180.16 Assay : ≥99.5% Store below 30°C	**100 gm** **500 gm** **5 kg**
096325 (81028-91-3)	· D-**Fructose**-1,6-**Diphosphate** **Trisodium Salt** for Biochemistry	**1 gm** **5 gm**
034031 $C_{20}H_{17}N_3O_9S_3Na_2$ (3244-88-0)	**Fuchsin Acid** for Microscopy C.I. No. 42685 M. W.: 585.55 Dye content (titanometry, dried) >60.0%	**25 gm** **100 gm**
034032 $C_{20}H_{20}N_3Cl$ (632-99-5)	**Fuchsin Basic** for Microscopy C.I. No. 42510 M. W.: 337.86 Dye content (titanometry, dried substance) >88.0%	**25 gm** **100 gm** **1 kg**
	Fuchsin (NB) See New Fuchsin	
835600	**Fuchsin Basic** 0.1% Aqueous Solution	**125 ml** **500 ml**
096415 $C_6H_{12}O_5$ (2438-80-4)	▲L-**Fucose** for Biochemistry M. W.: 164.16	**1 gm** **5 gm**
TC1611 ATC $C_6H_{12}O_5$ (2438-80-4)	▲L-(-)-**Fucose** (Fucose) Cell Culture Tested M. W.: 164.16 Assay : ≥95%	**25 gm** **100 gm**
033053 (8031-18-3)	**Fuller's Earth** for adsorption purpose pH (10% Suspension)-3.0-5.0	**500 gm**
N20250 (99685-96-8)	**Fullerene C60** (Carbon 60)	**250 mgm** **1 gm**
N20260 (115383-22-7)	**Fullerene C70** (Carbon 70)	**100 mgm** **500 mgm** **1 gm**
028435 $C_4H_4O_4$ (110-17-8)	**Fumaric Acid** for Synthesis M. W.: 116.07 Assay (acidimetric) 99.0%	**500 gm** **5 kg** **50 kg**
531365 $C_4H_4O_4$ (110-17-8)	**Fumaric Acid AR** M.W.: 116.07 Assay 99.5%	**500 gm**
TC1125 ATC $C_4H_4O_4$ (110-17-8)	**Fumaric Acid** Cell Culture Tested M. W.: 116.07 Assay : ≥99% Store below 30°C	**100 gm** **500 gm**
	Fumaric Acid Disodium Salt See Sodium Fumarate	
	Fungal Diastase See Diastase	
096725 C_4H_4O (110-00-9)	**Furan** for Synthesis M. W.: 68.07 Assay 99.0%	**100 ml** **500 ml** **2.5 lit**
025433 $C_4H_5BO_3$ (55552-70-0)	3-**Furanboronic Acid** M. W.: 111.89	**1 gm** **5 gm**
025435 $C_8H_7N_3O$ (67-45-8)	**Furazolidone** for Lab Use M. W.: 225.16	**5 gm** **25 gm**
	Furfural See Furfuraldehyde	
028438 $C_5H_4O_2$ (98-01-1)	**Furfuraldehyde** (FURFURAL) M. W.: 96.09 assay (ex CHO) 98-101%	**500 ml** **2.5 lit** **25 lit**
531410 $C_5H_4O_2$ (98-01-1)	**Furfuraldehyde AR/ACS** (FURFURAL) M. W.: 96.09 Assay (GC) 99.0%	**500 ml**
025437 $C_5H_6O_2$ (98-00-0)	**Furfuryl Alcohol** for Synthesis M. W.: 98.10 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit**
	6-**Furfuryl Amino Purine** See Kinetine	
096915 C_5H_7NO (617-89-0)	**Furfurylamine** for Synthesis M. W.: 97.12	**500 ml** **2.5 lit** **25 lit** **200 lit**
097225 $C_5H_4O_3$ (88-14-2)	2-**Furoic Acid** for Synthesis M. W.: 112.08	**100 gm** **500 gm**
097335 $C_5H_3ClO_2$ (527-69-5)	2-**Furoyl Chloride** for Synthesis (Furan-2-Carbonyl Chloride) M. W.: 130.53	**100 ml**
025445	**Fusion Mixture**	**500 gm**
531455	**Fusion Mixture AR**	**500 gm**

NANOPOWDER / NANOPARTICLES

Product Code : N31257

CAS No. (1309-37-1)

Iron(III) Oxide Nanopowder / Nanoparticles (Alpha, 30nm)

Assay Fe_2O_3 99%

Available Packs 5 gm, 25 gm, 100 gm, 250 gm

Storage : · ❄0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
PCT2116 PTC $C_{20}H_{40}N_4O_{10}.2H_2SO_4$ (108321-42-2)	**▲G-418 Disulfate Salt** (Geneticin disulphate) Plant Culture Tested M. W.: 692.71 Potency 500 µg/mg	**1 gm** **5 gm**
	Gaba See p-Amino Butyric Acid	
839060	**Gadolinium** (Gd) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/per lit AAS in HNO_3 In accordance with NIST	**100 ml** **500 ml**
839070	**Gadolinium** (Gd) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	**100 ml** **500 ml**
RE1075 Gd (7440-54-2)	**Gadolinium** Metal Ingot M. W.: 157.25 Assay (Trace metal basis) 99.99%	**10 gm**
RE1080 Gd (7440-54-2)	**Gadolinium** Metal Lump (1 cm) M. W.: 157.25 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE1085 Gd (7440-54-2)	**Gadolinium** Metal Powder 325 mesh M. W.: 157.25 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm** **100 gm**
RE1125 $Gd(CH_3CO_2)_3.XH_2O$ (100587-93-7)	**Gadolinium** (III) **Acetate** M. W.: 334.39 Assay (Trace metal basis) 99.9%	**5 gm** **25 gm** **100 gm**
RE1130 $Gd(CH_3CO_2)_3.XH_2O$ (100587-93-7)	**Gadolinium** (III) **Acetate** M. W.: 334.39 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE1135 $Gd(CH_3CO_2)_3.XH_2O$ (100587-93-7)	**Gadolinium** (III) **Acetate** M. W.: 334.39 Assay (Trace metal basis) 99.999%	**5 gm** **10 gm** **25 gm**
RE1145 $Gd_2(CO_3)_3.XH_2O$ (38245-36-2)	**Gadolinium** (III) **Carbonate** M. W.: 494.53 Assay (Trace metal basis) 99%	**25 gm** **100 gm** **500 gm**
RE1150 $Gd_2(CO_3)_3.XH_2O$ (38245-36-2)	**Gadolinium** (III) **Carbonate** M. W.: 494.53 Assay (Trace metal basis) 99.9%	**25 gm** **100 gm**
RE1155 $Gd_2(CO_3)_3.XH_2O$ (38245-36-2)	**Gadolinium** (III) **Carbonate** M. W.: 494.53 Assay (Trace metal basis) 99.99%	**25 gm**
RE1160 $Gd_2(CO_3)_3.XH_2O$ (38245-36-2)	**Gadolinium** (III) **Carbonate** M. W.: 494.53 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE1175 $GdCl_3.6H_2O$ (13450-84-5)	**Gadolinium** (III) **Chloride** M. W.: 371.70 Assay (Trace metal basis) 99.9%	**10 gm** **25 gm** **100 gm** **1 kg**
RE1180 $GdCl_3.6H_2O$ (13450-84-5)	**Gadolinium** (III) **Chloride** M. W.: 371.70 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE1185 $GdCl_3.6H_2O$ (13450-84-5)	**Gadolinium** (III) **Chloride** M. W.: 371.70 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**

Product Code	Product Name	Packing
RE1195 GdI_3 (13572-98-0)	**Gadolinium** (III) **Iodide** M.W. : 537.96 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE1210 $Gd(NO_3)_3.XH_2O(X=6)$ (94219-55-3)	**Gadolinium** (III) **Nitrate** M. W.: 343.26 (anhy.) Assay (Trace metal basis) 99.9%	**25 gm** **100 gm**
RE1215 $Gd(NO_3)_3.XH_2O(X=6)$ (94219-55-3)	**Gadolinium** (III) **Nitrate** M. W.: 343.26 (anhy.) Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE1220 $Gd(NO_3)_3.XH_2O(X=6)$ (94219-55-3)	**Gadolinium** (III) **Nitrate** M. W.: 343.26 (anhy.) Assay (Trace metal basis) 99.999%	**10 gm**
RE1230 $Gd_2(C_2O_4)_3.10H_2O$ (22992-15-0)	**Gadolinium** (III) **Oxalate** M. W.: 578.55 Assay (Trace metal basis) 99%	**25 gm** **100 gm** **500 gm**
RE1240 $Gd_2(C_2O_4)_3.10H_2O$ (22992-15-0)	**Gadolinium** (III) **Oxalate** M. W.: 578.55 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE1245 $Gd_2(C_2O_4)_3.10H_2O$ (22992-15-0)	**Gadolinium** (III) **Oxalate** M. W.: 578.55 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE1255 Gd_2O_3 (12064-62-9)	**Gadolinium** (III) **Oxide** M. W.: 362.50 Assay (Trace metal basis) 99.9%	**5 gm** **25 gm** **100 gm** **500 gm**
RE1260 Gd_2O_3 (12064-62-9)	**Gadolinium** (III) **Oxide** M. W.: 362.50 Assay (Trace metal basis) 99.99%	**25 gm** **50 gm** **250 gm** **1 kg**
RE1265 Gd_2O_3 (12064-62-9)	**Gadolinium** (III) **Oxide** M. W.: 362.50 Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE1270 Gd_2O_3 (12064-62-9)	**Gadolinium** (III) **Oxide** M. W.: 362.50 Assay (Trace metal basis) 99.9999%	**5 gm** **25 gm**
RE1285 $Gd_2(SO_4)_3.8H_2O$ (13450-87-8)	**Gadolinium** (III) **Sulphate** M. W.: 746.81 Assay (Trace metal basis) 99.9%	**10 gm** **50 gm** **100 gm**
RE1295 $Gd_2(SO_4)_3.8H_2O$ (13450-87-8)	**Gadolinium** (III) **Sulphate** M. W.: 746.81 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
	▲X-Gal See 5-Bromo-4-Chloro-3-Indolyl-B-D-Galactopyranoside	
	Galactitol See Dulcitol	
025356 $C_6H_{14}ClNO_5$ (1772-03-8)	D-**Galactosamine Hydrochloride** M. W.: 215.63 Assay (Non-aqueous) 98.0%	**1 gm**
TC1126 ATC $C_6H_{13}NO_5.HCl$ (1772-03-8)	**D-(+)-Galactosamine Hydrochloride** Cell Culture Tested M. W.: 215.63 Assay : ≥99% Store below 30°C	**500 mg** **1 gm** **5 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ·#0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
038026 $C_6H_{12}O_6$ (59-23-4)	D-**Galactose** M.W 180.16	**25 gm** **100 gm**
937750 MB $C_6H_{12}O_6$ (59-23-4)	D-**Galactose** For Molecular Biology M. W.: 180.16 Assay : ≥ 99% Store Below 30°C	**100 gm** **500 gm** **1 kg**
PCT1602 PTC $C_6H_{12}O_6$ (59-23-4)	**D-(+)-Galactose** Plant Culture Tested M. W.: 180.16 Assay 99% Store below 30°C	**25 gm** **100 gm** **1 kg**
TC1127 ATC $C_6H_{12}O_6$ (59-23-4)	**D-(+)-Galactose** Anhydrous Cell Culture Tested M. W.: 180.16 Assay : ≥98% Store below 30°C	**100 gm** **500 gm** **1 kg**
TC1127M ATC $C_6H_{12}O_6$ (59-23-4)	**D-(+)-Galactose** Anhydrous Meets EP 9.0 and BP 2016 testing specifications M. W.: 180.16 Store below 30°C	**100 gm** **500 gm** **1 kg**
TC1127U ATC $C_6H_{12}O_6$ (3646-73-9)	α-**(D)-Galactose** Anhydrous Meets USP 41-NF 36 testing specifications M. W.: 180.16 Store below 30°C	**100 gm** **500 gm** **1 kg**
030512 $C_7H_6O_5.H_2O$ (5995-86-8)	**Gallic Acid** M. W.: 188.14 Assay (acidimetric) 98.0%	**100 gm** **500 gm** **25 kg**
PCT2546 PTC $C_7H_6O_5.H_2O$ (5995-86-8)	**Gallic Acid** Monohydrate Plant Culture Tested M. W.: 188.13 Store below 30°C	**500 gm**
839085	**Gallic Acid** Solution (Reagent for Cerium)	**100 ml**
839100	**Gallium** (Ga) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/ lit AAS in HNO_3 In accordance with NIST	**100 ml** **500 ml**
839110	**Gallium** (Ga) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 2% HNO_3	**50 ml** **100 ml**
103555 (7440-55-3)	**Gallium** Metal Assay 99.999%	**5 gm** **10 gm** **100 gm** **500 gm**
103635 (69365-72-6)	**Gallium Nitrate** Assay 99.9%	**5 gm** **25 gm** **100 gm** **500 gm**
534915 (12024-21-4)	**Gallium Oxide AR** Assay 99.99%	**5 gm** **25 gm** **100 gm** **500 gm**
TC1414 ATC $C_{22}H_{24}ClFN_4O_3$ (184475-35-2)	▲**Gefitinib** Cell Culture Tested M. W.: 446.9 Assay : ≥98%	**1 gm** **5 gm**
044045 (9000-70-8)	**Gelatin** for Bacteriology	**500 gm** **50 kg**
937800 MB (9000-70-8)	**Gelatin,** Type A For Molecular Biology Assay : 70-90% Protein (Biuret) Store Below 30°C	**500 gm**
TC1041 ATC (9000-70-8)	**Gelatin** Cell Culture Tested Store below 30°C	**100 gm** **500 gm**
TC1415 ATC $C_{29}H_{40}N_2O_9$ (30562-34-6)	▲**Geldanamycin** 2-azabicyclo[16.3.1]docasa-4,6,10, 18,21-pentaene-3, 20, 22-trione, 9, 13-dihydroxy-8, 14,19-trimethoxy-4, 10,12,16-tetramethyl-9-carbamate Cell Culture Tested M. W.: 560.64 Assay : ≥98%	**25 mg** **50 mg** **100 mg**
TC1025 ATC $C_{20}H_{40}N_4O_{10}.2H_2SO_4$ (108321-42-2)	▲**Geneticin Disulphate** G418 Disulfate salt Cell Culture Tested Recommended for use in cell culture applications at 100-800 mg/L M. W.: 692.71 Potency : ≥650 µg/mg	**1 gm** **5 gm**
025346 (1405-41-0)	▲**Gentamicin Sulphate** for Lab Use	**1 gm** **5 gm** **25 gm**
PCT2118 PTC (1405-41-0)	▲**Gentamicin Sulphate** Plant Culture Tested Potency 590 µg/mg	**1 gm** **5 gm** **10 gm** **25 gm**
TC1026 ATC (1405-41-0)	▲**Gentamicin Sulphate** Cell Culture Tested Recommended for use in Cell Culture application 50 mg/L Potency : ≥590 IU/mg	**1 gm** **5 gm** **25 gm**
034033 $C_{25}H_{30}ClN_3$ (548-62-9)	**Gentian Violet Powder** M. W.: 407.99 Dye content (spectrophotometry; on dried substance) Abt. 75.0%	**25 gm** **100 gm** **1 kg**
535205 (548-62-9)	**Gentian Violet AR** (C.I. No. 42555+42535)	**25 gm** **100 gm**
839200	**Gentian Violet** Alcoholic Solution	**125 ml**
839210	**Gentian Violet** Aqueous Solution	**125 ml**
103995 (554-91-6)	▲b-**Gentiobiose** for Biochemistry Assay (GC) 85.0%	**100 mgm** **500 mgm** **1 gm**

Storage : · ❄0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
104195 $(CH_3)_2C=CHCH_2CH_2C(CH_3)=CHCH_2OH$ (106-24-1)	**Geraniol** for Synthesis M. W.: 154.25 Assay 98.0%	**100 gm** **500 gm**
104205 $CH_3CO_2CH_2CH=C(CH_3)CH_2CH_2CH=(CH_3)_2$ (105-87-3)	**Geraniol Acetate** for Synthesis M. W.: 196.29 Assay 97.5%	**500 gm**
104315 $C_{14}H_{24}O_2$ (106-29-6)	**Geranyl Butyrate** for Synthesis M. W.: 224.34	**500 gm**
104325 $C_{11}H_{18}O_2$ (105-86-2)	**Geranyl Formate** for Synthesis M. W.: 182.26	**500 gm**
104335 $C_{18}H_{24}O_2$ (102-22-7)	**Geranyl Phenyl Acetate** for Synthesis M. W.: 272.38	**500 gm**
104345 $C_{13}H_{22}O_2$ (105-90-8)	**Geranyl Propionate** for Synthesis M. W.: 210.31	**500 gm**
839265	**Germanium** (Ge) CPECTROSOL® Atomic AbsorptionStd. Soln. Contain 1000 mg/ lit AAS in HNO_3 In accordance with NIST	**100 ml** **500 ml**
839270	**Germanium** (Ge) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 5%HNO_3 1% HF	**100 ml**
104505 Ge (7440-56-4)	**Germanium** (Metal) Lump M. W.: 72.64 Assay 99.9%	**5 gm**
104515 Ge (7440-56-4)	**Germanium** (Metal) Powder M.W.: 72.64 Assay 99.9%	**10 gm**
028446 GeO_2 (1310-53-8)	**Germanium Dioxide** M. W.: 104.64 Assay (trace metals basis) 99.999%	**1 gm** **10 gm** **25 gm**
044047 $C_{19}H_{22}O_6$ (77-06-5)	**Gibberellic Acid** M.W.: 346.38 Assay - min. 90%	**1 gm** **10 gm** **100 gm** **1 kg**
PCT1830 PTC $C_{19}H_{22}O_6$ (77-06-5)	**▲Gibberellic Acid (GA3)** Plant Culture Tested M. W.: 346.37 Assay 90%	**1 gm** **10 gm** **100 gm**
	Gibbs Reagent See 2,6, Dichloroquinone-4-Chlorimide	
	Giemsa's Azur Eosin Methylene Blue Solution See Giemsa's Staining Solution	
034034 $C_{14}H_{14}ClN_3S$ (51811-82-6)	**Giemsa's** Stain for Microscopy for staining blood smears and protozoa M. W.: 291.8	**5 gm** **25 gm** **100 gm**
839300	**Giemsa's** Stain Solution (AZUR-eosin-methylene blue soln.)	**100 ml** **500 ml**

Product Code	Product Name	Packing
535915 (123-46-6)	**Girard's Reagent T AR** (Acethydrazide Trimethyl Ammonium Chloride)	**100 gm**
	Glass Cleaner, Kolin See G.C009	
025353	**Glass Wool**	**250 gm**
025835	**Glass** Beads 3.5 - 4.5 mm	**500 gm**
104725 $C_6H_{12}O_7$ (526-95-4)	D-**Gluconic Acid** (45-50%) M. W.: 196.16	**500 ml** **2.5 lit**
104805 $C_6H_{13}NO_5.HCl$ (66-84-2)	D (+) **Glucosamine Hydrochloride** for Biochemistry (2-Amino-2-Deoxy-D-Glucose) M. W.: 215.63	**100 gm** **500 gm**
TC1129 ATC $C_6H_{13}NO_5·HCl$ (66-84-2)	**D-(+)-Glucosamine Hydrochloride** Cell Culture Tested M. W.: 215.63 Assay : ≥98% Store below 30°C	**100 gm** **500 gm**
	D-**Glucose** Anhydrous/Monohydrate See Dextrose Anhydrous / Monohydrate	
	Glucose Reagent (o-Toluidine) See o-Toluidine	
039016 (9001-37-0)	**Glucose Oxidase** (GOD) Aspergillus Niger Lyophilised Powder Containing 75% Protein Activity 100,000 - 150,000 Units/g Protein	**10000** **Units** **100000** **Units**
TC1486 ATC (9001-37-0)	**Glucose Oxidase** Cell Culture Tested Activity : NLT 100 U/mg Store at -20°C	**25 mg** **50 mg** **100 mg**
104995 $C_6H_{11}O_9PK_2.2H_2O$ (5996-14-5)	· **Glucose**-1-**Phosphate Dipotassium** **Salt** for Biochemistry M. W.: 372.35	**1 gm**
105155 (9001-40-5)	**Glucose**-6-**Phosphate Dehydrogenase** from Microorganism Lyophilized Powder, Activity ~ 400-450U/mg	**5000** **units**
TC1682 ATC (9001-40-5)	**▲Glucose-6-Phosphate** **Dehydrogenase** Cell Culture Tested Activity : ≥ 400 U/mg	**500 units**
104945 (150399-99-8)	**▲**D-**Glucose** 1-**Phosphate Disodium** **Salt** Tetrahydrate for Biochemistry	**1 gm** **5 gm** **25 gm**
536335 $C_6H_{11}O_9PNa_2.XH_2O$ (56401-20-8)	**Glucose**-1-**Phosphate Disodium** **Salt AR** for Biochemistry M. W.: 304.10 (Anhy.)	**1 gm**
104965 (3671-99-6)	· D-**Glucose** 6-**Phosphate Disodium** **Salt Dihydrate** for Biochemistry	**1 gm** **5 gm** **25 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
536125 (3671-99-6)	· D-**Glucose** 6-**Phosphate Disodium Salt Dihydrate AR** for Biochemistry	**1 gm**
839440	**Glucose Stock** Standard solution 1% Assay (Benedice's test) 0.95-1.05% w/v	**125 ml**
105265 (9001-42-7)	α-**Glucosidase** from Microorganism Lyophilized Powder, Acivity ~ 100-150 U/mg (α-D-Glucoside Glucohydrolase)	**10 mgm** **100 mgm**
TC1681 ATC (9001-22-3)	· β-**Glucosidase** Source : Sweet almond Cell Culture Tested	**2500units** **5000units**
TC1128 ATC $C_6H_9NaO_7.H_2O$ (207300-70-7)	**D-Glucuronic Acid Sodium Salt** Monohydrate (Sodium glucoronate) Cell Culture Tested M. W.: 234.14 Assay : ≥98% Store below 30°C	**5 gm** **25 gm**
105305 (9029-11-2)	L-**Glutamate Dehydrogenase (L-GLDH)** ex. Bovine Liver 10 U/mg	**100 mgm**
TC1490 ATC (9029-12-3)	▲**Glutamate Dehydrogenase** From *E.coli* Cell Culture Tested Activity : NLT 80 U/mg	**25 mg** **50 mg** **100 mg**
044515 $C_5H_9NO_4$ (6893-26-1)	D-**Glutamic Acid** for Biochemistry M. W.: 147.13 Assay 99.0%	**1 gm** **5 gm** **25 gm**
037102 $C_5H_9NO_4$ (56-86-0)	L-**Glutamic Acid** for Biochemistry M. W.: 147.13 Assay (Non. aq.) 99.0%	**100 gm** **250 gm** **5 Kg** **10 kg**
PCT1307 PTC $C_5H_9NO_4$ (56-86-0)	**L-Glutamic Acid** Plant Culture Tested M. W.: 147.13 Assay 98.5% Store below 30°C	**100 gm** **500 gm** **10 kg**
TC1074 ATC $C_5H_9NO_4$ (56-86-0)	**L-Glutamic Acid** (From non-animal source) Cell Culture Tested M. W.: 147.13 Assay : ≥98.5% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
TC1074M ATC $C_5H_9NO_4$ (56-86-0)	**L-Glutamic Acid** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 147.13 Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
	L-**Glutamic Acid Mono Sodium Salt** See Sodium-L-Glutamate	
TC1489 ATC (9001-47-2)	▲**Glutaminase** L-Glutamine amidohydrolase Cell Culture Tested Activity : NLT 100 U/mg Store at 2-8°C	**25 mg** **50 mg** **100 mg**

Product Code	Product Name	Packing
PCT1324 PTC $C_5H_{10}N_2O_3$ (5959-95-5)	D-**Glutamine** Plant Culture Tested M. W.: 146.14 Assay 98.5% Store below 30°C	**1 gm** **5 gm**
025345 $C_5H_{10}N_2O_3$ (56-85-9)	L-**Glutamine** for Biochemistry M. W.: 146.15 Assay (Non-aq. dried) 99.0%	**25 gm** **100 gm** **1 kg**
PCT1308 PTC $C_5H_{10}N_2O_3$ (56-85-9)	L-**Glutamine** Plant Culture Tested M. W.: 146.14 Assay 99% Store below 30°C	**25 gm** **100 gm** **500 gm**
TC1243 ATC $C_5H_{10}N_2O_3$ (56-85-9)	**L-Glutamine** (From non-animal source) Cell Culture Tested M. W.: 146.14 Assay : ≥99% Store below 30°C	**10 gm** **25 gm** **100 gm** **1 kg**
TC1243M ATC $C_5H_{10}N_2O_3$ (56-85-9)	**L-Glutamine** (From non-animal source) Meets USP 41-NF 36 and JP 17 testing specifications M. W.: 146.14 Store below 30°C	**10 gm** **25 gm** **100 gm** **1 kg**
105415 (7300-59-6)	L-γ-**Glutamyl-p-Nitroanilide** Monohydrate [GPNA, L-Glutamic Acid 1-(4-Nitroanilde)] for Biochemistry	**1 gm** **5 gm** **25 gm**
839600	**Glutaraldehyde** 2% Solution in water	**1 lit** **5 lit**
839610	**Glutaraldehyde** 8% Solution in Water Fixing Agent	**100 ml**
036080 $C_5H_8O_2$ (111-30-8)	**Glutaraldehyde** Soln. 25% M. W.: 100.12 Assay (Glutaraldehyde) 25.0%	**500 ml** **2.5 lit** **25 lit**
937880 MB $C_6H_8O_2$ (111-30-8)	▲**Glutaraldehyde Soln.** 25% w/w For Molecular Biology M. W. : 100.12 Concentration : 24.5-30%	**100 ml**
TC1558M ATC (111-30-8)	▲**Glutaraldehyde, 50%** Glutaral Meets USP 41-NF 36 and BP 2016 testing specifications M. W.: 100.12	**100 ml**
105595 (110-94-1)	**Glutaric Acid** for Synthesis M. W.: 132.11	**100 gm** **500 gm**
037109 $C_{10}H_{17}N_3O_6S$ (70-18-8)	**Glutathione** Reduced for Biochemistry M. W.: 307.33 Assay (Iodometric) 98.0%	**1 gm** **5 gm** **25 gm**
939200 MB $C_{10}H_{17}N_3O_6S$ (70-18-8)	· **L-Glutathione** Reduced For Molecular Biology M. W.: 307.32 Assay : ≥ 98%	**1 gm** **5 gm** **25 gm** **100 gm**

Storage : · -4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
PCT1309 PTC $C_{10}H_{17}N_3O_6S$ (70-18-8)	· **Glutathione** Plant Culture Tested M. W.: 307.32 Assay 98%	**1 gm** **5 gm** **25 gm**
TC1282 ATC $C_{20}H_{32}N_6O_{12}S_2$ (27025-41-8)	· **Glutathione Oxidized** Aminomethanamidine hydrochloride, Guanidinium chloride Cell Culture Tested M. W.: 612.63 Assay : ≥98%	**100 mg** **250 mg** **1 gm** **5 gm**
TC1695 ATC (9013-66-5)	**Glutathione Peroxidase** Cell Culture Tested M. W.: 84.5kDa Store at -20°C	**100 units** **200 units** **500 units**
TC1134 ATC $C_{10}H_{17}N_3O_6S$ (70-18-8)	· **Glutathione Reduced** (GSH) Cell Culture Tested M. W.: 307.32 Assay : ≥98%	**10 gm** **25 gm** **100 gm**
TC1492 ATC (50812-37-8)	▲**Glutathione-S-Transferase** Cell Culture Tested Activity : NLT 25 U/mg	**1 mg**
028454 $C_3H_8O_3$ (56-81-5)	**Glycerine** Purified (Glycerol) M. W.: 92.09 Assay (GC) 98.0%	**500 ml** **1 lit** **2.5 lit** **5 lit** **25 lit**
537055 $C_3H_8O_3$ (56-81-5)	**Glycerine AR** M. W.: 92.09 Assay (GC) 99.5%	**500 ml** **1 lit** **2.5 lit** **5 lit** **25 lit** **200 lit**
PCT2541 PTC $C_3H_8O_3$ (56-81-5)	**Glycerin (glycerol)** Plant Culture Tested M. W.: 92.09 Assay 98% Store below 30°C	**500 ml** **1 lit**
839650	**Glycerin** TS acc. to USP	**500 ml**
105685 (9030-66-4)	**Glycerokenase (GK)** ex. Microoganism 30U/mg	**1 k units**
	Glycerol See Glycerine	
	Glycerol A-Chloro Hydrin See **3-Chloro-1,2-Propanediol**	
940500 MB $C_3H_8O_3$ (56-81-5)	**Glycerol** for Molecular Biology M. W.: 92.09 Assay (GC) 99.0%	**500 ml** **1 lit**
TC1503 ATC $C_3H_8O_3$ (56-81-5)	**Glycerol** 1,2,3-Propanetriol Cell Culture Tested M. W.: 92.09 Assay : ≥98.5% Store below 30°C	**500 ml** **1 lit**
TC1503M ATC $HOCH_2CH(OH)CH_2OH$ (56-81-5)	**Glycerol** Glycerin Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 92.09 Store below 30°C	**500 ml** **1 lit**
105885 $C_4H_8O_3$ (99569-11-6)	**Glycerol Formal** (Mixture of Alpha & Beta Isomers) M. W.: 104.10	**100 ml** **500 ml**
	Glycerol Jelly Kaiser's See Kaiser's glycerol gelatin	
026105 $C_{17}H_{35}.COO.CH_2.CHOH.CH_2OH$ (31566-31-1)	**Glycerol Monosterate** Self Emulsifying M. W.: 358.56	**500 gm** **1 kg**
028456 $C_9H_{14}O_6$ (102-76-1)	**Glycerol Triacetate** for Biochemistry M. W.: 218.21 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
041007 $C_{15}H_{26}O_6$ (60-01-5)	**Glycerol Tributyrate** for Biochemistry M. W.: 302.36	**100 ml** **500 ml** **25 lit**
TC1463 ATC $C_3H_7Na_2O_6P$. $5H_2O$ (13408-09-8)	▲β–**Glycerophosphate Disodium Salt** Penahydrate β-GP, Disodium β-glycerol phosphate Pentahydrate Cell Culture Tested M. W.: 306.11 Assay : ≥96%	**10 gm** **50 gm** **100 gm**
105995 (9046-28-0)	**L-a-Glycerophosphate Oxidase (GPO)** ex. microorganism 15U/mg	**1000 units**
537235 $C_3H_6O_2$ (57044-25-4)	**R (+)Glycidol AR** M. W.: 74.08 Assay (GC) 97.0%	**5 gm** **25 gm**
537255 $C_3H_6O_2$ (60456-23-7)	**S (-)Glycidol AR** M. W.: 74.08 Assay (GC) 97.0%	**1 gm** **5 gm**
028458 $C_2H_5NO_2$ (56-40-6)	**Glycine** Pure M. W.: 75.07 Assay (Non-aq.) 99.0%	**250 gm** **500 gm** **5 kg** **25 kg** **50 kg**
537345 $C_2H_5NO_2$ (56-40-6)	**Glycine AR** for Biochemistry, Bacteriology Tissue Culture Buffering Substance Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 75.07 Assay (Non-aqueous, on dried subs.) 99.5%	**100 gm** **500 gm** **5 kg** **25 kg** **50 kg**
940600 MB $C_2H_5NO_2$ (56-40-6)	**Glycine** for Molecular Biology M. W.: 75.07 Assay (Non-aqueous) 99.0%	**100 gm** **500 gm** **1 kg** **5 kg**
PCT1310 PTC $C_2H_5NO_2$ (56-40-6)	**Glycine** Plant Culture Tested M. W.: 75.07 Assay 99% Store below 30°C	**500 gm** **5 kg**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
TC1075 ATC $C_2H_5NO_2$ (56-40-6)	**Glycine** (From non-animal source) Cell Culture Tested M. W.: 75.07 Assay : ≥98% Store below 30°C	**100 gm** **1 kg**
TC1075M ATC NH_2CH_2COOH (56-40-6)	**Glycine** 2-Aminoacetic acid Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 75.07 Store below 30°C	**100 gm** **1 kg**
106185 ✻ $C_4H_6N_2O_2$ (106-57-0)	**Glycine Anhydride** M. W.: 114.10	**25 gm** **100 gm**
106295 $C_9H_{11}NO_2.HCl$ (2462-31-9)	▲**Glycine Benzyl Ester** HCl for Biochemistry M.W. : 201.65	**5 gm** **25 gm**
106385 $C_9H_{11}NO_2C_7H_8O_3S$ (1738-76-7)	▲**Glycine Benzyl Ester P-Toluene Sulfonate** for Biochemistry M. W.: 337.39 Assay (T) 99.0%	**25 gm**
106405 $NH_2CH_2COOC_2H_5.HCl$ (623-33-6)	▲**Glycine Ethyl Ester Hydrochloride** for Synthesis M. W.: 139.58 Assay 99.0%	**100 gm** **500 gm**
025336 $C_2H_5NO_2.HCl$ (6000-43-7)	**Glycine Hydrochloride** M. W.: 111.53	**100 gm**
106525 $NH_2CH_2COOCH_3.HCl$ (5680-79-5)	**Glycine Methyl Ester** HCl for Synthesis M. W.: 125.55 Assay 99.0%	**100 gm** **500 gm**
038042 $(C_6H_{10}O_5)X$ (9005-79-2)	▲**Glycogen** for Biochemistry from Oyster Assay 85.0%	**1 gm** **5 gm** **25 gm**
940900 MB $(C_6H_{10}O_5)_n$ (9005-79-2)	▲**Glycogen** (From Oysters) Type II For Molecular Biology Total Sugar : ≥ 90%	**1 gm** **5 gm** **25 gm**
026106 $C_2H_4O_3$ (79-14-1)	**Glycolic Acid** (65 % in water) M. W.: 76.05 Assay (acidimetric) Abt. 65.0%	**500 ml** **2.5 lit** **25 lit**
TC1065 ATC $C_7H_{13}N_3O_4.H_2O$ (172669-64-6)	**Glycyl-L-Glutamine Monohydrate** Cell Culture Tested M. W.: 221.21 Assay : ≥98% Store below 30°C	**1 gm** **5 gm**
037113 $C_4H_8N_2O_3$ (556-50-3)	▲N-**Glycyl Glycine** for Biochemistry M. W.: 132.12 Assay (non-aqueous) 99.0%	**10 gm** **100 gm**
TC1061 ATC $C_4H_8N_2O_3$ (556-50-3)	▲**Glycyl Glycine** (Gly-Gly) Cell Culture Tested M. W.: 132.12 Assay : ≥99%	**25 gm** **100 gm** **500 gm** **1 kg**

Product Code	Product Name	Packing
106705 (107-22-2)	**Glyoxal** (Solution 40% In Water) for Synthesis	**500 ml** **2.5 lit**
537625 (107-22-2)	**Glyoxal** (Solution 40% In Water) **AR**	**1 lit**
537695 (1149-16-2)	**Glyoxal Bis-(2-Hydroxyanil) AR** Reagent for Calcium & Uranium	**25 gm**
	Glyoxaline See Imidazole	
839850 (298-12-4)	**Glyoxylic Acid Solution** 50% for Synthesis	**500 ml** **2.5 lit**
PCT1835 PTC $C_3H_8NO_5P$ (1071-83-6)	▲**Glyphosate [N-(Phosphonomethyl)glycine]** Plant Culture Tested M. W.: 169.07 Assay 95%	**1 gm**
839910	**Gold** (Au) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Hcl In accordance with NIST	**250 ml**
839960	**Gold** (Au) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Diluted Hcl In accordance with NIST	**100 ml** **500 ml**
839980	**Gold** (Au) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Diluted Hcl In accordance with NIST	**100 ml** **500 ml**
037115 Au (7440-57-5)	**Gold** Metal Powder M .W.: 196.97	**1 gm**
537865 Au (7440-57-5)	**Gold** Metal **AR** M. W.: 196.97 Assay (trace tetal basis) 99.999%	**1 gm** **5 gm**
	Gold Chloride See Chloroauric Acid	
	Gower's Reagent See R.B.C. Diluting Fluid (Gower's)	
840050	**Gram's Colour Staining kit**	**Kit**
840090	**Gram's Crystal Violet**	**125 ml**
840120	**Gram's Decolourizer**	**500 ml**
840150	**Gram's Fuchsin Basic** 0.1%	**125 ml**
106955	**Gram's Iodine** for Microscopical Staining	**25 gm** **100 gm**
840200	**Gram's Iodine** Solution Iodine content 0.33%	**125 ml**
840250	**Gram's Safranine** 0.5% w/v	**125 ml**
N23882 (7782-42-5)	**Graphene Nanopowder (C, 1-5 nm)** Assay 99.5+%	**1 gm** **5 gm** **25 gm** **100 gm**

Storage : · ❄0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
N23886 (7782-42-5)	**Graphene Nanopowder** (C, 6-8 nm) Assay 99.5+%	**1 gm** **5 gm** **25 gm**
N23891 (7782-42-5)	**Graphene Nanopowder** (C, 11-15 nm) Assay 99.5+%	**1 gm** **5 gm** **25 gm**
025362 C (7782-5)	**Graphite** Fine Powder Pract A.W.: 12.01	**500 gm**
PCT2148 PTC $C_{17}H_{17}ClO_6$ (126-07-8)	**Griseofulvin** Plant Culture Tested M. W.: 352.8 Store below 30°C	**5 gm** **25 gm**
107105 $C_7H_8O_2$ (90-05-1)	**Guaiacol** (o-Methoxyphenol) M. W. : 124.14	**500 ml**
PCT2555 PTC $C_7H_8O_2$ (90-05-1)	**Guaiacol,** Plant Culture Tested M. W.: 124.1 Store below 30°C	**25 gm** **100 gm** **250 gm**
107285 (593-85-1)	**Guanidine Carbonate** for Synthesis	**100 gm** **1 kg**
107310 $CH_5N_3.HCl$ (50-01-1)	**Guanidine Hydrochloride** (Guanidinium Chloride) M. W.: 95.53 Assay (Argentometric) 98.0%	**100 gm** **500 gm**
540865 $CH_5N_3.HCl$ (50-01-1)	**Guanidine Hydrochloride AR** for Biochemistry M. W.: 95.53 Assay (Argentometric) 98.0%	**100 gm** **500 gm**
941100 MB (50-01-1)	**Guanidine Hydrochloride** for Molecular Biology	**25 gm** **100 gm** **500 gm**
	Guanidine Hydrothiocynate See Guanidine Thiocyanate	
025325 $CH_6N_4O_3$ (506-93-4)	**Guanidine Nitrate** M.W.: 122.08 Assay (Non-aqueous) 98.0%	**250 gm**
044324 $C_2H_6N_4S$ (593-84-0)	**Guanidine Thiocyanate** M. W.: 118.16 Assay 99.0%	**100 gm** **500 gm**
941180 MB $CH_5N_3.CHNS$ (593-84-0)	**Guanidine Thiocyanate** (Guanidine Isothiocyanate) For Molecular Biology M. W.: 118.16 Assay : ≥ 99% Store Below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
	Guanidinium Rhodanide See Guanidine Thiocyanate	
042035 $C_5H_5N_5O$ (73-40-5)	▲**Guanine** for Biochemistry M. W.: 151.13 Assay (dried, Non-aqueous) 97.0%	**5 gm** **25 gm** **100 gm**
042036 $C_5H_5N_5O.HCl$ (635-39-2)	▲**Guanine Hydrochloride** for Biochemistry M. W.: 187.59 Assay (Acidimetric) 98.0%	**5 gm** **25 gm**

Product Code	Product Name	Packing
025349 $C_5H_5N_5O½H_2SO_4$ (10333-92-3)	▲**Guanine Sulphate** for Biochemistry M. W.: 200.20 Assay 99.0%	**1 gm** **5 gm**
107485 (118-00-3)	**Guanosine** for Biochemistry (D-Guanosine)	**5 gm** **25 gm**
042059 $C_{10}H_{12}N_5NaO_8P.XH_2O$ (5550-12-9)	**Guanosine-5-Monophosphate Disodium Salt** for Biochemistry M.W. : 407.19 (anhy.) Assay (On drired metrial spectrophotometric 260nm)96.0%	**1 gm** **5 gm** **25 gm**
	Guanylhydrazine Bicarbonate Salt See Aminoguanidine Bicarbonate	
025368 (9000-30-0)	**Guar Gum** Powder of Endosperm	**500 gm**
H23967 HISURE (9000-30-0)	**Guar Gum AR**	**500 gm**
	Gum Acacia See Acacia	
025347 (9000-28-6)	**Gum Ghatti** Suitable for Urea Nitrogen estimation	**100 gm** **500 gm**
840390	**Gum Ghatti** Solution	**125 ml**
	Gum Guar See Guar Gum	
107675 (9000-36-6)	**Gum Karaya** for Synthesis	**500 gm** **25 kg**
054525 (8050-09-7)	**Gum Rosin**	**250 gm** **1 kg**
033215 (9000-65-1)	**Gum Tragacanth** Powder	**500 gm**
	Gum Xanthan See Xanthan Gum	
840590	**Gunzburg** Reagent (Test reagent for free HCl in gastric juice)	**100 ml**
	Gurber Reagent See Osmic Acid Solution	
107705	**Gypsum Powder** Pract (Natural Hydrated Calcium Sulphate)	**500 gm**

NANOPOWDER / NANOPARTICLES

Product Code : N23886

CAS No. (7782-42-5)

Graphene Nanopowder
(C, 6-8 nm)
Assay 99.5+%

Available Packs
1 gm, 5 gm,
25 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
	HABA See 2-(4-Hydroxy benzeneazo) **Benzoic Acid**	
044184 (9008-02-0)	**Haemoglobin** Powder	**100 gm** **500 gm**
110215 $C_{16}H_{14}O_6.H_2O$ (517-28-2)	**Haematoxylin** Stain C.I. No. 75290 For Microscopy M.W.: 302.29 Dye content (Spectrophotometry) 80.0%	**5 gm** **25 gm**
H26982 HISURE $C_{16}H_{14}O_6.H_2O$ (517-28-2)	**Haematoxylin** Stain Certified C.I. No. 75290 For Microscopy M.W.: 302.29 Dye content (Spectrophotometry) >95.0%	**5 gm** **25 gm**
844050	**Haematoxylin** Delafield Staining Soln.	**125 ml**
844070	**Haematoxylin** (Ehrlich) Staining Soln.	**125 ml**
	Haematoxylin Harri's Staining Solution See Papanicolaous Solution 1a Harris	
844100	**Haematoxylin Solution Modified Acc.** to Gill II for General Purpose Nuclear Stain Microscopy, co Progressive Type, Used with Hemtoxylin & Eosin Stains	**500 ml**
844120	**Haematoxylin Solution Modified Acc.** to Gill III for General Purpose Nuclear Stain Microscopy, co Progressive Type, Used with Hemtoxylin & Eosin Stains	**500 ml**
844140	**Haematoxylin Mayer's Solution** (Hemalum Mayer's)	**100 ml** **500 ml**
844000	**Hafnium** (Hf) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **500 ml**
844020	**Hafnium** (Hf) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	**100 ml**
540955 HFO_2 (12055-23-1)	**Hafnium Oxide AR** M. W.: 210.49 Assay 99.9%	**1 gm** **5 gm** **25 gm** **100 gm**
	Hand Wash See HW009	
844035	**Hanus'** Solution (for determining Iodine number)	**100 ml**
025344 $C_{13}H_{14}N_2O$ (304-21-2)	**Harmaline** M. W.: 214.26	**1 gm**
025342 $C_{13}H_{12}N_2O$ (442-51-3)	▲**Harmine** M. W.: 212.25 Assay 98.0%	**1 gm**
110135 $C_{10}H_{15}F_6N_6OP$ (148893-10-1)	▲**HATU** for Peptide Synthesis [O-(7-Azabenzotriazol-1-yl)-N,N,N,N-Tetramethyl-Uronium Hexafluorophosphate] M. W.: 380.23	**1 gm** **5 gm** **25 gm**
	Hayem's Reagent See R.B.C. Diluting Fluid	

Product Code	Product Name	Packing
110175 $C_{11}H_{16}F_6N_5OP$ (94790-37-1)	▲**HBTU** Solid Phase PeptideSynthesis Reagent (O-(1H -Benzotriazol -1-Yl) N,N,N,'N'Tetramethyluroniumhexa Fluorophosphate) M. W.: 379.24 Assay (HPLC) 99.0%	**5 gm** **25 gm** **100 gm**
110205 $C_{11}H_{15}ClF_6N_5OP$ (330645-87-9)	▲**HCTU** for Synthesis (O-(6-Chlorobenzotriazol-1yl)-N,N,N,N-Tetramethyluronium Hexafluorophosphate) M. W.: 413.69 Assay (HPLC) 98.0%	**5 gm** **25 gm** **100 gm**
	Hemalum (Mayer's) See Hematoxylin Mayer's Solution	
541545 (9025-56-3)	**Hemicellulase AR** for Biochemistry Activity 100000 IU/gm	**5 gm** **25 gm**
110565 $C_{34}H_{32}ClFeN_4O_4$ (16009-13-5)	▲**Hemin** for Biochemistry M.W. : 651.94 Assay (HPLC) 90.0%	**1 gm** **5 gm**
TC1559 ATC $C_{34}H_{32}ClFeN_4O_4$ (16009-13-5)	▲**Hemin** M.W. : 651.94	**1 gm** **5 gm**
110635 (9041-08-1)	**Heparin Sodium** Pure 20,000 Unit Does not contain 1,00,000 Unit Preservative Assay 150 U/mg	**vial** **vial**
TC1138 ATC (9041-08-1)	▲**Heparin Sodium Salt** Cell Culture Tested 100000 Unit Potency : ≥140 USP U/mg	**vial** **10x vial**
044147 $C_8H_{18}N_2O_4S$ (7365-45-9)	**HEPES** (Buffer) Suitable for Tissue Culture Work pKa - 7.5 M. W.: 238.30 Assay (potentiometric) 99.0%	**25 gm** **100 gm** **500 gm**
941220 MB $C_8H_{18}N_2O_4S$ (7365-45-9)	**HEPES** Buffer [N-(2-Hydroxyethyl)Piperazine-N'-(2-Ethanesulphonic Acid] For Molecular Biology M. W.: 238.3 Assay : ≥ 99.5% Store Below 30°C	**25 gm** **100 gm** **500 gm**
941390 MB $C_8H_{18}N_2O_4S$ (7365-45-9)	**HEPES, Low Sodium** For Molecular Biology M. W. : 238.31 Assay : ≥ 99.5% Store Below 30°C	**25 gm** **100 gm**
PCT2532 PTC $C_8H_{18}N_2O_4S$ (7365-45-9)	**HEPES** Plant Culture Tested M. W.: 238.3 Assay 99% Store below 30°C	**25 gm** **100 gm** **500 gm**
TC1050 ATC $C_8H_{18}N_2O_4S$ (7365-45-9)	**HEPES Free Acid** [N-(2Hydroxyethyl)-piperazine-N'-(2-ethane sulphonic acid)] M. W.: 238.30 Assay : ≥99% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
110720 (75277-39-3)	**HEPES Sodium Salt** (Buffer)	**25 gm** **100 gm** **500 gm**
941440 MB $C_8H_{17}N_2NaO_4S$ (75277-39-3)	**HEPES, Sodium Salt** For Molecular Biology M. W.: 260.29 Assay : ≥ 99% Store Below 30°C	**25 gm** **100 gm** **500 gm**
TC1066 ATC $C_8H_{17}N_2NaO_4S$ (75277-39-3)	**HEPES Sodium Salt** [N-2Hydroxyethyl)-piperazine-N'-(2-ethanesulfonic acid) sodium salt] Cell Culture Tested M. W.: 260.29 Assay : ≥99% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
TC1063 ATC $C_9H_{20}N_2O_4S$ (16052-06-5)	**HEPPS** (EPPS) [N-2Hydroxyethyl)-piperazine-N'-(3-propanesulfonic acid] Cell Culture Tested M. W.: 252.33 Assay : ≥99% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
844200	**HEPS** Buffer Solution 1 M Solution in Water	**100 ml** **500 ml**
110755 (111-71-7)	1-**Heptaldehyde** for Synthesis	**500 ml**
028471 (142-82-5)	**Heptane** Fraction from petroleum	**500 ml** **2.5 lit** **25 lit** **200 lit**
028473 $CH_3(CH_2)_5CH_3$ (142-82-5)	n-**Heptane** for Synthesis M. W.: 100.21 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
542005 $CH_3(CH_2)_5CH_3$ (142-82-5)	n-**Heptane AR** M. W.: 100.21 Assay (GC) 99.0%	**500 ml** **2.5 lit**
743100 $CH_3(CH_2)_5CH_3$ (142-82-5)	n-**Heptane** for HPLC & Spectroscopy M. W.: 100.21 Assay (GC) 99.0%	**500 ml** **1 lit**
743140 $CH_3(CH_2)_5CH_3$ (142-82-5)	n-**Heptane** for Pesticide Residue Trace Analysis M. W.: 100.21	**1 lit** **2.5 lit**
743160 (22767-50-6)	1-**Heptanesulphonic Acid Sodium Salt** Anhydrous **AR** for HPLC	**25 gm** **100 gm**
743180 $C_7H_5NaO_3S.H_2O$ (207300-90-1)	1-**Heptane Sulphonic Acid Sodium Salt AR** Monohydrate for HPLC M. W.: 220.27 Assay (Acidimetric) 99.0%	**25 gm** **100 gm**
110945 $CH_3(CH_2)_5COOH$ (111-14-8)	**Heptanoic Acid** for Synthesis (Enanthic acid, Oenanthic Acid) M. W.: 130.18 Assay (GC) 98.0%	**500 ml**
111155 $C_7H_{16}O$ (111-70-6)	n-**Heptanol**, for Synthesis (Heptan-1-OL, n-Heptyl Alcohol) M. W.: 116.21	**500 ml** **2.5 lit** **25 lit**
542075 $C_7H_{16}O$ (111-70-6)	n-**Heptanol AR** (Ethanthic acid,Oenanthic Acid) M. W.: 116.21	**500 ml** **2.5 lit** **25 lit**
	n-**Heptyl Alcohol** See n-Heptanol	
111305 $C_{28}H_{34}O_{15}$ (520-26-3)	**Hesperidin** M. W.: 610.56 Assay 80.0%	**25 gm** **100 gm** **500 gm**
H27171 HISURE C_6Cl_6 (118-74-1)	**Hexachloro Benzene AR** M. W.: 284.78	**5 gm** **25 gm**
025340 C_2Cl_6 (67-72-1)	**Hexachloro Ethane** M. W.: 236.74 Assay (GC) 98.0%	**500 gm** **5 kg**
	Hexachloro Platinic (IV) Acid Hydrate See Chloro Platinic Acid Abt 40% Pt	
	1-**Hexa Decanol** See Cetyl Alcohol	
111615 $C_{16}H_{34}$ (544-76-3)	n-**Hexa Decane** for Synthesis M. W.: 226.45 Assay 95.0%	**100 ml** **500 ml**
542295 $C_{16}H_{34}$ (544-76-3)	n-**Hexa Decane AR** M. W.: 226.45 Assay (GC) 95.0%	**100 ml** **500 ml**
743320 $CH_3(CH_2)_{15}SO_3Na$ (15015-81-3)	1-**Hexa Decane Sulfonic Acid Sodium Salt** (Anhydrous) HPLC M. W.: 328.49	**5 gm** **25 gm**
111745 $CH_3(CH_2)_{15}NH_2$ (143-27-1)	**Hexa Decylamine** for Synthesis M. W.: 241.46 Assay 98.0%	**5 gm** **25 gm**
	Hexadecyl Trimethyl Ammonium Bromide See N-Cetyl-N,N,N-Trimethyl Ammonium Bromide	
542485 HPF_6 (16940-81-1)	**Hexafluoro Phosphoric Acid** 55% **AR** M. W.: 145.97	**500 gm**
111805 $(CF_3)_2CHOH$ (920-66-1)	1,1,1,3,3,3-**Hexafluoro** 2-**Propanol** for Synthesis M. W.: 168.04 Assay 99.0%	**25 gm** **100 gm**
743405 (920-66-1)	1,1,1,3,3,3-**Hexafluoro 2-Propanol** for Spectroscopy	**100 ml**
112115 $C_6H_{18}Si_2$ (1450-14-2)	**Hexamethyl Disilane** for Synthesis M. W.: 146.38	**100 ml**
112195 $C_6H_{19}NSi_2$ (999-97-3)	1,1,1,3,3,3-**Hexamethyl Disilazane** for Synthesis (Hmds,Bis-(Trimethylsilyl) Amine) M. W.: 161.39	**100 ml** **500 ml** **2.5 lit**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄ 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
112295 $(CH_3)_3SiOSi(CH_3)_3$ (107-46-0)	**Hexamethyl Disiloxane** for Synthesis M. W.: 162.38	**100 ml** **500 ml**
	Hexamethylene Glycol See 1,6-Hexanediol	
	Hexamethylene Tetramine See Hexamine	
112345 $[(CH_3)2N]_3PO$ (680-31-9)	**Hexamethylphosphoric Acid Triamide** (HMPA) M.W: 179.2 Assay 98.5%	**100 ml** **500 ml**
028483 $(CH_2)_6N_4$ (100-97-0)	**Hexamine** (Hexamethylene Tetramine) M. W.: 140.19 Assay (acidimetric on dried subs.) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
542535 $(CH_2)_6N_4$ (100-97-0)	**Hexamine AR/ACS** M. W.: 140.19 Assay (acidimetric on dried subs.) 99.5%	**500 gm** **5 kg** **25 kg**
112455 C_6H_{14} (110-54-3)	**Hexane** 65-70°C (FG) Fraction From Petroleum M.W : 86.18 Assay 85.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
028485 C_6H_{14} (110-54-3)	**Hexane** Fraction from Petroleum M. W.: 86.18	**500 ml** **2.5 lit** **25 lit** **200 lit**
542810 C_6H_{14} (110-54-3)	**Hexane AR** Fraction from Petroleum M. W.: 86.18	**500 ml** **2.5 lit** **25 lit** **200 lit**
743560 C_6H_{14} (110-54-3)	**Hexane** for HPLC & Spectroscopy M. W.: 86.18	**1 lit** **2.5 lit**
D63126 C_6D_{14} (21666-38-6)	**Hexane-d_{14}** (for NMR Spectroscopy) M.W.: 100.29 Assay Min. 99 atom%D	**5 ml**
112460 C_6H_{14} (110-54-3)	n-**Hexane** M.W. 86.18 Assay 95.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
743605 C_6H_{14} (110-54-3)	n-**Hexane** HPLC & Spectroscopy M.W. 86.18 Assay 95.0%	**500 ml** **2.5 lit**
028488 $CH_3(CH_2)_4CH_3$ (110-54-3)	n-**Hexane** for Synthesis M. W.: 86.18 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
542820 $CH_3(CH_2)_4CH_3$ (110-54-3)	n-**Hexane AR** M. W.: 86.18 Assay (GLC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
743600 $CH_3(CH_2)_4CH_3$ (110-54-3)	n-**Hexane** for HPLC & Spectroscopy M. W.: 86.18 Assay (GLC) 99.0%	**1 lit** **2.5 lit**
743650 $CH_3(CH_2)_4CH_3$ (110-54-3)	n-**Hexane** for Pesticide Residue Trace Analysis M. W.: 86.18	**1 lit** **2.5 lit**
112515 $HO(CH_2)_6OH$ (629-11-8)	1,6-**Hexanediol** (Hexamethylene Glycol) for Synthesis M. W.: 118.17	**500 gm**
743700 $C_6H_{13}O_3SNa$ (2832-45-3)	1-**Hexane Sulphonic Acid Sodium Salt** Anhydrous For HPLC M. W.: 188.22 Assay 99.0%	**25 gm** **100 gm**
743705 $C_6H_{13}NaO_3S.H_2O$ (207300-91-2)	1-**Hexane Sulphonic Acid** **Sodium Salt** Monohydrate For HPLC M. W.: 206.24 Assay (cation exchange) 99.0%	**25 gm** **100 gm**
112405 $C_6H_{14}O$ (111-27-3)	**n-Hexanol** for Synthesis (n-Hexyl Alcohol, Hexan-1-OL) M. W.: 102.18 Assay 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
542795 $C_6H_{14}O$ (111-27-3)	**n-Hexanol AR** (n-Hexyl Alcohol, Hexan-1-OL) M. W.: 102.18 Assay 98.5%	**500 ml** **2.5 lit** **25 lit**
	n-**Hexanoic Acid** See Caproic Acid	
	N-**Hexanol** See Hexan-1-OL	
112635 (9001-51-8)	**Hexokinase** from Ex- Saccharomyces sp. 150 U/mg	**5000** **units**
TC1683 ATC (9001-51-8)	▲**Hexokinase** Cell Culture Tested	**1000** **units** **5000** **units**
	n-**Hexyl Alcohol** See Hexan-1-OL	
543415 $C_{10}H_{19}ClN_2$ (171058-17-6)	1-**Hexyl**-3-**Methyl Imidazolium** **Chloride AR** M. W.: 202.72 Assay (HPLC) 98.5%	**5 gm** **25 gm**
112805 $C_{12}H_{18}O_2$ (136-77-6)	4-**Hexyl Resorcinol** for Synthesis M. W.: 194.27 Assay 98.0%	**25 gm**
029243 $C_6H_{14}O_2$ (107-41-5)	**Hexylene Glycol** M. W.: 118.18 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
033135	**High Vacuum Silicon Grease** (Vacuum Grease)	**50 gm** **250 gm** **1 kg**
028497 $C_9H_9NO_3$ (495-69-2)	**Hippuric Acid** Cryst. M. W.: 179.18 Assay (acidimetric) 99.0%	**100 gm** **1 kg**
112955 $C_9H_8NO_3Na.XH_2O$ (532-94-5)	**Hippuric Acid Sodium Salt** M. W.: 201.15 Anhy	**25 gm** **100 gm**

Storage : · ❄0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
113135	**Histamine Acid Phosphate** for Biochemistry (Histamine Biphosphate mono hydrate) $C_5H_9N_32H_3PO_4.H_2O$ M. W.: 325.15 (51-74-1)	**1 gm** **5 gm**
037221 $C_6H_9N_3O_2$ (71-00-1)	L-**Histidine** for Biochemistry M. W.: 155.16 Assay (ex Non-aqueous) 98.0%	**25 gm** **100 gm** **500 gm**
PCT1311 PTC $C_6H_9N_3O_2$ (71-00-1)	**L-Histidine** Plant Culture Tested M. W.: 155.15 Assay 99% Store below 30°C	**25 gm** **100 gm** **500 gm**
TC1076 ATC $C_6H_9N_3O_2$ (71-00-1)	**L-Histidine** (From non-animal source) Cell Culture Tested M. W.: 155.15 Assay : ≥98.5% Store below 30°C	**100 gm** **500 gm** **1 kg**
TC1076M ATC $C_6H_9N_3O_2$ (71-00-1)	**L-Histidine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 155.15 Store below 30°C	**100 gm** **500 gm** **1 kg**
941920 MB $C_6H_{10}ClN_3O_2.H_2O$ (5934-29-2)	L-**Histidine Hydrochloride** Monohydrate for Molecular Biology M. W : 209.63 Assay 99.0%	**25 gm** **100 gm**
037118 $C_6H_9N_3O_2.HCl.H_2O$ (5934-29-2)	L-**Histidine Monohydrochloride** Monohydrate M. W.: 209.63 Assay (Argentometric; ex Cl) 99.0%	**25 gm** **100 gm** **500 gm**
TC1077 ATC $C_6H_9N_3O_2.HClH_2O$ (5934-29-2)	**L-Histidine Monohydrochloride** Monohydrate (From non-animal source) Cell Culture Tested M. W.: 209.63 Assay : ≥99% Store below 30°C	**25 gm** **100 gm** **1 kg**
TC1077M ATC $C_6H_9N_3O_2.HCl.H_2O$ (5934-29-2)	**L-Histidine Monohydrochloride** Monohydrate (From non-animal source) Meets EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 209.63 Store below 30°C	**25 gm** **100 gm** **1 kg**
844267	**Histological Fixative-Formalin Neutral Sodium Sal**t Bufferd pH 7.0 at 25°C	**5 lit**
	HOBT See 1-Hydroxybenzotriazole	
844395	**Holmium** (Ho) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **500 ml**
844400	**Holmium** (Ho) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	**100 ml** **500 ml**

Product Code	Product Name	Packing
RE1305 Ho (7440-60-0)	**Holmium** Metal Ingot M. W.: 164.93 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE1310 Ho (7440-60-0)	**Holmium** Metal Lump M. W.: 164.93 Assay (Trace metal basis) 99.99%	**5 gm**
RE1315 Ho (7440-60-0)	**Holmium** Metal Powder 325 mesh M. W.: 164.93 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm** **100 gm**
RE1360 $Ho(O_2C_2H_3)_3.XH_2O$ (312619-49-1)	**Holmium** (III) **Acetate** M. W.: 342.07 Assay (Trace metal basis) 99.9%	**1 gm** **5 gm** **25 gm**
RE1365 $Ho(O_2C_2H_3)_3.XH_2O$ (312619-49-1)	**Holmium** (III) **Acetate** M. W.: 342.07 Assay (Trace metal basis) 99.99%	**10 gm** **50 gm**
RE1370 $Ho(O_2C_2H_3)_3.XH_2O$ (312619-49-1)	**Holmium** (III) **Acetate** M. W.: 342.07 Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
RE1380 $Ho_2(CO_3)_3.XH_2O$ (38245-34-0)	**Holmium** (III) **Carbonate** M. W.: 509.88 Assay (Trace metal basis) 99.90%	**10 gm** **50 gm** **100 gm**
RE1390 $HoCl_3.6H_2O$ (14914-84-2)	**Holmium** (III) **Chloride** M. W.: 379.38 Assay (Trace metal basis) 99.90%	**5 gm** **25 gm** **100 gm**
RE1400 HoI_3 (13813-41-7)	**Holmium** (III) **Iodide** M.W. : 545.64 Assay (Trace metal basis) 99.95%	**1 gm** **5 gm**
RE1415 $Ho_2.O_3$ (12055-62-8)	**Holmium** (III) **Oxide** M. W.: 377.86 Assay (Trace metal basis) 99.9%	**5 gm** **10 gm** **50 gm**
RE1420 $Ho_2.O_3$ (12055-62-8)	**Holmium** (III) **Oxide** M. W.: 377.86 Assay (Trace metal basis) 99.99%	**5 gm** **10 gm** **50 gm**
RE1425 $Ho_2.O_3$ (12055-62-8)	**Holmium** (III) **Oxide** M. W.: 377.86 Assay (Trace metal basis) 99.999%	**1 gm** **5 gm** **25 gm**
RE1440 $Ho_2(SO_4)_3.8H_2O$ (13473-57-9)	**Holmium** (III) **Sulphate** M.W. : 762.17 Assay (Trace metal basis) 99.9%	**5 gm** **25 gm**
RE1445 $Ho_2(SO_4)_3.8H_2O$ (13473-57-9)	**Holmium** (III) **Sulphate** M.W. : 762.17 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE1450 $Ho_2(SO_4)_3.8H_2O$ (13473-57-9)	**Holmium** (III) **Sulphate** M.W. : 762.17 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
	Homidium Bromide See Ethidium Bromide	
TC1302 ATC	**Human Recombinant Prolactin** Source : *E-coli* Cell Culture Tested Store at -20°C	**10 mcg** **50 mcg**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
TC1613 ATC (70024-90-7)	▲**Human Serum Albumin** Low Fatty acid Cell Culture Tested	**1 gm** **5 gm** **25 gm**
TC1306 ATC (83380-82-9)	**Human Vitronectin** Bloom Strength : 120g Cell Culture Tested Store at -20°C	**100 mcg** **1 mg**
113415 (1415-93-6)	**Humic Acid**	**500 gm** **5 kg**
941550 MB (68131-04-4)	**Humic Acid Sodium Salt** For Molecular Biology Store Below 30°C	**100 gm**
TC1331 ATC (37326-33-3)	**Hyaluronidase** Cell Culture Tested Activity : 400 - 1000 units/mg solid Store below -20°C	**25 mg**
543965 $C_{27}H_{42}ClNO_2$ (121-54-0)	**Hyamine 1622** for Tensile Test **AR** M. W.: 448.10 Assay (Non-aqueous) (on dried subs.) 99.0%	**25 gm** **100 gm**
TC1554M ATC $C_{27}H_{42}ClNO_2$ (121-54-0)	**Hyamine 1622** Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 448.09 Store below 30°C	**100 gm** **250 gm**
844460	**Hyamine 1622** Soln. 0.004m	**500 ml** **5 lit**
844465	· **Hyamine 1622** CPECTROSOL® Solution 0.004M (0.004N) Standardized Solution In accordance with NIST	**1 lit**
844455	· **Hyamine 1622** CPECTROSOL® Solution 0.04M (0.04N) Standardized Solution In accordance with NIST	**1 lit**
028501 $H_4N_2.2HCl$ (5341-61-7)	**Hydrazine Dihydrochloride** (Hydrazine Chloride) M. W.: 104.97 Assay (Oxidimetric) 97.0%	**100 gm** **500 gm**
844500	**Hydrazine Hydrate** 24-26% Solution in Water	**500 ml** **2.5 lit**
844510 $N_2H_4.H_2O$ (7803-57-8)	**Hydrazine Hydrate** M.W. 50.06 Assay 60.0%	**2.5 lit**
028500 $H_4N_2.H_2O$ (7803-57-8)	**Hydrazine Hydrate** 80% M. W.: 50.06 Assay (iodometric) 80.0%	**500 ml** **2.5 lit** **25 lit**
543985 $H_4N_2H_2O$ (7803-57-8)	**Hydrazine Hydrate** 80% **AR** M.W.:50.06 Assay 80.0%	**500 ml** **2.5 lit** **25 lit**
028502 $H_4N_2H_2O$ (7803-57-8)	**Hydrazine Hydrate** 99% for Synthesis M. W.: 50.06 Assay (Oxidimetric) 99.0%	**500 ml** **2.5 lit** **25 lit**
543990 $H_4N_2H_2O$ (7803-57-8)	**Hydrazine Hydrate** 99% **AR** M. W.: 50.06 Assay (Oxidimetric) 99.0%	**500 ml** **2.5 lit**
028503 $H_4N_2.H_2SO_4$ (10034-93-2)	**Hydrazine Sulphate** Purified M. W.: 130.12 Assay (By iodometric) 99.0%	**100 gm** **500 gm** **25 kg**
544105 $H_4N_2.H_2SO_4$ (10034-93-2)	**Hydrazine Sulphate AR/ACS** M. W.: 130.12 Assay (By iodometric) 99.0%	**100 gm** **500 gm**
	Hydrazinium Chloride See Hydrazine Dihydrochloride	
	Hydrazinium Sulphate See Hydrazine Sulphate	
025334 $C_{12}H_{12}.N_2$ (122-66-7)	**Hydrazobenzene** M. W.: 184.24 Assay (HPLC) 98.0%	**100 gm**
	2-**Hydrazone**-2-3-**Dihydromethyl Benzothiazole Hydrochloride (MBTH)** See 3 Methyl-2 Benzothiazolinone Hydrazone Hydrochloride (MBTH)	
544215 $C_{18}H_{14}O_8$ (5950-69-6)	**Hydrindantine** Dihydrate **AR** M. W.: 358.30	**25 gm**
544305 HI (10034-85-2)	**Hydriodic Acid AR/ACS** M. W.: 127.91 Assay (Acid-base titration) 54-56%	**50 ml** **250 ml**
028516 HBr (10035-10-6)	**Hydrobromic Acid** in Glacial acetic acid M.W. : 80.91 Assay (Argentometric) About 33.0%	**500 ml** **2.5 lit**
028505 Hbr (10035-10-6)	**Hydrobromic Acid** M. W.: 80.91 Assay(acidimetric) 48.0-49.0%	**500 ml** **2.5 lit**
544425 HBr (10035-10-6)	**Hydrobromic Acid AR/ACS** M.W. : 80.91 Assay (acidimetric) 48.0%-49.0%	**500 ml** **2.5 lit**
845050	**Hydrochloric Acid** 10%	**500 ml** **2.5 lit**
845055 HCl (7647-01-0)	**Hydrochloric Acid** 25% ACIPUR M.W. 36.46 About 25.0%	**500 ml** **1 lit** **2.5 lit**
845060 HCl (7647-01-0)	**Hydrochloric Acid** 32% ACIPUR M.W : 36.46 Assay 32.0%	**500 ml** **1 lit** **2.5 lit**
845065 HCl (7647-01-0)	**Hydrochloric Acid** 37% ACIPUR for Trace Metal Analysis M.W. 36.46 Assay 37.0%	**500 ml** **1 lit** **2.5 lit**
113445 HCl (7647-01-0)	**Hydrochloric Acid** M.W. : 36.46 Assay 30.0%	**500 ml** **2.5 lit**
113450 HCl (7647-01-0)	**Hydrochloric Acid** M.W. : 36.46 Assay 32.0%	**500 ml** **2.5 lit**

Storage : · -0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
113460 HCl (7647-01-0)	**Hydrochloric Acid** (1.18) M.W. : 36.46 Assay 35-38% (Order must be placed for 8x500 ml pack in a thermocole boxes) (Order must be placed for 4x2.5 lit ml pack in a thermocole boxes) (Order must be placed for 4x5 lit ml pack in a boxes)	**500 ml** **2.5 lit** **5 lit**
544475 HCl (7647-01-0)	**Hydrochloric Acid** (1.18) **AR** M.W. : 36.46 Assay 35.4% (Order must be placed for 8x500 ml pack in a thermocole boxes) (Order must be placed for 4x2.5 lit ml pack in a thermocole boxes) (Order must be placed for 4x5 lit ml pack in a boxes)	**500 ml** **2.5 lit** **5 lit**
744580 HCl (7647-01-0)	**Hydrochloric Acid** Abt. 36% (1.18) EL M.W. : 36.46 Assay 36.0%	**2.5 lit**
942120 MB (7647-01-0)	**Hydrochloric Acid** Fuming 37% for Molecular Biology	**500 ml**
844620	**Hydrochloric Acid** N/1	**500 ml**
844640	**Hydrochloric Acid** N/10 (Hydrochloric Acid 0.1 N Solution)	**500 ml** **2.5 lit**
844685	**Hydrochloric Acid** 0.01M Solution	**500 ml** **1 lit** **2.5 lit**
844680	**Hydrochloric Acid** 0.01M (0.01N) Volumetric Solution	**1 Amp** **3 Amp** **6 Amp**
844700	**Hydrochloric Acid** 0.02 M (0.02N) Volumetric Solution	**500 ml**
844720	**Hydrochloric Acid** 0.05 M (0.05N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
844730	**Hydrochloric Acid** 0.1 M (0.1N) 1.82350g HCl for 500 ml. 0.1N Volumetric Solution	**1 Amp** **3 Amp** **6 Amp**
844780	**Hydrochloric Acid** 0.1M (0.1N) Volumetric Solution	**500 ml** **2.5 lit**
844800	**Hydrochloric Acid** 0.2 M (0.2N) Volumetric Solution	**500 ml**
844805	**Hydrochloric Acid** CPECTROSOL® 0.25M (0.25N) Standardized Solution In accordance with NIST	**1 lit**
844820	**Hydrochloric Acid** 0.357 Mol/L (1/2.8N) Solution	**500 ml** **1 lit** **2.5 lit**
844840	**Hydrochloric Acid** 0.5 M (0.5N) Volumetric Soln.	**500 ml** **1 lit** **2.5 lit**
844860	**Hydrochloric Acid** 1.0M (1.0N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
844865	**Hydrochloric Acid** 1N acc. to USP	**500 ml**
844870	**Hydrochloric Acid** 2 M (2N) CTITRINORM Volumetric Solution	**500 ml** **1 lit** **2.5 lit**

Product Code	Product Name	Packing
844890	**Hydrochloric Acid** 3.571 mol/L (1/0.28N) Solution	**500 ml** **1 lit** **2.5 lit**
844900	**Hydrochloric Acid** 3N (3 mol/L) Solution	**500 ml** **1 lit** **2.5 lit**
844910	**Hydrochloric Acid** 4 M (4 N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
844915	**Hydrochloric Acid** 4M in Dioxane	**1 lit**
844990	**Hydrochloric Acid** 5 M (5N) CTITRINORM Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
845000	**Hydrochloric Acid** 6M (6N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
113505 $C_{21}H_{30}O_5$ (50-23-7)	**Hydrocortisone** For Lab Use M. W.: 362.46	**1 gm** **5 gm**
TC1344 ATC $C_{21}H_{30}O_5$ (50-23-7)	**Hydrocortisone** Cell Culture Tested M. W.: 362.46 Assay : ≥98% Store below 30°C	**1 gm** **5 gm** **10 gm**
113535 $C_{23}H_{32}O_6$ (50-03-3)	**Hydrocortisone Acetate** For Lab Use M. W.: 404.51	**1 gm** **5 gm**
028514 HF (7664-39-3)	**Hydrofluoric Acid** M. W.: 20.01 Assay(acidimetric) 39.0-43.0%	**500 ml** **2.5 lit** **5 lit**
544735 HF (7664-39-3)	**Hydrofluoric Acid AR/ACS** M. W.: 20.01 Assay 40.0-42.0%	**500 ml**
744120 HF (7664-39-3)	**Hydrofluoric Acid** EL grade M. W.: 20.01 Assay 48.0-51.0%	**500 ml**
544738 HF (7664-39-3)	**Hydrofluoric Acid AR/ACS** M. W.: 20.01 Assay 48.0-51.0%	**500 ml** **2.5 lit**
845100 HF (7664-39-3)	**Hydrofluoric Acid** Acipur for Trace Metal Analysis M.W : 20.01 Assay 48.0%	**500 ml** **1 lit** **2.5 lit**
	Hydrogen Hexa Chloro Platinate (IV) See Platinic Chloride	
845150	**Hydrogen Bromide** 2M (2N) Volumetric Solution	**1 lit**
845160	**Hydrogen Chloride** 0.1M (0.1N) in 2-Propanole	**100 ml** **500 ml**
845200 ✲ H_2O_2 (7722-84-1)	**Hydrogen Peroxide** Solution about 6% w/v H_2O_2 20 Volumes M. W.: 34.01 Assay(H_2O_2) 6.0% w/v	**1 lit**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
845250 ✲ H_2O_2 (7722-84-1)	**Hydrogen Peroxide** Solution about 30% w/v H_2O_2 100 Volumes M. W.: 34.01 Assay(H_2O_2) 30.0% w/v	**500 ml** **5 lit**
845300 ✲ H_2O_2 (7722-84-1)	**Hydrogen Peroxide** Solution **AR** 30% 100 Volumes M. W.: 34.01 Assay : Contains not less than 30% w/v	**500 ml** **5 lit**
PCT2511 PTC H_2O_2 (7722-84-1)	▲**Hydrogen Peroxide** Plant Culture Tested M. W.: 34.0147 Assay min 30%	**100 ml** **500 ml** **1 lit**
030011 $C_6H_4(OH)_2$ (123-31-9)	**Hydroquinone** for Synthesis M. W.: 110.11 Assay (GC) 99.0%	**100 gm** **500 gm** **25 kg**
544875 $C_6H_4(OH)_2$ (123-31-9)	**Hydroquinone AR** M. W.: 110.11 Assay 99.5%	**100 gm** **500 gm**
PCT2556 PTC $C_6H_6O_2$ (123.31-9)	**Hydroquinone** Plant Culture Tested M. W.: 110.11 Store below 30°C	**100 gm** **500 gm**
113835 $C_6H_4(OCH_3)_2$ (150-78-7)	**Hydroquinone Dimethyl Ether** for Synthesis M. W.: 138.16	**250 gm** **1 kg**
025322 $C_7H_8O_2$ (150-76-5)	**Hydroquinone Monomethyl Ether** M. W.: 124.14 Assay (GC) 98.0%	**100 gm** **500 gm**
	4-**Acetaamido Phenol** See p-Hydroxy Acetanilide (Paracetamol)	
028521 $C_8H_8O_2$ (118-93-4)	2-**Hydroxy Acetophenone** M.W 136.15 Assay (GC) 95.0%	**100 ml** **500 ml**
114015 $HOC_6H_4COCH_3$ (121-71-1)	3-**Hydroxy Acetophenone** for Synthesis (m-Hydroxyacetophenone) M. W.: 136.15	**25 gm** **100 gm**
028522 $CH_3.CO.C_6H_4.OH$ (99-93-4)	4-**Hydroxy Acetophenone** M. W.: 136.15 Assay (GC) 99.0%	**100 gm** **500 gm**
114075 $C_{10}H_{16}O$ (768-95-6)	1-**Hydroxy Adamantane** M. W.: 152.23 Assay 99.0%	**5 gm** **25 gm**
028525 $C_{12}H_{10}N_2O$ (1689-82-3)	p-**Hydroxy Azobenzene** absorption indicator M. W.: 198.23 Assay 98.0%	**25 gm**
545025 $C_5H_4N_4O$ (39968-33-7)	▲1-**Hydroxy-7-Azabenzo Triazole** (Hoat) **AR** Protecting Reagent M. W.: 136.11	**1 gm** **5 gm** **25 gm**
	2-**Hydroxy Benzaldehyde** See Salicylaldehyde	

Product Code	Product Name	Packing
028526 $C_7H_6O_2$ (100-83-4)	m-**Hydroxy Benzaldehyde** M. W.: 122.12 Assay (Acidimetric) 98.0%	**100 gm** **500 gm**
028527 $C_7H_6O_2$ (123-08-0)	p-**Hydroxy Benzaldehyde** M. W.: 122.12 Assay (GC) 98.0%	**100 gm** **500 gm**
114255 $C_7H_7NO_2$ (619-57-8)	4-**Hydroxy Benzamide** M. W.: 137.14 Assay 98.0%	**5 gm** **25 gm**
545045 $C_{13}H_{10}N_2O_3$ (1634-82-8)	2-(4-**Hydroxybenzeneazo**) **Benzoic Acid** for Automatic analysis **AR** M. W.: 242.24 Assay (HPLC) 99.0%	**1 gm** **5 gm**
028529 $C_6H_4(OH).COOH$ (99-96-7)	p-**Hydroxy Benzoic Acid** M. W.: 138.12 Assay (acidimetric) 99.0%	**100 gm** **500 gm**
114425 $HOC_6H_4CO_2H$ (99-06-9)	m-**Hydroxy Benzoic Acid** for Synthesis M. W.: 138.12	**500 gm**
545235 ✲ $HOC_6H_4CO_2Na$ (114-63-6)	p-**Hydroxy Benzoic Acid Sodium** **Salt AR** for Biochemistry	**25 gm** **100 gm** **1 kg**
114515 $HOC_6H_4COC_6H_5$ (1137-42-4)	p-**Hydroxy Benzophenone** M. W.: 198.22 Assay 98.0%	**100 gm** **500 gm**
114585 $C_6H_5N_3O$ (2592-95-2)	1-**Hydroxy Benzotriazole** Anhydrous (HOBT) M.W : 135.12 Assay 99.0%	**25 gm** **100 gm** **500 gm**
	[(2-**Hydroxy**-1,1-Bis (Hydroxymethyl) Ethyl) Amino]-1-Ethanesulphonic Acid See TAPS Buffer	
114635 ✲ $C_8H_6O_3$ (6272-26-0)	6-**Hydroxy**-3-**Coumaranone** M. W.: 150.13 Assay 97.0%	**1 gm** **5 gm**
066214 $C_{12}H_{10}O$ (90-43-7)	o-**Hydroxy Biphenyl** M. W.: 170.21 Assay 99.0%	**500 gm** **2.5 kg**
066213 $C_{12}H_{10}O$ (92-69-3)	p-**Hydroxy Diphenyl** M. W.: 170.21 Assay (GC) 98.0%	**100 gm** **500 gm**
114805 (9004-62-0)	**Hydroxy Ethyl Cellulose** (Hv 45) mPas	**500 gm**
114815 (9004-62-0)	**Hydroxy Ethyl Cellulose** HV 145 mPas	**500 gm**
114825 (9004-62-0)	**Hydroxy Ethyl Cellulose** HV 270 mPas	**500 gm**
	N,N-bis-(2-**Hydroxyethyl**)-2-**Amino** **Ethane Sulfonic** Acid See BES Buffer	
	4-**Hydroxy**-2,4-**Dinitrobenzene** See 2,4-Dinitrophenol	

Storage : · ❄0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
	N-(2-Hydroxyethyl) Ethylenediamine See 2-(2-Aminoethyl) Ethanolamine	
	N,N-BIS-**(2-Hydroxy Ethyl) Glycine** See Bicine Buffer	
115155 $C_6H_{10}O_3$ (868-77-9)	2-**Hydroxy Ethyl Methacrylate** M.W: 130.14 Assay 96.5%	**500 ml**
	2-**(Hydroxyethyl) Methylamine** See - 2-(Methylamino) Ethanol	
115205 $C_6H_{13}NO_2$ (622-40-2)	4-(2-**Hydroxy Ethyl) Morpholine** (2-Morpholinoethanol) M. W.: 131.17	**500 ml** **2.5 lit**
115315 $C_{10}H_9NO_3$ (3891-07-4)	n-(2-**Hydroxy Ethyl) Phthalimide** (2-Phthalimidoethanol) M. W.: 191.18	**100 gm** **500 gm**
	N-(2-**Hydroxy Ethyl) Piperazine**-N-2-**Ethane Sulphonic Acid Sodium Salt** See HEPES Sodium Salt Buffer	
	N-(2-**Hydroxy Ethyl) Piperazine**-N-2-**Ethane Sulphonic Acid** See HEPES (Buffer)	
115515 $C_7H_{15}NO$ (3040-44-6)	1-(2-**Hydroxy Ethyl) Piperidine** (1-Piperidine Ethanol, 2-Piperidino Ethanol) M. W.: 129.20	**100 ml** **500 ml**
	[(2-**Hydroxy**-1,1-Bis(**Hydroxymethyl**)**Ethyl) Amino]-Ethanesulphonic Acid** See TES Buffer	
	2-**Hydroxy -**1(2-**Hydroxy**-4-**Sulpho**-1-**Napthylazo**)-3-**Napthoic Acid** See Patton And Reeder's Reagent	
115605 C_8H_7NO (2380-94-1)	4-**Hydroxy Indole** (4-Indolol) for Synthesis M. W.: 135.15	**5 gm**
115635 ✲ C_8H_7NO (1953-54-4)	5-**Hydroxy Indole** for Synthesis M. W.: 133.15 Assay 97.0%	**1 gm** **5 gm**
115735 HOC_6H_3-1,3-$(CO_2H)_2$ (618-83-7)	5-**Hydroxy Isophthalic Acid** for Synthesis M. W.: 182.13	**25 gm** **100 gm**
028523 $NH_2OH.HCl$ (5470-11-1)	**Hydroxylamine Hydrochloride** for Synthesis (Hydroxyl Ammonium Chloride) M. W.: 69.49 Assay 98.0%	**100 gm** **500 gm** **50 kg**
545325 $NH_2OH.HCl$ (5470-11-1)	**Hydroxylamine Hydrochloride AR/ACS** M. W.: 69.49 Assay 99.0%	**100 gm** **500 gm**
845400	**Hydroxylamine Hydrochloride** Solution TS acc. USP	**500 ml**
845405 $C_{16}H_{30}BN$ (33725-74-5)	**Hydroxylamine Hydrochloride** Solution (For determining Pb & for benzaldehyde test as per IP) M.W. 257.31	**250 ml**
028524 $(NH_2OH)_2.H_2SO_4$ (10039-54-0)	**Hydroxylamine Sulphate** (Hydroxyl Ammonium Sulphate) M. W.: 164.13 Assay (oxidimetric) 97.0%	**500 gm** **50 kg**
545335 $(NH_2OH)_2.H_2SO_4$ (10039-54-0)	**Hydroxylamine Sulphate AR/ACS** M. W.: 164.13 Assay (Oxidimetric) 99.0%	**500 gm**
	Hydroxyl Ammonium Chloride See- Hydroxylamine Hydrochloride	
	Hydroxyl Ammonium Sulphate See Hydroxylamine Sulphate	
	3-**Hydroxy**-4-**Methoxy** **Benzaldehyde** See Iso Vaniline	
	4-**Hydroxy**-3-**Methoxy Benzaldehyde** See Vanillin	
116105 ✲ $HOC_6H_3(CH_3)CO_2H$ (499-76-3)	4-**Hydroxy**-3-**Methyl Benzoic Acid** M. W.: 152.15 Assay 97.0%	**5 gm**
116255 $C_{10}H_8O_3$ (90-33-5)	·7-**Hydroxy**-4-**Methyl-Coumarin** (β-Methylumbelliferone) M. W.: 176.17	**25 gm** **100 gm**
	2-**Hydroxymethyl Furan** See Furfuryl Alcohol	
116365 $C_6H_6O_3$ (67-47-0)	▲5-**Hydroxy Methyl Furfural** M. W.: 126.11 Assay (HPLC) 99.0%	**1 gm** **5 gm**
	4-**Hydroxy**-4-**Methyl Pentan**-2-**One** See Diacetone Alcohol	
	4-**Hydroxy**-4-**Methyl**-2-**Pentanone** See Diacetone Alcohol	
116505 $C_{11}H_8O_2$ (708-06-5)	2-**Hydroxy**-1-**Naphthaldehyde** M. W.: 172.18 Assay (GC) 88.0%	**25 gm** **100 gm**
H27981 HISURE $C_{20}H_{12}N_2Na_2O_{11}S_3$ (165660-27-5)	**Hydroxy Naphthol Blue ACS** Certified grade M. W.: 598.50	**25 gm**
545445 $C_{20}H_{12}N_2Na_2O_{11}S_3$ (165660-27-5)	**Hydroxy Naphthol Blue AR** Indicator For Calcium determination M. W.: 598.50	**5 gm** **25 gm**
	2-**Hydroxy**-1-**Nitroso**-3,6-**Naphthalene Disulfonic Acid Disodium Salt** See Nitroso R Salt	
	DL-α-**Hydroxyphenyl Acetic Acid** See DL-Mandelic Acid	
116825 $HOC_6H_4CH_2CO_2H$ (156-38-7)	4-**Hydroxy Phenyl Acetic Acid** for Synthesis M. W.: 152.15	**25 gm** **100 gm**

Product Code	Product Name	Packing
	L-**Hydroxy Phenylalanine** See L-DOPA	
	2-(4'-**Hydroxyphenylazo**) **Benzoic Acid** See 2-(4-Hydroxy benzene azo) Benzoic Acid	
116945 $C_5H_{11}NO$ (5382-16-1)	4-**Hydroxy Piperidine** (4-Piperidinol) M. W.: 101.15	**25 gm** **100 gm**
037120 $C_5H_9NO_3$ (51-35-4)	L-**Hydroxy Proline** for Biochemistry M. W.: 131.13 Assay (Non-aqueous) 99.0%	**1 gm** **5 gm** **25 gm** **100 gm**
117165 $HOC_6H_4COC_2H_5$ (70-70-2)	4-**Hydroxy Propiophenone** (p-Hydroxypropiophenone) M. W.: 150.17	**100 gm** **500 gm**
117275 $C_{42}H_{70}O_{35}.C_2H_5O$ (128446-35-5)	2-**Hydroxy Propyl Beta Cyclodextrine** for Synthesis M. W.: 1180.04	**25 gm** **100 gm**
TC1446 ATC $C_{54}H_{102}O_{39}$ (94035-02-6)	**Hydroxypropyl-β-Cyclodextrin** 2-Hydroxypropylether-B-cyclodextrin Cell Culture Tested M. W.: 1375.36 Assay : ≥98.5% Store at 15 - 30°C	**5 gm** **5x5 gm**
025333 (9004-65-3)	**Hydroxy Propyl Methyl Cellulose** 5 cPs	**1 kg**
025332 $C_3H_8O_2.XCH_4$ (9004-65-3)	**Hydroxy Propyl Methyl Cellulose** 15 cPs M. W.: 318.233	**1 kg**
025329 $C_3H_8O_2.XCH_4$ (9004-65-3)	**Hydroxy Propyl Methyl Cellulose** 50 cPs M. W.: 318.233	**1 kg**
028683 $C_3H_8O_2.XCH_4$ (9004-65-3)	**Hydroxy Propyl Methyl Cellulose** 3000 cPs + M. W.: 318.233	**500 gm**
025331 (9004-65-3)	**Hydroxy Propyl Methyl Cellulose**	**500 gm**
	6-**Hydroxypurine** See Hypoxanthine	
117555 C_5H_5NO (142-08-5)	2-**Hydroxy Pyridine** for Synthesis M. W.: 95.10 Assay 98.0%	**100 gm** **500 gm**
117585 C_5H_5NO (109-00-2)	3-**Hydroxy Pyridine** for Synthesis M. W.: 95.10 Assay 98.0%	**25 gm** **100 gm** **500 gm**
025337 C_5H_5NO (626-64-2)	4-**Hydroxy Pyridine** M.W.: 95.10 Assay (By GC) 95.0%	**25 gm** **100 gm**
013079 C_9H_7NO (148-24-3)	8-**Hydroxy Quinoline** (Oxine) M. W.: 145.16 Assay ($HClO_4$ titration) 99.0-101.0%	**100 gm** **500 gm**
545475 C_9H_7NO (148-24-3)	8-**Hydroxy Quinoline AR/ACS** (Oxine) Reagent for Vanadium Magnesium M. W.: 145.16 Assay ($HClO_4$ titration) 99.0%	**100 gm** **500 gm**
845450	8-**Hydroxy Quinoline** Solution (Oxine Reagent) Reagent for Al, In, Mo, Co, Cd	**100 ml**
PCT2128 PTC C_9H_7NO (148-24-3)	8-**Hydroxyquinoline** Plant Culture Tested M. W.: 145.16 Assay 99% Store below 30°C	**100 gm** **500 gm** **1 kg**
117725 $C_4H_5NO_3$ (6066-82-6)	n-**Hydroxy Succinimide** for Synthesis M. W.: 115.09	**100 gm** **500 gm**
117815 $C_{11}H_{12}N_2O_3$ (4350-09-8)	5-**Hydroxy**-L-**Trpytophan** for Biochemistry M. W.: 220.22	**1 gm**
033216 (61790-53-2)	**Hyflosupercel** (Filter AID)	**500 gm** **1 kg** **10 kg**
PCT2104 PTC $C_{20}H_{37}N_3O_{13}$ (31282-04-9)	▲**Hygromycin-B** From Streptomyces hygroscopicus Plant Culture Tested M. W.: 527.52 Assay 60%	**100 mg** **250 mg** **1 gm**
PCT2503 PTC	▲**Hygromycin B** Solution w/ 50 mg/ml Hygromycin B in sterile distilled water Sterile filtered Plant Culture Tested	**20 ml** **5X20 ml**
TC1027 ATC $C_{20}H_{37}N_3O_{13}$ (31282-04-9)	▲**Hygromycin-B** Cell Culture Tested Recommended for use in cell culture applications at 200-400 mg/L M. W.: 527.52 Assay : ≥80% Potency : ≥1170 µg/mg	**50 mg** **100 mg** **250 mg** **1 gm**
	Hypo See Sodium Thiosulphate	
025330 H_3PO_2 (6303-21-5)	**Hypophosphorous Acid** M. W.: 66.00 Assay 30-32%	**500 ml**
545505 H_3PO_2 (6303-21-5)	**Hypophosphorous Acid AR** M. W.: 66.00 Assay (acidimetric) 50.0%	**500 ml**
042060 $C_5H_4N_4O$ (68-94-0)	**Hypoxanthine** for Biochemistry M. W.: 136.11 Assay (Non-aqueous) 99.0%	**5 gm** **25 gm** **100 gm**
PCT1206 PTC $C_5H_4N_4O$ (68-94-0)	**Hypoxanthine** (6-Hydroxypurine) Plant Culture Tested M. W.: 136.11 Assay 99% Store below 30°C	**5 gm** **25 gm** **100 gm**
TC1139 ATC $C_5H_4N_4O$ (68-94-0)	**Hypoxanthine** (6-Hydroxypurine) Cell Culture Tested M. W.: 136.11 Assay : ≥99% Store below 30°C	**5 gm** **25 gm**

Storage : ❄ 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
	ICP Single/Multi Element Standard Solution Manufactured from the High Purity D.I. Water, Metal Free Acids and High Purity Metals & Metal Salts. Manufactured in intensively Controlled clean room for prevention of cross contamination.Each element solutions In accordance with NIST	
	See Complete List Standard Solution Page No.-	
106815 $C_3H_4N_2$ (288-32-4)	**Imidazole** (Glyoxaline) M.W.: 68.08 Assay (GC) 99.0%	**100 gm** **500 gm** **5 kg**
546015 $C_3H_4N_2$ (288-32-4)	**Imidazole AR/ACS** M. W.: 68.08 Assay (By acidimetric) 99.5%	**100 gm** **500 gm**
948100 MB $C_3H_4N_2$ (288-32-4)	**Imidazole** for Molecular Biology M. W.: 68.08 Assay (GC) 99.5%	**100 gm** **500 gm**
028547 $C_4H_7NO_4$ (142-73-4)	**Imino Diacetic Acid** for Synthesis M. W.: 133.10 Assay (acidimetric) 99.0%	**250 gm**
120875 $C_{19}H_{24}N_2.HCl$ (113-52-0)	**Imipramine Hydrochloride** for Biochemistry M. W.: 316.87	**5 gm** **25 gm** **100 gm**
036061	**Immersion Oil** Natural	**500 ml**
120940	**Immersion Oil** for Microscopy Wt. per ml at 20°C Abt. 0.97 gm	**30 ml** **125 ml** **500 ml**
	1,2,3-**Indanetrione** See Ninhydrin	
121005 C_9H_9O (83-33-0)	1-**Indanone** for Synthesis (A-Hydrindone) M. W.: 132.16	**25 gm**
121195 C_9H_8 (95-13-6)	**Indene** M. W.: 116.16 Assay 99.0%	**100 ml**
121205	**Indian Ink Used as Stain** for Proteins on Nitrocellulose Blotting Membranes	**100 ml**
PA0781	**Indicator Paper pH 1-10** Wide Range (10bks)	**200 lvs**
PA0783	**Indicator Paper** Universal **pH 1-10** (Including Colour Scale 100 leaves)	**200 lvs**
PA0785	**Indicator Paper** Universal **pH 1-10** (Without Colour Scale) Accurate to 1pH Unit	**1 refill**
PA0786	**Indicator Paper** Universal **pH 1-10** (Including Colour Scale) Accurate to 1pH Unit	**1 roll**
PA0791	**Indicator Paper pH 1.0-14.0** Full Range (10 bks)	**200 lvs**
PA0801	**Indicator Paper pH 2.0-4.5** Narrow Range (10 bks)	**200 lvs**
PA0811	**Indicator Paper pH 2.0-10.5** Wide Range (10 bks)	**200 lvs**
PA0821	**Indicator Paper pH 3.5-6.0** Narrow Range (10 bks)	**200 lvs**
PA0826	**Indicator Paper pH 3.8-5.4** (10 bks) Plastic Box	**200 lvs**
PA0836	**Indicator Paper pH 5.0-7.5** Narrow Range (10 bks)	**200 lvs**
PA0871	**Indicator Paper pH 6.5-9.0** Narrow Range (10 bks)	**200 lvs**
PA0886	**Indicator Paper pH 8.0-10.5** Narrow Range (10 bks)	**200 lvs**
849000	**Indigo Carmine** Indicator Solution	**100 ml**
546025 $C_{16}H_8N_2O_8S_2Na_2$ (860-22-0)	**Indigo Carmine AR** for Microscopy C.I. No. 73015 M. W.: 466.36 Dye content (titanometry, on dried subs.) 85.0%	**25 gm** **100 gm** **1 kg**
121415	**Indion® 190 Ion Exchange Resin** Catalyst grade) (Strongly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	**250 gm** **1 kg**
121420	**Indion® 225H Ion Exchange Resin** (Strongly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	**1 kg** **5 kg**
121425	**Indion® 236 Ion Exchange Resin** (Weekly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	**1 kg**
121430	**Indion® 454 Ion Exchange Resin** (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	**250 gm** **1 kg**
121435	**Indion® 464 Ion Exchange Resin** (Weekly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	**250 gm** **1 kg**
121440	**Indion® 730 Ion Exchange Resin** (Strongly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	**1 kg**
121445	**Indion® 790 Ion Exchange Resin** (Strongly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	**1 kg**
121450	**Indion® 810 Ion Exchange Resin** (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	**1 kg**
121455	**Indion® 820 Ion Exchange Resin** (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	**1 kg**
121460	**Indion® 830S Ion Exchange Resin** (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	**1 kg**
121465	**Indion® 860 Ion Exchange Resin** (Weekly basic anion exchange resin) (Product of Ion Exchange India Ltd)	**250 gm** **1 kg**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
121470	**Indion® 890 Ion Exchange Resin** (Weekly basic anion exchange resin) (Product of Ion Exchange India Ltd)	1 kg
121475	**Indion® BSR Ion Exchange Resin** (Chelating resin) (Product of Ion Exchange India Ltd)	250 gm 1 kg
121480	**Indion® CAM-1 Ion Exchange Resin** (Nuclear grade) (mixed bed resin) (Product of Ion Exchange India Ltd)	1 kg
121485	**Indion® CAM-28 Ion Exchange Resin** (mixed bed resin) (Product of Ion Exchange India Ltd)	250 gm 1 kg
121490	**Indion® GS-300 Ion Exchange Resin** (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	1 kg
121495	**Indion® GS-400 Ion Exchange Resin** (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	1 kg
121500	**Indion® NPA2 Ion Exchange Resin** (Industrial grade) (Product of Ion Exchange India Ltd)	500 gm
849300	**Indium** (In) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	250 ml
849350	**Indium** (In) CRISTAR® 1000 ppm Single Element Std. Soln. "Certisol" for ICP in HNO_3	100 ml
546065 In (7440-74-6)	**Indium** Metal Ingots **AR** At W. 114.82 Assay 99.9%	10 gm 100 gm 500 gm
014028 $In(NO_3)_3.5H_2O$ (13770-61-1)	**Indium Nitrate** M.W. : 390.91 Assay (trace metals basis) 99.9%	10 gm
028554 In_2O_3 (1312-43-2)	**Indium Oxide** M. W.: 277.63 Assay (after ignition) 99.5%	10 gm
028555 $In_2(SO_4)_3$ (13464-82-9)	**Indium Sulphate** M. W.: 517.82 Assay 99.0%	10 gm
028556 $InCl_3.3H_2O$ (10025-82-8)	**Indium Trichloride** Trihydrate M. W.: 275.22 Assay (ex In) 97.0%	10 gm
546095 C_8H_7N (120-72-9)	**Indole** Crystalline **AR** For estimation of DNA M. W.: 117.15 Assay (GC) 99.0%	25 gm 100 gm 1 kg
849415	**Indole** Solution (Reagent for Nitrites)	100 ml
028558 $C_{10}H_9NO_2$ (87-51-4)	**Indole-3-Acetic Acid** for Biochemistry Plant Growth Hormone M. W.: 175.18 Assay (Potentiometric-acidimetry) 98.0%	5 gm 25 gm 100 gm

Product Code	Product Name	Packing
PCT1803 PTC $C_{10}H_9NO_2$ (87-51-4)	▲**Indole-3-Acetic Acid (IAA)** (Heteroauxine) Plant Culture Tested M. W.: 175.19 Assay 99%	5 gm 25 gm 100 gm
PCT2404 PTC	▲**Indole-3-Acetic Acid Solution (IAA)** w/ 1 mg/ml IAA in sterile distilled water Sterile filtered Plant Culture Tested	20 ml 5X20 ml
121835 $C_{10}H_8N_2$ (771-51-7)	3-**Indole Acetonitrile** for Biochemistry M. W.: 156.18 Assay (GC) 97.0%	5 gm 25 gm 100 gm
028559 $C_{12}H_{13}NO_2$ (133-32-4)	**Indole-3-Butyric Acid** for Biochemistry Plant Growth Hormone M. W.: 203.24 Assay (HPLC) 99.0%	5 gm 25 gm 100 gm 1 kg
PCT1804 PTC $C_{12}H_{13}NO_2$ (133-32-4)	▲**Indole-3-Butyric Acid (IBA)** Plant Culture Tested M. W.: 203.24 Assay 99%	5 gm 25 gm 100 gm
PCT2405 PTC	▲**Indole-3-Butyric Acid Solution (IBA)** w/ 1 mg/ml IBA in sterile distilled water Sterile filtered Plant Culture Tested	20 ml 5X20 ml
122005 $C_9H_6N_2$ (15861-24-2)	▲**Indole-5-Carbonitrile** (5-Cyano Indole) M. W.: 142.16 Assay 98.0%	5 gm 10 gm
122105 C_9H_7NO (487-89-8)	▲**Indole-3-Carboxaldehyde** for Synthesis M. W.: 145.16	25 gm 100 gm
122155 $C_9H_7NO_2$ (771-50-6)	**Indole-3-Carboxylic Acid** for Biochemistry M. W.: 161.16 Assay 97.5-101.5%	5 gm 25 gm
122165 $C_9H_7NO_2$ (1670-81-1)	**Indole-5-Carboxylic Acid** M. W.: 161.16	5 gm
122245 $C_{11}H_{11}NO_2$ (830-96-6)	**Indole-3-Propionic Acid** for Biochemistry M. W.: 189.21	5 gm 25 gm
PCT1831 PTC $C_{11}H_{11}NO_2$ (830-96-6)	▲**Indole-3-Propionic Acid (IPA)** Plant Culture Tested M. W.: 189.21 Assay 97%	5 gm 25 gm
PCT2407 PTC	▲**Indole-3-Propionic Acid Solution (IPA)** w/ 1 mg/ml IPA in sterile distilled water Sterile filtered Plant Culture Tested	20 ml 5X20 ml
122315 $C_{14}H_9Cl_2NO$ (15362-40-0)	**Indolinone** for Synthesis [1-(2,6-dichlorophenyl)-2-indolinone] M. W.: 278.13	25 gm 100 gm

Storage : ❄ 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
TC1465 ATC $C_{19}H_{16}ClNO_4$ (53-86-1)	▲**Indomethacin** 1-(4-Chlorobenzoyl)-5-methoxy-2-methyl-3-indoleacetic acid Cell Culture Tested M. W.: 357.79 Assay : ≥99%	**5 gm** **10 gm** **25 gm** **100 gm**
TC1711 ATC (56090-82-1)	▲**Inomycin Calcium Salt** Cell Culture Tested M. W.: 747.07 Assay : ≥98%	**10 mg**
028561 $C_{10}H_{12}N_4O_5$ (58-63-9)	▲**Inosine** for Biochemistry M. W.: 268.23 Assay (Spectrophotometric 249nm at pH 6.0) 98.0-102.0%	**10 gm** **25 gm** **100 gm**
042058 $C_{10}H_{11}N_4Na_2O_8P.8H_2O$ (4691-65-0)	▲**Inosine**-5-**Monophosphate Disodium Salt** Octahydrate for Biochemistry M.W.: 536.3 Assay (Spectrophotometry; on dried metrial) 98.0%	**5 gm** **25 gm**
122405 $C_6H_{12}O_6$ (87-89-8)	meso-**Inositol** for Biochemistry M. W.: 180.16	**25 gm** **100 gm** **1 kg**
PCT1208 PTC $C_6H_{12}O_6$ (87-89-8)	**Inositol** (meso-Inositol) Plant Culture Tested M. W.: 180.16 Assay 98% Store below 30°C	**25 gm** **100 gm** **1 kg**
TC1140 ATC $C_6H_{12}O_6$ (87-89-8)	myo-**Inositol** (meso-Inositol; I-Inositol) Cell Culture Tested M. W.: 180.16 Assay : ≥97% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
038046 $(C_6H_{10}O_5)x$ (9005-80-5)	**Inulin** for Biochemistry M. W.: (162.14)x	**25 gm** **100 gm**
546125 $C_{19}H_{13}ClIN_5O_2$ (146-68-9)	·**I.N.T. AR** Reagent for LDH determination M. W.: 505.70 Assay (Argentometric; on dried) 98.0%	**1 gm** **5 gm**
943600 MB $C_{19}H_{13}ClIN_5O_2$ (146-68-9)	·**I.N.T. Chloride (Int Dye)** For Molecular Biology M. W.: 505.7 Assay : ≥ 95%	**1 gm**
545215 HIO_3 (7782-68-5)	**Iodic Acid AR** M. W.: 175.91 Assay 99.5%	**100 gm**
028564 I_2 (7553-56-2)	**Iodine** Resublimed Meets Analytical Specification of IP, BP, Ph. Eur. M. W : 253.81 Assay (Oxidimetric) 99.5%	**25 gm** **100 gm** **500 gm** **25 kg**
545255 I_2 (7553-56-2)	**Iodine** Resublimed **AR** M. W : 253.81 Assay (Oxidimetric) 99.8%	**25 gm** **100 gm** **500 gm**

Product Code	Product Name	Packing
849600	**Iodine** Solution 1% w/v	**125 ml**
849418	**Iodine** Solution For TLC Spray (Universal Reagent for Organic Compounds)	**125 ml**
849650	**Iodine** 10% w/v	**2.5 lit**
849655	**Iodine** 20% w/v	**2.5 lit**
849700	**Iodine** Solution N/10 (0.1 N)	**500 ml**
849725	**Iodine** CPECTROSOL® 0.02365M (0.0473N) Standardized Solution In accordance with NIST	**1 lit**
849730	**Iodine** CPECTROSOL® 0.0241M (0.0482N) Standardized Solution In accordance with NIST	**1 lit**
849750	**Iodine** 0.025 M (0.05 N) Volumetric Solution	**1 lit**
849780	**Iodine** 0.005 M (0.01 N) Volumetric Solution	**500 ml** **2.5 lit**
849815	**Iodine** 0.05 M (0.1N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
849840	**Iodine** Solution 0.05 M Citrisol 6.3450 g I_2 For 500 ml. 0.1 N solution	**1 Amp** **3 Amp** **6 Amp**
849845	**Iodine** 0.1N acc. to USP	**500 ml**
849870	**Iodine** 1N (0.5M) Solution	**250 ml** **500 ml**
	Iodine Chloride See Iodine Monochloride	
	Iodine Gram's See Gram's Iodine	
849885	**Iodine Iodate** 0.01N (0.005M) Concentrate Solution For 1 lit	**1 lit**
849888	**Iodine Iodate** 1/64N (1/128M) Concentrate Solution For 1 lit	**1 lit**
	Iodine Lugol's See Lugol's Iodine	
122715 BrI (7789-33-5)	**Iodine Mono Bromide** for Synthesis M. W.: 206.81 Assay 98.0%	**100 gm** **500 gm**
849890	**Iodine Mono Bromide** 1.0 M (in Dichloro methane)	**100 ml**
028566 ICl (7790-99-0)	**Iodine Mono Chloride** for Synthesis M. W.: 162.36 Assay (iodometric) 98.0%	**250 gm**
849900	**Iodine Mono Chloride** Solution 1.0 M (in Dichloro methane)	**100 ml** **500 ml**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
549025 I_2O_5 (12029-98-0)	**Iodine Pentoxide AR** for Flue Gas Analysis M. W.: 333.81 Assay 98.0%	**100 gm**
849930	**Iodine Phosphoric** Acid Solution (Magnine Reagent) (Reagent for Cellulose)	**25 ml**
028569 ICl_3 (865-44-1)	**Iodine Trichloride** M. W.: 233.26 Assay (Iodometric) 97.0%	**25 gm**
122855 ICH_2CONH_2 (144-48-9)	**Iodo Acetamide** for Synthesis M. W.: 184.96	**5 gm**
549165 ICH_2CO_2H (64-69-7)	**Iodo Acetic Acid AR** M. W.: 185.95 Assay 99.5%	**5 gm** **25 gm**
123015 C_6H_5I (591-50-4)	**Iodo Benzene** for Synthesis M. W.: 204.01 Assay 98.0%	**100 gm** **500 gm**
549305 $C_6H_5I(O_2CH_3)_2$ (3240-34-4)	**Iodo Benzene Diacetate AR** (Diacetoxyiodobenzene) M. W.: 322.10 Assay 98.0%	**100 gm**
123225 $IC_6H_4CO_2H$ (88-67-5)	▲2-**Iodo Benzoic Acid** M. W.: 248.02 Assay 98.0%	**25 gm** **100 gm**
113245 $C_{10}H_{21}I$ (2050-77-3)	1-**Iododecane** for Synthesis M.W : 268.18 Assay 98.0%	**25 gm** **100 gm**
	1-**Iodobutane** See n-Butyl Iodide	
	Iodoeosin See Erythrosin B	
	Iodo Ethane See Ethyl Iodide	
028583 CHI_3 (75-47-8)	**Iodoform** Pure M. W.: 393.73 Assay (Iodometric ex I) 98.0%	**25 gm** **250 gm**
123365 C_8H_6IN (16066-91-4)	5- **Iodo Indole** M. W.: 243.04 Assay 98.0%	**5 gm** **25 gm**
	Iodo Methane See Methyl Iodide	
549455 C_6H_5IO (540-38-5)	4- **Iodo Phenol AR** M. W.: 220.01 Asay 99.0%	**25 gm** **100 gm**
	2-**(4-Iodo Phenyl)**-3(p-**Nitro Phenyl)** 5-**Phenyl Tetra Zolium Chloride** See I.N.T.	
	1-**Iodo**-2,5-**Pyrrolidinedion** See n-Iodosuccinimide	
849990	**Iodophor Disinfectant**	**1 lit** **5 lit**
849995	**Iodophor-FD**	**1 lit** **5 lit** **10x5 lit**

Product Code	Product Name	Packing
549565 $C_4H_4INO_2$ (516-12-1)	**n-Iodo Succinimide AR** (Nis, 1-Lodo-2,5-Pyrrolidinedione) Ion Exchange Resins M. W.: 224.98 Assay 95.0%	**25 gm** **100 gm**
	Ion Exchange Resins See Ceralite	
123965 $C_{13}H_{20}O$ (127-41-3)	**a-Ionone** for Synthesis M. W.: 192.30 Assay 90.0%	**100 ml** **500 ml**
124005 $C_{13}H_{20}O$ (79-77-6)	b-**Ionone** for Synthesis M. W.: 192.30 Assay 96.0%	**100 ml** **500 ml**
	IPTG See Isopropyl ß-D-1-Thiogalactopyranoside	
028596 Ir (7439-88-5)	**Iridium** Metal Powder M. W.: 192.22 Assay (Trace metal basis) 99.9%	**1 gm**
124190 $IrCl_3$ (10025-83-9)	**Iridium Trichloride** Iridium Content 46% Approx M.W 298.58 Assay 99.0%	**1 gm**
	Iris Blue B See Lacmoid,	
850040	**Iron** (Fe) CPECTROSOL® Atomic Absorption Std. Soln Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **250 ml** **500 ml**
850042	**Iron** (Fe) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	**100 ml** **250 ml** **500 ml**
850070	**Iron** (Fe) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HCl In accordance with NIST	**100 ml** **500 ml**
850100	**Iron** (Fe) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HCl In accordance with NIST	**100 ml** **500 ml**
850130	**Iron** (Fe) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	**100 ml** **500 ml**
850160	**Iron** (Fe) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	**100 ml** **500 ml**
850200	**Iron** (II) **Sulphate** CPECTROSOL® 0.1M (0.1N) Volumetric Solution In accordance with NIST	**1 lit**
	Iron (III) See Ferric	
028597 Fe (7439-89-6)	**Iron** Filings about 100 Mesh At.W. : 55.85 Assay (Redox titration) 99.5%	**1 kg** **5 kg**
028601 Fe (7439-89-6)	**Iron** (Metal) Powder 300 Mesh Electrolytic At. W. 55.85 Assay (Redox titration) 95.0%	**1 kg** **5 kg** **50 kg**
549975 Fe (7439-89-6)	**Iron** Wire 0.57 mm Diameter **AR** M. W.: 55.85	**100 gm**

Storage : · #0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
	Iron Alum See Ammonium Ferric Sulphate	
550065 $C_2FeO_4.2H_2O$ (6047-25-2)	**Iron Oxalate AR** M.W. : 179.90 Assay (trace metal basis) 99.9%	**25 gm**
	Iron Oxide See Ferric Oxide Red	
N31257 (1309-37-1)	**Iron(III) Oxide Nanopowder/ Nanoparticles** (Alpha, 30nm) Assay Fe_2O_3 99%	**5 gm** **25 gm** **100 gm** **250 gm**
N31262 (1309-37-1)	**Iron(III) Oxide Nanopowder/ Nanoparticles** (gamma, 20-40nm) Assay Fe_2O_3 99%	**5 gm** **25 gm** **100 gm** **250 gm**
124215 Fe (7439-89-6)	**Iron Reduced** Extra Pure A. W.: 55.85 Assay 99.0%	**1 kg**
	Iron (II) **Sulphate** See Ferrous Sulphate	
	Iron (III) **Sulphate** See Ferric Sulphate	
	Iron Sulphide See Ferrous Sulphide	
550105 $C_8H_5NO_2$ (91-56-5)	**Isatin AR** for Synthesis (Indole-2,3-dione) (Spectrophotometric det.of Proline and Thiophene) M. W.: 147.13	**25 gm** **100 gm** **500 gm**
124555 $C_8H_5NO_3$ (118-48-9)	**Isatoic Anhydride** for Synthesis (Anthranilic Acid N-Carboxylic Acid Anhydride) M. W.: 163.13	**100 gm** **500 gm**
027211 $C_7H_{14}O_2$ (123-92-2)	**Iso Amyl Acetate** for Synthesis M. W.: 130.19 Assay (GC) 95.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
550325 $C_7H_{14}O_2$ (123-92-2)	**Iso Amyl Acetate AR** M. W.: 130.19 Assay (GC) 95.0%	**500 ml** **2.5 lit**
027212 $C_5H_{11}OH$ (123-51-3)	**Iso Amyl Alcohol** for Synthesis also for Milk testing M. W.: 88.15 Assay Isomer (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
550345 $C_5H_{11}OH$ (123-51-3)	**Iso Amyl Alcohol AR/ACS** M. W.: 88.15 Assay (GC) isomers 99.0%	**500 ml** **1 lit** **2.5 lit** **25 lit** **200 lit**
949000 MB $C_5H_{11}OH$ (123-51-3)	**Iso Amyl Alcohol** for Molecular Biology M. W.: 88.15 Assay (GC) 99.5%	**500 ml**
025992 $C_5H_{11}I$ (541-28-6)	**Iso Amyl Iodide** M. W.: 198.05 Assay (GC) 97.0%	**100 ml**

Product Code	Product Name	Packing
	1-**Iso Benzofuranone** See Phthalide	
124665 (124-76-5)	**Iso Borneol Flakes**	**500 gm**
027505 $C_4H_{10}O$ (78-83-1)	**Iso Butanol** for Synthesis (Iso Butyl Alcohol) M. W.: 74.12 Assay (GC) 99.0%	**500 ml** **1 lit** **2.5 lit** **25 lit** **200 lit**
550365 $C_4H_{10}O$ (78-83-1)	**Iso Butanol AR/ACS** (Iso Butyl Alcohol) M. W.: 74.12 Assay (GC) 99.0%	**500 ml** **1 lit** **2.5 lit** **25 lit**
124765 $CH_3COOCH_2CH(CH_3)_2$ (110-19-0)	**Iso Butyl Acetate** for Synthesis (acetic acid isobutyl ester) M. W.: 116.16	**500 ml** **2.5 lit** **25 lit** **200 lit**
	Iso Butyl Alcohol See Iso-Butanol	
124905 $C_6H_5CH_2CH(CH_3)_2$ (538-93-2)	**Iso Butyl Benzene** for Synthesis [(2-methylpropyl) benzene] M. W.: 134.22	**500 ml** **2.5 lit** **25 lit** **200 lit**
550415 $C_6H_5CH_2CH(CH_3)_2$ (538-93-2)	**Iso Butyl Benzene AR** M. W.: 134.22 Assay 99.0%	**500 ml**
125015 $C_6H_5CO_2CH_2CH(CH_3)_2$ (120-50-3)	**Iso Butyl Benzoate** for Synthesis M. W.: 178.23 Assay 98.0%	**500 gm**
025222 C_4H_9Br (78-77-3)	**Iso Butyl Bromide** (1-Bromo-2 Methyl Propane) M. W.: 137.03 Assay (GC) 98.0%	**500 ml**
125205 $CH_3CH_2CH_2CO_2CH_2CH(CH_3)_2$ (539-90-2)	**Iso Butyl Butyrate** for Synthesis M. W.: 144.21 Assay 98.0%	**500 gm**
125215 $C_5H_9ClO_2$ (543-27-1)	**Iso Butyl Chloro Formate** for Synthesis M.W : 136.58 Assay 98.0%	**500 ml**
125225 $C_{13}H_{16}O_2$ (122-67-8)	**Iso Butyl Cinnamate** for Synthesis M. W.: 204.26 Assay 98.0%	**500 gm**
125235 $C_5H_{10}O_2$ (542-55-2)	**Iso Butyl Formate** for Synthesis M. W.: 102.13 Assay 97.0%	**500 gm**
125255 C_4H_9I (513-38-2)	**Iso Butyl Iodide** for Synthesis (1-Iodo-2-Methyl Propane) M. W.: 184.02 Assay 97.0%	**100 ml** **500 ml**
027528 $(CH_3)_2CH.CH_2.CO.CH_3$ (108-10-1)	**Iso Butyl Methyl Ketone** for Synthesis (Methyl Iso Butyl Ketone) M. W.: 100.16 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
550385 $(CH_3)_2CH.CH_2.CO.CH_3$ (108-10-1)	**Iso Butyl Methyl Ketone AR/ACS** M. W.: 100.16 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
747000	**Iso Butyl Methyl Ketone** for HPLC & Spectroscopy $(CH_3)_2CH.CH_2.CO.CH_3$ M. W.: 100.16 (108-10-1) Assay (GC) 99.5%	**500 ml**
TC1464 ATC	**3-Isobutyl-1-Methylxanthine** 1-Methyl-3-isobutylxanthine IBMX Cell Culture Tested $C_{10}H_{14}N_4O_2$ M. W.: 222.24 (28822-58-4) Assay : ≥99% Store at -20°C	**100 mg** **250 mg** **1 gm**
125535 $C_{12}H_{16}O_2$ (102-13-6)	**Iso Butyl Phenyl Acetate** for Synthesis M. W.: 192.25 Assay 98.0%	**500 gm**
125555 $C_7H_{14}O_2$ (540-42-1)	**Iso Butyl Propionate** for Synthesis M. W.: 130.18 Assay 98.0%	**500 gm**
125575 $C_{11}H_{14}O_3$ (87-19-4)	**Iso Butyl Salicylate** for Synthesis M. W.: 194.23 Assay 98.0%	**500 gm**
125665 $(CH_3)_2CHCHO$ (78-84-2)	**Iso Butyraldehyde** for Synthesis (2-methylpropionaldehyde) M. W.: 72.11	**500 ml** **2.5 lit** **25 lit** **200 lit**
025223 $C_4H_8O_2$ (79-31-2)	**Iso Butyric Acid** M. W.: 88.11 Assay (GC) 98.0%	**500 ml** **2.5 lit**
125785 $C_8H_{14}O_3$ (97-72-3)	**Iso Butyric Anhydride** for Synthesis M. W.: 158.19	**500 ml**
125825 $(CH_3)_2CHCOCl$ (79-30-1)	**Iso Butyryl Chloride** for Synthesis (2-methylpropionyl chloride) M. W.: 106.55	**250 ml** **1 lit**
125915 $C_9H_8O_2$ (4385-35-7)	3-**Iso Chromanone** M. W.: 148.16	**1 gm** **5 gm** **25 gm**
550505 $C_6H_5Na_3O_7.XH_2O$ (1637-73-6)	DL-**Iso Citric Acid Tri-Sodium Salt AR** for Biochemistry M. W.: 258.07 (Anhydrous)	**1 gm**
	Iso Dulcite See L(+) Rhamnose	
126055 $CH_3OC_6H_3(CH=CHCH_3)OH$ (97-54-1)	**Iso Eugenol** for Synthesis (2-mehoxy-4-propenylphenol) (4-Propenyl-2-methoxyphenol) M. W.: 164.20	**100 ml**
126215 $C_{12}H_{14}O_3$ (93-29-8)	**Iso Eugenyl Acetate** for Synthesis M. W.: 206.24 Assay 98.0%	**500 gm**
126325 $C_6H_{13}NO_2$ (443-79-8)	DL-**Iso leucine** for Biochemistry (2-amino-3-methylpentanoic acid) M. W.: 131.17	**5 gm** **25 gm**
037123 $C_6H_{13}NO_2$ (73-32-5)	L-**Iso-Leucine** for Biochemistry M. W.: 131.17 Assay (Non-aqueous) 99.0%	**25 gm** **100 gm** **1 kg**

Product Code	Product Name	Packing
PCT1312 PTC $C_6H_{13}NO_2$ (73-32-5)	**L-Isoleucine** Plant Culture Tested M. W.: 131.17 Assay 99% Store below 30°C	**25 gm** **100 gm** **500 gm**
TC1049 ATC $C_6H_{13}NO_2$ (73-32-5)	**L-Isoleucine** (From non-animal source) Cell Culture Tested M. W.: 131.17 Assay : ≥99% Store below 30°C	**10 gm** **25 gm** **100 gm** **1 kg**
TC1049M ATC $C_6H_{13}NO_2$ (73-32-5)	**L-Isoleucine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 131.18 Store below 30°C	**10 gm** **25 gm** **100 gm** **1 kg**
	Isoniazide See Isonicotinic Acid Hydrazide	
029332 $C_6H_5NO_2$ (55-22-1)	**Iso Nicotinic Acid** M. W.: 123.11 Assay(acidimetric) 98.0%	**100 gm** **500 gm**
028606 $C_6H_7N_3O$ (54-85-3)	**Iso Nicotinic Acid Hydrazide** (Iso Niazid) M. W.: 137.14 Assay (Oxidimetric) 99.0%	**100 gm** **500 gm**
126435 $C_6H_{11}NO_2$ (498-94-2)	**Iso Nipecotinic Acid** for Synthesis M. W.: 129.16 Assay 97.0%	**25 gm** **100 gm** **500 gm**
030518 C_8H_{18} (540-84-1)	**Iso Octane** M. W.: 114.23 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit**
550555 C_8H_{18} (540-84-1)	**Iso Octane AR/ACS** M. W.: 114.23 Assay (GC) 99.5%	**500 ml** **2.5 lit**
747500 C_8H_{18} (540-84-1)	**Iso Octane** for HPLC & Spectroscopy M. W.: 114.23 Assay (GC) 99.7%	**1 lit** **2.5 lit**
747510 C_8H_{18} (540-84-1)	**Iso Octane** PRA For Pesticide Residue Trace Analysis (2,2,4-Trimethylpentane) M.W. 114.23 Assay (GC) 99.8%	**1 lit**
550558 C_8H_{18} (540-84-1)	**Iso Octane** for Dry (2,2,4-Trimethylpentane) M.W. 114.23 Assay (GC) 99.5%	**500 ml** **2.5 lit**
029452 C_5H_{12} (78-78-4)	**Iso Pentane** M. W.: 72.15 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
550595 C_5H_{12} (78-78-4)	**Iso Pentane AR** M. W.: 72.15 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**

Storage : ❄0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
	Iso Pentanoic Acid See Iso Valeric Acid	
PCT1807 PTC $C_{10}H_{13}N_5$ (2365-40-4)	▲N^6-(2-**Isopentenyl**) **adenine;(2iP)** [6-(g-g-Dimethylallylamino)purine] Plant Culture Tested M. W.: 203.24 Assay 98%	**1 gm** **5 gm**
PCT1850 PTC $C_{15}H_{21}N_5O_4$ (7724-76-7)	▲N^6-(2-**Isopentenyl**) **adenine;** **(2-iP) riboside** [6-(g-g-Dimethylallylamino)purine] Plant Culture Tested M. W.: 335.4 Assay 97%	**1 gm** **5 gm**
029524 $C_9H_{14}O$ (78-59-1)	**Iso-Phorone** for Synthesis M. W.: 138.21 Assay (GC) 95.0%	**500 ml** **2.5 lit**
551375 $C_9H_{14}O$ (78-59-1)	**Iso Phorone AR** M. W.: 138.21	**1 lit**
025228 $C_{12}H_{18}N_2O_2$ (4098-71-9)	**Iso Phorone Diisocyanate** Mixture of Isomer M. W.: 222.28 Assay (GC Area%) 99.0%	**100 ml** **500 ml** **2.5 lit**
126745 $C_8H_6O_2$ (626-19-7)	**Iso Phthalaldehyde** M. W.: 134.13 Assay 97.0%	**100 gm**
025234 $C_8H_6O_4$ (121-91-5)	**Iso Phthalic Acid** M. W.: 166.13 Assay (acidimetric) 98.5%	**500 gm**
	Iso Propanol See 2-**Propanol**	
029693 $C_5H_{10}O_2$ (108-21-4)	**Iso Propyl Acetate** M. W.: 102.13 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
	Iso Propyl Alcohol See 2-Propanol	
	Di-**Isopropylamine** See Diisopropylamine	
029724 C_3H_9N (75-31-0)	**Iso Propylamine** for Synthesis M. W.: 59.11 Assay (GC) 99.0%	**500 ml** **2.5 lit**
551585 C_3H_9N (75-31-0)	**Iso Propylamine AR** M. W.: 59.11	**500 ml**
126945 $(CH_3)_2CHC_6H_4NH_2$ (99-88-7)	4-**Iso Propyl Aniline** for Synthesis M. W.: 135.21	**100 ml** **500 ml**
TC1539 ATC $(CH_3)_2CHC_6H_4CO_2H$ (536-66-3)	**4-Isopropylbenzoic Acid** Cumic acid, Cuminic acid Cell Culture Tested M. W.: 164.2 Assay : ≥98% Store below 30°C	**5 gm** **25 gm**
027485 C_3H_7Br (75-26-3)	**Iso Propyl Bromide** M. W.: 123.00 Assay 98.0%	**250 ml** **500 ml** **2.5 lit**

Product Code	Product Name	Packing
025233 $ClCH_2CO_2CH(CH_3)_2$ (105-48-6)	**Iso Propyl Chloro Acetate** M. W.: 136.58 Assay 99.0%	**500 ml**
	Iso Propyl Ether See Di-iso-Propyl Ether	
127065 C_3H_7I (75-30-9)	**Iso Propyl Iodide** for Synthesis (2-Iodopropane) M. W.: 169.99	**100 ml** **500 ml**
066311 $C_{17}H_{34}O_2$ (110-27-0)	**Iso Propyl Myristate** M. W.: 270.45 Assay 95.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
125530 $C_{19}H_{38}O_2$ (142-91-6)	**Isopropyl Palmitate** M.W. 852	**500 ml** **2.5 lit**
127205 $C_7H_{16}N_2$ (4318-42-7)	1-**Iso Propyl Piperazine** **1-(1-Methyl Ethyl) Piperazine** M. W.: 128.22	**5 gm** **25 gm**
127315 $C_9H_{18}O_5S$ (367-93-1)	▲**Iso Propyl** β-D-1-**Thiogalactopyranoside** for Biochemistry (Non-Mammalian) (Dioxane free) (IPTG) (TSE-BSE Certificate not Applicable) M. W.: 238.30	**1 gm** **5 gm** **25 gm**
949110 MB $C_9H_{18}O_5S$ (367-93-1)	▲**Isopropyl**-ß-D-**Thiogalactopyranoside** (Isopropyl-ß-D-Thiogalactoside; IPTG) For Molecular Biology M. W.: 238.3 Assay : ≥ 99%	**1 gm** **5 gm** **10 gm** **25 gm**
127405 $C_{10}H_{18}O$ (89-79-2)	(-) **Iso Pulegol** for Synthesis M. W.: 154.25 Assay 98.0%	**500 gm**
127505 C_9H_7N (119-65-3)	**Iso Quinoline** Tech M. W.: 129.16 Assay 97.0%	**25 gm** **500 gm**
850800	**Isotonic** Sodium Sulphate Copper Sulphate Solution	**500 ml**
127635 $C_5H_{10}O$ (590-86-3)	**Iso Valeraldehyde** for Synthesis M. W.: 86.13	**100 ml** **500 ml** **2.5 lit**
551695 $C_5H_{10}O_2$ (503-74-2)	**Iso Valeric Acid AR** (3-Methyl Butyric Acid) M. W.: 102.13	**100 ml** **500 ml**
127845 $C_8H_8O_3$ (621-59-0)	**Iso Vaniline** Pure M. W.: 152.15 Assay 95.0%	**25 gm** **100 gm**
028608 $C_5H_6O_4$ (97-65-4)	**Itaconic Acid** for Synthesis M. W.: 130.10 Assay (Acidimetric) 99.0%	**500 gm** **5 kg**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ·#0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
025100 (9002-13-5)	**Jack Bean Meal**	**100 gm** **500 gm**
131005 $C_{30}H_{31}ClN_6$ (2869-83-2)	**Janus Green** (B.M.S. & Redox Indicator) (C.I. 11050) M. W.: 511.06	**5 gm** **25 gm**
PCT1805 PTC $C_{12}H_{18}O_3$ (77026-92-7)	▲(±)-**Jasmonic Acid** Plant Culture Tested M. W.: 210.27 Assay 85%	**100 mg** **250 mg**
034041 (62851-42-7)	**Jenner's** Stain for Microscopy	**25 gm** **100 gm**
852050	**JSB** Stain Solution No. 1	**125 ml**
852070	**JSB** Stain Solution No. 2	**125 ml**
854100	**Kaiser'S Glycerol Gelatin** Solution	**100 ml**
	Kalignost See Sodium Tetra Phenyl Borate	
PCT2504 PTC	▲**Kanamycin** Solution w/ 50 mg/ml Kanamycin in sterile distilled water Sterile filtered Plant Culture Tested	**20 ml** **100 ml**
559145 $C_{18}H_{36}N_4O_{11}.H_2SO_4$ (25389-94-0)	▲**Kanamycin Sulphate AR** (Kanamycin Mono Sulphate) M. W.: 582.58 Assay 95-105%	**1 gm** **5 gm** **25 gm**
950800 MB ` $C_{18}H_{36}N_4O_{11}.H_2SO_4$ (25389-94-0)	▲**Kanamycin Sulphate** For Molecular Biology Potency : ≥ 750µg/mg M. W.: 582.58	**1 gm** **5 gm** **25 gm**
PCT2105 PTC (64013-70-3)	▲**Kanamycin Acid Sulphate** Plant Culture Tested Potency 670 units/mg	**1 gm** **5 gm** **25 gm** **50 gm**
TC1636 ATC $C_{18}H_{40}N_4O_{19}.S_2$ (64013-70-3)	▲✻**Kanamycin Acid Sulphate** Meets IP and BP testing specifications M. W.: 680.64 Potency : ≥750 µg/mg	**5 gm** **25 gm**
TC1636M ATC $C_{18}H_{40}N_4O_{19}S_2$ (64013-70-3)	▲**Kanamycin Acid Sulphate** Meets IP 2018 and BP 2016 testing specifications MW : 680.64 Potency : ≥750 µg/mg	**1 gm** **5 gm** **25 gm**
TC1136 ATC $C_{18}H_{36}N_4O_{11}.H_2SO_4$ (25389-94-0)	▲**Kanamycin Sulphate** Cell Culture Tested Recommended for use in Cell Culture application 100 mg/L M. W.: 582.58 Potency : ≥750 µg/mg	**1 gm** **5 gm** **25 gm**
TC1136G ATC $C_{18}H_{36}N_4O_{11}.H_2SO_4$ (25389-94-0)	▲✻**Kanamycin Sulphate** Gamma irradiated Cell Culture Tested Recommended for use in cell culture applications at 100 mg/L M. W.: 582.58 Potency : ≥750 µg/mg	**1 gm** **5 gm** **25 gm**

Product Code	Product Name	Packing
TC1136M ATC $C_{18}H_{36}N_4O_{11}.H_2SO_4$ (25389-94-0)	▲**Kanamycin Sulphate** Meets USP 41-NF 36 and JP 17 testing specifications M. W.: 582.58 Potency : ≥750 µg/mg	**1 gm** **5 gm** **25 gm**
033059 $H_2Al_2Si_2O_8.H_2O$ (1332-58-7)	**Kaolin** Pure M. W.: 258.20	**500 gm** **25 kg**
019059	**Karl Fischer Reagent** Pyridine Free Single Solution	**500 ml** **2x250 ml**
131215 (8008-20-6)	**Kerosene** (Low Odour)	**500 ml** **2.5 lit**
044073 $C_5H_6O_5$ (328-50-7)	▲a-**Keto Glutaric Acid** M. W.: 146.10 Assay (acidimetric) 99.0%	**25 gm** **100 gm**
950870 MB $C_5H_6N_5$ (328-50-7)	▲a- **Keto Glutaric Acid** For Molecular Biology M. W.: 146.1 Assay : ≥ 99%	**100 gm**
PCT1505 PTC $C_5H_6O_5$ (328-50-7)	▲a-**Keto Glutaric Acid** Plant Culture Tested M. W.: 146.1 Assay 99%	**25 gm**
TC1141 ATC $C_5H_6O_5$ (328-50-7)	▲α-**Ketoglutaric Acid** Cell Culture Tested M. W.: 146.1 Assay : ≥99%	**25 gm** **100 gm** **500 gm**
033062 (61790-53-2)	**Kieselguhr** White Purified and Ignited	**500 gm** **1 kg** **10 kg** **25 kg**
559255 $C_{10}H_9N_5O$ (525-79-1)	**Kinetin AR** Plant growth Stimulator, Causes rapid cell division M. W.: 215.21 Assay (Non-aqueous) 99.0%	**100 mgm** **250 mgm** **1 gm** **10 gm**
PCT1806 PTC $C_{10}H_9N_5O$ ((525-79-1)	▲**Kinetin** Plant Culture Tested M. W.: 215.21 Assay 99%	**1 gm** **5 gm** **25 gm**
PCT2406 PTC	▲**Kinetin** Solution w/ 1 mg/ml Kinetin in sterile distilled water Sterile filtered Plant Culture Tested	**20 ml** **5X20 ml**
131405 $C_6H_6O_4$ (501-30-4)	**Kojic Acid** (5-Hydroxy-2-Hydroxymethyl -4-Pyranone) M. W.: 142.11	**5 gm** **25 gm** **100 gm** **1 kg**
854500	**Kovac's** Indole Reagent	**100 ml**
854600	**Kraut**'s Reagent (Test Reagent for Choline)	**100 ml**

Storage : · #0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Laboratory Disinfectant & Detergent for Medical, Industrial, Domestic

Product Code	Product Name	Packing
HAND WASH GEL/ SOAP		
DI032	HWS09 (Hand Wash Soap)	100 ml 500 ml
Description	Liquid Microbicidal Handwash Soap	5 lit
Contents	0.5% w/v of Triclosan, Skin Emollients, Soap base q.s., Perfume, Permitted Colours.	
Action	Fights germs leaving hands soft and totally clean	
Use	Domestic Medical Industrial	
DI050	HWG09 Dispenser Pump (Instant hand Sanitizer)	50 ml 500 ml
Description	Liquid Handrub Antiseptic with Triple Action	
Contents	Denatured Alchol 69.4% w/w Other Ingredients: water, Acrylates C10-30 Alkyl Acrylate crosspolymer, PEG/PPG 17/6 copolymer, Tetrahydroxypropyl ethylenediamine, propylene Glycol, Perfume	
Action	Kills 99.9% of germs in seconds without water	
Use	Domestic, Medical, Industrial	
ENVIRONMENT DISINFECTANT		
DI280	ED005	250 ml 500 ml
Description	Air and surface spray disinfectant solution for preventing cross infection	5 lit
Contents	0.5% w/v Benzalkonium chloride solution 70% v/v 2-propanol, perfume, permitted colours	
Action	An air and surface sprayable disinfectant for preventing cross infections	
Use	Medical Industrial	
DI325	ED009	1 lit
Description	Aerial Fumigant and	5 lit
Contents	0.01% w/v Silver Nitrate, 10.0% w/v Hydrogen peroxide	25 lit
Action	Disinfectant solution for Surface and Water Disinfection as well as for Aerial Fumigation	
Use	Medical Industrial	
SURFACE DISINFECTANT		
DI500	SD005	500 ml
Description	Disinfectant Cleaner for Floors & Hard Surfaces	5 lit
Contents	Min. 0.6% Sodium Hypochlorite, Stabilisers, Perfume.	
Use	Domestic Medical Industrial	
DI522	SD009	500 ml
Description	Disinfectant Solution for Floors & Hard Surfaces	5 lit
Contents	4 % w/v of Benzalkonium Chloride, Perfume, Permitted colours.	
Use	Domestic Medical Industrial	
DI541	SD014	500 ml
Description	Disinfectant for hospital, hotels, food and pharmaceutical industry	5 lit
Contents	3% w/v poly(hexamethylenebiguanide) hydrochloride PHMB 10% w/v Didecyl ammonium chloride	
Action	Medical- Disinfection of NICU, ICU, OT paediatric wards, sterile areas, hospital surface. Industry-In hotel, food, dairy and pharmaceutical industry for disinfection of processing areas, work stations, storage objects and processing Equipments	
Use	Medical, Industrial	

Product Code	Product Name	Packing
	Cedepol™ also known as Teepol See 056011	
LABORATORY DISINFECTANT		
DI675	LD009	10x500 ml 2x5 lit
Description	Disinfectant Solution for heat sensitive Lab ware	
Contents	5 % w/v Phenol, Permitted colours.	
Action	Disinfectant solution for laboratory ware and disposal of laboratory bio hazard material	
Use	Medical Industrial	
INSTRUMENT DISINFECTANT		
DI770	ID018	500 ml 1 lit 2.5 lit 5 lit
Description	Multi Enzyme Cleaner for Surgical, Medical & Dental Instruments	
Contents	12% Enzymes (Combination of Proteases,Lipases and Amylases), Non Ionic surfactants, Preservatives	
Action	Medical:- To rapidly clean surgical instruments before sterilization Industry:- In pharmaceutical, hotel, food & dairy industry for surface cleaning to remove organic debris particularly as a pre-soak to remove biofilms	
Use	Medical, Industrial	
DI774	ID045	1 lit 5 lit
Description	High Efficiency Rust Remover	
Contents	Inorganic acid (>30% phosphoric acid) Non Ionic surfactants (<5%).	
Action	Removal of Rust from Surgical/Medical Instruments and Surfaces.	
Use	Medical, Industrial	
DI792	ID063	500 ml 5 lit
Description	High level Surgical Instrument Sterilizing and Disinfectant Solution	
Contents	5% w/v Benzal konium Chloride Solution BP, 2% w/v Glutaraldehyde Solution (Acid Stabilized), Corrosion Inhibitior.	
Action	Concentrated Acid Stable Glutaraldehyde Solution for High level Surgical Instrument Sterilization and Disinfection	
Use	Medical	
DI810	ID072	1 lit 5 lit
Description	2.4% Glutaraldehyde Solution for High Level Disinfection	
Contents	2.45% w/v Glutaraldehyde	
Action	Surfactant free High ievel Surgical Instrument Sterilizing and Disinfectant solution	
Use	Medical	
DI819	ID090	1 lit 5 lit
Description	Aldehyde Free High level Disinfectant for medical devices.	
Contents	3% w/v poly(hexamethylenebiguanide) hydrochloride PHMB 10% w/v Didecyl dimethyl ammonium chloride	
Action	Medical-Sterilization of endoscopes & surgical instruments surface disinfection. Industry- As a surface disinfectant for general Purposes	
Use	Medical, Industrial	

Product Code	Product Name	Packing
DI837	**ID099** Microshell	**500 ml**
Description	For high level disinfection.	**5 lit**
Contents	0.55% w/v ortho-Phthalaldehyde,Permitted colours.	
Action	Glutaraldehyde free, High level Surgical	
Use	Medical	
	Criton X100 See 030632	
MB	**Criton** X100 for Molecular Biology See 923500	
	Criton X100 Scintillation Grade See 014630	
	Clentron MA 01 Alkaline For Industrial & Laboratory Cleaning See 025714	
	Clentorn MA 02 Neutral For Cleaning Laboratory Glassware Instruments See 025715	
	Clentorn MA 03 Phosphate Free For Specific Cleaning work in Laboratories See 025716	
DISINFECTANT FOR LABORATORY HOSPITAL, HOTES AND AIRY/FOOD,INDUSTRY		
DI910	**DW009** (Dish Wash)	**500 ml**
	Iodophor Disinfectant See 849990 Bioshell	
	Iodophor-FD See 849995	
	Lysol (Cresol and Soap Solution) See 033218	
	Sodium Hypochlorite Solution See 023039	
DI918	**FCL09** (Fabric Cleaner Liquid)	**1 lit**
DI927	**FCP09** Bioshell (Fabric Cleaner Powder)	**1 kg**
FW009	**FW009** (Floor Wash)	**5 lit**
DI963	**GC009** Bioshell (Glass Cleaner)	**500 ml**
DI936	**TC009** Bioshell (Toilet Cleaner)	**500 ml** **1 lit**
DI945	**TW009** Bioshell (Tiles Wash)	**500 ml** **1 lit**
	Lab Lemco Paste & Powder See Meat extract Paste & Powder	
025070 $C_{18}H_{15}O_8N$ (42249-61-6)	**Lacmoid** pH Indicator M. W.: 373.07	**5 gm** **25 gm**
PCT2540 PTC	**Lactalbumin Hydrolysate** Plant Culture Tested Store below 30°C	**500 gm** **5 kg**
134005 (9028-36-8)	D-**Lactate Dehydrogenase** from Microorganism Lyophilized Powder Activity ~400-450u/mg (D-LDH, D-Lactic Dehydrogenase)	**2500 units**

Product Code	Product Name	Packing
TC1491 ATC (9028-36-8)	▲**D-Lactate Dehydrogenase** Cell Culture Tested	**5 Ku** **10 Ku**
029001 $C_3H_6O_3$ (50-21-5)	L-(+)-**Lactic Acid** (DL-Lactic Acid) M. W.: 90.08 Assay (Titrimetric after hydrolysis of anhydrides) 88.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
560735 $C_3H_6O_3$ (50-21-5)	L-(+)-**Lactic Acid AR** M. W.: 90.08 Assay (Titrimetric after hydrolysis of anhydrides) 88.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
TC1142 ATC $C_3H_5NaO_3$ (867-56-1)	**L-Lactic Acid Sodium Salt** (Sodium-L-lactate) Cell Culture Tested MW : 112.06 Assay : ≥99% Store at 2 - 8°C	**5gm** **25 gm**
859230	**Lactic Acid** 0.1 N Solution	**500 ml** **2.5 lit**
859250	**Lactic Acid** 1N Solution	**500 ml** **1 lit** **2.5 lit**
	Lactic Acid Lithium Salt See Lithium Lactate	
859260	**Lactophenol** (Cotton Blue) Solution for Microscopy	**500 ml**
859280	**Lactophenol** (Mountant) Special for Fungi	**500 ml**
859300	**Lactophenol** Picric Acid Solution	**100 ml** **500 ml**
029002 $C_{12}H_{22}O_{11}.H_2O$ (10039-26-6)	**Lactose** (a-Lactose Monohydrate) M. W.: 360.31	**500 gm** **25 kg** **50 kg**
560915 $C_{12}H_{22}O_{11}.H_2O$ (10039-26-6)	**Lactose** Monohydrate **AR** M. W.: 360.31	**500 gm** **25 kg**
950500 MB $C_{12}H_{22}O_{11}.H_2O$ (64044-51-5)	**Lactose** Monohydrate For Molecular Biology M. W.: 360.31 Assay : ≥ 99.5% Store Below 30°C	**500 gm** **5 kg**
TC1144 ATC $C_{12}H_{22}O_{11}.H_2O$ (64044-51-5)	**Lactose** Monohydrate (Milk Sugar) Cell Culture Tested M. W.: 360.31 Assay : ≥99% Store below 30°C	**500 gm** **5 kg**
033069 (8006-54-0)	**Lanolin** Anhydrous Saponification value 90-105	**500 gm**
859400	**Lanthanum** (La) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **250 ml** **500 ml**

Storage : • 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
859402	**Lanthanum** (La) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	**100 ml** **250 ml** **500 ml**
859430	**Lanthanum** (La) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	**100 ml** **500 ml**
RE1460 La (7439-91-0)	**Lanthanum** Metal Ingot M. W.: 138.91 Assay (Trace metal basis) 99.99%	**25 gm**
RE1465 La (7439-91-0)	**Lanthanum** Metal Lump (1cm) M. W.: 138.91 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE1510 $La(CH_3CO_2)_3.XH_2O$ (100587-90-4)	**Lanthanum Acetate** M. W.: 316.04 (anhy.) Assay (Trace metal basis) 99.9%	**100 gm** **500 gm**
RE1515 $La(CH_3CO_2)_3.XH_2O$ (100587-90-4)	**Lanthanum Acetate** M. W.: 316.04 (anhy.) Assay (Trace metal basis) 99.99%	**25 gm** **250 gm**
RE1520 $La(CH_3CO_2)_3.XH_2O$ (100587-90-4)	**Lanthanum Acetate** M. W.: 316.04 (anhy.) Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE1522 $La(CH_3CO_2)_3.xH_2O$ (917-70-4)	**Lanthanum Acetate** Hydrate M.W. 316.04 (Anhydrous) Assay 97.0%	**25 gm** **100 gm**
RE1530 $La_2(CO_3)_3.XH_2O$ (54451-24-0)	**Lanthanum Carbonate** M. W.: 457.85 (anhy.) Assay (Trace metal basis) 99.5%	**100 gm** **500 gm**
RE1535 $La_2(CO_3)_3.XH_2O$ (54451-24-0)	**Lanthanum Carbonate** M. W.: 457.85 (anhy.) Assay (Trace metal basis) 99.9%	**100 gm** **500 gm**
RE1540 $La_2(CO_3)_3.XH_2O$ (54451-24-0)	**Lanthanum Carbonate** M. W.: 457.85 (anhy.) Assay (Trace metal basis) 99.99%	**100 gm** **500 gm**
RE1545 $La_2(CO_3)_3.XH_2O$ (54451-24-0)	**Lanthanum Carbonate** M. W.: 457.85 (anhy.) Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE1555 $LaCl_3.XH_2O$ (20211-76-1)	**Lanthanum Chloride** M. W.: 245.27 (anhy.) Assay (Trace metal basis) 99.0%	**100 gm** **500 gm**
RE1560 $LaCl_3.XH_2O$ (20211-76-1)	**Lanthanum Chloride** M. W.: 245.27 (anhy.) Assay (Trace metal basis) 99.9%	**100 gm** **500 gm**
RE1565 $LaCl_3.XH_2O$ (20211-76-1)	**Lanthanum Chloride** M. W.: 245.27 (anhy.) Assay (Trace metal basis) 99.99%	**100 gm** **500 gm**
RE1570 $LaCl_3.XH_2O$ (20211-76-1)	**Lanthanum Chloride** M. W.: 245.27 (anhy.) Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE1575 $LaCl_3.7H_2O$ (10025-84-0)	**Lanthanum Chloride** Heptahydrate **AR/ACS** M.W : 371.37	**100 gm**

Product Code	Product Name	Packing
RE1585 LaF_3 (13709-38-1)	**Lanthanum Fluoride** M. W.: 195.91 Assay (Trace metal basis) 99.9%	**100 gm** **500 gm**
RE1590 LaF_3 (13709-38-1)	**Lanthanum Fluoride** M. W.: 195.91 Assay (Trace metal basis) 99.99%	**100 gm** **500 gm**
RE1595 LaF_3 (13709-38-1)	**Lanthanum Fluoride** M. W.: 195.91 Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE1610 $La(OH)_3$ (14507-19-8)	**Lanthanum Hydroxide** M. W.: 189.93 Assay (Trace metal basis) 99.9%	**100 gm** **500 gm**
RE1615 $La(OH)_3$ (14507-19-8)	**Lanthanum Hydroxide** M. W.: 189.93 Assay (Trace metal basis) 99.99%	**100 gm**
RE1620 $La(OH)_3$ (14507-19-8)	**Lanthanum Hydroxide** M. W.: 189.93 Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE1630 $La(NO_3)_3.XH_2O$ (100587-94-8)	**Lanthanum Nitrate** M. W.: 324.92 Assay (Trace metal basis) 99.0%	**100 gm** **500 gm**
RE1635 $La(NO_3)_3.XH_2O$ (100587-94-8)	**Lanthanum Nitrate** M. W.: 324.92 Assay (Trace metal basis) 99.9%	**100 gm** **500 gm**
RE1640 $La(NO_3)_3.XH_2O$ (100587-94-8)	**Lanthanum Nitrate** M. W.: 324.92 Assay (Trace metal basis) 99.99%	**100 gm** **500 gm**
RE1645 $La(NO_3)_3.XH_2O$ (100587-94-8)	**Lanthanum Nitrate** M. W.: 324.92 Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
859500	**Lanthanum Nitrate** 0.1M	**500 ml** **1 lit**
RE1665 $La_2(C_2O_4).xH_2O$ (312696-10-9)	**Lanthanum Oxalate AR** M.W : 541.87 Assay 99.5%	**10 gm** **100 gm**
RE1685 La_2O_3 (1312-81-8)	**Lanthanum Oxide** M. W.: 325.82 Assay (Trace metal basis) 99.9%	**100 gm** **500 gm**
RE1690 La_2O_3 (1312-81-8)	**Lanthanum Oxide** M. W.: 325.82 Assay (Trace metal basis) 99.99%	**100 gm** **1 kg**
RE1700 La_2O_3 (1312-81-8)	**Lanthanum Oxide** M. W.: 325.82 Assay (Trace metal basis) 99.999%	**100 gm**
RE1715 $La_2(SO_4)_3.XH_2O$ (57804-25-8)	**Lanthanum Sulphate** M. W.: 566.00 (anhy.) Assay (Trace metal basis) 99.9%	**100 gm** **500 gm**
RE1720 $La_2(SO_4)_3.XH_2O$ (57804-25-8)	**Lanthanum Sulphate** M. W.: 566.00 (anhy.) Assay (Trace metal basis) 99.99%	**100 gm** **500 gm**
RE1725 $La_2(SO_4)_3.XH_2O$ (57804-25-8)	**Lanthanum Sulphate** M. W.: 566.00 (anhy.) Assay (Trace metal basis) 99.999%	**25 gm** **100 gm** **500 gm**

Product Code	Product Name	Packing
029011 $C_{12}H_{24}O_2$ (143-07-7)	**Lauric Acid** M. W.: 200.32 Assay (acidimetric) 99.0%	**500 gm**
134315 $C_{15}H_{28}NNaO_3$ (137-16-6)	▲n-**Lauroylsarcosine Sodium Salt** (Sarkosyl NI, N-Dodecanoyl-N-Methylglycine Sodium Salt, Sodium N-Dodecanoyl-N-Methylglycine) M. W.: 293.38	**25 gm** **100 gm**
TC1541 ATC $CH_3(CH_2)_{10}CON(CH_3)CH_2COONa$ (137-16-6)	▲**N-Lauroylsarcosine Sodium Salt** N-Dodecanoyl-N-methylglycine sodium salt Cell Culture Tested M. W.: 293.38 Assay : ≥99%	**5 gm** **25 gm**
TC1541E ATC $CH_3(CH_2)_{10}CON(CH_3)CH_2COONa$ (137-16-6)	▲**N-Lauroylsarcosine Sodium Salt** N-Dodecanoyl-N-methylglycine sodium salt Meets EP 9.0 testing Specifications M. W.: 293.38	**5 gm** **25 gm**
028276 $C_{12}H_{26}O$ (112-53-8)	**Lauryl Alcohol** M. W.: 186.34 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
	Lauryl Amine See Dodecylamine	
	Lauryl Mercaptan See 1-Dodecanethiol	
	Lauryl Sulphate Sodium Salt See Sodium Lauryl Sulphate	
134485 $C_{14}H_{14}O_2P_2S_4$ (19172-47-5)	**Lawesson's Reagent** [2,4-Bis (4-Methoxyphenyl) 2,4-Dithioxo-1,3,2,4-Dithiadiphosphetane] M. W.: 404.47	**25 gm** **100 gm**
859630	**Lead** (Pb) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in Accordance with NIST	**100 ml** **250 ml** **500 ml**
859660	**Lead** (Pb) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 in Accordane with NIST	**100 ml** **500 ml**
859690	**Lead** (Pb) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 in Accordance with NIST	**100 ml** **500 ml**
029018 Pb (7439-92-1)	**Lead** Metal Lumps M. W.: 207.2 Assay 99.0%	**500 gm**
561185 Pb (7439-92-1)	**Lead** (Metal) Powder **AR** 325 Mesh (90%) At.W. 207.2 Assay (Complexometric) 99.5%	**500 gm**
561188 Pb (7439-92-1)	**Lead** (Metal) Granular **AR** At.W. 207.2 Assay (Complexometric) 99.0%	**500 gm**
025043 Pb (7439-92-1)	**Lead** Metal Foil M. W.: 207.2 Assay 97.0%	**500 gm**
561191 Pb (7439-92-1)	**Lead** (Metal) Foil **AR** About 0.2mm thickness At W. 207.2 Assay (Complexometric) 99.0%	**500 gm**
	Lead Acetate Basic Anhydrous See Lead (II) hydroxide Acetate Anhydrous	
029021 $C_4H_6O_4Pb.3H_2O$ (6080-56-4)	**Lead Acetate** Trihydrate (Lead (II) Acetate) M. W.: 379.33 Assay (Complexometric) 99.0-103.0%	**500 gm** **25 kg** **50 kg**
561285 $C_4H_6O_4Pb.3H_2O$ (6080-56-4)	**Lead Acetate** Trihydrate **AR/ACS** (Lead (II) Acetate) M. W.: 379.33 Assay 99.5%	**500 gm** **25 kg** **50 kg**
951590 MB $C_4H_6O_4Pb.3H_2O$ (6080-56-4)	**Lead Acetate** Trihydrate For Molecular Biology M. W.: 379.33 Assay : ≥ 99% Store Below 30°C	**100 gm** **500 gm**
859825	**Lead Acetate** TS acc. to USP	**500 ml**
859830	**Lead Acetate Basic** 18-20% Solution	**1 lit** **5 lit**
	Lead Acetate Basic See Lead (II) Hydroxide Acetate	
PA1125	**Lead Acetate** Paper	**200 lvs**
025044 BH_3O_3XPb (35498-15-8)	**Lead Borate** M. W.: 328.85	**250 gm**
029023 $PbBr_2$ (10031-22-8)	**Lead** (II) **Bromide** M. W.: 367.01 Assay (Pb) 99.0%	**500 gm**
029024 $(PbCO_3)_2Pb(OH)_2$ (1319-46-6)	**Lead** (II) **Carbonate** Basic M.W.: 775.63 Assay 77.0% (Pb)	**500 gm**
561555 $PbCO_3$ (598-63-0)	**Lead** (II) **Carbonate AR/ACS** M.W.: 267.21 Assay (Complexometric) 99.0%	**250 gm**
029025 $PbCl_2$ (7758-95-4)	**Lead** (II) **Chloride** Anhydrous for Synthesis M. W.: 278.10 Assay (Argentomertric) 98.0%	**500 gm**
134995 $PbCrO_4$ (7758-97-6)	**Lead** (II) **Chromate** M. W.: 323.18	**500 gm**
561615 $PbCrO_4$ (7758-97-6)	**Lead** (II) **Chromate AR** M. W.: 323.18 Assay ($PbCrO_4$) 99.0%	**100 gm** **250 gm**
029029 PbO_2 (1309-60-0)	**Lead Dioxide** M. W.: 239.20 Assay (oxidimetric) 94.0%	**500 gm** **50 kg**

Storage : · ❄0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
561675 PbO_2 (1309-60-0)	**Lead Dioxide AR** M. W.: 239.20 Assay (Oxidimetric) 97.0%	**250 gm**
135105 PbF_2 (7783-46-2)	**Lead** (II) **Flouride** M. W.: 245.20 Assay 98.0%	**500 gm**
859900 $Pb(BF_4)_2$ (13814-96-5)	**Lead** (II) **Fluoroborate** 50% Solution for Electroplating M. W.: 380.81	**1 kg**
029022 $(CH_3COO)_2Pb.Pb(OH)_2$ (51404-69-4)	**Lead** (II) **Hydroxide Acetate** Anhydrous (Lead Acetate basic Lead Sub Acetate) Assay (Pb) 72.75%, Assay (CH_3COOH) 21.5-24.0%	**1 Kg** **2.5 kg** **5 kg**
135295 PbI_2 (10101-63-0)	**Lead** (II) **Iodide** M. W.: 461.01 Assay 98.0%	**100 gm**
029040 PbO (1317-36-8)	**Lead Monoxide** (Lead II Oxide yellow) M. W.: 223.20 Assay (ex Pb Complexometric) 98.0%	**500 gm** **1 kg** **50 kg**
561725 PbO (1317-36-8)	**Lead Monoxide AR/ACS** (Lead II Oxide) M. W.: 223.20 Assay (by complexometry) 99.0%	**250 gm**
029038 $Pb(NO_3)_2$ (10099-74-8)	**Lead Nitrate** (Lead II Nitrate) M. W.: 331.21 Assay (Complexometric) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
561815 $Pb(NO_3)_2$ (10099-74-8)	**Lead Nitrate AR/ACS** (Lead II Nitrate) M. W.: 331.21 Assay (Complexometric) 99.5%	**500 gm** **25 kg** **50 kg**
860110	**Lead (II) Nitrate** CPECTROSOL® 0.01M (0.02N) Standard Solution In accordance with NIST	**1 lit**
860140	**Lead (II) Nitrate** CPECTROSOL® 0.5M (1N) Standard Solution In accordance with NIST	**1 lit**
135475 PbC_2O_4 (814-93-7)	**Lead** (II) **Oxalate** Pure M. W.: 295.22	**500 gm**
029041 Pb_3O_4 (1314-41-6)	**Lead** (II, IV) **Oxide Red** (Lead red)Pb_3O_4) M. W.: 685.60 Assay (Redox titration) 85.0%	**500 gm** **50 kg**
	Lead Oxide Yellow See Lead Monoxide	
	Lead Peroxide See Lead Dioxide	
029039 $Pb_3(PO_4)_2$ (7446-27-7)	**Lead** (II) **Phosphate** M. W.: 811.54	**250 gm**
135645 $Pb(C_{18}H_{35}O_2)_2$ (1072-35-1)	**Lead** (II) **Stearate** Pure M. W.: 774.15	**500 gm**

Product Code	Product Name	Packing
	Lead Sub-Acetate See Lead (II) Hydroxide Acetate	
029046 $PbSO_4$ (7446-14-2)	**Lead** (II) **Sulphate** M. W.: 303.25 Assay (ex Pb) 98.5%	**500 gm**
135715 PbS (1314-87-0)	**Lead** (II) **Sulphide** Pure M. W.: 239.27	**500 gm**
564665 $Pb(CH_3CO_2)_4$ (546-67-8)	**Lead Tetra Acetate AR** M. W.: 443.38	**100 gm** **1 kg**
135865 $Pb(SCN)_2$ (592-87-0)	**Lead Thiocyanate** Pure M. W.: 323.36 Assay 99.0%	**100 gm** **500 gm**
135935 O_3PbS_2 (13478-50-7)	**Lead** (II) **Thiosulphate** M. W.: 319.32	**25 gm**
034042 (12627-53-1)	**Leishman's** Stain for Microscopy (Eosine Methylene Blue Compound)	**25 gm** **100 gm** **500 gm** **1 kg**
860370	**Leishman's** Stain Solution Stain and solvent separate	**250 ml** **500 ml**
860400	**Leishman's** Stain Solution with Buffer	**250 ml** **500 ml**
	Lemon Grass Oil See oil of lemon grass	
564875 $C_6H_{13}NO_2$ (328-38-1)	D-**Leucine AR** M. W.: 131.17	**5 gm** **25 gm**
172925 $C_6H_{13}NO_2$ (616-06-8)	DL-**Norleucine** for Biochemistry (DL-2-Amino-Hexonoic Acid, (DL-α-Amino-n-Caproic Acid) M. W.: 131.2	**5 gm** **25 gm**
037121 $C_6H_{13}NO_2$ (61-90-5)	L-**Leucine** for Biochemistry M. W.: 131.17 Assay (Non-aqueous) 99.0%	**25 gm** **100 gm** **1 kg**
PCT1313 PTC $C_6H_{13}NO_2$ (61-90-5)	**L-Leucine** Plant Culture Tested M. W.: 131.17 Assay 99% Store below 30°C	**25 gm** **500 gm**
TC1078 ATC $C_6H_{13}NO_2$ (61-90-5)	**L-Leucine** (From non-animal source) Cell Culture Tested M. W.: 131.17 Assay : ≥99% Store below 30°C	**10 gm** **25 gm** **100 gm** **1 kg**
TC1078M ATC $C_6H_{13}NO_2$ (61-90-5)	**L-Leucine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 131.17 Store below 30°C	**10 gm** **25 gm** **100 gm** **1 kg**
	L-iso-**Leucine for Biochemistry** See L-isoleucine for Biochemistry	

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ·#0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
136255 ⁂ $C_7H_{15}NO_2.HCl$ (7517-19-3)	L-**Leucine Methyl Ester HCL** for Biochemistry M. W.: 181.66 Assay 98.0%	**25 gm** **100 gm**
136405 ⁂ $(CH_3)_2CHCH_2CH(NH_2)CH_2OH$ (7533-40-6)	L-**Leucinol** for Biochemistry M. W.: 117.19 Assay 96.0%	**5 gm**
136515 $C_5H_8O_3$ (123-76-2)	**Levulinic Acid** for Synthesis M. W.: 116.12 Assay 98.0%	**250 gm** **1 kg**
	Levulose See D-Fructose	
860500	**Light Green** Solution 0.1% for Microscopy Animal Tissue Staining	**250 ml**
860530	**Light Green** Stain Solution (0.5 % w/v)	**125 ml**
025060 $C_{27}H_{34}N_2O_4S$	**Light Green** (C.I. 42040) M. W.: 482.65 Dye content (titanometry, dried subs) Abt. 95.0%	**25 gm** **100 gm**
034043 $C_{37}H_{34}N_2Na_2O_9S_3$ (5141-20-8)	**Light Green** for Microscopy Light Green SF Yellowish C.I. No. 42095 M. W.: 792.86 Dye content (by titanometry) 90.0%	**25 gm** **100 gm**
951930 MB $C_{37}H_{34}N_2O_9S_3Na_2$ (5141-20-8)	**Light Green SF Yellowish** For Molecular Biology C. I. No. : 42095 M. W.: 792.85 Store Below 30°C	**25 gm** **100 gm**
025055 $C_{14}H_{22}N_2O$ (137-58-6)	**Lignocaine** Base M. W.: 234.34 Assay 99.0%	**100 gm** **500 gm**
025051 $C_{14}H_{22}N_2O.HCl.H_2O$ (6108-05-0)	**Lignocaine Hydrochloride** Monohydrate M. W.: 288.81 Assay (non-aqueous) 99.0%	**100 gm** **500 gm**
	Ligroin' Reagent See Petroleum Ether	
860640	**Lime** Water	**500 ml**
136615 $C_{10}H_{16}$ (5989-27-5)	D(+) **Limonene** for Synthesis M.W : 136.24	**500 ml**
136845 $C_{12}H_{20}O_2$ (115-95-7)	**Linallyl Acetate** for Synthesis M. W.: 196.29	**500 gm**
136855 $C_{17}H_{23}NO_2$ (7149-26-0)	**Linallyl Anthranilate** for Synthesis M. W.: 273.37	**500 gm**
136865 $C_{17}H_{22}O_2$ (126-64-7)	**Linallyl Benzoate** for Synthesis M. W.: 258.36	**500 gm**
136875 $C_{14}H_{24}O_2$ (78-36-4)	**Linallyl Butyrate** for Synthesis M. W.: 224.34	**500 gm**
136885 $C_{19}H_{24}O_2$ (78-37-5)	**Linallyl Cinnamate** for Synthesis M. W.: 284.39	**500 gm**

Product Code	Product Name	Packing
136895 $C_{11}H_{18}O_2$ (115-99-1)	**Linallyl Formate** for Synthesis M. W.: 182.26	**500 gm**
136905 $C_{13}H_{22}O_2$ (144-39-8)	**Linallyl Propionate** for Synthesis M. W.: 210.31	**500 gm**
136955 $C_{10}H_{18}O$ (78-70-6)	**Linalool** for Synthesis M. W.: 154.25 Assay 97.0%	**500 gm**
025049 $C_{18}H_{34}N_2O_6S.HCl.H_2O$ (7179-49-9)	**Lincomycin Hydrochloride** M. W.: 461.01	**1Mill. Unit**
TC1203 ATC $C_{18}H_{34}N_2O_6S.HCl$ (859-18-7)	▲**Lincomycin Hydrochloride** (Lincocin hydrochloride) Cell Culture Tested M. W.: 443.0 Assay : ≥95%	**1x1mu** **5x1mu**
TC1381 ATC $C_{18}H_{32}O_2$ (60-33-3)	· **Linoleic Acid, Free Acid** Cell Culture Tested M. W.: 280.45 Assay : ≥99%	**100 mg** **1 gm** **5 gm**
TC1383 ATC $C_{19}H_{34}O_2$ (112-63-0)	· **Linoleic Acid Methyl Ester** Cell Culture Tested M. W.: 294.47 Assay : ≥99%	**1 gm** **5 gm** **10 gm**
039095 (9001-62-1)	· **Lipase** ex microorganism activity 16 units/mg protein	**25 gm** **100 gm** **500 gm**
TC1449 ATC $C_8H_{14}O_2S_2$ (1077-28-7)	· **α-Lipoic Acid** (±)-Alipoic acid, (±)-1,2-Dithiolane-3-pentanoic acid, 6,8-Dithiooctanoic acid, DL-αLipoic acid, DL-6,8-Thioctic acid, Lip(S2) Cell Culture Tested M. W.: 206.33 Assay : ≥98%	**1 gm** **5 gm** **25 gm**
PCT2321 PTC $C_8H_{14}O_2S_2$ (1077-28-7)	· **DL-a-Lipoic Acid** Plant Culture Tested M. W.: 206.33 Assay 98%	**1 gm** **5 gm**
137115 (9004-02-8)	**Lipoprotein Lipase (LPL)** Ex Pseudomonas SP. 20U/mg-solid	**10 mgm** **50 mgm**
	Liquid Paraffin See Paraffin Liquid,	
	Liquoid See Sodium Polyanethole Sulphonate	
	Liquor Ammonia See Ammonia Solution all grade	
137255 $C_{27}H_{29}ClN_2O_6S_2$ (62796-29-6)	**Lisamine Rodhamine B** M. W.: 577.11	**100 mgm**
137285 $C_{16}H_{10}Cl_2N_4Na_2O_7S_2$ (6359-98-4)	**Lissamine Fast Yellow** (C.I. 18965) M. W.: 551.29	**25 gm**

Storage : · #0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
137315 $C_{27}H_{25}N_2NaO_7S_2$ (3087-16-9)	**Lissamine Green B** (C.I. 44090) M. W.: 576.62	**25 gm**
137345 $C_{20}H_{18}N_4O_9S_2Na_2$ (4321-69-1)	**Lissamine Red** (C.I. 18055) M. W.: 566.48	**25 gm**
	Litharge See Lead Monoxide	
860920	**Lithium** (Li) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in Accordance with NIST	**100 ml** **250 ml** **500 ml**
860950	**Lithium** (Li) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	**100 ml** **500 ml**
860980	**Lithium** (Li) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	**100 ml** **500 ml**
029811 Li (7439-93-2)	**Lithium** Metal A.W. : 6.94 Assay - min. 99.5%	**100 gm**
029060 $C_2H_3LiO_2.2H_2O$ (6108-17-4)	**Lithium Acetate** M. W.: 102.02 Assay (Non-aqueous) 99.0%	**250 gm**
565280 $C_2H_3LiO_2.2H_2O$ (6108-17-4)	**Lithium Acetate AR** M. W.: 102.02	**250 gm**
027078 $LiAlH_4$ (16853-85-3)	**Lithium Aluminium Hydride** for Synthesis M. W.: 37.95 Assay (Iodometric) 97.0%	**100 gm**
861080 ✣	**Lithium Azide** 20% w/w Solution in water	**100 gm**
029064 LiBr (7550-35-8)	**Lithium Bromide** Anhydrous M. W.: 86.85 Assay (Argentometric; on dried basis) 99.0%	**500 gm**
029065 Li_2CO_3 (554-13-2)	**Lithium Carbonate** M. W.: 73.89 Assay 98.5%	**250 gm** **500 gm** **25 kg**
565395 Li_2CO_3 (554-13-2)	**Lithium Carbonate AR/ACS** M. W.: 73.89 Assay (acidimetric) 99.0%	**100 gm** **250 gm**
H42912 HISURE Li_2CO_3 (554-13-2)	**Lithium Carbonate AR** M. W.: 73.89	**250 gm** **1 kg**
029067 LiCl (7447-41-8)	**Lithium Chloride** Anhydrous M. W.: 42.39 Assay (Argentometric; on dried material) 99.0%	**250 gm** **500 gm**
565435 LiCl (7447-41-8)	**Lithium Chloride** Anhydrous **AR** M. W.: 42.39 Assay (argentometric) 99.0%	**100 gm** **250 gm**
952900 MB LiCl (7447-41-8)	**Lithium Chloride** For Molecular Biology M. W.: 42.39 Assay : ≥ 99% Store Below 30°C	**100 gm** **500 gm**

Product Code	Product Name	Packing
861020	**Lithium Chloride** 1M Solution In Acetic Acid	**250 ml**
861024	**Lithium Chloride** 1M Solution In Ethanol	**250 ml**
565475 $Li_3C_6H_5O_7.4H_2O$ (6080-58-6)	tri-**Lithium Citrate** Tetrahydrate **AR** M. W.: 281.99 Assay (Non-aqueous) (ex citrate) 98.5%	**250 gm**
029069 LiF (7789-24-4)	**Lithium Fluoride** M. W.: 25.94 Assay (acidimetric) 97.0%	**500 gm**
565585 LiF (7789-24-4)	**Lithium Fluoride AR** M. W.: 25.94	**250 gm**
029073 $LiOH.H_2O$ (1310-66-3)	**Lithium Hydroxide** Monohydrate M. W.: 41.96 Assay (acidimetric) 98.0%	**100 gm** **500 gm** **5 kg** **50 kg**
565625 $LiOH.H_2O$ (1310-66-3)	**Lithium Hydroxide** Monohydrate **AR/ACS** M. W.: 41.96 Assay (Acidimetric) 99.0%	**100 gm** **500 gm**
025056 $LiI.3H_2O$ (7790-22-9)	**Lithium Iodide** for Synthesis M. W.: 187.90	**100 gm**
029075 $CH_3.CHOH.COOLi$ (867-55-0)	**Lithium Lactate** for Synthesis M. W.: 96.01 Assay 98.0%	**100 gm** **500 gm**
TC1713 ATC $C_3H_5LiO_3$ (867-55-0)	**Lithium Lactate** Cell Culture Tested M. W.: 96.01 Assay : ≥95% Store below 30°C	**100 gm**
025040 $LiBO_2$ (13453-69-5)	**Lithium Meta Borate** Anhydrous M. W.: 49.75 Assay 95.0%	**250 gm**
565955 $LiBO_2$ (13453-69-5)	**Lithium Meta Borate** Anhydrous **AR** M. W.: 49.75 Assay (acidimetric) 99.5%	**250 gm**
137965 Li_2MoO_4 (13568-40-6)	**Lithium Molybdate** for Synthesis M.W. : 173.82	**250 gm**
029076 $LiNO_3$ (7790-69-4)	**Lithium Nitrate** Anhydrous M. W.: 68.95 Assay 98.0%	**500 gm**
565995 $LiNO_3$ (7790-69-4)	**Lithium Nitrate AR** Anhydrous M. W.: 68.95	**500 gm**
138165 $Li_2C_2O_4$ (553-91-3)	**Lithium Oxalate** Extra Pure M. W.: 101.90	**100 gm**
011612 ⚛ $ClLiO_4.3H_2O$ (13453-78-6)	**Lithium Perchlorate** Trihydrate M. W.: 160.44 Assay (argentometric) 99.0%	**250 gm** **1 kg**
138215 Li_3PO_4 (10377-52-3)	**Lithium Phosphate** Extra Pure M. W.: 115.79	**100 gm** **500 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ▪ 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
029080 $Li_2SO_4.H_2O$ (10102-25-7)	**Lithium Sulphate** Monohydrate M. W.: 127.95 Assay (ion exchange) 98.0%	**250 gm** **500 gm** **25 kg**
566035 $Li_2SO_4.H_2O$ (10102-25-7)	**Lithium Sulphate** Monohydrate **AR/ACS** M. W.: 127.95 Assay (Ion exchange) 99.0%	**250 gm** **500 gm** **25 kg**
566065 $Li_2B_4O_7$ (12007-60-2)	di **- Lithium Tetra Borate AR/ACS** M. W.: 169.12 Assay (Acidimetry) 99.0%	**100 gm** **500 gm**
138365 Li_2WO_4 (13568-45-1)	**Lithium Tungstate** M. W.: 261.72 Assay 98.0%	**50 gm** **100 gm**
020060 (1393-92-6)	**Litmus** Granular (pH Indicator) pH 5.0-8.0 red to blue	**10 gm** **25 gm** **100 gm** **500 gm**
861220	**Litmus Blue** Solution	**125 ml** **500 ml**
PA1154	**Litmus Blue** Indicator Paper 10bks : 200lvs	**100 lvs** **200 lvs**
PA1151	**Litmus Red** Indicator Paper 10bks : 200lvs	**100 lvs** **200 lvs**
861250	**Litmus Red** Solution	**125 ml** **500 ml**
138415	▲**Liver** Extract Powder For Bacteriological Purpose	**500 gm**
	Loffler's Methylene Blue Solution Alkaline See Methylene blue alkaline (Loffler's) Staining Solution	
TC1493 ATC (9014-00-0)	**Luciferase** Source : *Vibiro fischeri* Cell Culture Tested Store at -20°C	**25 mg**
TC1597 ATC (61970-00-1)	**Luciferase from firefly** Source : *Photinus pyralis (firefly)* Cell Culture Tested Store at -20°C	**25 gm**
PCT2557 PTC $C_{11}H_8N_2O_3S_2$ (2591-17-5)	**Luciferin** Plant Culture Tested M. W.: 280.3 Store below 20°C	**100 mg** **250 mg** **500 mg** **1 gm**
TC1728 ATC $C_{11}H_8N_2O_3S_2$ (2951-17-5)	**D-Luciferin, Free Acid** Cell Culture Tested M. W.: 280.32 Store at -20°C	**1 mg** **10 mg**
861390	**Lugol's** 1% Solution (Iodine-Potassium Iodide solution) for Microscopy	**125 ml** **500 ml**
138485 $C_8H_7N_3O_2$ (521-31-3)	**Luminol** for Chemiluminescene M. W.: 177.16 Assay 97.0%	**5 gm** **25 gm**

Product Code	Product Name	Packing
861450	**Lutetium** (Lu) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **500 ml**
861470	**Lutetium** (Lu) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	**100 ml** **500 ml**
RE1735 Lu (7439-94-3)	**Lutetium** Metal Ingot M. W.: 174.96 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm** **25 gm**
RE1740 Lu (7439-94-3)	**Lutetium** Metal Lump (1cm) M. W.: 174.96 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE1780 $Lu(O_2C_2H_3)_3.xH_2O$ (207500-05-8)	**Lutetium** (III) **Acetate** M. W.: 352.11 (Anhy.) Assay (Trace metal basis) 99.9%	**1 gm** **5 gm**
RE1785 $Lu(O_2C_2H_3)_3.xH_2O$ (207500-05-8)	**Lutetium** (III) **Acetate** M. W.: 352.11 (Anhy.) Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE1790 $Lu(O_2C_2H_3)_3.xH_2O$ (207500-05-8)	**Lutetium** (III) **Acetate** M. W.: 352.11 (Anhy.) Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
RE1795 $Lu(O_2C_2H_3)_3.xH_2O$ (207500-05-8)	**Lutetium** (III) **Acetate** M. W.: 352.11 (Anhy.) Assay (Trace metal basis) 99.9999%	**1 gm** **5 gm**
RE1805 $Lu_2(CO_3)_3.xH_2O$ (64360-99-2)	**Lutetium** (III) **Carbonate** M. W.: 529.97 (Anhy.) Assay (Trace metal basis) 99.9%	**1 gm** **5 gm**
RE1810 $Lu_2(CO_3)_3.xH_2O$ (64360-99-2)	**Lutetium** (III) **Carbonate** M. W.: 529.97 (Anhy.) Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE1815 $Lu_2(CO_3)_3.xH_2O$ (64360-99-2)	**Lutetium** (III) **Carbonate** M. W.: 529.97 (Anhy.) Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
RE1820 $Lu_2(CO_3)_3.xH_2O$ (64360-99-2)	**Lutetium** (III) **Carbonate** M. W.: 529.97 (Anhy.) Assay (Trace metal basis) 99.9999%	**1 gm** **5 gm**
RE1830 $LuCl_3.6H_2O$ (15230-79-2)	**Lutetium** (III) **Chloride** M. W.: 389.42 Assay (Trace metal basis) 99.9%	**1 gm** **5 gm**
RE1835 $LuCl_3.6H_2O$ (15230-79-2)	**Lutetium** (III) **Chloride** M. W.: 389.42 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE1840 $LuCl_3.6H_2O$ (15230-79-2)	**Lutetium** (III) **Chloride** M. W.: 389.42 Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
RE1845 $LuCl_3.6H_2O$ (15230-79-2)	**Lutetium** (III) **Chloride** M. W.: 389.42 Assay (Trace metal basis) 99.9999%	**1 gm** **5 gm**
RE1855 $Lu(NO_3)_3.xH_2O$ (100641-16-5)	**Lutetium** (III) **Nitrate** M. W.: 360.98 (Anhy.) Assay (Trace metal basis) 99.9%	**1 gm** **5 gm** **25 gm**
RE1860 $Lu(NO_3)_3.xH_2O$ (100641-16-5)	**Lutetium** (III) **Nitrate** M. W.: 360.98 (Anhy.) Assay (Trace metal basis) 99.99%	**2 gm** **10 gm**

Storage : ❄0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
RE1865 $Lu(NO_3)_3.xH_2O$ (100641-16-5)	**Lutetium** (III) **Nitrate** M. W.: 360.98 (Anhy.) Assay (Trace metal basis) 99.999%	**5 gm**
RE1870 $Lu(NO_3)_3.xH_2O$ (100641-16-5)	**Lutetium** (III) **Nitrate** M. W.: 360.98 (Anhy.) Assay (Trace metal basis) 99.9999%	**1 gm** **5 gm**
RE1880 Lu_2O_3 (12032-20-1)	**Lutetium** (III) **Oxide** M. W.: 397.94 Assay (Trace metal basis) 99.9%	**1 gm** **5 gm** **25 gm**
RE1885 Lu_2O_3 (12032-20-1)	**Lutetium** (III) **Oxide** M. W.: 397.94 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm** **25 gm**
RE1890 Lu_2O_3 (12032-20-1)	**Lutetium** (III) **Oxide** M. W.: 397.94 Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
RE1895 Lu_2O_3 (12032-20-1)	**Lutetium** (III) **Oxide** M. W.: 397.94 Assay (Trace metal basis) 99.9999%	**1 gm** **5 gm**
RE1905 $Lu_2(SO_4)_3.8H_2O$ (13473-77-3)	**Lutetium** (III) **Sulphate** M. W.: 782.24 Assay (Trace metal basis) 99.9%	**1 gm** **5 gm**
RE1910 $Lu_2(SO_4)_3.8H_2O$ (13473-77-3)	**Lutetium** (III) **Sulphate** M. W.: 782.24 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE1915 $Lu_2(SO_4)_3.8H_2O$ (13473-77-3)	**Lutetium** (III) **Sulphate** M. W.: 782.24 Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
RE1920 $Lu_2(SO_4)_3.8H_2O$ (13473-77-3)	**Lutetium** (III) **Sulphate** M. W.: 782.24 Assay (Trace metal basis) 99.9999%	**1 gm** **5 gm**
138675 C_7H_9N (583-61-9)	2,3-**Lutidine** for Synthesis M. W.: 107.15 Assay 99.0%	**100 ml** **500 ml**
138745 C_7H_9N (108-47-4)	2, 4-**Lutidine** for Synthesis M. W.: 107.15 Assay 99.0%	**25 ml**
138845 C_7H_9N (108-48-5)	2, 6-**Lutidine** for Synthesis M. W.: 107.15 Assay 98.0%	**500 ml**
138805 C_7H_9N (583-58-4)	3, 4-**Lutidine** for Synthesis M. W.: 107.15	**100 ml** **500 ml**
138905 C_7H_9N (591-22-0)	3, 5-**Lutidine** for Synthesis (3,5-Dimethyl Pyridine) M. W.: 107.15 Assay 98.0%	**100 ml** **500 ml**
139105 (8023-70-9)	**Lycopodium** for Synthesis	**500 gm**
139285 $C_6H_{14}N_2O_2.H_2O$ (39665-12-8)	▲L-**Lysine (Base) Monohydrate** M. W.: 164.20	**10 gm** **25 gm** **100 gm**
TC1207 ATC $C_6H_{14}N_2O_2$ (56-87-1)	▲**L-Lysine** (From non-animal source) Cell Culture Tested M. W.: 146.19 Assay : ≥98.5%	**25 gm** **100 gm** **500 gm** **1 kg**

Product Code	Product Name	Packing
037129 $C_6H_{14}N_2O_2HCl$ (657-27-2)	L-**Lysine Monohydrochloride** For Biochemistry M. W.: 182.65 Assay (Non-aqueous) 99.0%	**100 gm** **500 gm**
025053 $C_6H_{14}N_2O_2.HCl$ (657-27-2)	L-**Lysine Monohydrochloride** For Feed experiments M. W.: 182.65 Assay (NT/HPLC, on dry basis) 99.0-101.0%	**2.5 kg**
TC1079 ATC $C_6H_{14}N_2O_2HCl$ (657-27-2)	**L-Lysine Monohydrochloride** (From non-animal source) Cell Culture Tested M. W.: 182.65 Assay : ≥98.5% Store below 30°C	**25 gm** **100 gm** **1 kg**
TC1079M ATC $C_6H_{14}N_2O_2.HCl$ (657-27-2)	**L-Lysine Monohydrochloride** L-Lysine hydrochloride (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 182.65 Store below 30°C	**25 gm** **100 gm** **1 kg**
033218 (12772-68-8)	**Lysol** (Cresol and Soap Solution) Assay (cresol) 47-53.0% v/v	**500 ml** **5 lit**
	Lysol (Cresol and Soap Solution) See 033218	
139355 (12650-88-3)	**Lysozyme** for Biochemistry	**1 gm** **5 gm**
953200 MB (12650-88-3)	***Lysozyme** (Muramidase) From Chicken Egg White Lyophilized For Molecular Biology E. C. No. : 3.2.1.17 Av. MW. : 14600 Daltons Activity : ~30,000 U/mg Upon Receipt Store at - 20°C	**1 gm** **5 gm** **25 gm**
TC1684 ATC (12650-88-3)	▲**Lysozyme** Source : Chicken egg white Cell Culture Tested M. W.: 14.4 kDa	**1 gm** **5 gm** **25 gm**
953700 MB (37340-57-1)	***Lyticase** *From Anthrobacter Luteus* For Molecular Biology Activity : ~2000 U/mg of Protein Upon Receipt Store at - 20°C	**10000 units** **20000 units**
139415 $C_5H_{10}O_5$ (1114-34-7)	D-**Lyxose** for Biochemistry M. W.: 150.13	**1 gm** **5 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
144005	**Macerozyme R-10** for Biochemistry	**500 mgm** **1 gm** **5 gm**
PCT2531 PTC (9032-75-1)	▲**Macerozyme R-10** Source from Rhizopus species Plant Culture Tested Activity : 3000 U/g solid	**1 gm** **5 gm**
	Magenta Acid See Fuchsin Acid	
	Magenta Basic See Fuchsin Basic	
PCT2203 PTC $C_{20}H_{26}BrClN_2O_7$ (144110-43-0)	· **MagentaTM-Glucuro CHA salt (5-Bromo-6-chloro-3indolyl-b-D-glucuronide Cyclohexyl ammonium salt)** Plant Culture Tested M. W.: 521.79 Assay 98%	**10 mg**
863100	**Magnesium** (Mg) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **250 ml** **500 ml**
863102	**Magnesium** (Mg) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in Diluted HCl In accordance with NIST	**100 ml** **250 ml** **500 ml**
863030	**Magnesium** (Mg) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	**100 ml** **500 ml**
863060	**Magnesium** (Mg) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	**100 ml** **500 ml**
029085 Mg (7439-95-4)	**Magnesium** (Metal) Powder At. Wt.: 24.31 Assay (Complexometric) 98.0%	**100 gm** **500 gm** **25 kg**
029086 Mg (7439-95-4)	**Magnesium (**Metal) Ribbon At Wt.: 24.31 Assay (Complexometric) 99.5%	**25 gm**
029089 Mg (7439-95-4)	**Magnesium** (Metal) Turning acc. Grignard reaction At. Wt.: 24.31 Assay (Complexometric) 99.5%	**250 gm** **500 gm** **25 kg**
029090 $(CH_3.COO)_2Mg.4H_2O$ (16674-78-5)	**Magnesium Acetate** Tetrahydrate M. W.: 214.46 Assay (Complexometric) 98-102%	**500 gm** **5 kg** **25 kg** **50 kg**
568065 $(CH_3.COO)_2Mg.4H_2O$ (16674-78-5)	**Magnesium Acetate** Tetrahydrate **AR/ACS** M. W.: 214.46 Assay (Complexometric) 99.5-102.0%	**500 gm**
959200 MB $(CH_3.COO)_2Mg.4H_2O$ (16674-78-5)	**Magnesium Acetate** Tetrahydrate for Molecular Biology M. W.: 214.46	**100 gm**
024964 $MgAl_2(SiO_4)_2$ (12511-31-8)	**Magnesium Aluminium Silicate** M. W.: 262.43	**500 gm**
024953 B_2MgO_4 (13703-82-7)	**Magnesium Borate** M. W.: 109.92	**250 gm**
144305 $MgBr_2.6H_2O$ (13446-53-2)	**Magnesium Bromide** (Hexahydrate) M. W.: 292.20 Assay 98.0%	**500 gm** **25 kg** **50 kg**
029093 $\sim MgCO_3.Mg(OH)_2.5H_2O$ (39409-82-0)	**Magnesium Carbonate** Basic Light M.W.:485.0 Assay (As Mg; Complexometric) 24.0%	**250 gm** **500 gm** **5 kg** **25 kg**
568105 $\sim MgCO_3.Mg(OH)_2.5H_2O$ (39409-82-0)	**Magnesium Carbonate** Basic Light **AR** M.W.:485.0 Assay (complexometric, as Mg) 24.0%	**500 gm**
863185	**Magnesium Chloride** CPECTROSOL® 0.01M (0.02N) Standardized Solution	**1 lit**
863190	**Magnesium Chloride** 0.5M Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
863200	**Magnesium Chloride** 1M Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
959300 MB $MgCl_2$ (7786-30-3)	**Magnesium Chloride** Anhydrous For Molecular Biology M. W.: 95.21 Assay : ≥ 98% Store Below 30°C	**100 gm** **500 gm**
TC1186 ATC $MgCl_2$ (7786-30-3)	**Magnesium Chloride** Anhydrous Cell Culture Tested M. W.: 95.21 Assay : ≥97% Store below 30°C	**100 gm** **1 kg**
029096 $MgCl_2.6H_2O$ (7791-18-6)	**Magnesium Chloride** Hexahydrate Purified Cryst. M. W.: 203.30 Assay (Complexometric) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
568135 $MgCl_2.6H_2O$ (7791-18-6)	**Magnesium Chloride** Hexahydrate **AR/ACS** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 203.30 Assay (Complexometric) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
959340 MB $MgCl_2.6H_2O$ (7791-18-6)	**Magnesium Chloride** for Molecular Biology M. W.: 203.30 Assay (Complexometric) 99.0%	**500 gm**
TC1006 ATC $MgCl_2.6H_2O$ (7791-18-6)	**Magnesium Chloride** Hexahydrate Cell Culture Tested M. W.: 203.30 Assay : ≥99% Store below 30°C	**100 gm** **500 gm**
144515 CrH_2O_4Mg (13423-61-5)	**Magnesium Chromate** M. W.: 140.30	**500 gm**
029098 $Mg_3(C_6H_5O_7)_2.9H_2O$ (153531-96-5)	**Magnesium Citrate** Nonahydrate M. W.: 613.25 Assay (Complexometric; on dired subs.) 97.0%	**500 gm** **25 kg** **50 kg**
	tri-**Magnesium Dicitrate** See Magnesium Citrate	

Storage : · -4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
029100 MgF_2 (7783-40-6)	**Magnesium Fluoride** M. W.: 62.30 Assay (Complexometric, after loss on ignition at 700°C) 97.0%	**500 gm** **2.5 kg**
H46283 HISURE MgF_2 (7783-40-6)	**Magnesium Fluoride** Special **AR** M. W.: 62.30	**500 gm**
144725 $C_{12}H_{22}MgO_{14}.XH_2O$ (3632-91-5)	**Magnesium Gluconate** for Synthesis M. W.: 414.60 (Anhy.) Assay 98.0%	**500 gm**
029102 $Mg(OH)_2$ (1309-42-8)	**Magnesium Hydroxide** M. W.: 58.33 Assay (complexometric) 95.0%	**250 gm**
029106 $Mg(NO_3)_2.6H_2O$ (13446-18-9)	**Magnesium Nitrate** Hexahydrate Purified M. W.: 256.41 Assay (Complexometric) 98.0%	**500 gm** **50 kg**
568215 $Mg(NO_3)_2.6H_2O$ (13446-18-9)	**Magnesium Nitrate** Hexahydrate **AR/ACS** M. W.: 256.41 Assay (Complexometric) 99.0%	**500 gm** **5 kg** **50 kg**
PCT1007 PTC $Mg(NO_3)_2.6H_2O$ (13446-18-9)	**Magnesium Nitrate** Hexahydrate Plant Culture Tested M. W.: 256.41 Assay 99% Store below 30°C	**500 gm** **1 kg**
024971 C_2O_4Mg (547-66-0)	**Magnesium Oxalate** M. W.: 112.32	**250 gm**
029108 MgO (1309-48-4)	**Magnesium Oxide** Heavy M. W.: 40.30 Assay (Complexometric; on ignited sub.) 98.0-100.5%	**500 gm** **25 kg** **50 kg**
029109 MgO (1309-48-4)	**Magnesium Oxide** Light Meets BP, Ph, Eur, USP M. W.: 40.30 Assay (Complexometric; on ignited subs.) 98.0-100.5%	**500 gm** **5 kg** **25 kg**
568255 MgO (1309-48-4)	**Magnesium Oxide** Light **AR/ACS** M. W.: 40.30 Assay 98.0%	**500 gm** **25 kg** **50 kg**
H46314 HISURE MgO (1309-48-4)	**Magnesium Oxide** Light M. W.: 40.30	**250 gm** **1 kg**
145005 ⚛ $Mg(ClO_4)_2.XH_2O$ (64010-42-0)	**Magnesium Perchlorate** Hydrate M. W.: 223.21 (Anhy.) Assay (Complexometric) 82.0-83.0%	**100 gm** **500 gm**
568285 ⚛ $Mg(ClO_4)_2XH_2O$ (64010-42-0)	**Magnesium Perchlorate** Hydrate **AR** M. W.: 223.21 (Anhy.) Assay (complexometric) 83.0%	**100 gm** **500 gm**
029101 $MgHPO_4.3H_2O$ (7782-75-4)	**Magnesium Phosphate** Dibasic Pure M. W.: 174.34 Assay (ex Mg) 98.0%	**500 gm** **25 kg** **50 kg**
H46341 HISURE (53408-95-0)	**Magnesium Phosphate** Hydrate Assay (ex Mg) (on dried basis) 98.0%	**1 kg**
024978 $[CH_3(CH_2)_{16}COO]_2Mg$ (557-04-0)	**Magnesium Stearate** Precipitated M. W.: 591.27 Assay (as Mg; on dried substance) 3.8-5.0%	**500 gm** **25 kg** **50 kg**

Product Code	Product Name	Packing
TC1560M ATC $C_{36}H_{70}MgO_4$ (557-04-0)	**Magnesium Stearate** Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 591.27 Store below 30°C	**500 gm** **1 kg**
863240	**Magnesium Sulphate** 0.1M Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
863245	**Magnesium Sulphate** 1M Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
145250 $MgSO_4$ (7487-88-9)	**Magnesium Sulphate** Anhydrous Meets Analytical Specification of IP, BP, Ph. Eur. (Magnesium Sulphate Dry) M. W.: 120.37 Assay 99.0%	**500 gm** **2.5 kg** **50 kg**
PCT1125 PTC $MgSO_4$ (7487-88-9)	**Magnesium Sulphate** Anhydrous Plant Culture Tested M. W.: 120.37 Assay 99% Store below 30°C	**500 gm** **1 kg**
TC1146 ATC $MgSO_4$ (7487-88-9)	**Magnesium Sulphate** Anhydrous Cell Culture Tested M. W.: 120.37 Assay : ≥62% Store below 30°C	**500 gm** **1 kg**
029117 $MgSO_4.7H_2O$ (10034-99-8)	**Magnesium Sulphate** Heptahydrate Pure M. W.: 246.47 Assay (Complexometric; Cal. on dried substance) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
568325 $MgSO_4.7H_2O$ (10034-99-8)	**Magnesium Sulphate** Heptahydrate **AR/ACS** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 246.47 Assay (Complexometric; Cal. on dried substance) 99.5-103.0%	**500 gm** **5 kg** **25 kg** **50 kg**
024963 $MgSO_4.XH_2O$ (22189-08-8)	**Magnesium Sulphate** Dried M. W.: 120.37 (anhydrous) Assay (complexometric) 62-70.0%	**500 gm** **25 kg** **50 kg**
959580 MB $MgSO_4.7H_2O$ (10034-99-8)	**Magnesium Sulphate** for Molecular Biology M. W.: 246.47 Assay (Complexometric) 99.5%	**500 gm**
PCT1008 PTC $MgSO_4.7H_2O$ (10034-99-8)	**Magnesium Sulphate** Heptahydrate Plant Culture Tested M. W.: 246.47 Assay 99.5% Store below 30°C	**500 gm** **1 kg** **5 kg** **25 kg**
TC1577M ATC $H_{14}MgO_{11}S$ (10034-99-8)	**Magnesium Sulphate** Heptahydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 246.466 Store below 30°C	**100 gm** **1 kg**
145305 MgS (12032-36-9)	**Magnesium Sulphide** M. W.: 56.37	**500 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
029122 $2MgO.3SiO_2.XH_2O$ (39365-87-2)	**Magnesium Trisilicate** M. W.: 260.86 (Anhy.) Assay (MgO) 29.0% (on iginited subs.) Assay (SiO_2) 65.0%)(on ignited subs.)	**500 gm** **25 kg**
568505 $C_{12}H_9N_3O_4$ (74-39-5)	**Magneson I AR** Sensitivity: detects 1ppm Mg M. W.: 259.22 Dye Content (titanometry; on dried subs.) 80.0%	**25 gm** **100 gm**
568510 $C_{16}H_{11}N_3O_3$ (5290-62-0)	**Magneson II AR** Reagent for Mg M. W.: 293.28 Dye content (titanometry, dried) 95.0%	**25 gm** **100 gm**
863340	**Magneson** Reagent	**125 ml** **500 ml**
145500 $C_{52}H_{54}N_4O_{12}$ (2437-29-8)	**Malachite Green** for Microscopy (Malachite Green Oxalate) C.I. No. 42000 M. W.: 927.02 Dye Content (titanometry, dried subs.) About 90.0%	**25 gm** **100 gm** **1 kg**
863430	**Malachite Green** solution 1% w/v	**100 ml**
863460	**Malarial parasite staining kit**	**KIT**
029124 CH(COOH) : CH.COOH (110-16-7)	**Maleic Acid** for Synthesis M. W.: 116.07 Assay (acidimetric; calculated on anhydrous subs.) 98.0-101.0%	**500 gm** **2.5 kg** **25 kg** **50 kg**
568600 CH(COOH):CH.COOH (110-16-7)	**Maleic Acid AR** M. W.: 116.07 Assay 99.5%	**500 gm**
959600 MB $C_4H_4O_4$ (110-16-7)	**Maleic Acid** For Molecular Biology M. W.: 116.07 Assay : ≥ 99% Store Below 30°C	**500 gm**
029125 $C_4H_2O_3$ (108-31-6)	**Maleic Anhydride** for Synthesis M. W.: 98.06 Assay (acidimetric) 97.0%	**500 gm** **25 kg** **50 kg**
029126 $C_4H_4N_2O_2$ (123-33-1)	**Maleic Hydrazide** M.W. : 112.09 Assay (Acidimetric) 97.0%	**100 gm** **1 kg** **10 kg**
PCT1818 PTC $C_4H_4N_2O_2$ (123-33-1)	▲**Maleic Hydrazide** Plant Culture Tested M. W.:112.09 Assay 99%	**100 gm** **250 gm**
029127 $C_4H_6O_5$ (617-48-1)	DL-**Malic Acid** Purified M. W.: 134.09 Assay (Acidimetric) 99.0%	**500 gm** **5 kg** **50 kg**
959590 MB $C_4H_6O_5$ (617-48-1)	DL-**Malic Acid** For Molecular Biology M. W.: 134.09 Assay : ≥ 99% Store Below 30°C	**500 gm**
H46485 HISURE $C_4H_6O_5$ (617-48-1)	DL-**Malic Acid AR** for Biochemistry M. W.: 134.08	**250 gm** **1 kg**

Product Code	Product Name	Packing
PCT1502 PTC $C_4H_6O_5$ (97-67-6)	L-(-)-**Malic Acid** Plant Culture Tested M. W.: 134.09 Assay 96.5% Store below 30°C	**250 gm**
863500	**Mallory Phosphotungstic** Haematoxylin Solution (Stain for Connective Tissue)	**100 ml**
146445 $C_3H_6N_2O_2$ (108-13-4)	**Malonamide** for Synthesis M. W.: 102.09 Assay 97.0%	**100 gm** **500 gm**
029129 $CH_2(COOH)_2$ (141-82-2)	**Malonic Acid** M. W.: 104.06 Assay (acidimetric) 98.0%	**100 gm** **500 gm** **25 kg**
568705 $CH_2(COOH)_2$ (141-82-2)	**Malonic Acid AR** M. W.: 104.06 Assay (acidimetric) 99.0%	**100 gm** **500 gm** **1 kg**
	Malonic Dinitrile See Malononitrile	
021930 $C_3H_2N_2$ (109-77-3)	**Malononitrile** M.W. : 66.06 Assay (By GC) 98.0%	**100 gm** **500 gm**
029128	**Malt Extract Powder** Bacteriology	**500 gm**
PCT1412 PTC	**Malt Extract Powder** Plant Culture Tested Store below 30°C	**500 gm**
PCT1413 PTC	**Malt Extract Powder, Refined** Plant Culture Tested Store below 30°C	**500 gm**
146635 (9050-36-6)	**Maltodextrine** Powder	**500 gm**
PCT1611 PTC (9050-36-6)	**Maltodextrin** Plant Culture Tested Store below 30°C	**500 gm** **1 kg**
029131 $C_{12}H_{22}O_{11}.H_2O$ (6363-53-7)	**Maltose** Cryst. M. W.: 360.32	**100 gm** **250 gm** **500 gm** **25 kg**
959610 MB $C_{12}H_{22}O_{11}.H_2O$ (6363-53-7)	D-**(+)-Maltose** Monohydrate For Molecular Biology M. W.: 360.31 Assay : ≥ 95% Store Below 30°C	**100 gm** **500 gm**
PCT1613 PTC $C_{12}H_{22}O_{11}.H_2O$ (6363-53-7)	D-**(+)-Maltose** Monohydrate Plant Culture Tested M. W.: 360.31 Assay 99% Store below 30°C	**100 gm** **500 gm** **1 kg** **5 kg**
TC1148 ATC $C_{12}H_{22}O_{11}.H_2O$ (6363-53-7)	**Maltose** Monohrdrate Cell Culture Tested M. W.: 360.31 Assay : ≥95% Store below 30°C	**100 gm** **500 gm** **1 kg**
	Maltose Extrapure **AR** See in Culture Media Bases	

Storage : · ❄0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
	Maltose Monohydrate See in Culture Media Bases	
146745 $C_8H_8O_3$ (17199-29-0)	L (+) **Mandelic Acid** S (+) Mandelic Acid M. W.: 152.15 Assay 99.0%	**100 gm**
146755 $C_8H_8O_3$ (611-71-2)	D (-) **Mandelic Acid** (R (–) Mandelic Acid M. W.: 152.15 Assay 98.0%	**100 gm**
146765 $C_8H_8O_3$ (90-64-2)	DL-**Mandelic Acid** for Synthesis M. W.: 152.15	**100 gm** **500 gm**
863640	**Manganese** (Mn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **250 ml** **500 ml**
863642	**Manganese** (Mn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	**100 ml** **250 ml** **500 ml**
863670	**Manganese** (Mn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	**100 ml** **500 ml**
863690	**Manganese** (Mn) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	**100 ml** **500 ml**
863710	**Manganese** (Mn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HCl	**100 ml** **500 ml**
863730	**Manganese** (Mn) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HCl	**100 ml** **500 ml**
568895 Mn (7439-96-5)	**Manganese** (Metal) **AR** Powder Electrolytic At. W.:54.94 Assay (Complexometric) 99.0%	**250 gm**
146855 Mn **(**7439-96-5**)**	**Manganese** (Metal) **Flakes** At. W.: 54.94	**500 gm**
029134 $(CH_3COO)_2.Mn.4H_2O$ (6156-78-1)	**Manganese** (II) **Acetate** Cryst. Tetrahydrate M. W.: 245.09 Assay (complexometric) 99.0%	**500 gm** **25 kg** **50 kg**
568940 $(CH_3COO)_2Mn.4H_2O$ (6156-78-1)	**Manganese** (II) **Acetate AR** Tetrahydrate M. W.: 245.09 Assay (Complexometric) 99.50%	**500 gm** **25 kg** **50 kg**
146905 MnB_4O_7 (12228-91-0)	**Manganese Borate** M.W. : 84.77	**500 gm**
146985 $MnBr_2$ (13446-03-2)	**Manganese** (II) **Bromide** M. W.: 214.75 Assay 98.0%	**500 gm**

Product Code	Product Name	Packing
029136 $MnCO_3.XH_2O$ (34156-69-9)	**Manganese** (II) **Carbonate** M. W.: 114.95 (anhy.) Assay (complexometric Mn) 43-46%	**500 gm** **25 kg** **50 kg**
029137 $MnCl_2.4H_2O$ (13446-34-9)	**Manganese** (II) **Chloride** M. W.: 197.90 Assay (Complexometric ex Mn) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
568985 $MnCl_2.4H_2O$ (13446-34-9)	**Manganese** (II) **Chloride** Tetrahydrate **AR** M. W.: 197.90 Assay (Complexometric ex Mn) 99.0%	**500 gm** **25 kg** **50 kg**
959640 MB $MnCl_2.4H_2O$ (13446-34-9)	**Manganese** (II) **Chloride** Tetrahydrate For Molecular Biology M. W.: 197.91 Assay : ≥ 98% Store Below 30°C	**100 gm** **500 gm**
PCT1112 PTC $MnCl_2.4H_2O$ (13446-34-9)	**Manganese** (II) **Chloride Tetrahydrate** Plant Culture Tested M. W.: 197.91 Assay 98% Store below 30°C	**500 gm**
024991	**Manganese Citrate**	**500 gm**
029139 MnO_2 (1313-13-9)	**Manganese Dioxide** tech M. W.: 86.94 Assay (Iodometric) 75.0-85.0%	**500 gm** **5 kg** **25 kg** **50 kg**
569015 MnO_2 (1313-13-9)	**Manganese Dioxide AR** M. W.: 86.94 Assay (Iodometric) 92.0-94.0%	**500 gm**
147275 MnF_3 (7783-53-1)	**Manganese Fluoride** M. W.: 111.93 Asay 98.0%	**500 gm**
863830	**Manganese Nitrate** 45-50% Solution in Dilute Nitric Acid	**500 ml**
029145 $C_2MnO_4.2H_2O$ (6556-16-7)	**Manganese Oxalate** M. W.: 178.99 Assay (Oxidimetric) 98.0%	**500 gm**
024988	**Manganese Phosphate** Heptahydrate	**500 gm**
029147 $MnSO_4.H_2O$ (10034-96-5)	**Manganese** (II) **Sulphate** Monohydrate M. W.: 169.01 Assay (Complexometric ex Mn) 98.0%	**500 gm** **5 kg** **50 kg**
569075 $MnSO_4.H_2O$ (10034-96-5)	**Manganese** (II) **Sulphate** Monohydrate **AR** (Manganous Sulphate) M. W.: 169.01 Assay (Complexometric) 99.0%	**500 gm** **5 kg** **50 kg**
959700 MB $MnSO_4.H_2O$ (10034-96-5)	**Manganese** (II) **Sulphate** Monohydrate For Molecular Biology M. W.: 169.02 Assay : ≥ 99% Store Below 30°C	**500 gm** **1 kg**
TC1149 ATC $MnSO_4.H_2O$ (10034-96-5**)**	**Manganese (II) Sulphate** Monohydrate Cell Culture Tested M. W.: 169.02 Assay : ≥99% Store below 30°C	**100 gm** **500 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
TC1149M ATC $MnO_4S.H_2O$ (10034-96-5)	**Manganese (II) Sulphate** Monohydrate Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications M. W.: 169 Store below 30°C	**100 gm** **500 gm**
PCT1113 PTC $MnSO_4.H_2O$ (10034-96-5)	**Manganese** (II) **Sulphate monohydrate** Plant Culture Tested M. W.: 169.02 Assay 98% Store below 30°C	**500 gm** **1 kg**
H46635 HISURE MnS (18820-29-6)	**Manganese** (II) **Sulphide** M. W.: 87.00 Assay 98.0%	**5 gm**
863940	**Mann**'s Stain (Stain for acidophilic inclusion bodies)	**100 ml**
147510 $C_6H_{14}O_6$ (69-65-8)	D-**Mannitol** Pure M. W.: 182.17	**250 gm** **500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
569165 $C_6H_{14}O_6$ (69-65-8)	D-**Mannitol AR** Meets Analytical Specification of IP, BP, USP. M. W.: 182.17 Assay 99.0%	**250 gm** **500 gm** **5 kg** **25 kg**
959800 MB $C_6H_{14}O_6$ (69-65-8)	D-**Mannitol** For Molecular Biology M. W.: 182.17 Assay : ≥ 99% Store Below 30°C	**500 gm** **1 kg**
PCT1604 PTC $C_6H_{14}O_6$ (69-65-8)	D-**Mannitol** Plant Culture Tested M. W.: 182.17 Assay 99.5% store below 30°C	**500 gm** **1 kg** **5 kg**
TC1513 ATC $C_6H_{14}O_6$ (69-65-8)	D-**Mannitol** Mannite Cell Culture Tested M. W.: 182.17 Assay : ≥99% Store below 30°C	**25 gm** **100 gm**
TC1513M ATC $C_6H_{14}O_6$ (69-65-8)	D-**Mannitol** Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 182.172 Store below 30°C	**25 gm** **100 gm**
569205 $C_6H_{12}O_6$ (3458-28-4)	▲D-**Mannose AR** M. W.: 180.16	**10 gm** **25 gm** **100 gm**
960100 MB $C_6H_{12}O_6$ (3458-28-4)	▲D-**Mannose** For Molecular Biology M. W.: 180.16 Assay : ≥ 99%	**100 gm**
PCT1605 PTC $C_6H_{12}O_6$ (3458-28-4)	▲D-(+)-**Mannose** Plant Culture Tested MW : 180.16 Assay 98%	**25 gm** **100 gm** **500 gm**
TC1150 ATC $C_6H_{12}O_6$ (3458-28-4)	▲D-(+)-**Mannose** Cell Culture Tested M. W.: 180.16 Assay : ≥99%	**25 gm** **100 gm** **500 gm**
	Manoxol OT See Dioctyl Sodium Sulphosuccinate	
029150 $CaCO_3$ (471-34-1)	**Marble Chips** M. W.: 100.09	**500 gm**
863955	**Marquis** Reagent	**25 ml**
147525 $(O_2N)_2C_{10}H_5OH$ (605-69-6)	**Martius Yellow** for Microscopy C. I. No. 10315 M. W.: 234.17 Dye content 85.0%	**5 gm** **25 gm**
034046	**May And Grunwald's** Stain for Microscopy	**25 gm**
863970	**May Grunwald's** Eosin-Methylene Blue Solution	**125 ml**
	Mayer's Hemalum Solution For Microscopy See Hematoxyline Mayer's solution	
864070	**Mayer's Mucicarmine** Staining Solution	**100 ml** **500 ml**
864100	**Mayer's** Solution (Reagent for Detection of Alkaloids)	**125 ml** **500 ml**
	MBTH See 3-Methyl-2-Benzothiazolinone Hydrazone Hydrochloride,	
024990	**Meat Extract Paste** for Becteriology	**500 gm**
147655	**Meat Extract Powder** for Bacteriology	**500 gm**
147705	**Mecke** Reagent	**25 ml**
029152 $C_3H_6N_6$ (108-78-1)	**Melamine** Pure M. W.: 126.12 Assay (ex N, Non-aqueous) 97.5%	**500 gm**
147765 $C_{13}H_{16}N_2O_2$ (73-31-4)	**Melatonin** M. W.: 232.28 Assay (TLC) 98.0%	**1 gm** **5 gm** **25 gm**
PCT1840 PTC $C_{13}H_{16}N_2O_2$ (73-31-4)	▲**Melatonin** Plant Culture Tested M. W.: 232.28 Assay 99%	**1 gm** **5 gm** **10 gm**
038051 $C_{12}H_{22}O_{11}$ (585-99-9)	D+**Melibiose** for Biochemistry M. W.: 342.30	**1 gm** **5 gm**
147875 $C_{11}H_8O_2$ (58-27-5)	**Menadione** for Biochemistry M. W.: 172.18	**25 gm**
024979 $C_{11}H_9NaO_5S.3H_2O$ (57414-02-5)	**Menadione Sodium Bisulphite** For Lab use M. W.: 330.28 Assay (Calculated as $C_{11}H_9O_5S$. Na with reference to anhydrous subs. dried) (Oxidimetric) 94.0%	**25 gm**

Storage : · ❄0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
TC1151 ATC $C_{11}H_9NaO_5S$ (130-37-0)	▲**Menadione Sodium Bisulphite** (Vitamin K3; W.S.) Cell Culture Tested M. W.: 276.24 Assay : ≥95%	**25 gm** **100 gm**
029153 $C_{10}H_{20}O$ (2216-51-5)	**Menthol** Crystal Natural M. W.: 156.27 Assay (GC) 99.0%	**100 gm**
	Mercapto Acetic Acid See Thioglycolic Acid	
	Mercapto Acetic Acid Sodium Salt See Sodium Thioglycolate	
	Mercapto Benzene See Thiophenol	
147965 $C_7H_6N_2S$ (583-39-1)	2-**Mercapto Benzimidazole** M. W.: 150.20	**500 gm** **25 kg**
580105 $C_7H_6O_2S$ (147-93-3)	2-**Mercapto Benzoic Acid AR** M. W.: 154.19	**100 gm** **500 gm**
148115 $C_7H_5NS_2$ (149-30-4)	2-**Mercapto Benzothiazole** for Synthesis M. W.: 167.25	**100 gm** **500 gm**
580165 $C_7H_5NS_2$ (149-30-4)	2-**Mercapto Benzothiazole AR** (2-Benimidazol Ethiol) M. W.: 167.25 Assay (Acidimetric) 99.0%	**100 gm** **500 gm**
864400	**Mercapto Benzothiazole** Solution (Reagent for Bi, Cd, Pb)	**100 ml**
044143 $HS.CH_2CH_2OH$ (60-24-2)	2-**Mercapto Ethanol** for Synthesis M. W.: 78.13 Assay (GC) 99.0%	**100 ml** **500 ml**
580225 MB $HS.CH_2CH_2OH$ (60-24-2)	2-**Mercapto Ethanol AR** Suitable for Molecular Biology M. W.: 78.13	**100 ml** **500 ml**
TC1152 ATC C_2H_6OS (60-24-2)	2-**Mercaptoethanol** Cell Culture Tested M. W.: 78.13. Assay : ≥99% Store below 30°C	**100 ml** **250 ml** **500 ml**
	3-**Mercapto**-1,2-**Propane Diol** for Preparing Ligands See 1-Thioglycerol	
148265 $C_3H_6O_2S$ (79-42-5)	2-**Mercapto Propionic Acid** for Synthesis M. W.: 106.14 Assay 95.0%	**100 gm**
148275 $C_3H_6O_2S$ (107-96-0)	3-**Mercapto Propionic Acid** for Synthesis M. W.: 106.14 Assay 99.0%	**100 ml** **500 ml**
148395 $C_5H_4N_4S.H_2O$ (6112-76-1)	▲6-**Mercapto Purine** for Biochemistry M. W.: 170.19	**1 gm** **5 gm** **25 gm**
PCT2127 PTC $C_5H_4N_4S.H_2O$ (6112-76-1)	▲6-**Mercapto Purine** Monohydrate **(6-Purinethiol)** Plant Culture Tested M. W.: 170.19 Assay 98%	**1 gm** **5 gm**
029160 $(CH_3.COO)_2Hg$ (1600-27-7)	**Mercuric Acetate** Mercury (II) Acetate M. W.: 318.68 Assay (Precipitation titration) 98.0%	**25 gm** **100 gm** **500 gm**
580535 $(CH_3.COO)_2Hg$ (1600-27-7)	**Mercuric Acetate AR/ACS** M. W.: 318.68 Assay (Precipitation titration) 99.0%	**25 gm** **100 gm** **500 gm**
	Mercuric Ammonium Chloride see **Mercury Ammoniated**	
580545 $HgBr_2$ (7789-47-1)	**Mercuric Bromide AR/ACS** (Mercury II Bromide) M. W.: 360.40 Assay (by complexometric) 99.0%	**25 gm** **100 gm**
029163 $HgCl_2$ (7487-94-7)	**Mercuric Chloride** M. W.: 271.50 Assay (Complexometric ex Hg) 99.0%	**25 gm** **100 gm** **250 gm** **500 gm** **1 kg**
580575 $HgCl_2$ (7487-94-7)	**Mercuric Chloride AR/ACS** Reagent for Zinc M. W.: 271.50 Assay (Complexometric ex Hg) 99.5%	**25 gm** **100 gm** **250 gm** **500 gm** **1 kg**
960150 MB $HgCl_2$ (7487-94-7)	**Mercuric Chloride** For Molecular Biology M. W.: 271.50 Assay : ≥ 99.5% Store Below 30°C	**250 gm**
PCT2512 PTC $HgCl_2$ (7487-94-7)	**Mercuric Chloride** Plant Culture Tested M. W.: 271.5 Assay 99.5% Store below 30°C	**100 gm** **250 gm** **500 gm**
864500	**Mercuric Chloride** Solution 5%	**125 ml**
864520	**Mercuric Chloride** TS acc. to USP	**100 ml**
029165 HgI_2 (7774-29-0)	**Mercuric Iodide** Red M. W.: 454.40 Assay (Oxidimetric) 99.0%	**25 gm** **100 gm** **500 gm**
580635 HgI_2 (7774-29-0)	**Mecuric Iodide Red AR/ACS** M. W.: 454.40 Assay (Oxidimetric) 99.0%	**25 gm** **100 gm** **500 gm**
029166 $Hg(NO_3)_2.H_2O$ (7783-34-8)	**Mercuric Nitrate** Monohydrate (Mercury II Nitrate) M. W.: 342.62 Assay (by precipitation titration of Hg) 98.0%	**25 gm** **100 gm** **500 gm**
580815 $Hg(NO_3)_2.H_2O$ (7783-34-8)	**Mercuric Nitrate AR/ACS** M. W.: 342.62	**25 gm** **100 gm** **500 gm**
864640	**Mercuric** (II) **Nitrate** 0.005M (0.01N) Volumetric Solution	**1 lit**
864660	**Mercuric** (II) **Nitrate** 0.01M (0.02N) Volumetric Solution	**1 lit**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
864670	**Mercuric** (II) **Nitrate** 0.05M (0.1N) Volumetric Solution	**1 lit**
864675	**Mercuric** (II) **Nitrate** 0.07M (0.14N) Volumetric Solution	**1 lit**
029168 HgO (21908-53-2)	**Mercuric Oxide** Red M. W.: 216.59 Assay (Argentometric; ex Hg) 99.0%	**25 gm** **100 gm** **500 gm**
580935 HgO (21908-53-2)	**Mercuric Oxide** Red **AR/ACS** M. W.: 216.59	**100 gm** **500 gm**
029169 HgO (21908-53-2)	**Mercuric Oxide** Yellow M. W.: 216.59 Assay (Argentometric; ex Hg) 99.0%	**100 gm** **500 gm**
581045 HgO (21908-53-2)	**Mercuric Oxide** Yellow **AR** M. W.: 216.59	**100 gm** **500 gm**
029174 $HgSO_4$ (7783-35-9)	**Mercuric Sulphate** (Mercury II Sulphate) M. W.: 296.65 Assay (Complexometric; ex Hg) 99.0%	**25 gm** **100 gm** **250 gm** **500 gm**
581085 $HgSO_4$ (7783-35-9)	**Mercuric Sulphate AR/ACS** (Mercury II Sulphate) M. W.: 296.65 Assay (Complexometric; ex Hg) 99.0%	**100 gm** **250 gm** **500 gm**
864700	**Mercuric** (II) **Sulphate** 20gm/lit in Sulphuric Acid	**1 lit**
864705	**Mercuric** (II) **Sulphate** 80gm/lit in Sulphuric Acid	**1 lit**
864710	**Mercuric** (II) **Sulphate** 200gm/lit in Sulphuric Acid	**1 lit**
581105 $Hg(SCN)_2$ (592-85-8)	**Mercuric Thiocyanate AR** M. W.: 316.75 Assay (complexometric) 98.0%	**100 gm**
029177 $C_{20}H_8Br_2HgNa_2O_6$ (129-16-8)	**Mercuro Chrome** Granular M. W.: 750.67 Assay (Spectrophotometry, dried) 97.0%	**25 gm** **100 gm**
029179 Hg_2Cl_2 (10112-91-1)	**Mercurous Chloride** (Mercury (I) Chloride) M. W.: 472.09 Assay (iodometric) 99.0%	**25 gm** **100 gm** **500 gm**
581315 Hg_2Cl_2 (10112-91-1)	**Mercurous Chloride AR/ACS** M. W.: 472.09 Assay (iodometric) 99.5%	**100 gm** **500 gm**
029182 $Hg_2(NO_3)_2.2H_2O$ (14836-60-3)	**Mercurous Nitrate** Dihydrate (Mercury (I) Nitrate) M. W.: 561.22 Assay (Oxidimetric) 95.0%	**25 gm** **100 gm** **500 gm**
581355 $Hg_2(NO_3)_2.2H_2O$ (14836-60-3)	**Mercurous Nitrate AR/ACS** (Mercury (I) Nitrate) M. W.: 561.22	**25 gm** **100 gm** **500 gm**
148595 Hg_2SO_4 (7783-36-0)	**Mercurous Sulphate** (Mercury (I) Sulphate) Assay 96.0%	**25 gm** **100 gm**

Product Code	Product Name	Packing
864760	**Mercurous** (**Mercury**) (I) **Nitrate** CPECTROSOL® 0.1M (0.1N) Standardized Solution In accordance with NIST	**1 lit**
	Mercury (II) See Mercuric	
864860	**Mercury** (Hg) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **250 ml** **500 ml**
864890	**Mercury** (Hg) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	**100 ml** **500 ml**
864910	**Mercury** (Hg) CRISTAR® 10,000 ppm Single Element Std. Soln for ICP in HNO_3 In accordance with NIST	**100 ml** **500 ml**
029185 Hg (7439-97-6)	**Mercury** (Metal) Pure M. W.: 200.59 Assay (complexometric) 99.0%	**100 gm** **250 gm** **500 gm**
581645 Hg (7439-97-6)	**Mercury** (Metal) **AR/ACS** M. W.: 200.59 Assay (Complexometric) 99.5%	**100 gm** **250 gm** **500 gm**
148505 HgH_2NCl (10124-48-8)	**Mercury Ammoniated** M. W.: 252.07 Assay 97.0%	**500 gm**
149203 ⁂ $C_{25}H_{25}Cl$ (55844-94-5)	**Merrifield Resin** 1% **Crossilinked**, 200-400 Mesh M.W. : 360.90	**5 gm** **25 gm**
149205 ⁂ $C_{25}H_{25}Cl$ (55844-94-5)	**Merrifield Resin** 2% **Crossilinked**, 200-400 Mesh M.W. : 360.90	**5 gm** **25 gm**
044141 $C_6H_{13}NO_4S.H_2O$ (145224-94-8)	**MES** Buffer M.W.: 213.25 Assay (Acidimetric on dry basis) 99.0%	**25 gm** **100 gm**
PCT1701 PTC $C_6H_{13}NO_4S$ (4432-31-9)	**MES** Buffer [2-(N-Morpholino)ethane sulphonic acid] Plant Culture Tested M. W.: 195.24 Assay 99% Store below 30°C	**25 gm** **100 gm**
960250 MB $C_6H_{13}NO_4S.H_2O$ (145224-94-8)	**MES** Monohydrate (2-(N-Morpholino)Ethanesulphonic Acid Monohydrate) For Molecular Biology M. W. : 213.25 Assay : ≥ 90% Store Below 30°C	**25 gm** **100 gm**
TC1268 ATC $C_6H_{12}NNaO_4S$ (71119-23-8)	**MES Sodium Salt** Cell Culture Tested M. W.: 217.22 Assay : ≥99% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**

Storage : · ❄0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
149385 $C_6H_{10}O$ (141-79-7)	**Mesityl Oxide** for Synthesis (4-Methyl-3-Penten-2-one,I sopropylidene Acetone) M. W.: 98.14	**500 ml** **2.5 lit**
581875 $C_6H_{10}O$ (141-79-7)	**Mesityl Oxide AR** M. W.: 98.14	**500 ml**
149515 $C_6H_3(CH_3)_3$ (108-67-8)	**Mesitylene** for Synthesis (1,3,5-Trimethylbenzene) M. W.: 120.19	**500 ml** **2.5 lit**
581985 $C_6H_3(CH_3)_3$ (108-67-8)	**Mesitylene AR** M. W.: 120.19	**500 ml**
024998 $H_2N.C_6H_4SO_3H$ (121-47-1)	**Metanilic Acid** M. W.: 173.19 Assay 95.0%	**250 gm** **500 gm**
582025 $C_{18}H_{14}N_3NaO_3S$ (587-98-4)	**Metanil Yellow AR** C.I. No. 13065 M. W.: 375.38	**25 gm** **100 gm**
	Meta Phosphoric Acid See m-Phosphoric Acid	
149765 C_4H_7NO (79-39-0)	**Methacrylamide** for Synthesis M. W.: 85.10 Assay 98.0%	**250 gm** **500 gm**
024974 CH_2: $C(CH_3)COOH$ (79-41-4)	**Methacrylic Acid** M. W.: 86.09 Assay (Titration by NaOH) 98.5-101.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
	Methanamide See Formamide	
024972 CH_4O_3S (75-75-2)	**Methane Sulphonic Acid** for Synthesis M. W.: 96.10 Assay (Alkalimetric) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
582405 CH_3SO_3Na (2386-57-4)	**Methane Sulphonic Acid Sodium Salt AR** M. W.: 118.09	**25 gm** **100 gm**
752040 CH_3SO_3Na (2386-57-4)	**Methane Sulphonic Acid Sodium Salt** for HPLC M. W.: 118.09	**25 gm** **100 gm**
029191 CH_3ClO_2S (124-63-0)	**Methane Sulphonyl Chloride** M. W.: 114.55 Assay (acidimetric) 98.0%	**500 ml** **2.5 lit** **25 lit**
029192 CH_4O (67-56-1)	**Methanol** for Synthesis M. W.: 32.04 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
582495 CH_4O (67-56-1)	**Methanol AR/ACS** Meets analytical Specification of BP, Reag. PH. EUR.USP-NF, M. W.: 32.04 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**

Product Code	Product Name	Packing
582500 CH_4O (67-56-1)	**Methanol "Dry" AR** M. W.: 32.04 Assay (GC) 99.5%	**500 ml** **2.5 lit**
752135 CH_4O (67-56-1)	**Methanol** EL M. W.: 32.04 Assay (GC) 99.9%	**2.5 lit**
149785 CH_3OH (67-56-1)	**Methanol** Semiconductor Grade M.W : 32.04 Assay 99.9%	**2.5 lit**
752138	**Methanol** GC-HS Grade Assay 99.9%	**500 ml** **1 lit**
752140 CH_4O (67-56-1)	**Methanol** for HPLC & UV Spectroscopy M. W.: 32.04 Assay (GC) 99.8%	**500 ml** **1 lit** **2.5 lit**
960400 MB Ch_3OH (67-56-1)	**Methanol** For Molecular Biology M. W.: 32.04 Assay : ≥ 99.9% Store Below 30°C	**500 ml**
752200 CH_4O (67-56-1)	**Methanol** for Pesticide Residue Trace Analysis (methyl alcohol) M. W.: 32.04	**1 lit** **2.5 lit**
752220 CH_4O (67-56-1)	**Methanol** for LC-MS M. W.: 32.04	**1 lit** **2.5 lit**
752180 CH_4O (67-56-1)	**Methanol** for HPLC Gradient Grade M. W.: 32.04 Assay 99.8%	**1 lit** **2.5 lit**
D73206 CD_4O (811-98-3)	▲**Methanol-d4 (Methyl-d3 Alcohol-d)** M.W.: 36.07 (for NMR Spectroscopy) Assay Min. 99.8 atom%D	**10x0.75ml** **10 ml**
752270	**Methanol** With 0.1% Acetic Acid for LCMS	**2.5 lit**
752320	**Methanol** With 0.1% Formic Acid for LCMS	**2.5 lit**
752370	**Methanol** With 0.1% Trifluoro Acetic Acid for LCMS	**2.5 lit**
865305	50/50 **Methanol / Water** for HPLC Grade	**2.5 lit**
865300	**Methanol** 20% V/V Solution in Water With Sodium Phosphate Monobasic for HPLC	**500 ml** **1 lit** **2.5 lit**
865310	**Methanol** 50% Solution in Water for Protein Sequence Analysis	**500 ml** **1 lit** **2.5 lit**
024982 $C_5H_{11}NO_2S$ (59-51-8)	DL-**Methionine** for Feed experiment M. W.: 149.21	**2.5 kg**
037132 $C_5H_{11}NO_2S$ (59-51-8)	DL-**Methionine** for Biochemistry M. W.: 149.21 Assay (Perchloric acid titration dried subs.) 99.0-101.0%	**100 gm** **500 gm** **1 kg**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
037131 $C_5H_{11}NO_2S$ (63-68-3)	L-**Methionine** for Biochemistry M. W.: 149.21 Assay (Non-aqueous; ex S) 99.0%	**25 gm** **100 gm** **500 gm**
PCT1315 PTC $C_5H_{11}NO_2S$ (63-68-3)	**L-Methionine** Plant Culture Tested M. W.: 149.21 Assay 99.5% Store below 30°C	**25 gm** **100 gm** **500 gm**
TC1080 ATC $C_5H_{11}NO_2S$ (63-68-3)	**L-Methionine** (From non-animal source) Cell Culture Tested M. W.: 149.21 Assay : ≥99% Store below 30°C	**25 gm** **100 gm** **1 kg**
TC1080M ATC $C_5H_{11}NO_2S$ (63-68-3)	**L-Methionine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 149.21 Store below 30°C	**25 gm** **100 gm** **1 kg**
TC1404 ATC $C_{20}H_{20}N_8Na_2O_5$ (7413-34-5)	▲**Methotrexate Disodium Salt** Cell Culture Tested M. W.: 498.4 Assay : ≥98.5%	**250 mg**
582715 $C_9H_{10}O_2$ (586-37-8)	3-**Methoxy Acetophenone AR** M. W.: 150.17 Assay 97.0%	**25 gm** **100 gm**
150005 $C_9H_{10}O_2$ (100-06-1)	4-**Methoxy Acetophenone** for Synthesis M. W.: 150.18 Assay 99.0%	**100 gm** **500 gm**
	2-**Methoxy Aniline** See o-Anisidine	
	3-**Methoxy Aniline** See m-Anisidine	
	4-**Methoxy Aniline** See p-Anisidine	
150095 $C_{13}H_{12}N_2O$ (2396-60-3)	p-**Methoxy Azobenzene** Absorption Indicator M. W.: 212.25	**1 gm**
	P-**Methoxy Benzaldehyde** See Anisaldehyde	
150165 $C_8H_8O_2$ (591-31-1)	3-**Methoxy Benzaldehyde** for Synthesis (m-Anisaldehyde) M. W.: 136.15	**25 gm** **100 gm** **500 gm**
	Methoxy Benzene See Anisole	
	2-**Methoxy Benzoic Acid** See o-Anisic Acid	
	3-**Methoxy Benzoic Acid** See m-Anisic Acid (m-Methoxy Benzoic Acid)	
	4-**Methoxy Benzoic Acid** See (p-Methoxy Benzoic acid) p-Anisic Acid	

Product Code	Product Name	Packing
150485 $C_8H_7ClO_2$ (100-07-2)	4-**Methoxy Benzoyl Chloride** for Synthesis (p-Anisoyl Chloride) M. W.: 170.59	**100 ml** **500 ml**
150625 ✲ $C_8H_{11}NO$ (5071-96-5)	3-**Methoxy Benzylamine** M. W.: 137.18 Assay 98.0%	**5 gm**
150635 $C_8H_{11}NO$ (2393-23-9)	.4-**Methoxy Benzylamine** for Synthesis M. W.: 137.18	**25 gm** **100 gm**
150665 ✲ C_9H_9NO (104-47-2)	4-**Methoxybenzyl Cyanide** for Synthesis (4-Methoxyphenyl) Acetonitrile M.W : 147.18	**100 gm** **500 gm**
	2-**Methoxy Ethanol** See Ethylene Glycol Mono Methyl Ether (Methyl Cellosolve)	
150705 $C_5H_{10}O_3$ (110-49-6)	2-**Methoxy Ethyl Acetate** for Synthesis (Ethyleneglycol Monomethyl Ether Acetate, Methyl Cellosolve Acetate, Methyl Glycol Acetate) M. W.: 118.13	**500 ml**
150765 ✲ $C_{14}H_{12}O_3$ (131-57-7)	4-**Methoxy**-2-**Hydroxy Benzophenone** M. W.: 228.24 Assay 98.0%	**100 gm** **500 gm**
150835 ✲ C_9H_9NO (1006-94-6)	5-**Methoxy Indole** for Synthesis M. W.: 147.18	**1 gm** **5 gm** **25 gm**
	o-**Methoxy Phenol** See Guaiacol (Liquid)	
	4-**Methoxy Phenol** See Hydroquinone Monomethyl Ether	
151265 ✲ $C_9H_{10}O_3$ (7021-09-2)	a-**Methoxy Phenyl Acetic Acid** M. W.: 166.17	**5 gm** **25 gm**
151285 ✲ $C_9H_{10}O_3$ (93-25-4)	2-**Methoxy Phenyl Acetic Acid** for Synthesis M. W.: 166.17	**25 gm** **100 gm**
151295 $C_9H_{10}O_3$ (1798-09-0)	3-**Methoxy Phenyl Acetic Acid** M. W.: 166.17	**5 gm** **25 gm** **100 gm**
151305 $C_9H_{10}O_3$ (104-01-8)	4-**Methoxy Phenyl Acetic Acid** for Synthesis M. W.: 166.17	**500 gm**
	4-**Methoxyphenyl Acetonitrile** See 4-Methoxybenzyl Cyanide	
151705 $C_4H_{10}O_2$ (107-98-2)	1-**Methoxy**-2-**Propanol** for Synthesis (Propylene Glycol Monomethyl Ether) M. W.: 90.12	**500 ml** **2.5 lit** **25 lit**
151895 $C_6H_{12}O_3$ (108-65-6)	1-**Methoxy**-2-**Propanol Acetate** for Synthesis M. W.: 132.16	**500 ml** **2.5 lit**

Storage : · #0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
151975 C_4H_8O (116-11-0)	2-**Methoxy Propene** (Isopropenyl Methyl Ether) M. W.: 72.11	**500 ml** **2.5 lit**
152275 $C_4H_{11}NO$ (5332-73-0)	3-**Methoxy Propylamine** for Synthesis (1-Amino-3-Methoxy Propane) M. W.: 89.14	**500 ml** **4x2.5 lit**
152355 $C_{11}H_{12}O_2$ (6836-19-7)	7-**Methoxy**-1-**Tetralone** M. W.: 176.21 Assay 99.0%	**25 gm**
152495 C_3H_7NO (79-16-3)	n-**Methyl Acetamide** for Synthesis M. W.: 73.09 Assay 99.0%	**500 gm**
024957 $C_3H_6O_2$ (79-20-9)	**Methyl Acetate** Pract M. W.: 74.08 Assay (GC) 90.0%	**500 ml** **2.5 lit** **25 lit**
029202 $CH_3.COO.CH_3$ (79-20-9)	**Methyl Acetate** for Synthesis M. W.: 74.08 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
583575 $C_3H_6O_2$ (79-20-9)	**Methyl Acetate AR** M.W : 74.08	**500 ml**
	Methylal See 1,2-Dimethoxymethane	
752650 $C_3H_6O_2$ (79-20-9)	**Methyl Acetate** for HPLC M. W.: 74.08 Assay (GC) 99.8%	**500 ml** **2.5 lit**
024987 $C_5H_8O_3$ (105-45-3)	**Methyl Acetoacetate** M. W.: 116.12 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
152785 $C_9H_{10}O$ (122-00-9)	4-**Methyl Acetophenone** for Synthesis M. W.: 134.18	**100 gm** **500 gm**
029205 $C_4H_6O_2$ (96-33-3)	**Methyl Acrylate** M. W.: 86.09 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
	3-**Methyl Acrylic Acid** See Crotonic Acid	
	Methyl Alcohol See Methanol	
024970 CH_3NH_2 (74-89-5)	▲**Methylamine** Soln. 40% (Monomethylamine Soln.) M. W.: 31.07 Assay Abt. 40.0% (w/v)	**500 ml** **2.5 lit** **25 lit** **200 lit**
865350	▲**Methylamine** (2m) in THF	**500 ml**
	Methylamine Hydroxhloride See Methylammonium Chloride	
152925 ⁂ $BrC_8H_8NO_2$ (52727-57-8)	**Methyl**-2-**Amino**-5-**Bromobenzoate** M. W.: 230.06 Assay 96.0%	**25 gm**
153105 C_3H_9NO (109-83-1)	2-**(Methyl Amino) Ethanol** for Synthesis [Monomethyl ethanol amine, MMEA, N-Methylethanol amine, (2-Hydroxy Ethyl) Methylamine] M. W.: 75.11	**500 ml** **2.5 lit** **25 lit** **200 lit**
	p-**(Methyl Amino) Phenol Sulphate** See Metol	
029210 $CH_3.NH_2.HCl$ (593-51-1)	**Methyl Ammonium Chloride** (Methylamine Hydrochloride) M. W.: 67.52 Assay (Non-aqueous) 99.0%	**250 gm** **1 kg** **50 kg**
153225 C_7H_9N (100-61-8)	n-**Methyl Aniline** (Monomethyl Aniline) M. W.: 107.16	**500 ml** **2.5 lit** **25 lit** **200 lit**
583835 C_7H_9N (100-61-8)	n-**Methyl Aniline AR** M. W.: 107.16 Assay 98.0%	**1 lit**
153345 ⁂ $C_8H_{10}O$ (578-58-5)	2-**Methyl Anisole** M. W.: 122.16 Assay 99.0%	**100 ml** **500 ml**
153355 ⁂ $C_8H_{10}O$ (100-84-5)	3-**Methyl Anisole** M. W.: 122.16 Assay 99.0%	**50 ml** **250 ml**
153295 $C_8H_{10}O$ (104-93-8)	4-**Methyl Anisole** for Synthesis (p-Cresylmethyl Ether, p-Methoxytoluene, Methyl-p-Cresol) M. W.: 122.16	**500 ml**
153415 $C_8H_9NO_2$ (134-20-3)	**Methyl Anthranilate** for Synthesis M. W.: 151.16	**500 ml** **2.5 lit** **25 lit**
153625 $CH_3C_6H_4CHO$ (529-20-4)	2-**Methyl Benzaldehyde** (o-Tolualdehyde) M. W.: 120.15 Assay 97.0%	**25 gm** **100 gm**
153645 $CH_3C_6H_4CHO$ (620-23-5)	3-**Methyl Benzaldehyde** (m-Tolualdehyde) M. W.: 120.15 Assay 97.0%	**5 gm** **25 gm**
584045 $CH_3C_6H_4CHO$ (104-87-0)	4-**Methyl Benzaldehyde AR** (p-Tolualdehyde) M. W.: 120.15 Assay 97.0%	**100 gm** **500 gm**
029214 $C_6H_5.COOCH_3$ (93-58-3)	**Methyl Benzoate** for Synthesis M. W.: 136.15 Assay (GC) 99.0%	**500 ml**
	2-**Methyl Benzoic Acid** See o-Toluic Acid	
	3-**Methyl Benzoic Acid** See m-Toluic Acid	
	4-**Methyl Benzoic Acid** See p-Toluic Acid	
153775 $CH_3C_6H_4CN$ (529-19-1)	2-**Methyl Benzonitrile** for Synthesis (o-Tolunitrile) M. W.: 117.15 Assay (GC) 97.0%	**100 ml** **500 ml**
153795 $CH_3C_6H_4CN$ (620-22-4)	3-**Methyl Benzonitrile** for Synthesis (m-Tolunitrile) M. W.: 117.15 Assay 99.0%	**100 gm** **500 gm**

Product Code		Product Name	Packing
153815	⁂	4-**Methyl Benzonitrile** for Synthesis (p-Tolunitrile) $CH_3C_6H_4CN$ (104-85-8) M. W.: 117.15 Assay 98.0%	**100 gm** **500 gm**
153905		4-**Methyl Benzophenone** for Synthesis (Phenyl-p-tolyl) $C_{14}H_{12}O$ (134-84-9) M. W.: 196.24	**100 gm** **500 gm**
584315		· 3-**Methyl** 2-**Benzothiazolinone Hydrazone Hydrochloride** Monohydrate (M.B.T.H.) **AR** $C_8H_9N_3S.HCl.H_2O$ (38894-11-0) M. W.: 233.72 Assay (Non-aqueous, by autotitrater) 98.0%	**10 gm** **25 gm**
865450		**MBTH** 0.05% w/v Aqueous Indicator Solution (for Cyanide)	**100 ml**
154015	⁂	2-**Methyl Benzyl Alcohol** $C_8H_{10}O$ (89-95-2) M. W.: 122.16 Assay 98.0%	**25 gm**
154025		3-**Methyl Benzyl Alcohol** $C_8H_{10}O$ (587-03-1) M. W.: 122.16 Assay 98.0%	**25 gm**
154035	⁂	4-**Methyl Benzyl Alcohol** $C_8H_{10}O$ (589-18-4) M. W.: 122.16 Assay 98.0%	**25 gm** **100 gm**
		n-**Methyl Benzylamine** See N-Benzylmethylamine	
154045		2-**Methyl Benzyl Amine** $C_8H_{11}N$ (89-93-0) M. W.: 121.18 Assay 96.0%	**5 gm** **25 gm**
154055		3-**Methyl Benzyl Amine** $C_8H_{11}N$ (100-81-2) M. W.: 121.18 Assay 98.0%	**1 gm** **5 gm**
154065		4-**Methyl Benzyl Amine** $C_8H_{11}N$ (104-84-7) M. W.: 121.18 Assay 97.0%	**25 ml**
034047		**Methyl Blue** for Microscopy C.I. No. 42780 $C_{37}H_{27}N_3O_9S_3Na_2$ (28983-56-4) M. W.: 799.80 Dye content (titanometry, on dried substance) >60.0%	**25 gm** **100 gm**
865755		**Methyl Blue** Aqueous Solution	**100 ml**
154195	⁂	**Methyl**-4-**Bromobenzoate** $C_8H_7BrO_2$ (619-42-1) M. W.: 215.04 Assay 99.0%	**25 gm** **100 gm**
154235		**Methyl**-4-**Bromo-Crotonate** Pract for Synthesis $C_5H_7BrO_2$ (1117-71-1) M. W.: 179.01	**100 ml**
		2-**Methyl Butane** See Iso-Pentane	
		3-**Methyl**-1-**Butanol** See ISO-Amyl alcohol	
		2-**Methyl**-2-**Butanol** See tert-Amyl Alcohol	
		3-Methyl-2-Butenoic Acid See 3,3-Dimethyl Acrylic Acid	
		Methyl-Tert-**Butyl Ether** See tert Butyl Methyl Ether	
		Methyl-iso-**Butyl Ketone** See ISO Butylmethyl Ketone	
		Methyl Carbitol See Diethylene Glycol Mono Methyl Ether	
154415		**Methyl Butyrate** for Synthesis $C_5H_{10}O_2$ (623-42-7) M. W.: 102.13 Assay 98.0%	**500 ml**
154505		4-**Methyl Catechol** (3,4-Dihydroxytoluene) $C_7H_8O_2$ (452-86-8) M. W.: 124.14	**500 gm**
		Methyl Cellosolve See Ethylene Glycol Mono Methyl Ether	
024986		**Methyl Cellulose** 350-550 cPs (9004-67-5)	**500 gm**
025967		**Methyl Cellulose** 4000 cPs (9004-67-5)	**500 gm**
024977		**Methyl Chloroacetate** $C_3H_5ClO_2$ (96-34-4) M. W.: 108.52 Assay (GC) 97.5%	**500 ml**
154785		**Methyl** 4-**Chlorobutyrate** $C_5H_9ClO_2$ (3153-37-5) M.W. 136.58 Assay 98.0%	**25 gm**
154755		**Methyl Chloro Formate** for Synthesis (Chloroformic acid methyl ester) $C_2H_3O_2Cl$ (79-22-1) M. W.: 94.50	**500 ml** **2.5 lit** **25 lit** **200 lit**
584665		**Methyl Chloro Formate AR** $ClCO_2CH_3$ (79-22-1) M. W.: 94.50 Assay 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
154805		**Methyl**-2-**Chloropropionate** for Synthesis (2-chloropropionic acid methyl ester) $C_4H_7ClO_2$ (17639-93-9) M. W.: 122.55	**500 ml** **2.5 lit**
154895		**Methyl Cinnamate** for Synthesis $C_{10}H_{10}O_2$ (103-26-4) M. W.: 162.19 Assay (GC) 99.0%	**500 gm**
154975		**Methyl Cobalamin** for Biochemistry $C_{63}H_{91}CoN_{13}O_{14}P$ (13422-55-4) M. W.: 1344.38	**250 mgm** **1 gm**
		Methyl Cyanide See Acetonitrile	
155085		**Methyl Cyanoacetate** for Synthesis (Cyanoacetic Acid Methyl Ester) $C_4H_5NO_2$ (105-34-0) M. W.: 99.08	**500 ml** **2.5 lit**
TC1227	ATC	▲β-**Methyl Cyclodextrin** Cell Culture Tested (128446-36-6)	**1 gm** **5 gm** **10 gm**
155195		**Methyl Cyclohexane** for Synthesis C_7H_{14} (108-87-2) M. W.: 98.19	**500 ml** **2.5 lit** **25 lit** **200 lit**

Storage : · #0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
584965 C_7H_{14} (108-87-2)	**Methyl Cyclohexane AR** M. W.: 98.19	**500 ml** **2.5 lit**
155285 $C_6H_{11}NHCH_3$ (100-60-7)	n-**Methyl Cyclohexylamine** for Synthesis M. W.: 113.20 Assay 99.0%	**25 ml** **500 ml**
155375 C_6H_{12} (96-37-7)	**Methyl Cyclopentane** for Synthesis M. W.: 84.16	**100 ml** **500 ml**
585075 C_6H_{12} (96-37-7)	**Methyl Cyclopentane AR** M. W.: 84.16	**100 ml**
155455 $C_3H_4Cl_2O_2$ (116-54-1)	**Methyl Dichloro Acetate** for Synthesis M. W.: 142.97 Assay 99.0%	**500 ml**
155555 $C_5H_{13}NO_2$ (105-59-9)	N-**(Methyl Diethanol) Amine** for Synthesis [MDEA 2,2-Methyliminodiethanol, N,N-Bis (2-Hydroxyethyl) Methylamine] M. W.: 119.16	**500 ml** **2.5 lit**
	Methyl Digol (Methyl Diglycol) See Diethylene Glycol Monomethyl Ether	
	2-**Methyl** 1:3 **Dioxolan** See Propylene Carbonate	
585165 $C_7H_{10}N_2O_2$ (110-26-9)	▲N,N-**Methylene**-Bis-**Acrylamide AR** Specially Purified for Electrophoresis M. W.: 154.17 Assay (acidimetric) 99.0%	**25 gm** **100 gm** **500 gm**
960500 MB $C_7H_{10}N_2O_2$ (110-26-9)	▲N'N'-**Methylene**-Bis-**Acrylamide** for Molecular Biology (Bis-acrylamide) M. W.: 154.17	**25 gm** **100 gm** **500 gm**
034048 $C_{16}H_{18}ClN_3S.XH_2O$ (61-73-4)	**Methylene Blue** for Microscopy C.I. No. 52015 [X=2-3] M. W.: 319.86 (+)aq. Dye content (titanometry, on dried substance) >96.0%	**25 gm** **100 gm** **1 kg**
585205 $C_{16}H_{18}ClN_3S.XH_2O$ (61-73-4)	**Methylene Blue** for Microscopy **AR** [X=2-3] M. W.: 319.86aq. Dye content (titanometry, on dried substance) >97.0%	**25 gm** **100 gm** **1 kg**
961920 MB $C_{16}H_{18}ClN_3S.3H_2O$ (7220-79-3)	**Methylene Blue** Trihydrate For Molecular Biology C. I. NO. : 52015 M. W.: 373.9 Assay : ≥ 99% Store Below 30°C	**25 gm** **100 gm**
PCT2517 PTC $C_{16}H_{18}ClN_3S.3H_2O$ (7220-79-3)	**Methylene Blue** Trihydrate Plant Culture Tested M. W.: 373.9 Assay 99.5% Store below 30°C	**25 gm** **100 gm**
865630	**Methylene Blue** Alkaline (Loffler's)	**125 ml** **500 ml**
865650	**Methylene Blue** Aqueous Staining Solution	**125 ml** **500 ml**
865670	**Methylene Blue** Gabbots Solution	**500 ml**
155795 (61-73-4)	**Methylene Blue** Polychrome (M.S.)	**25 gm**
865715	**Methylene Blue** Solution 0.5% for Microscopy	**500 ml**
865750	**Methylene Blue** TS acc. to USP	**125 ml**
865710 (61-73-4)	**Methylene Blue** Tablet for Milk Testing	**25 tab**
	Methylene Chloride See Dichloromethane	
	Methylene Dibenzene See Diphenylmethane	
155865 ⁂ $C_7H_7NO_2$ (14268-66-7)	3,4-**Methylene Dioxy Aniline** M. W.: 137.14 Assay 97.0%	**25 gm**
	Methylene Iodide See Diiodomethane	
	Methylene Succinic Acid See Itaconic Acid	
	N-**Methyl Ethanolamine** See 2-(Methylamino)ethanol	
	Methyl Ethyl Ketone See Butanone	
024997 $C_{11}H_{14}O_2$ (93-15-2)	**Methyl Eugenol** M. W.: 178.23 Assay (GC) 98.0%	**100 ml** **500 ml**
156075 C_2H_5NO (123-39-7)	**N-Methyl Formamide** for Synthesis (N-Formylmethylamine) M. W.: 59.07	**500 ml** **2.5 lit**
156145 HCO_2CH_3 (107-31-3)	**Methyl Formate** for Synthesis M. W.: 60.05 Assay 99.0%	**500 ml** **2.5 lit** **25 lit**
156345 $C_7H_{14}O_6$ (97-30-3)	α-**Methyl**-D-(+)-**Glucoside** (Methyl-α-D-Glucopyranoside) M. W.: 194.18	**25 gm** **100 gm**
	Methyl Glycol See Ethyleneglycol Monomethylether	
156465 $C_3H_4O_2$ (78-98-8)	**Methyl Glyoxal** 40% IN Water for Synthesis M. W.: 72.06 Assay 40% in water	**25 ml** **100 ml**
	2-**Methyl Glyoxaline** See 2-Methylimidazole	
156555	**Methyl Green** for Microscopical Staining (C.I. 42590)	**5 gm** **10 gm** **25 gm**
H47718 HISURE $C_{27}H_{35}Cl_2N_3.ZnCl_2$ (7114-03-6)	**Methyl Green** Certified Grade (C.I. 42590) M. W.: 608.78	**25 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
865775	**Methyl Green** Staining Solution (Aqueous)	100 ml
865780	**Methyl Green** Staining Solution (Alcoholic) (for plant tissues, supravital stain for small organisms)	100 ml
029231 $C_6H_4(OH).COO.CH_3$ (99-76-3)	**Methyl-p-Hydroxy Benzoate** for Synthesis M. W.: 152.15 Assay (Saponification) 99-101%	500 gm 5 kg 25 kg
157525 $C_8H_7NaO_3$ (5026-62-0)	**Methyl-p-Hydroxy Benzoate Sodium Salt** M. W.: 174.13 Assay 99.0%	500 gm 5 kg 25 kg
156695 $C_6H_6N_2$ (693-98-1)	▲2-**Methyl Imidazole** for Synthesis M. W.: 82.11	100 gm 500 gm
156785 C_9H_9N (95-20-5)	2-**Methyl Indole** for Synthesis M. W.: 131.18 Assay 98.0%	100 gm
156805 C_9H_9N (83-34-1)	3-**Methyl Indole** for Synthesis M. W.: 131.18	5 gm 25 gm 500 gm
156905 ⁂ $C_{10}H_9NO_2$ (1011-65-0)	**Methyl Indole-5-Carboxylate** M. W.: 175.18 Assay 99.0%	1 gm 5 gm
028585 CH_3I (74-88-4)	**Methyl Iodide** for Synthesis M. W.: 141.94 Assay (GC) 99.0%	100 ml 500 ml
156985 $C_{14}H_{22}O$ (1335-46-2)	**Methyl Ionone** for Synthesis M. W.: 206.33	500 gm
	Methyl iso **Butyl Ketone** See Iso-Butyl Methyl Ketone	
157075 $C_6H_{14}O$ (108-11-2)	**Methyl Iso Butyl Carbinol** for Synthesis (4-Methyl-2-Pentanol) M. W.: 102.18 Assay 98.0%	500 ml 2.5 lit
157195 $C_{11}H_{14}O_2$ (93-16-3)	**Methyl Iso Eugenol** for Synthesis M. W.: 178.23 Assay 98.0%	500 ml
585585 ⁂ $C_5H_{10}O$ (563-80-4)	**Methyl Iso Propyl Ketone AR** (3-Methy-2-Butanone, Mipk) M. W.: 86.13 Assay 98.5%	100 ml 500 ml
157425 $C_7H_{14}O_6$ (617-04-9)	**Methyl-a-D-Mannopyranoside** for Biochemistry M. W.: 194.18	25 gm
029234 $CH_2:C(CH_3)COO.CH_3$ (80-62-6)	**Methyl Methacrylate** Monomer M. W.: 100.12 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
029235 $C_5H_{11}NO$ (109-02-4)	n-**Methyl Morpholine** M. W.: 101.15 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit 200 lit

Product Code	Product Name	Packing
157655 $C_{10}H_7CH_3$ (91-57-6)	2-**Methyl Naphthalene** for Synthesis M. W.: 142.20 Assay 97.0%	500 gm
157715 $C_{10}H_7OCH_3$ (93-04-9)	**Methyl-2-Naphthyl Ether** for Synthesis M. W.: 158.20	250 gm 1 kg
157775 $C_7H_7NO_2$ (93-60-7)	**Methyl Nicotinate** for Synthesis (Methyl 3-pyridine carboxylate nicotinic acid methyl ester) meets analytical specification of BP M. W.: 137.14	100 gm 500 gm
157905 $C_4H_5N_3O_2$ (696-23-1)	2-**Methyl-5-Nitro Imidazole** for Synthesis M. W.: 127.10	25 gm
020065 $C_{14}H_{14}N_3NaO_3S$ (547-58-0)	**Methyl Orange** pH Indicator C.I. No. 13025 M. W.: 327.34 Dye content (titanometry, dried) >85.0%	25 gm 100 gm 1 kg
865850	**Methyl Orange** Indicator Solution	125 ml
865855	**Methyl Orange** Mixed Indicator Solution Methyl Orange with Bromo Cresol green	100 ml
865857	**Methyl Orange-Xylene Cyanol** Solution in Water	100 ml
865863	**Methyl Orange** TS acc. to USP	125 ml
	Methyl Orthoformate See Trimethylorthoformate	
	Methyl Paraben See Methyl-p-Hydroxybenzoate	
	2-**Methyl**-2, 4-**Pentanediol** See Hexylene Glycol	
	4-**Methyl Pentane**-2-**One** See ISO Butyl Methyl Ketone	
	4-**Methyl**-2-**Pentanol** See Methyl-Isobutyl Carbinol	
	4-**Methyl**-3-**Penten**-2-**one** See Mesityl Oxide	
	n-**Methyl Phenazonium Methosulphate** See Phenazine methosulphate, (PMS)	
158105 $C_9H_{10}O_2$ (101-41-7)	**Methyl Phenyl Acetate** for Synthesis M. W.: 150.17 Assay 98.0%	500 ml
158195 $CH_3C_6H_4CH_2CO_2H$ (644-36-0)	2-**Methyl Phenyl Acetic Acid** M. W.: 150.17 Assay (GC) 97.0%	100 gm 500 gm
158235 $CH_3C_6H_4CH_2CO_2H$ (621-36-3)	3-**Methyl Phenyl Acetic Acid** M. W.: 150.17 Assay 99.0%	25 gm 100 gm
158255 $CH_3C_6H_4CH_2CO_2H$ (622-47-9)	4-**Methyl Phenyl Acetic Acid** M. W.: 150.17 Assay 97.0%	25 gm 100 gm

Storage : · ❄0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
	Methyl Phenyl Ketone See Acetophenone	
158395 $C_{11}H_{16}N_2$ (39593-08-3)	1-(4-**Methyl Phenyl) Piperazine** M. W.: 176.26 Assay 98.0%	**5 gm**
158485 $C_{10}H_{10}N_2O$ (89-25-8)	3-**Methyl-1-Phenyl**-5-**Pyrazolone** for Synthesis M. W.: 174.20 Assay 99.0%	**100 gm** **500 gm**
158565 $CH_3SO_2C_6H_5$ (3112-85-4)	**Methyl Phenyl Sulphone** M. W.: 156.20 Assay (GC) 98.0%	**25 gm** **500 gm**
158655 ⁂ $CH_3SOC_6H_5$ (1193-82-4)	**Methyl Phenyl Sulphoxide** M. W.: 140.20 Assay 97.0%	**5 gm** **25 gm**
158725 $C_5H_{12}N_2$ (109-01-3)	1-**Methyl Piperazine** for Synthesis M. W.: 100.16	**100 ml** **500 ml**
158805 ⁂ $C_6H_{11}NO$ (1445-73-4)	1-**Methyl**-4-**Piperidone** M. W.: 113.16	**100 ml** **500 ml**
	2-**Methyl Propan**-1-**ol** See ISO Butanol	
	2-**Methyl Propan**-2-**ol** See tert-Butanol	
	2-**Methyl Propionaldehyde** See Iso Butyraldehyde	
158895 $CH_3CH_2CO_2CH_3$ (554-12-1)	**Methyl Propionate** for Synthesis M. W.: 88.11 Assay 98.0%	**100 ml** **500 ml**
	2-**Methyl Propionic Acid** See Iso Butyric Acid	
	2-**Methyl Propionyl Chloride** See Iso-Butyryl Chloride	
159005 $C_{10}H_{12}O$ (5337-93-9)	4-**Methyl Propiophenone** for Synthesis M. W.: 148.20	**100 ml** **500 ml**
159095 $C_5H_{10}O$ (107-87-9)	**Methyl Propyl Ketone** (2-Pentanone) M. W.: 86.13 Assay 98.0%	**500 ml** **2.5 lit**
865895	**Methyl Purple** (pH Indicator) Solution **AR**	**125 ml** **250 ml**
	2-**Methyl Pyridine** See a-Picoline	
	3-**Methyl Pyridine** See β-Picoline	
	4-**Methyl Pyridine** See g-Picoline	
159545 $C_6H_7NO_2$ (6973-60-0)	1-**Methyl**-2-**Pyrrolecarboxylic Acid** M. W.: 125.13 Assay 97.0%	**5 gm** **25 gm**
029251 C_5H_9NO (872-50-4)	n-**Methyl**-2-**Pyrrolidone** M. W.: 99.13 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**

Product Code	Product Name	Packing
585995 C_5H_9NO (872-50-4)	1-**Methyl**-2-**Pyrrolidone** (Nmp) **AR/ACS** M. W.: 99.13 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit**
753020 C_5H_9NO (872-50-4)	1-**Methyl**-2-**Pyrrolidone** for HPLC & Spectroscopy M.W. : 99.13 Assay (By GC) 99.5%	**1 lit**
753040 C_5H_9NO (872-50-4)	n-**Methyl**-2-**Pyrrolidone** for GC-HS M. W.: 99.13 Assay (GC) 99.0%	**1 lit** **2.5 lit**
	2-**Methyl Quinoline** See Quinaldine	
159685 $C_{10}H_9N$ (491-35-0)	4-**Methyl Quinoline** for Synthesis M. W.: 143.19	**25 gm** **100 gm**
586085 $C_{15}H_{15}N_3O_2$ (493-52-7)	**Methyl Red AR/ACS** pH Indicator C.I. No. 13020 M. W.: 269.30	**25 gm** **100 gm** **1 kg**
H47943 HISURE $C_{15}H_{15}N_3O_2$ (493-52-7)	**Methyl Red** pH Indicator Certified Grade (C.I. No. 13020) M. W.: 269.30	**25 gm** **100 gm**
159785 $C_{15}H_{14}N_3NaO_2$ (845-10-3)	**Methyl Red Sodium Salt** (Water Soluble) M. W.: 291.28	**25 gm** **1 kg**
866040	**Methyl Red** Indicator Solution	**125 ml** **500 ml**
866043	**Methyl Red** TS acc. to USP	**125 ml**
866048	**Methyl Red- Methylene Blue** Solution acc to USP	**125 ml**
159865 $C_7H_8O_2$ (608-25-3)	· 2-**Methyl Resourcinol** for Synthesis M. W.: 124.14 Assay 98.0%	**100 gm**
029256 $C_6H_4(OH).COOCH_3$ (119-36-8)	**Methyl Salicylate** Meets Analytical Specification of IP, BP, Ph. Eur. M. W.: 152.15 Assay (GC) 99.0-100.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
159955 C_9H_{10} (98-83-9)	a-**Methyl Styrene** for Synthesis M. W.: 118.18 Assay 98.0%	**500 ml** **5 lit**
160015 ⁂ $C_5H_7NO_2$ (1121-07-9)	n-**Methyl Succinimide** M. W.: 113.11 Assay 98.0%	**5 gm** **25 gm**
160095 $(CH_3)_2SO_2$ (67-71-0)	**Methyl Sulphonyl Methane** (dimethyl sulphone, methyl sulphone) M. W.: 94.13	**500 gm**
	Methyl Sulphoxide See Dimethyl sulphoxide	
029254 $C_5H_{10}O$ (96-47-9)	2-**Methyl Tetrahydrofuran** for Synthesis M. W.: 86.13 Assay 98.0%	**500 ml** **2.5 lit**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
	4-**Methyl Thiazolyl Tetrazolium Bromide** See M.T.T Tetrazolium	
160185 $C_3H_6O_2S$ (2365-48-2)	**Methyl Thioglycolate** M.W : 106.14	**500 gm**
160315 CH_3SiCl_3 (75-79-6)	**Methyl Trichloro Silane** for Synthesis M. W.: 149.48 Assay (GC) 98.0%	**100 gm**
160205 $C_{19}H_{18}BrP$ (1779-49-3)	**Methyl Triphenyl Phosphonium Bromide** for Synthesis M. W.: 357.22	**100 gm** **500 gm**
586125	**Methyl Thymol Blue** (pH Indicator) **AR** (Methyl Red Thymol Blue)	**5 gm** **25 gm**
020071 $C_{37}H_{40}N_2Na_4O_{13}S$ (1945-77-3)	**Methyl Thymol Blue** Complexone Indicator For Complexometric titration M. W.: 844.76	**1 gm** **5 gm**
	Methyl-p-Toluate See p-Toluic Acid Methyl Ester	
586215 $CH_3C_6H_4SO_3CH_3$ (80-48-8)	**Methyl-4-Toluene Sulphonate AR** M. W.: 186.23 Assay (GC) 97.0%	**500 gm**
586325 $C_{10}H_8O_3$ (90-33-5)	▲b-**Methyl Umbelliferon AR** (7-Hydroxy-4-Methyl Coumarin) M. W.: 176.17	**25 gm** **100 gm**
	Methyl Violet 10B See Crystal Violet	
020072	**Methyl Violet** for Microscopy Dye Content (Spectrophotometry on dried substance) 75.0%	**25 gm** **100 gm** **1 kg**
866180	**Methyl Violet 6B** Aqueous Solution	**125 ml**
029266 $C_{14}H_{18}N_2O_2.H_2SO_4$ (55-55-0)	**Metol** for Photographic purpose M. W.: 344.39 Assay (Acidimetric) 99.0%	**100 gm** **500 gm**
024992 $C_6H_9N_3O_3$ (443-48-1)	**Metronidazole** for Lab Use M. W.: 171.15	**5 gm**
024960	**Mica** Powder Pract Mesh Size (Passing through 200 Mesh) 95.0%	**500 gm**
PCT2110 PTC $C_{18}H_{14}Cl_4N_2O•HNO_3$ (22832-87-7)	▲**Miconazole nitrate** Plant Culture Tested M. W.: 479.14 Assay 98%	**1 gm** **5 gm** **25 gm**
160485	**Microcrystalline Wax** (White)	**1 kg**
160461	**Micsorb 99**	**5 kg**
866260	**Miller's** Reagent	**100 ml**
866270	**Millon's** Reagent (For Protein)	**125 ml** **500 ml**
024989 $C_8H_{10}N_2O_4$ (500-44-7)	**Mimosine** (Leucenol) for Biochemistry M. W.: 198.18 Assay 98.0%	**100 mg** **1 gm**

Product Code	Product Name	Packing
	Mineral Oil Light/Heavy See Paraffine Liquid Light/Heavy	
TC1274 ATC $C_{23}H_{27}N_3O_7.HCl$ (13614-98-7)	▲**Minocycline Hydrochloride** Cell Culture Tested M. W.: 493.94 Assay : ≥98%	**25 mg** **100 mg** **250 mg** **1 gm**
PCT2131 PTC $C_{15}H_{18}N_4O_5$ (50-07-7)	▲**Mitomycin C** Plant Culture Tested M. W.: 334.33	**2 mg** **5 mg** **10 mg**
TC1406 ATC $C_{15}H_{18}N_4O_5$ (50-07-7)	▲✻**Mitomycin C** Cell Culture Tested M. W.: 334.33	**10 mg**
054001 (308080-99-1)	**Molecular Sieves** Type 3A 1.5mm	**250 gm** **5 kg** **25 kg**
160765 (308080-99-1)	**Molecular Sieves** 3A 1/16" Pellets (UOP) (Formerly Union Carbide USA)	**250 gm** **1 kg** **5 kg**
054004 (70955-01-0)	**Molecular Sieves** Type 4A 1.5mm	**250 gm** **5 kg** **25 kg**
160805 (70955-01-0)	**Molecular Sieves** 4A 1/16" Pellets (UOP) (Formerly Union Carbide USA)	**250 gm** **1 kg** **5 kg**
054010 (69912-79-4)	**Molecular Sieves** Type 5A 1.5mm	**250 gm** **5 kg** **25 kg**
160865 (69912-79-4)	**Molecular Sieves** 5A 1/16" Pellets (UOP) (Formerly Union Carbide USA)	**250 gm** **1 kg** **5 kg**
054015 (63231-69-6)	**Molecular Sieves** Type 13x1.5mm	**250 gm** **5 kg** **25 kg**
016905 SiO_2 (63231-69-6)	**Molecular Sieves** 13X 1/16" Pellets (UOP) (formerly Union Carbide USA) M. W.: 60.08	**250 gm** **1 kg** **5 kg**
866320	**Molisch's** Reagent	**125 ml**
866370	**Molybdenum** (Mo) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in 0.5 N HNO_3 in accordance with NIST	**100 ml** **250 ml** **500 ml**
866400	**Molybdenum** (Mo) CPECTROSOL® 1000 ppm Single Element Std. Soln. for ICP in1%HNO_3 & 1%.HF	**100 ml**
161005 Mo (7439-98-7)	**Molybdenum** Metal Powder M. W.: 95.94	**100 gm** **500 gm**
586935 Mo (7439-98-7)	**Molybdenum** Metal Powder **AR** M. W.: 95.94 Assay (Trace metals basis) 99.9%	**25 gm** **100 gm** **500 gm**

Storage : · #0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
161165 Mo (7439-98-7)	**Molybdenum Sheet** 0.1 mm Thick (75mm X 100mm) M.W. : 95.94 Assay (Trace metals basis) 99.9%	**1 PC**
029268 MoS_2 (1317-33-5)	**Molybdenum Disulphide** Powder M. W.: 160.06 Assay (Complexometric) (after ignition at 500-600°C) 98.0%	**100 gm** **500 gm**
024973 MoO_3 (1313-27-5)	**Molybdenum Trioxide** (Molybdic Anhydride) M. W.: 143.95 Assay (Complexometric) 99.0%	**100 gm** **500 gm**
587092 MoO_3 (1313-27-5)	**Molybdenum Trioxide AR/ACS** M. W.: 143.95 Assay (Complexometric) 99.5%	**100 gm** **500 gm**
H48160 HISURE MoO_3 (1313-27-5)	**Molybdenum Trioxide AR** M. W.: 143.95	**100 gm**
PCT1114 PTC MoO_3 (1313-27-5)	**Molybdenum Trioxide** Plant Culture Tested M. W.: 143.94 Assay 99.5% Store below 30°C	**100 gm** **500 gm**
029270 $H_2MoO_4+H_2O$ (7782-91-4)	**Molybdic Acid** M.W. : 161.95 Assay (Complexometric as MoO_3) 85.0%	**100 gm** **500 gm**
587100 $H_2MoO_4+H_2O$ (7782-91-4)	**Molybdic Acid AR/ACS** M.W. : 161.95 Assay (Complexometric as MoO_3) 87.0%	**100 gm** **500 gm**
	Molybdic Anhydride See Molybdenum Trioxide	
	dodeca-**Molybdo Phosphoric Acid** See Phosphomolybdic Acid	
587145 $C_{36}H_{61}NaO_{11}$ (22373-78-0)	▲**Monensin Sodium AR** M. W.: 692.85 Assay (TLC) 90.0-95.0%	**1 gm** **5 gm** **25 gm**
	Mono-Chloro Acetic Acid See Chloro Acetic Acid-mono	
	Mono-Ethanolamine See Ethanolamine Mono	
	Mono Ethylamine Solution See Ethylamine Solution	
	Mono Ethylaniline See N-Ethylaniline	
	Mono Ethylene Glycol See EthyleneGlycol	
	Monoglyme See Ethylene Glycol Dimethyl Ether	
	Mono-iso-**Propylamine** See Isopropylamine	
	Mono Methyl Ethanolamine See 2-(Methylamino) Ethanol	
	Mono-Sodium-L-Glutamate See Sodium-L-Glutamate	

Product Code	Product Name	Packing
TC1561U ATC	**Monosodium Glutamate** Meets USP 41-NF 36 testing specifications MW : 169.11 Store below 30°C	**100 gm** **500 gm**
	Mono Thioglycerol for Synthesis See 1-Thioglycerol	
	Mordant Black II See Eriochrome Black T	
044164 $C_7H_{15}NO_4S$ (1132-61-2)	**MOPS** Buffer M.W.: 209.26 Assay (Alkalimetry) 99.0%	**25 gm** **100 gm** **500 gm**
961070 MB $C_7H_{15}NO_4S$ (1132-61-2)	**MOPS** Buffer (3-(N-Morpholino) Propanesulphonic Acid) For Molecular Biology M. W. : 209.26 Assay : ≥ 99.5% Store Below 30°C	**25 gm** **100 gm** **500 gm**
TC1067 ATC $C_7H_{15}NO_4S$ (1132-61-2)	**MOPS Free Acid** [3-(N-Morpholino)-propanesulphonic acid) Cell Culture Tested M. W.: 209.26 Assay : ≥99% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
TC1269 ATC $C_7H_{14}NO_4SNa$ (71119-22-7)	**MOPS Sodium Salt** [3-(N-Morpholino)-propanesulphonic acid) Cell Culture Tested M. W.: 231.25 Assay : ≥98% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
044505 $C_7H_{15}NO_5S$ (68399-77-9)	**MOPSO** Buffer M.W.: 225.30 Assay 99.0%	**100 gm**
961120 MB $C_7H_{15}NO_5S$ (68399-77-9)	**MOPSO** Buffer For Molecular Biology M. W. : 225.26 Assay : ≥ 99% Store Below 30°C	**25 gm**
587185 $C_{15}H_{10}O_7.2H_2O$ (6472-38-4)	**Morin AR** Reagent for Al, Be, Sn, Ti, Oz C.I. 75660 M. W.: 338.27 Assay (HPLC) 96.0%	**1 gm** **5 gm**
866480	**Morin Reagent** (Reagent for Al)	**100 ml**
	Morpholino Ethane Sulphonic Acid See MES Buffer	
	3-**Morpholio-2-Hydroxypropane Sulphonic Acid** See MOPSO Buffer,	
866490	**Morner's** Reagent	**125 ml**
029272 C_4H_9NO (110-91-8)	**Morpholine** for Synthesis M. W.: 87.12 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
587355 C_4H_9NO (110-91-8)	**Morpholine AR/ACS** M. W.: 87.12 Assay (GC) 99.5%	**500 ml** **2.5 lit**
161495 $C_6H_{13}NO_2$ (622-40-2)	2-**Morpholino Ethanol** for Synthesis M. W.: 131.17	**500 ml**
	Morpholino Ethane Sulphonic Acid See MES Buffer	
	3-**Morpholio-2-Hydroxypropane Sulphonic Acid** See MOPSO Buffer,	
	Morpholinopropanesulphonic Acid See MOPS	
587445 $C_{18}H_{16}N_5SBr$ (298-93-1)	▲**M.T.T. Tetrazolium AR** M. W.: 414.33 Assay (Argentometric) 98.0%	**100 mg** **250 mg** **1 gm**
961170 MB $C_{18}H_{16}BrN_5S$ (298-93-1)	▲**M.T.T.** (See : 3-(4,5-Dimethyl-2-Thiazolyl)-2,5-Diphenyl-2H-Tetrazolium Bromide); Thiazolyl Blue) For Molecular Biology M. W.: 414.32 Assay : ≥ 98%	**100 mg** **500 mg** **1 gm**
TC1191 ATC $C_{18}H_{16}BrN_5S$ (298-93-1)	▲**M.T.T.** (Thiazoyl blue tetrazolium bromide) Cell Culture Tested M. W.: 414.32 Activity : ≥98%	**500 mg** **1 gm**
	Mucicarmine (Mayer) Staining Solution See Mayer muci carmine solution	
866520	**Muller's Fixative**	**250 ml**

ICP Multi-Element Standard Solutions - in accordance with NIST

Product Code	Product Name	Packing
866530	**Multi Element Standard Solution** for **ICP- 3 Elements; 10 mg/L** **each** P,S, Si, in H_2O In accordance with NIST	**50 ml** **100 ml**
866535	**Multi Element Standard Solution** for **ICP -4 Elements; 1000 mg/L** **each** Ca, K, Mg, Na in 2% HNO_3 In accordance with NIST	**50 ml** **100 ml**
866545	**Multi Element Standard Solution** for **ICP - 6 Elements; 10 mg/L** **each** Au, Rh, Pd, Ru, Ir, Pt in 5% HCl In accordance with NIST	**50 ml** **100 ml**
866548	**Multi Element Standard Solution** for **ICP - 6 Elements; 100 mg/L** **each** Au, Rh, Pd, Ru, Ir, Pt in 5% HCl In accordance with NIST	**50 ml** **100 ml**
866558	**Multi Element Standard Solution** for **ICP -8 Elements; 10 mg/L** **each** V, Zn, Sr, Li, Pb, Fe, Na, K in 5% HNO_3 In accordance with NIST	**50 ml** **100 ml**
866561	**Multi Element Standard Solution** for **ICP -8 Elements; 100 mg/L** **each** V, Zn, Sr, Li, Pb, Fe, Na, K in 5% HNO_3 In accordance with NIST	**50 ml** **100 ml**
866566	**Multi Element Standard Solution** **for ICP -9 Elements; 10 mg/L** each Fe, Pb, Cu, Cr, Co, Mg, Mn, Ni, Mo in 5% HNO_3 In accordance with NIST	**50 ml** **100 ml**
866571	**Multi Element Standard Solution** for **ICP -9 Elements; 100 mg/L** **each** Fe, Pb, Cu, Cr, Co, Mg, Mn, Ni, Mo in 5% HNO_3 In accordance with NIST	**50 ml** **100 ml**
866570	**Multi Element Standard Solution** for **ICP -10 Elements; 10 mg/L** each Ag, Al, As, B, Ba, Bi, Ca, Cd, Na, K in 5% HNO_3 In accordance with NIST	**50 ml** **100 ml**
866579	**Multi Element Standard Solution** for **ICP -10 Elements; 100 mg/L** **each** Ag, Al, As, B, Ba, Bi, Ca, Cd, Na, K in 5% HNO_3 In accordance with NIST	**50 ml** **100 ml**
866580	**Multi Element Standard Solution** for ICP - 15 elements; 10 mg/L each Pt, Pd, Rh, Ir, Au, Ru, Zr, Hf, Ta, W, Ge, Te, Os, Re, Sn in 5% HCl In accordance with NIST	**50 ml** **100 ml**
866590	**Multi Element Standard Solution** for **ICP - 15 Elements; 10 mg/L** each Pt, Pd, Rh, Ir, Au, Ru, Zr, Hf, Ta, W, Ge, Te, Os, Re, Sn, in 5% HCl In accordance with NIST	**50 ml** **100 ml**
866595	**Multi Element Standard Solution** for **ICP - 18 Elements; 100 mg/L** "Certisol" each (Ce, Dy, Er, Eu, Gd, Ho, La, Lu, Nd, Pr, Sc, Sm, Tb, Th, Tm, U, Y, Yb) in HNO_3 In accordance with NIST	**50 ml** **100 ml**
866605	**Multi Element Standard Solution** for **ICP - 20 Elements; 10 mg/L** **each** Ce, Dy,Er, Eu, Ga, Gd, Ho, In, La, Lu, Nd, Pr, Sc, Sm, Tb, Th, Tm, U, Y, Yb in 2% HNO_3 In accordance with NIST	**50 ml** **100 ml**
866705	**Mulit Element Standard Solution** **for ICP- 32 Elements; 100 mg/L** **each** Al, Ag, As, B, Ba, Be, Bi, Ca, Cd, Cs, Co,Cr, Fe, In, K, Li, Mg, Mn, Mo, Na, NI, Nb, Pb, Rb, Sb,Se, Sr,Ti, Tl, V, U, Zn, in 5% HNO_3 In accordance with NIST	**50 ml** **100 ml**
867000	**Multi Cation IC Standard Solution** 6 components (Lithium (Li^+) 10 mg/l; Sodium (Na^+) 20 mg/l; Ammonium (Nh_4^+) 40 mg/l; Calcium (Ca^{2+}) 40 mg/l; Magnesium (Mg^{2+}) 20 mg/l; Potassium (K^+) 20 mg/l in Nitric acid 0.1%)In accordance with NIST	**100 ml**

Storage : · ❄0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
867010	**Multi Cation IC Standard Solution** 6 Components (Lithium (Li^+) 0.5 mg/l; Sodium (Na^+) 2 mg/l; Ammonium (Nh_4^+) 2.5 mg/l; Calcium (Ca^{2+}) 5 mg/l; Magnesium (Mg^{2+}) 2.5 mg/l; Potassium (K^+) 5 mg/l in Nitric acid 0.1%)In accordance with NIST	100 ml
867020	**Multi Anion IC Standard Solution** 7 Components (1000 mg/l each of Chlorides (Cl^-); Fluorides (F^-); Bromides (Br^-); Nitrites (NO^{2-}); Nitrates (No^{3-}); Phosphates (Po_4^{3-}); Sulphates (SO_4^{2-}) in Water) In accordance with NIST	100 ml
867030	**Multi Anion IC Standard Solution** 7 Components (Fluorides (F^-) 5mg/l ; Chlorides (Cl^-) 10mg/l ; Nitrites (NO^{2-}) 15mg/l ; Bromides (Br^-) 25mg/l ; Nitrates (NO^{3-}) 25mg/L ; Phosphates (PO_4^{3-}) 40mg/l ; Sulphates (SO_4^{2-}) 30mg/l in Water) In accordance with NIST	100 ml
	Murexide See Ammonium Purpurate	
TC1329 ATC	**Murine Recombinant Prolactin** Source : *E-coli* Cell Culture Tested Store at -20°C	10 mcg 50 mcg
TC1405 ATC $C_{20}H_{20}N_8Na_2O_5$ (24280-93-1)	▲**Mycophenolic Acid** Cell Culture Tested M. W.: 320.34 Assay : ≥99%	25 mg 50 mg 250 mg
	Mycostatin See Nystatin	

Product Code	Product Name	Packing
TC1032 ATC (1400-61-9)	▲**Mycostatin** (Nystatin) Cell Culture Tested 1,000,000 units per vial Recommended for use in cell culture application at 50 m/L Potency : ≥4400 USP units/mg	1x1 mu 5x1 mu 25x1 mu
TC1032G ATC $C_{47}H_{75}NO_{17}$ (1400-61-9)	▲**Mycostatin Gamma Irradiated** (Nystatin Gamma irradiated) Cell Culture Tested 1,000,000 units per vial Recommended for use in cell culture application at 50 m/L M. W.: 926.09 Potency : ≥4400 USP units/mg	1x1 mu 5x1 mu 25x1 mu
161685 $C_{23}H_{42}NCl$ (139-08-2)	**Myristalkonium Chloride** for Synthesis M. W.: 368.04	25 gm
024976 $CH_3(CH_2)_{12}.COOH$ (544-63-8)	**Myristic Acid** M. W.: 228.38 Assay (GC) 98.0%	500 gm
024961 $CH_3.(CH_2)_{12}.COOH$ (544-63-8)	**Myristic Acid** for Biochemistry M. W.: 228.38 Assay (NaOH) 99.0%	5 gm 25 gm
161835 $CH_3(CH_2)_{13}OH$ (112-72-1)	· **Myristyl Alcohol** for Synthesis (Tetradecanoic Acid) M. W.: 214.39	500 ml

Molecular Biology Grade
Reagents

CDH offers wide range of Molecular Biology & Electrophoresis reagents - which are free from DNA, RNA & Protease and find application in the purification, isolation & analysis of nucleic acids & related compounds.

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · -4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
PCT2402 PTC	▲**NAA Solution** w/ 1 mg/ml NAA in sterile distilled water Sterile filtered Plant Culture Tested	**20 ml** **5X20 ml**
	NAD See b-Nicotinamide Adenine Dinucleotide	
	NADH See b-Nicotinamide Adenine Dinucleotide Reduced	
	NADP See b-Nicotinamide Adenine Dinucleotide Phosphate Sodium Salt	
024889 $C_{12}H_{12}N_2O_3$ (389-08-2)	**Nalidixic Acid** free Acid for Lab Use M. W.: 232.24 Assay (Acidimetric, dried bases) 99.0%	**5 gm** **25 gm** **100 gm**
592285 ⁂ $C_{14}H_{14}N_2.HCl$ (550-99-2)	**Naphazoline Hydrochloride AR** M. W.: 246.74	**25 gm**
166515 $C_{10}H_7CHO$ (66-77-3)	1-**Naphthaldehyde** for Synthesis (α-Naphthaldehyde) M. W.: 156.18	**100 gm** **500 gm**
029277 $C_{10}H_8$ (91-20-3)	**Naphthalene** for Synthesis M. W.: 128.17 Assay (GC) 99.0%	**500 gm**
592395 $C_{10}H_8$ (91-20-3)	**Naphthalene AR** M. W.: 128.17 Assay (GC) 99.0%	**500 gm**
029764 $C_{10}H_8$ (91-20-3)	**Naphthalene** Scintillation grade M. W.: 128.17 Assay (GC) 99.0%	**500 gm** **1 kg**
029298 $C_{12}H_{10}O_2$ (86-87-3)	1-**Naphthalene Acetic Acid** M. W.: 186.21 Assay (GC) 95.0%	**25 gm** **100 gm** **500 gm**
PCT1809 PTC $C_{12}H_{10}O_2$ (86-87-3)	a-**Naphthalene Acetic Acid (NAA)** Plant Culture Tested M. W.: 186.21 Assay 95% Store below 30°C	**25 gm** **50 gm** **100 gm**
	Naphthalene Black 12B See Amido Black 10B	
	1,3-**Naphthalene Diol** See Naphthoresorcinol	
592495 $C_{10}H_6(OH)_2$ (582-17-2)	·2, 7-**Naphthalenediol AR** M. W.: 160.17 Assay 97.0%	**25 gm**
756140 $C_{10}H_7NaO_3S$ (532-02-5)	**Napthalene**-2-**Sulphonic Acid Sodium Salt AR** for HPLC M. W.: 230.22 Assay (HPLC) 95.0%	**25 gm**
756125 ⁂ $C_{18}H_{10}O_2$ (1090-13-7)	5,12-**Naphthcenequinone** (Electronic Grade) M. W.: 258.27 Assay 97.0%	**25 gm** **500 gm**

Product Code	Product Name	Packing
592625 $C_{19}H_{12}O_2$ (604-59-1)	a-**Naphthoflavone AR** M. W.: 272.30 Assay (TLC) 98.0%	**1 gm** **5 gm** **25 gm**
029290 $C_{10}H_7.OH$ (90-15-3)	1-**Naphthol** for Synthesis (a-Naphthol) M. W.: 144.17 Assay (GC) 99.0%	**100 gm** **500 gm**
592665 $C_{10}H_7.OH$ (90-15-3)	1-**Naphthol AR** M. W.: 144.17 Assay (GC) 99.0%	**100 gm** **500 gm**
868330	a-**Naphthol** Solution	**125 ml**
029291 $C_{10}H_7.OH$ (135-19-3)	2-**Naphthol** for Synthesis (b-Naphthol) M. W.: 144.17 Assay (GC) 98.0%	**250 gm** **500 gm**
592675 $C_{10}H_7.OH$ (135-19-3)	2-**Naphthol AR** M. W.: 144.17 Assay (GC) 99.0%	**100 gm** **500 gm**
166865 $C_{19}H_{15}NO_3$ (1163-67-3)	▲**Naphthol** as-**Acetate** for Microscopy M. W.: 305.33 Assay 99.0%	**100 mg** **500 mg**
	1-(2-**Naphtholazo**-3,6-**Disulphonic Acid**) -2-**Naphthol**-4-**Sulphonic Acid Disodium Salt** See Hydroxynaphthol Blue	
020075 $C_{27}H_{18}O_2$ (145-50-6)	a-**Naphthol Benzein** (pH Indicator) M. W.: 374.44	**5 gm** **25 gm**
868350	a-**Naphthol Benzein** Indicator Solution (pH yellow 6.5-9.8 green)	**100 ml**
	p-**Naphthol Benzein** See a-Naphtholbenzein	
	Naphthol Black for Microscopy See Amido Black 10 B	
	Naphthol Blue Black See Amido Black 10B	
034055 $(C_{10}H_5.N.NaO_5S)_3Fe$ (19381-50-1)	**Naphthol Green** B for Microscopy C.I. No. 10020 M. W.: 878.47	**25 gm** **100 gm** **1 kg**
592715 ⁂ $C_{12}H_7NO_3$ (7797-81-1)	**Naphthol Hydroxamic Acid AR** for Calcium Determination M.W. : 213.19	**5 gm**
167085 $C_{16}H_{11}N_2NaO_4S$ (523-44-4)	**Naphthol Orange** for Microscopy M. W.: 350.32	**25 gm**
020076 $C_{28}H_{18}O_4$ (596-01-0)	a-**Naphtholphthalein** pH Indicator M. W.: 418.45	**1 gm** **5 gm**
592735	b-**Naphthol Violet AR**	**25 gm**
592805 $C_{10}H_5NaO_5S$ (521-24-4)	1,2-**Naphthoquinone**-4-**Sulphonic Acid Sodium Salt AR** M. W.: 260.20 Assay (iodometric) 99.0%	**5 gm** **25 gm**

Storage : · #0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
167255 $C_{10}H_6O_2$ (130-15-4)	1,4-**Naphthoquinone** for Synthesis M. W.: 158.15 Assay 97.0%	**100 gm** **250 gm**
592855 $C_{10}H_6(OH)_2$ (132-86-5)	**Naphthoresorcinol AR** (1,3-Dihydroxynaphthalene) M. W.: 160.17 Assay (GC) About 98.0%	**1 gm** **5 gm**
868380	**Naphthoresorcinol** solution (EFGRIVE)(Reagent for glycuronic acid & glycuronates)	**100 ml**
167475 $C_{12}H_{10}O_3$ (120-23-0)	2-**Naphthoxyacetic Acid** for Synthesis (β-Naphthoxy Acetic Acid) M. W.: 202.21 Assay 97.0%	**25 gm** **100 gm** **500 gm**
PCT1810 PTC $C_{12}H_{10}O_3$ (120-23-0)	2-**Naphthoxyacetic Acid (NOA)** Plant Culture Tested M. W.: 202.21 Assay 97% Store below 30°C	**25 gm** **100 gm**
593125 $C_{12}H_{10}O_2$ (830-81-9)	▲1-**Naphthyl Acetate AR** Naphthol free Substrate for esterase M. W.: 186.21 Assay (GC) 99.5%	**5 gm** **25 gm**
593135 $C_{12}H_{10}O_2$ (1523-11-1)	▲2-**Naphthyl Acetate AR** (β-Naphthyl Acetate) M. W.: 186.21	**5 gm** **25 gm**
	1-**Naphthyl Acetic Acid** See 1-Naphthalene Acetic Acid	
167565 $C_{10}H_7.NH_2$ (134-32-7)	1-**Naphthylamine** Pract M. W.: 143.19 Assay (GC) About 98.0%	**500 gm**
593235 $C_{10}H_7.NH_2$ (134-32-7)	1-**Naphthylamine AR** M. W.: 143.19 Assay 99.0%	**100 gm** **500 gm**
868420	a-**Naphthylamine** Solution	**100 ml**
593335 $C_{10}H_9N$ (91-59-8)	2-**Naphthylamine AR** (Beta-Naphthylamine) M. W.: 143.19 Assay (TLC) 98.0%	**1 gm**
029300 $C_{10}H_7.NH_2.HCl$ (552-46-5)	1-**Naphthylamine Hydrochloride** (1-Naphthyl Ammonium Chloride) M. W.: 179.65 Assay (ex Cl) 98.0%	**100 gm**
593425 $C_{12}H_{14}N_2.2HCl$ (1465-25-4)	n-**1-Naphthylethylene Diamine Dihydrochloride AR/ACS** M. W.: 259.18 Assay (argentometric) 98.0%	**5 gm** **10 gm** **25 gm**
	▲1-**Naphthylphosphate Sodium Salt** See Sodium-1-Naphthyl Phosphate	
PCT1845 PTC $C_{18}H_{13}NO_3$ (132-66-1)	N-1-**Naphthylphthalamic Acid (NPA)** Plant Culture Tested M. W.: 291.3 Store below 30°C	**100 mg** **250 mg** **500 mg**

Product Code	Product Name	Packing
TC1407 ATC $C_{33}H_{47}NO_{13}$ (7681-93-8)	▲**Natamycin** Cell Culture Tested M. W.: 665.73 Assay : ≥900 µg/mg	**100 mg** **1 gm**
868500	**Neisser's Metachromatic stains kit**	**KIT**
868520	**Neisser's Stain** A Soln. (Methylene Blue)	**125 ml**
868530	**Neisser's Stain** B Soln. (Crystal Violet)	**125 ml**
868540	**Neisser's Stain** C Soln. (Chrysodine)	**125 ml**
593515 $C_{14}H_{12}N_2$ (484-11-7)	**Neocuproine AR** M. W.: 208.27 Assay ($HClO_4$, titration dried) 99.0%	**1 gm** **5 gm**
593520 $C_{14}H_{12}N_2.HCl.H_2O$ (41066-08-4)	**Neocuproine Hydrochloride AR** Monohydrate M. W.: 262.74 Assay Non-aqueous) 99.0%	**1 gm** **5 gm**
868650	**Neodymium** (Nd) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	**250 ml**
868660	**Neodymium** (Nd) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	**100 ml** **500 ml**
RE1930 Nd (7440-00-8)	**Neodymium** Metal Ingot M. W.: 144.24 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE1935 Nd (7440-00-8)	**Neodymium** Metal Lump M. W.: 144.24 Assay (Trace metal basis) 99.99%	**25 gm**
RE1940 Nd (7440-00-8)	**Neodymium** Metal Powder M. W.: 144.24 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE1985 $Nd(O_2C_2H_3)_3.xH_2O$ (334869-71-5)	**Neodymium** (III) **Acetate** M. W.: 321.38 (Anhy.) Assay (Trace metal basis) 99.9%	**25 gm** **100 gm**
RE1990 $Nd(O_2C_2H_3)_3.xH_2O$ (334869-71-5)	**Neodymium** (III) **Acetate** M. W.: 321.38 (Anhy.) Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE1995 $Nd(O_2C_2H_3)_3.xH_2O$ (334869-71-5)	**Neodymium** (III) **Acetate** M. W.: 321.38 (Anhy.) Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE2010 $Nd_2(CO_3)_3.xH_2O$ (38245-38-4)	**Neodymium** (III) **Carbonate** M. W.: 468.51 (Anhy.) Assay (Trace metal basis) 99.9%	**25 gm** **100 gm**
RE2015 $Nd_2(CO_3)_3.xH_2O$ (38245-38-4)	**Neodymium** (III) **Carbonate** M. W.: 468.51 (Anhy.) Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE2020 $Nd_2(CO_3)_3.xH_2O$ (38245-38-4)	**Neodymium** (III) **Carbonate** M. W.: 468.51 (Anhy.) Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
RE2035 $NdCl_3.xH_2O$ (10024-93-8)	**Neodymium** (III) **Chloride** M. W.: 250.60 (Anhy.) Assay (Trace metal basis) 99.9%	**50 gm** **250 gm**
RE2040 $NdCl_3.xH_2O$ (10024-93-8)	**Neodymium** (III) **Chloride** M. W.: 250.60 (Anhy.) Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE2045 $NdCl_3.xH_2O$ (10024-93-8)	**Neodymium** (III) **Chloride** M. W.: 250.60 (Anhy.) Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE2055 NdI_3 (13813-24-6)	**Neodymium** (III) **Iodide** M. W.: 524.95 Assay (Trace metal basis) 99.95%	**1 gm** **25 gm** **100 gm**
RE2070 $Nd(NO_3)_3.6H_2O$ (16454-60-7)	**Neodymium** (III) **Nitrate** M. W.: 438.35 Assay (Trace metal basis) 99.9%	**50 gm** **250 gm**
RE2075 $Nd(NO_3)_3.6H_2O$ (16454-60-7)	**Neodymium** (III) **Nitrate** M. W.: 438.35 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE2080 $Nd(NO_3)_3.6H_2O$ (16454-60-7)	**Neodymium** (III) **Nitrate** M. W.: 438.35 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE2090 Nd_2O_3 (1313-97-9)	**Neodymium** (III) **Oxide** M. W.: 336.48 Assay (Trace metal basis) 99.0%	**25 gm** **100 gm** **500 gm**
RE2095 Nd_2O_3 (1313-97-9)	**Neodymium** (III) **Oxide** M. W.: 336.48 Assay (Trace metal basis) 99.9%	**10 gm** **25 gm** **250 gm** **500 gm**
RE2100 Nd_2O_3 (1313-97-9)	**Neodymium** (III) **Oxide** M. W.: 336.48 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm** **1 kg**
RE2105 Nd_2O_3 (1313-97-9)	**Neodymium** (III) **Oxide** M. W.: 336.48 Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE2120 $Nd_2(SO_4)_3.8H_2O$ (13477-91-3)	**Neodymium** (III) **Sulphate** M. W.: 720.78 Assay (Trace metal basis) 99.9%	**25 gm** **100 gm**
RE2125 $Nd_2(SO_4)_3.8H_2O$ (13477-91-3)	**Neodymium** (III) **Sulphate** M. W.: 720.78 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE2130 $Nd_2(SO_4)_3.8H_2O$ (13477-91-3)	**Neodymium** (III) **Sulphate** M. W.: 720.78 Assay (Trace metal basis) 99.999%	**2 gm** **10 gm**
044205 $C_{23}H_{46}N_6O_{13}.3H_2SO_4.XH_2O$ (1405-10-3)	**▲Neomycin Sulphate** M.W.: 908.9 (anhydrous)	**5 gm** **25 gm** **500 gm**
PCT2111 PTC $C_{23}H_{46}N_6O_{13}.3H_2SO_4$ (1405-10-3)	**▲Neomycin Sulphate** Plant Culture Tested M. W.: 908.88 Potency 600 µg/mg	**5 gm** **25 gm** **100 gm**
PCT2506 PTC	**▲Neomycin Sulphate** Solution w/ 10 mg/ml Neomycin sulphate in sterile distilled water Sterile filtered Plant Culture Tested	**20 ml** **5X20 ml**
TC1031 ATC $C_{23}H_{46}N_6O_{13}.3H_2SO_4$ (1405-10-3)	**▲Neomycin Sulphate Salt** Cell Culture Tested Recommended for use in cell culture application at 50 mg/L M. W.: 908.88 Assay : ≥600 IU/mg	**5 gm** **25 gm**
024898 $C_5H_{12}O_2$ (126-30-7)	**Neopentyl Glycol** M. W.: 104.15 Assay (GC) 98.0%	**500 gm** **25 kg**
593590 $C_{38}H_{28}N_8Cl_2$ (298-95-3)	**Neotetrazolium Chloride AR** M.W.: 667.60 Assay 75.0%	**1 gm** **5 gm**
	Neothorine See Arsenazo I	
868740	**Nessler's** Reagent (For detection of Ammonia and Ammonium salt)	**100 ml**
868760	**Nessler's** Reagent King's (For Serum Urea Nitrogen)	**100 ml**
TC1694 ATC (9001-67-6)	**▲Neuraminidase** Cell Culture Tested	**1 units** **5 units** **10 units**
	Neutral Red 4 See Carminic Acid	
593630 $C_{15}H_{17}ClN_4$ (553-24-2)	**Neutral Red AR** (pH Indicator) C.I. No. 50040 (Neutral Red Chloride) M. W.: 288.78 Dye content (spectrophotometry, on dried subs.) abt. 60.0%	**10 gm** **25 gm** **100 gm** **1 kg**
H50364 HiSURE $C_{15}H_{17}ClN_4$ (553-24-2)	**Neutral Red** M. W.: 288.78	**25 gm** **100 gm**
868790	**Neutral Red** pH Indicator Solution	**125 ml**
	Neutral Red Chloride See Neutral Red Indicator	
868800	**Neutral Red Metachromatic** Staining Solution	**125 ml**
868795	**Neutral Red (Jensen)** As Counterstain	**125 ml**
868805	**Neutral Red** TS acc. to USP	**125 ml**
034184 $C_{22}H_{24}ClN_3$ (3248-91-7)	**New Fuchsin** for Microscopy C.I. No. 42520 M. W.: 365.91 Dye content (Titanometry on dried subs.) Abt. 90.0%	**25 gm** **100 gm**
868820	**Newman's Stain** Soln.	**100 ml**
167905 $C_{18}H_{22}ClN_3S$ (1934-16-3)	**New Methylene Blue** M. W.: 347.91 Dye content : About 70.0%	**5 gm** **25 gm**
	Niacin See Nicotinic Acid	
	Niacinamide See Nicotinamide	
868870	**Nickel** (Ni) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **250 ml** **500 ml**

Storage : ❄ 0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
868900	**Nickel** (Ni) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	**100 ml** **500 ml**
868920	**Nickel** (Ni) CRISTAR® 10,000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	**100 ml** **500 ml**
029855 Ni (7440-02-0)	**Nickel** (Metal) Powder At. W.: 58.69 Assay (Complexometric) 99.5%	**500 gm**
168000 Ni (7440-02-0)	**Nickel Foil** M.W : 58.71 Assay 99.9%	**250 gm**
029310 $(Ch_3\ COO)_2\ Ni.4H_2O$ (6018-89-9)	**Nickel Acetate** M. W.: 248.84 Assay (Complexometric) 98.0%	**100 gm** **500 gm** **25 kg**
029312 Al/Ni (12635-27-7)	**Nickel Aluminium Alloy** Powder (50% Ni & 50% Al)	**500 gm**
	Nickel Ammonium Sulphate See Ammonium Nickel Sulphate	
029314	**Nickel** (II) **Borate**	**100 gm**
168085 Br_2Ni (13462-88-9)	**Nickel** (II) **Bromide** M. W.: 218.50 Assay 98.0%	**100 gm** **500 gm**
026230 $NiCO_3.2Ni(OH)_2.4H_2O$ (12607-70-4)	**Nickel** (II) **Carbonate** Purified (Nickel Hydroxide Carbonate) M.W.: 376.23 Assay (Ni) : 40.0-45.0%	**250 gm** **500 gm** **5 kg** **25 kg**
029316 $NiCl_2.6H_2O$ (7791-20-0)	**Nickel** (II) **Chloride** (Hexahydrate) M. W.: 237.69 Assay (Complexometric) (ex Ni) 97.0%	**250 gm** **500 gm** **5 kg** **25 kg**
593715 $NiCl_2.6H_2O$ (7791-20-0)	**Nickel** (II) **Chloride** (Hexahydrate) **AR** M. W.: 237.69 Assay (Ni) 98.0%	**500 gm**
PCT1115 PTC $NiCl_2.6H_2O$ (7791-20-0)	**Nickel** (II) **Chloride** Hexahydrate Plant Culture Tested M. W.: 237.69 Assay 98% Store below 30°C	**100 gm** **500 gm**
TC1155 ATC $NiCl_2.6H_2O$ (7791-20-0)	**Nickel** (II) **Chloride** Hexahydrate Cell Culture Tested M. W.: 237.69. Assay : ≥98% Store below 30°C	**100 gm** **500 gm**
168235 NiF_2 (10028-18-9)	**Nickel** (II) **Fluoride** M. W.: 96.69	**100 gm** **500 gm**
	Nickel (II) **Hydroxide Carbonate** See Nickel (II) Carbonate	
029322 $Ni(NO_3)_2.6H_2O$ (13478-00-7)	**Nickel** (II) **Nitrate** (Hexahydrate) M. W.: 290.79 Assay (Complexometric ex Ni) 98.0%	**250 gm** **500 gm** **50 kg**
593745 $Ni(NO_3)_2.6H_2O$ (13478-00-7)	**Nickel** (II) **Nitrate** (Hexahydrate) **AR** M. W.: 290.79 Assay (Complexometric) 99.0%	**250 gm** **500 gm** **5 kg**
168325 $NiC_2O_4.2H_2O$ (6018-94-6)	**Nickel** (II) **Oxalate** M. W.: 182.76	**500 gm**
029325 NiO (1313-99-1)	**Nickel** (II) **Oxide** (Black) M. W.: 74.69 Assay (Complexometric as Ni) 78.0-79.0%	**100 gm** **500 gm**
H50463 HISURE NiO (1313-99-1)	**Nickel** (II) **Oxide** M. W.: 74.69 Assay (Trace metal basis) 99.99%	**25 gm**
168405 NiO (1313-99-1)	**Nickel Oxide** Green M. W.: 74.69	**500 gm**
024893 $Ni_3(PO_4)_2.8H_2O$	**Nickel Phosphate** M. W.: 510.18	**250 gm**
024876 $Ni(NH_2.SO_3)_2.4H_2O$ (13770-89-3)	**Nickel Sulphamate** 60% w/w Solution M. W.: 322.9 Assay (Complexometric Content of Ni) 11.0%	**500 gm** **2.5 kg** **25 kg**
029329 $NiSO_4.6H_2O$ (10101-97-0)	**Nickel Sulphate** Hexahydrate Purified M. W.: 262.85 Assay (Complexometric) 98.0%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
593765 $NiSO_4.7H_2O$ (10101-97-0)	**Nickel Sulphate** Hexahydrate **AR/ACS** M. W.: 280.85 Assay 99.0%	**500 gm**
H50505 HISURE Ni_3S_2 (12035-72-2)	**Nickel Sulphide** M. W.: 240.21 Assay 99.0%	**10 gm** **50 gm**
044068 $C_6H_6N_2O$ (98-92-0)	**Nicotinamide** for Biochemistry M. W.: 122.13 Assay (Non-aqueous) 98.5%	**100 gm** **1 kg**
TC1154 ATC $C_6H_6N_2O$ (98-92-0)	**Nicotinamide** Niacinamide Cell Culture Tested M. W.: 122.12 Assay : ≥98.5% Store below 30°C	**100 gm** **500 gm**
TC1154M ATC $C_6H_6N_2O$ (98-92-0)	**Nicotinamide** Niacinamide Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 122.12 Store below 30°C	**100 gm** **500 gm**
PCT1209 PTC $C_6H_6N_2O$ (98-92-0)	**Nicotinamide (Niacinamide)** Plant Culture Tested M. W.: 122.12 Assay 99.5% Store below 30°C	**100 gm**
168715 $C_{21}H_{27}N_7O_{14}P_2$ (53-84-9)	**β-Nicotinamide Adenine Dinucleotide** Extrapure for biochemistry (Oxidised) (β-NAD, DPN) (NAD Free Acid) M.W. 663.44 Assay (UV) 98%	**100 mg** **1 gm** **5 gm** **25 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
962680 MB $C_{21}H_{27}N_7O_{14}P_2$ (53-84-9)	**Nicotinamide Adenine Dinucleotide** (See DPN; NAD, From Yeast) For Molecular Biology Store Below 30°C	**1 gm** **5 gm**
TC1156 ATC $C_{21}H_{27}N_7O_{14}P_2$ (53-84-9)	▲β-**Nicotinamide Adenine Dinucleotide, From Yeast** Cell Culture Tested M. W.: 663.43 Assay : ≥95%	**100 mg** **1 gm** **5 gm** **10 gm**
168735 $C_{21}H_{27}N_7O_{14}P_2Na_2$ (606-68-8)	β-**Nicotinamide Adenine Dinucleotide Disodium Salt** Extrapure for Biochemistry (β-NADH, DPNH) M.W. 709.46 Assay(UV) 98%	**100 mg** **1 gm** **5 gm**
964710 MB (See : DPNH Disodium Salt; NADH Disodium Salt)	**ß-Nicotinamide Adenine Dinucleotide Reduced Disodium Salt** For Molecular Biology Store Below 30°C	**100 mg** **1 gm** **5 gm**
TC1699 ATC $C_{21}H_{27}N_7Na_2O_{14}P_2.xH_2O$ (606-68-8)	β-**Nicotinamide Adenine Dinucleotide, Reduced Disodium Salt** Hydrate **(NADH)** Cell Culture Tested M. W.: 709.40 (anhydrous basis)	**100 mg** **500 mg** **1 gm** **5 gm**
963840 MB $C_{21}H_{26}N_7Na_2O_{17}P_3$ (24292-60-2)	**Nicotinamide Adenine Dinucleotide Phosphate Disodium Salt** (See : NADP (TPN) Disodium Salt) For Molecular Biology M. W.: 787.37 Assay : ≥ 90% Store Below 30°C	**100 mg** **1 gm**
TC1700 ATC $C_{21}H_{26}N_7Na_2O_{17}P_3$ (24292-60-2)	▲**Nicotinamide Adenine Dinucleotide, Phosphate Disodium salt (NADP)** Cell Culture Tested M. W.: 787.37	**50 mgm** **250 mgm** **1 gm**
168755 $C_{21}H_{27}N_7O_{17}P_3Na$ (1184-16-3)	β-**Nicotinamide Adenine Dinucleotide Phosphate Monosodium Salt** Extrapure for Biochemistry (β-NADP, TPN) M.W. 765.4 Assay 98%	**100 mgm** **500 mgm** **1 gm** **5 gm**
168775 $C_{21}H_{26}N_7Na_4O_{17}P_3.XH_2O$ (2646-71-1)	β-**Nicotinamide Adenine Dinucleotide Phosphate Reduced Tetrasodium Salt** Extrapure for Biochemistry (β-NADPH, TPNH) M.W. 833.35 (Anhy. basis) Assay(UV) 95.0%	**25 mg** **100 mg** **1 gm**
TC1701 ATC $C_{21}H_{26}N_7Na_4O_{17}P_3.XH_2O$ (2646-71-1)	▲**Nicotinamide Adenine Dinucleotide 2 -Phosphate Reduced Tetrasodium Salt** Hydrate **(NADPH)** Cell Culture Tested M. W.: 833.35 Store at -20°C	**100 mg** **500 mg** **1 gm**

Product Code	Product Name	Packing
	iso-**Nicotinic Acid** See Iso Nicotinic Acid	
	iso-**Nicotinic Acid Hydrazide** See Iso Nicotinic Acid Hydrazide	
044069 $C_6H_5NO_2$ (59-67-6)	**Nicotinic Acid** M. W.: 123.11 Assay (acidimetric,on dried substances) 99.5%	**25 gm** **100 gm** **500 gm** **1 kg**
TC1157 ATC $C_6H_5NO_2$ (59-67-6)	**Nicotinic Acid** (Vitamin B3, Niacin) Cell Culture Tested M. W.: 123.11 Assay : ≥99% Store below 30°C	**100 gm** **500 gm**
PCT1210 PTC $C_6H_5NO_2$ (59-67-6)	**Nicotinic acid** (Niacin) Plant Culture Tested M. W.: 123.11 Assay 99.5% Store below 30°C	**25 gm** **100 gm**
024897 $C_{38}H_{42}N_3Cl$ (4692-38-0)	**Night Blue** for Microscopy M. W.: 576.23 C.I. 44085	**25 gm**
034131 (11099-03-9)	**Nigrosin** (Alcohol soluble) C.I. No. 50415	**25 gm** **100 gm** **1 kg**
034058 (8005-03-6)	**Nigrosin** for Microscopy (Water Soluble) C.I. No. 50420	**25 gm** **100 gm**
869200	**Nigrosine** 10% Solution For Negative Staining	**125 ml**
	Nile Blue A See Nile Blue Sulphate	
024875 $C_{20}H_{20}ClN_3O$ (2381-85-3)	**Nile Blue Chloride** C.I. : 51180 M. W.: 353.85 Dye content >90.0%	**25 gm**
034059 $C_{40}H_{38}N_6O_2.H_2SO_4$ (3625-57-8)	**Nile Blue Sulphate** for Microscopy (Nile Blue Hydrogen Sulphate) M. W.: 732.84 Dye content (spectrophotometric) > 90.0%	**5 gm** **25 gm**
869235	**Nile Blue** Sulphate Solution	**100 ml**
965170 MB $C_{20}H_{18}N_2O_2$ (7385-67-3)	**Nile Red** For Molecular Biology M. W.: 318.37 Store Below 30°C	**100 mg** **1 gm**
594475 $C_9H_4O_3.H_2O$ (485-47-2)	**Ninhydrin AR** M. W.: 178.14 Assay (Non-aqueous) 99.0%	**10 gm** **25 gm** **100 gm** **1 kg**
967260 MB $C_9H_6O_4$ (485-47-2)	**Ninhydrin** (2,2-Dihydroxy-1,3-Indanedione) For Molecular Biology M. W.: 178.14 Assay : ≥ 99% Store Below 30°C	**10 gm** **25 gm**
869280	**Ninhydrin** Solution	**125 ml**

Product Code	Product Name	Packing
869290	**Niobium** (Nb) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **500 ml**
869300	**Niobium** (Nb) CRISTAR® 1000 ppm Single Element Std. Soln for ICP in 5% HNO_3 1% in HF in accordance with NIST	**50 ml** **100 ml**
168965 Nb (7440-03-1)	**Niobium** Metal Powder M. W.: 92.91 Assay 99.8%	**25 gm** **100 gm**
594540 Nb_2O_5 (1313-96-8)	**Niobium Pentoxide AR** (Niobium (v) oxide) M. W.: 265.81 Assay (Gravimetric) 99.5%	**5 gm** **25 gm** **500 gm**
024885 ✲ $C_6H_8(=NOH)_2$ (492-99-9)	**Nioxime** M. W.: 142.16 Assay 97.0%	**1 gm** **5 gm**
169075 $C_{16}H_8N_4Na_2O_{11}S_2$ (5423-07-4)	**Nitrazine** Yellow Indicator (C. I. No. 14890) M. W.: 542.36	**5 gm** **25 gm**
169215 HNO_3 (7697-37-2)	**Nitric Acid** (1.41-1.42) M. W.: 63.01 Assay 69-72% (Order must be placed for 8x500 ml pack in a thermocole boxes) (Order must be placed for 4x2.5 lit ml pack in a thermocole boxes)	**500 ml** **2.5 lit**
594655 HNO_3 (7697-37-2)	**Nitric Acid** (1.42) **AR/ACS** M. W.: 63.01 Assay 69-72% (Order must be placed for 8x500 ml pack in a thermocole boxes) (Order must be placed for 4x2.5 lit ml pack in a thermocole box)	**500 ml** **2.5 lit**
756355 HNO_3 (7697-37-2)	**Nitric Acid** EL M. W.: 63.01 Assay 69-71%	**2.5 lit**
756360 HNO_3 (7697-37-2)	**Nitric Acid** Acipur for Trace Metal Analysis M.W : 63.01 Assay 69.5%	**500 ml** **2.5 lit**
756370 (7697-37-2)	**Nitric Acid** ABT 70%"TAR" Trace Analysis Reagent	**1 lit**
869400	**Nitric Acid** CPECTROSOL® 0.01M (0.01N) Standard Solution in H_2O in accordance with NIST	**1 lit**
869420	**Nitric Acid** CPECTROSOL® 0.1M (0.1N) Standard Solution in H_2O in accordance with NIST	**1 lit**
869425	**Nitric Acid** 0.1 Mol/l (0.1N) For 1000 ml Solution	**1 AMP**
869460	**Nitric Acid** CPECTROSOL® 1M (1N) for Standard Solution in H_2O in accordance with NIST	**1 lit**
869480	**Nitric Acid** CPECTROSOL® 2M (2N) for Standard Solution in H_2O in accordance with NIST	**1 lit**
869500	**Nitric Acid** CPECTROSOL® 4M (4N) for Standard Solution in H_2O in accordance with NIST	**1 lit**
869520	**Nitric Acid** CPECTROSOL® 8M (8N) for Standard Solution in H_2O in accordance with NIST	**1 lit**
869530	**Nitric Acid** 10 mol/L Solution.	**500 ml** **1 lit** **2.5 lit**
029338 $C_6H_9NO_6$ (139-13-9)	**Nitrilotriacetic Acid** (NTA) Complexometric Indicator and Reagent M. W.: 191.14 Assay (acidimetric) 99.0%	**100 gm** **500 gm**
594725 $N(CH_2COOH)_3$ (139-13-9)	**Nitrilotriacetic Acid** (NTA) **AR** M. W.: 191.14	**100 gm** **500 gm**
169335 $C_8H_8N_2O_3$ (104-04-1)	p-**Nitro Acetanilide** for Synthesis M. W.: 180.16	**100 gm** **500 gm**
169445 $C_8H_7NO_3$ (121-89-1)	3-**Nitro Acetophenone** for Synthesis M. W.: 165.15	**100 gm** **500 gm**
169505 $C_8H_7NO_3$ (100-19-6)	p-**Nitro Acetophenone** for Synthesis M. W.: 165.15	**250 gm** **1 kg**
024873 $C_6H_6N_2O_2$ (99-09-2)	m-**Nitro Aniline** (3-Nitro Aniline) Pract M. W.: 138.13 Assay (GC) 96.0%	**250 gm**
029341 $C_6H_6N_2O_2$ (88-74-4)	o-**Nitro Aniline** (2-Nitro Aniline) M. W.: 138.13 Assay (GC) 98.0%	**250 gm**
029343 $C_6H_6N_2O_2$ (100-01-6)	p-**Nitro Aniline** (4-Nitro Aniline) M. W.: 138.12 Assay(GC) 98.0%	**250 gm** **500 gm**
594865 $C_6H_6N_2O_2$ (100-01-6)	4-**Nitro Aniline AR** for Determination Of Phenol M. W.: 138.12	**25 gm** **100 gm** **500 gm**
169615 $C_7H_7NO_3$ (91-23-6-)	2-**Nitro Anisole** for Synthesis (o-Nitroanisole) M. W.: 153.14	**500 ml** **2.5 lit** **25 lit** **200 lit**
594955 $C_{40}H_{30}N_{10}O_6Cl_2$ (298-83-9)	▲**Nitro B.T. AR** Used for estimating dehydrogenase enzymes Totally soluble formazan free M. W.: 817.65 Assay (ex Cl,anhydrous) 95.0%	**100 mg** **250 mg** **1 gm**
970100 MB $C_{40}H_{30}Cl_2N_{10}O_6$ (298-83-9)	▲**Nitro B.T.** for Microscopy and for Molecular Biology M. W.: 817.67 Assay (Argentometric, ex Cl), anhydrous) 95.0%	**100 mg** **500 mg** **1 gm**
TC1475 ATC $C_{40}H_{30}N_{10}O_6.2Cl$ (298-83-9)	▲**Nitro B.T. (Nitroblue Tetrazolium** **Chloride)** Cell Culture Tested M. W.: 817.64 Activity : ≥98% Store at 2-8°C	**100 mg** **250 mg** **1 gm** **5 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
024886 $NO_2C_6H_4CHO$ (552-89-6)	o-**Nitro Benzaldehyde** M. W.: 151.12 Assay (GC) 98.0%	**100 gm** **1 kg**
595065 $NO_2C_6H_4CHO$ (552-89-6)	· o-**Nitro Benzaldehyde AR** M. W.: 151.12 Assay (GC) 99.0%	**10 gm** **25 gm** **1 kg**
169735 $O_2NC_6H_4CHO$ (99-61-6)	3-**Nitro Benzaldehyde** for Synthesis (m-Nitrobenzaldehyde) M. W.: 151.12	**100 gm** **500 gm**
595075 $O_2NC_6H_4CHO$ (555-16-8)	4-**Nitro Benzaldehyde AR** M. W.: 151.12	**25 gm** **100 gm**
169885 $C_7H_6N_2O_3$ (619-80-7)	4-**Nitro Benzamide** for Synthesis M. W.: 166.13	**25 gm** **100 gm**
029353 $C_6H_5.NO_2$ (98-95-3)	**Nitro Benzene** M. W.: 123.11 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
595135 $C_6H_5.NO_2$ (98-95-3)	**Nitro Benzene AR/ACS** M. W.: 123.11 Assay (By GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
595485 $C_6H_4N_3O_2.BF_4$ (456-27-9)	4-**Nitro Benzene Diazonium Tetrafluoroborate AR** M. W.: 236.92 Assay 97.0%	**5 gm** **25 gm**
	3-**Nitro Benzene**-1,2-Dicarboxylic Acid See 3-Nitrophthalic Acid	
	4-**Nitro Benzene**-1,2-Dicarboxylic Acid See 4-Nitrophthalic Acid	
170025 $C_6H_4ClNO_4S$ (98-74-8)	4-**Nitro Benzene Sulfonyl Chloride** for Synthesis M. W.: 221.62 Assay 97.0%	**100 gm** **5 kg**
029355 $C_6H_4NNaO_5S$ (127-68-4)	m-**Nitro Benzene Sulphonic Acid Sodium Salt** M. W.: 225.16 Assay(dried) 98.0%	**250 gm** **1 kg**
024896 $C_7H_5N_3O_2.HNO_3$ (27896-84-0)	5-**Nitro Benzimidazole Nitrate** 5, 6 Photo pure M. W.: 226.15 Assay (acidimetric) 98.0%	**25 gm** **1 kg**
595695 $C_7H_5N_3O_2$ (94-52-0)	5-**Nitro Benzimidazole AR** M. W.: 163.13	**25 gm** **100 gm**
024887 $C_7H_5NO_4$ (121-92-6)	m-**Nitro Benzoic Acid** M.W.: 167.12 Assay (HPLC) 98.0%	**100 gm** **500 gm**
170145 ✲ $C_7H_5NO_4$ (552-16-9)	o-**Nitro Benzoic Acid** M. W.: 167.12 Assay 95.0%	**100 gm**
029361 $NO_2.C_6H_4COOH$ (62-23-7)	p-**Nitro Benzoic Acid** for Synthesis M. W.: 167.12 Assay (HPLC) 99.0%	**500 gm** **25 kg**

Product Code	Product Name	Packing
170225 ✲ $C_7H_4N_2O_2S$ (2942-06-5)	6-**Nitro Benzothiazole** M. W.: 180.18 Assay 99.0%	**50 gm**
170295 $C_7H_4ClNO_3$ (122-04-3)	4-**Nitro Benzoyl Chloride** for Synthesis M. W.: 185.56 Assay 98.0%	**100 gm** **500 gm**
170375 $C_7H_7NO_3$ (619-73-8)	4-**Nitro Benzyl Alcohol** for Synthesis (p-Nitrobenzyl Alcohol) M. W.: 153.14	**25 gm** **100 gm**
170485 $BrC_7H_6NO_2$ (100-11-8)	4-**Nitro Benzyl Bromide** for Synthesis M. W.: 216.03 Assay 99.0%	**25 gm** **100 gm** **500 gm**
595745 $NO_2.C_6H_4.CH_2.C_5H_4N$ (1083-48-3)	4-**(4-Nitro Benzyl) Pyridine** extra Pure **AR** M. W.: 214.23 Assay (Non-aqueous) 99.0%	**5 gm** **25 gm**
	Nitro Blue Tetrazolium Chloride See Nitro B.T.	
	Nitro Carbol See Nitromethane	
595905 $C_6H_5NO_4$ (3316-09-4)	4-**Nitro Catechol AR** M. W.: 155.11 Assay 97.0%	**5 gm**
027925 (9004-70-0)	**Nitro Cellulose**	**500 gm**
	O-**Nitro Chlorobenzene (ONCB)** See 1-Chloro-2-Nitrobenzene	
	M-**Nitro Chlorobenzene (MNCB)** See 1-Chloro-3-Nitrobenzene	
	P-**Nitro Chlorobenzene (PNCB)** See 1-Chloro-4-Nitrobenzene	
170575 $C_2H_5NO_2$ (79-24-3)	**Nitro Ethane** M. W.: 75.07 Assay 99.0%	**500 ml** **2.5 lit**
596225 $C_2H_5NO_2$ (79-24-3)	**Nitro Ethane AR** M. W.: 75.07 Assay 99.0%	**250 ml** **500 ml**
170665 $C_8H_6N_2O_2$ (6146-52-7)	5-**Nitro Indole** for Synthesis M. W.: 162.15	**5 gm** **25 gm**
170775 $C_8H_5NO_6$ (618-88-2)	5-**Nitro Isophthalic Acid** for Synthesis M. W.: 211.13	**500 gm**
029371 CH_3NO_2 (75-52-5)	**Nitro Methane** M. W.: 61.04 Assay (GC) 98.0%	**500 ml** **2.5 lit**
596335 CH_3NO_2 (75-52-5)	**Nitro Methane AR/ACS** M. W.: 61.04	**500 ml** **2.5 lit**
170885 ✲ $C_8H_7NO_5$ (5081-36-7)	4-**Nitro**-3-**Methoxybenzoic Acid** M. W.: 197.14 Assay 98.0%	**5 gm**
596400 $C_{20}H_{16}N_4$ (2218-94-2)	**Nitron AR** M. W.: 312.38 Assay 97.0%	**1 gm** **5 gm**

Storage : · #0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
170995 ⁂ $C_{10}H_7NO_2$ (86-57-7)	1-**Nitro Naphthalene** for Synthesis (A-Nitro Naphthalene) M. W.: 173.17 Assay 99.0%	**100 gm** **500 gm**
029377 $NO_2.C_6H_4.OH$ (88-75-5)	o-**Nitro Phenol** (2-Nitro Phenol) M. W.: 139.11 Assay (GC) 99.0%	**500 gm**
596545 $O_2NC_6H_4OH$ (88-75-5)	o-**Nitro Phenol Indicator AR** M. W.: 139.11	**25 gm** **100 gm**
029379 $C_6H_5NO_3$ (100-02-7)	p-**Nitro Phenol** (4-Nitro Phenol) M. W.: 139.11 Assay (GC) 99.0%	**100 gm** **500 gm**
TC1702 ATC $C_6H_5NO_3$ (100-02-7)	p-**Nitro Phenol** Cell Culture Tested M. W.: 139.11 Store below 30°C	**5 gm** **25 gm**
596575 $O_2NC_6H_4OH$ (554-84-7)	m-**Nitro Phenol Indicator AR** (3-Nitrophenol) M. W.: 139.11	**5 gm** **25 gm** **100 gm**
596585 $C_6H_5NO_3$ (100-02-7)	p-**Nitro Phenol** Indicator **AR** M. W.: 139.11 Assay (GC) 99.0%	**25 gm** **100 gm** **500 gm**
	4-(4-**Nitro Phenyl Azo**)-1-**Naphthol** See Magneson II	
	4-(4-**Nitro Phenyl Azo**)-**Resorcinol** See Magneson I	
171185 $CH_3CO_2C_6H_4NO_2$ (830-03-5)	p-**Nitro Phenyl Acetate** (4-Nitrophenyl Acetate) M. W.: 181.15	**5 gm** **25 gm** **100 gm**
171225 $C_8H_7NO_4$ (104-03-0)	p-**Nitro Phenyl Acetic Acid** M. W.: 181.15 Assay 98.0%	**5 gm** **25 gm** **100 gm**
171285 ⁂ $C_8H_6N_2O_2$ (555-21-5)	p-**Nitro Phenyl Acetonitrile** for Synthesi M. W.: 162.15 Assay 98.0%	**100 gm** **500 gm**
171415 ⁂ $C_9H_{10}N_2O_4.H_2O$ (207591-86-4)	▲4-**Nitro**-L-**Phenylalanine** Monohydrate for Biochemistry M. W.: 228.20 Assay 98.0%	**25 gm**
171525 $C_{12}H_{15}NO_8$ (369-07-3)	· o-**Nitro Phenyl** B-D-**Galactopyranoside** Extra Pure for Biochemistry M. W.: 301.25 Assay 98.0%	**500 mg** **5 gm** **10 gm**
PCT2558 PTC $C_{12}H_{15}NO_8$ (369-07-3)	· 2-**Nitrophenyl**-B-**Galactopyranoside** Plant Culture Tested M. W.: 301.3	**5 gm** **25 gm**

Product Code	Product Name	Packing
596785 $C_6H_7N_3O_2$ (100-16-3)	4-**Nitro Phenyl Hydrazine AR** (p-Nitrophenylhydrazine) M. W.: 153.14	**10 gm** **25 gm**
596805 $C_6H_4NNa_2O_6P.6H_2O$ (4264-83-9)	4-**Nitro Phenyl Phosphate Disodium Salt** Hexahydrate **AR** M. W.: 371.15 Assay (Absorptiometric) 98.0%	**5 gm** **25 gm**
970150 MB $C_6H_4NNa_2O_6P.6H_2O$ (333338-18-4)	▲p-**Nitrophenyl Phosphate Disodium Salt Hexahydrate** For Molecular Biology M. W.: 371.14 Assay : ≥ 98%	**5 gm** **25 gm**
171615 (68189-42-4)	4-**Nitrophenyl Phosphate Di**(TRIS) **Salt** (pNPP DTRIS SALT) for Biochemistry	**1 gm** **5 gm** **25 gm**
171695 $O_2NC_6H_3$-1,2-$(CO_2H)_2$ (603-11-2)	3-**Nitro Phthalic Acid** for Synthesis (3-Nitrobenzene-1,2-Dicarboxylic Acid) M. W.: 211.13	**100 gm** **500 gm**
171715 $C_8H_5NO_6$ (610-27-5)	4-**Nitro Phthalic Acid** for Synthesis (4-Nitrobenzene-1, 2-Dicarboxylic Acid) M. W.: 211.13	**100 gm** **500 gm**
171785 ⁂ $C_3H_7O_2N$ (79-46-9)	2-**Nitro Propane** for Synthesis M. W.: 89.09 Assay 96.0%	**100 gm**
024877 $C_8H_3N_3O_2$ (31643-49-9)	4-**Nitrophthalonitrile** M. W.: 173.13 Assay 99.0%	**5 gm** **25 gm** **100 gm**
013090 $C_{10}H_6(OH).NO$ (131-91-9)	1-**Nitroso**-2-**Naphthol** M. W.: 173.16 Assay (Titanometry) 95.0%	**100 gm** **500 gm**
596895 $C_{10}H_6(OH).NO$ (131-91-9)	1-**Nitroso**-2-**Naphthol AR** M. W.: 173.17 Assay(dried) 98.0%	**25 gm** **100 gm**
869650	1-**Nitroso**-2-**Naphthol** Solution (Reagent for Co, Fe, Ni & Pd)	**100 ml**
596905 $C_{10}H_6(OH)NO$ (132-53-6)	2-**Nitroso**-1-**Naphthol AR** Reagent for Cobalt and Zirconium M. W.: 173.17 Assay(Titanometric) 95.0%	**5 gm** **25 gm**
596915 $C_{10}H_5NNa_2S_2O_8$ (525-05-3)	**Nitroso**-R-**Salt AR** Sensitivity to Cobalt 1:1000000 M. W.: 377.26	**25 gm** **100 gm**
869670	**Nitroso-R Salt** Solution (Reagent for cobalt & Iron)	**100 ml**
	Nitrotetrazolium Blue Chloride See Nitro B.T.	
024894 $NO_2.C_6H_4.CH_3$ (99-08-1)	m-**Nitro Toluene** for Synthesis (3-Nitro Toluene) M. W.: 137.14 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
029393 $NO_2.C_6H_4.CH_3$ (88-72-2)	o-**Nitro Toluene** for Synthesis (2 Nitro Toluene) M. W.: 137.14 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
029395 $NO_2.C_6H_4CH_3$ (99-99-0)	p-**Nitro Toluene** for Synthesis (4-Nitro Toluene) M. W.: 137.14 Assay (GC) 99.0%	**500 gm** **25 kg**
171995 $C_4H_3N_3O_4$ (611-08-5)	▲5-**Nitro Uracil** for Biochemistry M. W.: 157.08 Assay 98.0%	**5 gm** **25 gm**
172075 ✲ $C_8H_9NO_2$ (99-12-7)	5-**Nitro**-m-**Xylene** M. W.: 151.16 Assay 99.0%	**5 gm**
PCT2408 PTC	▲**NOA Solution** w/ 1 mg/ml NOA in sterile distilled water Sterile filtered Plant Culture Tested	**20 ml** **5X20 ml**
172265 $C_{19}H_{40}$ (629-92-5)	n-**Nonadecane** for Synthesis M. W.: 268.53 Assay 98.0%	**100 ml**
597095 $C_{19}H_{40}$ (629-92-5)	n-**Nonadecane AR** M. W. : 268.53	**100 ml**
172415 $CH_3(CH_2)_7CH_3$ (111-84-2)	n-**Nonane** for Synthesis M. W.: 128.26	**100 ml** **500 ml**
757180 $CH_3(CH_2)_8SO_3Na$ (35192-74-6)	1-**Nonanesulphonic Acid Sodium Salt AR** For HPLC M. W.: 230.30	**5 gm** **25 gm**
172465 $C_9H_{18}O_2$ (112-05-0)	**Nonanoic Acid** M. W.: 158.24 Assay 97.0%	**500 gm**
172355 $C_9H_{20}O$ (143-08-8)	n-**Nonanol** for Synthesis (Nonan-1-ol) M. W.: 144.25	**100 ml** **500 ml**
	Nonyl Alcohol See N-Nonanol	

Product Code	Product Name	Packing
172705 $C_{15}H_{24}O$ (104-40-5)	**Nonyl Phenol** M. W.: 220.35	**500 ml** **2.5 lit**
597415 ✲ $C_8H_{11}NO_3.HCl$ (55-27-6)	DL-**Nor-Adrenaline** HCl **AR** M. W.: 205.64 Assay (TLC) 97.0%	**1 gm**
024883 $C_{16}H_{18}FN_3O_3$ (70458-96-7)	▲**Norfloxacin** for Lab Use M. W.: 319.33 Assay 98.0%	**1 gm** **5 gm**
024879 C (7440-44-0)	**Norit-A** 100 mesh At. W. 12.01	**2 kg** **5 kg** **25 kg**
173035 $C_{14}H_8NNaO_7S$ (6409-77-4)	**Nuclear Fast Red** for Microscopy M. W.: 357.27	**1 gm** **5 gm**
869900	**Nylander**'s Reagent (Test Reagent for Glucose in urine)	**50 ml**
044207 $C_{47}H_{75}NO_{17}$ (1400-61-9)	▲**Nystatin** 4400 USP Unit per mg M. W.: 926.10	**1mil.Unit**
PCT2112 PTC (1400-61-9)	▲**Nystatin** Plant Culture Tested 1,000,000 units per vial Potency 4400 USP U/mg	**1 vl** **10x1 vl** **25x1 vl**
TC1032 ATC (1400-61-9)	▲**Nystatin** (Mycostatin) Cell Culture Tested 1,000,000 units per vial Recommended for use in cell culture application at 50 m/L Potency : ≥4400 USP units/mg	**1x1 mu** **5x1 mu** **25x1 mu**
TC1032G ATC $C_{47}H_{75}NO_{17}$ (1400-61-9)	▲**Nystatin Gamma Irradiated** (Mycostatin Gamma irradiated) Cell Culture Tested 1,000,000 units per vial Recommended for use in cell culture application at 50 mg/L M. W.: 926.09 Potency : ≥4400 USP units/mg	**1x1 mu** **5x1 mu** **25x1 mu**

NMR SOLVENTS

NMR for spectroscopy & deuterated solvents are provided to NMR-users for use in chemical analysis and R & D worldwide.

Storage : · ❄0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
871180	**Obermayer**'s Reagent (Test reagent for "Indican" in urine)	**100 ml**
176175 $C_{18}H_{38}$ (593-45-3)	n-**Octadecane** 90% for Synthesis M. W.: 254.2	**250 gm**
029404 $C_{18}H_{38}O$ (112-92-5)	1-**Octadecanol** (Octadecyl Alcohol) M. W.: 270.50 Assay (GC) 96.0%	**500 gm**
176045 ✲ $C_{18}H_{36}$ (112-88-9)	1-**Octadecene 90%** for Synthesis M. W.: 252.48 Assay 95.0%	**250 ml**
	1-**Octadecyl Alcohol** See 1-Octadecanol, Stearyl Alcohol	
176295 $C_{18}H_{39}N$ (124-30-1)	**Octadecylamine** for Synthesis M. W.: 269.51 Assay 97.0%	**250 gm** **1 kg**
029409 $CH_3(CH_2)_6CH_3$ (111-65-9)	n-**Octane** for Synthesis M. W.: 114.23	**100 ml** **500 ml**
597455 $CH_3(CH_2)_6CH_3$ (111-65-9)	n-**Octane AR** M.W.: 114.23 Assay (GC) 99.7%	**100 ml** **500 ml**
	iso-**Octane** See ISO Octane	
759105 $C_8H_{17}O_3SNa$ (5324-84-5)	1-**Octane Sulphonic Acid Sodium Salt** (Anhydrous) HPLC for Ion-Pair Chromatography M. W: 216.28	**25 gm** **100 gm**
759110 $C_8H_{17}NaO_3S.H_2O$ (207596-29-0)	1-**Octane Sulphonic Acid Sodium** Salt Monohydrate M. W.: 234.29 Assay (acidimetric on dried basis) 98.0%	**25 gm** **100 gm**
	Octanoic Acid See Caprylic Acid	
	n-**Octanoic Acid Sodium Salt** See n-Caprylic Acid Sodium Salt	
029408 $CH_3.(CH_2)_6.CH_2OH$ (111-87-5)	1-**Octanol** (Octyl Alcohol) for Synthesis (Octan-1-OL, n-Octanol) M. W.: 130.23 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
597485 $C_8H_{18}O$ (111-87-5)	1-**Octanol AR** M. W.: 130.23 Assay (GC) 99.5%	**500 ml** **2.5 lit**
759200 $C_8H_{18}O$ (111-87-5)	1-**Octanol** HPLC & Spectroscopy M. W.: 130.23	**500 ml** **1 lit**
	iso-**Octanol** See 2-Ethyl -1-Hexanol	
024796 $C_8H_{18}O$ (589-98-0)	3-**Octanol** M. W.: 130.23 Assay (GC) 97.0%	**500 ml** **2.5 lit**
176485 C_8H_{16} (111-66-0)	1-**Octene** M. W.: 112.22 Assay 98.0%	**500 ml** **2.5 lit** **25 lit**

Product Code	Product Name	Packing
	Octoic Acid See 2-Ethyl Hexanoic Acid	
176655 $C_{10}H_{20}O_2$ (112-14-1)	**Octyl Acetate** for Synthesis M. W.: 172.26 Assay 99.0%	**500 ml** **10 lit**
176745 $C_8H_{19}N$ (111-86-4)	n-**Octylamine** for Synthesis M. W.: 129.24 Assay 99.0%	**250 ml** **1 lit** **10 lit**
	Octyl Sulphate Sodium Salt See Sodium Octyl Sulphate	
176835 $C_{14}H_{28}O_6$ (29836-26-8)	n-**Octyl-Beta**-D-**Glucopyranoside** for Biochemistry M. W.: 292.37 Assay (GC) 98.0%	**1 gm** **5 gm**
176915 $C_{14}H_{22}O$ (140-66-9)	4-tert-**Octylphenol** for Synthesis M. W.: 206.33 Assay 97.0%	**500 gm**
	iso-**Octyl Phenoxy Polyethoxy Ethanol** See Criton 100	
	di **Octyl Sodium Sulphosccinate** See Dioctyl Sodium Sulphosuccinate	
196995 $C_{14}H_{28}O_5S$ (85618-21-9)	**Octyl β-D-Thioglucopyranoside** for Biochemistry (Octyl Thioglucoside) M. W.: 308.44	**500 mgm** **1 gm**
	ODCB See o-Dichlorobenzene	
024791 $C_{18}H_{20}FN_3O_4$ (82419-36-1)	**Ofloxacin for Lab Use** M.W.: 361.37	**1 gm** **10 gm** **500 gm**
	Oil Aemons See Oil Almond	
177210 (8007-69-0)	**Oil Almond**	**500 ml**
177215 (8007-75-8)	**Oil Bergamot**	**500 gm**
	Oil Citronella See **Citronella**	
177245 (8001-30-7)	**Oil Corn**	**500 ml**
	Oil of Castor See Castor Oil	
	Oil of Cedarwood See Cedar Wood Oil	
	Oil of Clove See Clove Oil	
	Oil of Eucalyptus See Eucalyptus Oil	
	Oil of Turpentine See Turpentine Oil	
177285 (8000-46-2)	**Oil Geranium**	**500 gm**
	Oil of Immersion See Immersion Oil	
177305 (8007-02-1)	**Oil of Lemon** Grass Oil	**500 ml**
177325 (8008-79-5)	**Oil Mentha**	**500 gm**
	Oil of Olive See Olive Oil	

Product Code	Product Name	Packing
177395 (8006-90-4)	**Oil of Peppermint** (peppermint oil)	**100 ml** **500 ml**
	Oil Pine See Pine Oil	
177425 (8008-57-9)	**Oil Orange**	**500 gm** **2.5 kg**
034061 $C_{26}H_{24}N_4O$ (14288-70-1)	**Oil Red** O for Electrophoresis C.I. No. 26125 M. W.: 408.51 Dye content (Titanometry on dried Substance) Min 80.0%	**5 gm** **25 gm** **1 kg**
871300	**Oil Red O** Solution 0.5% In Isopropanol	**100 ml**
171495	**Oil Rose**	**10 ml** **25 ml**
025264 $C_{17}H_{33}.COOH$ (112-80-1)	**Oleic Acid** M. W.: 282.47 Assay(GC) 65.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
TC1382 ATC $C_{18}H_{34}O_2$ (112-80-1)	**▲Oleic Acid** Cell Culture Tested M. W.: 282.46 Assay : ≥97%	**1 ml** **5 ml** **25 ml**
	Oleic Acid Sodium Salt See Sodium Oleate	
177615 H_2O_4S (8014-95-7)	**Oleum** 20% Pract M. W.: 98.08	**500 ml**
177725 $C_{18}H_{36}O$ (143-28-2)	**Oleyl Alcohol** Pract M. W.: 268.49	**500 ml** **2.5 lit**
177815 $C_{18}H_{27}N$ (112-90-3)	**Oleylamine** for Synthesis M. W.: 267.50	**250 ml** **1 lit** **2.5 lit**
024798 (8001-25-0)	**Olive Oil** (Oil of Olive)	**100 ml** **250 ml** **1 lit** **5 lit**
871200	**O'meara Reagent**	**100 ml**
	ONCB See 1-Chloro-2-Nitrobenzene	
177845 $C_{20}H_{14}N_2O_2$ (4395-65-7)	**Oracet Blue** (2R Indicator for Titration in Non-Aqueous Solvent) (C.I. 61110) M.W. : 314.34	**100 mg**
174900 (12769-16-3)	**Oracet Blue B** Indicator	**5 gm** **25 gm**
034062 $C_{16}H_{10}N_2Na_2O_7S_2$ (1936-15-8)	**Orange G** Indicator for Microscopy C.I. No. 16230 M. W.: 452.37 Dye content (Titanometry, on dried Subs.) About 90.0%	**25 gm** **100 gm** **1 kg** **5 kg**
H54045 (1936-15-8)	**Orange G** For CERTIFIED **HIPURE** (C.I. No. 16230)	**25 gm** **100 gm**
	Orange IV (ph) Indicator See Tropaeolin OO	
	Orange III See Methyl Orange	
034063 (1400-62-0)	**Orcein** for Microscopy	**5 gm** **10 gm** **1 kg**
H54063 (1400-62-0)	**Orcein** for Microscopy CERTIFIED **HIPURE**	**5 gm** **25 gm**
871325	**Orcein** Solution (For Inulin)	**100 ml**
	Orcein Aceto Solution (Lacour) See Aceto Orcein Solution	
029418 $CH_3.C_6H_3(OH)_2.H_2O$ (6153-39-5)	**Orcinol** Monohydrate M. W.: 142.15 Assay(GC) 98.0%	**10 gm** **25 gm** **100 gm**
970210 MB $C_7H_8O_2.H_2O$ (6153-39-5)	**Orcinol** Monohydrate For Molecular Biology M. W.: 142.15 Assay : ≥ 98% Store Below 30°C	**10 gm** **25 gm** **100 gm**
597525 $C_5H_{12}N_2O_2.HCl$ (3184-13-2)	L-**Ornithine Monohydrochloride** AR For Biochemistry M. W.: 168.62 Assay (Non-aqueous) 98.0%	**5 gm** **25 gm** **500 gm**
PCT1323 PTC $C_5H_{12}N_2O_2.HCl$ (3184-13-2)	**L-Ornithine Monohydrochloride** Plant Culture Tested M. W.: 168.62 Assay 99% Store below 30°C	**25 gm** **100 gm** **500 gm**
TC1093 ATC $C_5H_{12}N_2O_2.HCl$ (3184-13-2)	**L-Ornithine Monohydrochloride** (From non-animal source) Cell Culture Tested M. W.: 168.62 Assay : ≥99% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
	Orthoacetic Acid Trimethyl Ester See Trimethylorthoformate	
	Ortho Boric Acid See Boric Acid	
	Ortho Nitro Chlorobenzene See 1-Chloro-2-Nitro Benzene	
	Ortho Phosphoric Acid See ortho-Phosphoric Acid	
PCT2559 PTC $C_{12}H_{18}N_4O_6S$ (19044-88-3)	**Oryzalin** Plant Culture Tested M. W.: 346.36 Store below 30°C	**100 mg** **500 mg** **1 gm**
597600 OsO_4 (20816-12-0)	**Osmic Acid AR** M. W.: 254.20 Assay 99.9%	**1 gm**
871350	**Osmic Acid** 2% Solution w/v for Microscopy	**5 ml**
	Osmium Tetraoxide See Osmic Acid	

Storage : · ❄0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
029423 $C_2H_2O_4.2H_2O$ (6153-56-6)	**Oxalic Acid** Purified (Ethanedioic acid) M. W.: 126.07 Assay (Oxidimetric) 99.5%	500 gm 1 kg 5 kg 50 kg
597665 $C_2H_2O_4.2H_2O$ (6153-56-6)	**Oxalic Acid AR/ACS** M. W.: 126.07 Assay (Oxidimetric) 99.8%	500 gm
970260 MB $C_2H_2O_4.2H_2O$ (6153-56-6)	**Oxalic Acid** Dihydrate For Molecular Biology M. W.: 126.07 Assay : ≥ 99% Store Below 30°C	1 kg
871440	**Oxalic Acid** 0.01 mol/L (0.02N) Solution	500 ml 1 lit 2.5 lit
871450	**Oxalic Acid** N/10 (0.1N) 0.05 mol	500 ml 1 lit 2.5 lit
871520	**Oxalic Acid** Solution 0.05 M Citrisol 3.1515 g $C_2H_2O_4.2H_2O$ for 500 ml Solution 0.1 N solution	1 Amp 3 Amp 6 Amp
871580	**Oxalic Acid** TS acc to USP	500 ml
	Oxalic Acid Bis Cyclohexylidine Hydrazide See Bis -Cyclohexanone Oxalyl Dihydrazone	
871550	**Oxalic Acid** 0.5M (1N) Volumetric Solution	500 ml 1 lit 2.5 lit
597725 $(CO.NH.NH_2)_2$ (996-98-5)	**Oxalic Acid Dihydrazide AR** (Oxalyl Dihydrazide) M. W.: 118.10 Assay (HPLC) 98.0%	25 gm
178135 $C_4H_4O_5$ (328-42-7)	**Oxaloacetic Acid** for Biochemistry M. W.: 132.07	1 gm 5 gm 100 gm 1 kg

Product Code	Product Name	Packing
TC1158 ATC $C_4O_5H_4$ (328-42-7)	▲**Oxalacetic Acid** Cell Culture Tested M. W.: 132.07 Assay : ≥95%	1 gm 5 gm 25 gm 100 gm
029426 $C_2Cl_2O_2$ (79-37-8)	**Oxalyl Chloride** for Synthesis M.W.: 126.93 Assay (Acidimetric) 98.0%	100 ml 500 ml
	Oxalyl Dihydrazide See Oxalic Acid Dihydrazide	
	Oxine See 8-Hydroxy Quinoline	
	2-**Oxoglutaric Acid** See a-Keto Glutaric Acid	
178250 $HKO_5S. 0.5HKO_4S . 0.5K_2O_4S$ M.W : 307.38 (70693-64-8)	**Oxone** (Potassium Peroxy Monosulphate)	250 gm 1 kg
024799 $C_{19}H_{20}N_2O_3$ (129-20-4)	· **Oxyphenbutazone** for Lab Use M. W.: 324.38 Assay 98.0%	5 gm
TC1200 ATC $C_{22}H_{24}N_2O_9.2H_2O$ (6153-64-6)	▲**Oxytetracycline** Dihydrate Cell Culture Tested M. W.: 496.46 Potency : ≥832 µg/mg	1 gm 10 gm
024792 $C_{22}H_{24}N_2O_9.HCl$ (2058-46-0)	**Oxytetracycline Hydrochloride** for Lab Use M. W.: 496.90 Assay 97.0%	1 gm 5 gm
PCT2149 PTC $C_{22}H_{24}N_2O_9.HCl$ (2058-46-0)	**Oxytetracycline HCl** Plant Culture Tested M. W.: 496.9 Store at 30°C	5 gm 25 gm

STANDARD SOLUTION

CPECTROSOL® & CRISTAR®

Single element standard solutions concentrated at 1000mg/L **CPECTROSOL®** suitable for **AAS & CRISTAR®** for ICP. We also offer multi elements concentrated solutions at 10,000 mg/L **in accordance with NIST.**

Conductivity Standard Solutions

Available in various Microsiemense in accordance with NIST.

Buffer Standard

Available in various pH in solutions and powder.

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
TC1413 ATC $C_{47}H_{51}NO_{14}$ (33069-62-4)	▲**Paclitaxel** Taxol Cell Culture Tested M. W.: 853.9 Assay : ≥95%	**10 mg**
PCT1828 PTC $C_{15}H_{20}ClN_3O$ (76738-62-0)	▲**Paclobutrazol** Plant Culture Tested M. W.: 293.79 Assay 95%	**10 gm** **25 gm**
871402	**Palladium** (Pd) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	**100 ml** **250 ml** **500 ml**
874100	**Palladium** (Pd) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **250 ml** **500 ml**
874150	**Palladium** (Pd) CRISTAR® 1000 ppm Single Element Std. Soln for ICP in Hcl	**100 ml** **500 ml**
874170	**Palladium** (Pd) CRISTAR® 10000 ppm Single Element Std. Soln for ICP in Hcl	**100 ml** **500 ml**
603725 Pd (7440-05-3)	**Palladium** (Metal) Powder **AR** M. W.: 106.42 Assay 99.9%	**1 gm**
029744	**Palladium on Activated Charcoal** (5% Pd) Palladium content Pd 4.9-5.1%	**10 gm**
183095	**Palladium on Activated Charcoal** (10% Pd) Assay Palladium of Pd 9.9-10.1%	**10 gm**
183105	**Palladium** 5% on **Alumina**	**10 gm**
183125	**Palladium** 10% on **Alumina**	**10 gm**
012009	**Palladium on Asbestos** (5% Pd) Assay (On asbestos) (Pd) 4.9-5.1%	**10 gm**
012010	**Palladium on Asbestos** 10.0% Assay (On asbestos) (9.9-10.1% Pd)	**10 gm**
183185	**Palladium on Barium Sulphate** (5% Pd)	**10 gm**
183190	**Palladium on Barium Sulphate** (10% Pd)	**10 gm**
066277 (7440-05-3)	**Palladium on Calcium Carbonate** (5% Pd)	**10 gm**
066278 (7440-05-3)	**Palladium on Calcium Carbonate** (10% Pd)	**10 gm**
183275 $C_4H_6O_4Pd$ (3375-31-3)	**Palladium** (II) **Acetate** for Synthesis M. W.: 244.51	**1 gm** **5 gm**
183315 Br_2Pd (13444-94-5)	**Palladium Bromide** Extra Pure M. W.: 266.23 Assay 99.0%	**1 gm**

Product Code	Product Name	Packing
029431 $PdCl_2$ (7647-10-1)	**Palladium Chloride** (Pd 59-60%) M. W.: 177.33 Assay 99.0%	**1 gm** **5 gm**
183425 $Pd(NO_3)_2.2H_2O$ (10102-05-3)	**Palladium Nitrate** Dihydrate M. W.: 266.46 Assay (Pd) 40.0%	**1 gm**
066280 PdO (1314-08-5)	**Palladium** (II) **Oxide** M. W.: 122.44 Assay (Pd) ~85.0%	**1 gm**
183505 $PdSO_4$ (13566-03-5)	**Palladium Sulphate** M. W.: 202.48 Assay 98.0%	**1 gm**
029433 $CH_3.(CH_2)_{14}.COOH$ (57-10-3)	**Palmitic Acid** for Synthesis M. W.: 256.43 Assay (Acidimetric) 99.0-101.0%	**500 gm**
024691 $CH_3.(CH_2)_{14}.COOH$ (57-10-3)	**Palmitic Acid** for Biochemistry M. W.: 256.43 Assay (GC) 99.0%	**5 gm** **25 gm**
603835 $CH_3.(CH_2)_{14}.COOH$ (57-10-3)	**Palmitic Acid AR** M. W.: 256.43 Assay (acidimetric) 99.0%	**25 gm** **100 gm**
TC1386 ATC $C_{16}H_{32}O_2$ (57-10-3)	**Palmitic Acid** Cell Culture Tested M. W.: 256.42 Assay : ≥98% Store below 30°C	**10 gm** **25 gm** **100 gm**
TC1387 ATC $C_{17}H_{34}O_2$ (112-39-0)	**Palmitic Acid Methyl Ester** Cell Culture Tested M. W.: 270.45 Assay : ≥95% Store below 30°C	**1 gm** **5 gm** **25 gm**
TC1388 ATC $C_{16}H_{30}O_2$ (373-49-9)	▲**Palmitoleic Acid** Cell Culture Tested M. W.: 254.41 Assay : ≥99%	**100 mg** **1 gm**
183685 $CH_3(CH_2)_{14}COCl$ (112-67-4)	**Palmitoyl Chloride** for Synthesis (Hexadecanoy Chloride) M. W.: 274.87	**500 ml**
183795 $C_{23}H_{16}O_6$ (130-85-8)	**Pamoic Acid** for Synthesis M. W.: 388.37 Assay (T) 97.0%	**100 gm** **500 gm**
604495 $N(CH)_4C.N:N.C_{10}H_6.OH$ (85-85-8)	**PAN** Indicator **AR** Reagent for Complexometric Titration M. W.: 249.27 Assay (Non-aqueous) 98.0%	**1 gm** **5 gm**
874270	**PAN** 0.1% w/v indicator Solution in Methanol	**100 ml**
874273	**PAN** 0.1% w/v indicator Solution in Ethanol	**100 ml**
874276	**PAN** 1% w/v indicator Solution in Methanol	**100 ml**
874280	**PAN** 1% w/v indicator Solution in Ethanol	**100 ml**
039029 (8049-47-6)	· **Pancreatin** (From Pig Pancreas)	**100 gm** **500 gm**

Storage : · #0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
874370	**Pandy's** Reagent (For determination of Globulin in CSF)	**125 ml**
027673 $C_9H_{19}NO_4$ (81-13-0)	· d-**Pantothenol** (d-Pantothenyl alcohol) M. W.: 205.26 Assay (NT) 99.0%	**100 gm** **1 kg**
	d-**Pantothenic Acid Calcium Salt** See Calcium-D-Pantothenate	
039030 (9001-73-4)	· **Papain** From Papaya Latex	**100 gm** **500 gm**
183840 (9001-73-4)	· **Papain** Type III 2xCrystallized	**25 mg** **100 mg**
039031 (9001-73-4)	· **Papain** Type IV 2xCrystallized	**25 mg** **100 mg**
TC1685 ATC (9001-73-4)	· **Papain** Source : Carica papaya Cell Culture Tested Activity : NLT 30000 USP units/mg	**25 gm** **100 gm**
874420	**Papanicolaous** Solution 1a Harris Haematoxylin Solution For cytological cancer and cycle Diagnosis	**125 ml**
874430	**Papanicolaous** Solution 2b Orange (II) Solution For cytological cancer and cycle Diagnosis	**125 ml**
874440	**Papanicolaous** Solution 3b Polychromatic Solution EA 50 For cytological cancer and cycle Diagnosis	**125 ml**
874445	**Papanicolaous** Solution Ea65	**125 ml**
874448	**Papanicolaous** Solution Modified EA	**125 ml**
874452	**Papanicolaous** Solution Ea36	**125 ml**
183890 $C_{20}H_{21}NO_4.HCl$ (61-25-6)	**Papaverine Hydrochloride** M.W. 375.85 Assay 99%	**25 gm** **100 gm**
	Para Amino Benzoic Acid See P-Amino Benzoic Acid	
	Para Cresol See p-Cresol	
604525 $C_{11}H_8N_3NaO_2H_2O$ (16593-81-0)	**PAR** Indicator **AR** M. W.: 255.21 Assay (Non-aqueous titration on anhydrous substance) 99.0%	**1 gm** **5 gm**
874560	**PAR** Reagent Solution (Reagent for Co, Ca, Bi, Cd, Hg, Ni, V and Zn)	**100 ml**
	PARA-Anisaldehyde See Anisaldehyde	
	Paracetamol For Lab Use See 4-acetamidophenol, (acetaminophen, N-acetyl-4-amino phenol, 4-hydroxyacetanilide)	

Product Code	Product Name	Packing
	PARA-Chlorobenzene See p-Dichlorobenzene	
	PARA-Chlorometacresol See 4-Chloro-m-Cresol	
	PARA-Cresol See p-Cresol	
184075 $C_9H_{10}O_2$ (140-39-6)	**PARA Cresyl Acetate** for Synthesis M. W.: 150.17	**500 gm**
184085 $C_8H_{10}O$ (104-93-8)	**PARA Cresyl Methyl Ether** for Synthesis M. W.: 122.16 Assay 99.0%	**500 gm**
184095 $C_{15}H_{14}O_2$ (101-94-0)	**PARA Cresyl Phenyl Acetate** for Synthesis M. W.: 226.27	**500 gm**
	PARA-Dichlorobenzene (PDCB) See p-Dichlorobenzene	
	PARA-Dimethylaminopyridine See p-Dimethylaminopyridine	
029436 (8012-95-1)	**Paraffin** Liquid Light	**500 ml** **2.5 lit** **25 lit**
029437 (8012-95-1)	**Paraffin** Liquid Heavy (also suitable for Oil Bath)	**500 ml** **2.5 lit** **25 lit** **200 lit**
762500 (8012-95-1)	**Paraffin Liquid** for IR Spectroscopy	**500 ml**
961020 MB (8042-47-5)	**Paraffin Liquid** For Molecular Biology (Mineral Oil) Store Below 30°C	**5 ml** **500 ml**
TC1600 ATC C_2H_6OS (8042-47-5)	**Paraffin Liquid** White Mineral oil M. W.: 78.13 Store below 30°C	**100 ml** **500 ml**
	Paraffin Oil See Paraffin Liquid	
	Paraffin Soft White See Petroleum Jelly White	
184265 (8002-74-2)	**Paraffin Wax with Ceresin Solid** Congealing Point about 60°C (Packed in Stainless Steel Box)	**500 gm** **2 kg**
184268 (8002-74-2)	**Paraffin Wax with Ceresin Block form** Congealing Point about 60°C (Packed in plastic container)	**500 gm**
184277 (8002-74-2)	**Paraffin Wax 56-58°C** in **BLOCK FORM** for Histology (Packed in plastic container)	**500 gm** **1 kg**
970290 MB	**Paraffin Wax Pellets** Congelling Point : 58 - 60°C For Molecular Biology Store Below 30°C	**500 gm** **2 kg**

Product Code	Product Name	Packing
184282 (8002-74-2)	**Paraffin Wax Solid** Congealing Point about 58 - 60°C (Packed in Stainless Steel Box)	**500 gm** **1 kg** **2 kg**
970300 MB	**Paraffin Wax Pellets** Congelling Point : 60-62°C For Molecular Biology Store Below 30°C	**500 gm** **2 kg**
184286 (8002-74-2)	**Paraffin Wax in Block Form** Congealing Point about 58-60°C	**1 kg**
184290 (8002-74-2)	**Paraffin Wax Solid** Congealling Point about 60-62°C (Packed in Stainless Steel Box)	**500 gm** **1 kg** **2 kg**
184294 (8002-74-2)	**Paraffin Wax in Block Form** Congealling Point about 60-62°C	**1 kg**
029447 $(HCHO)_n$ (30525-89-4)	**Paraformaldehyde** Powder Assay (as HCHO Acidimetric) 96.0%	**500 gm**
TC1703 ATC $HO(CH_2O)_nH$ (30525-89-4)	**Paraformaldehyde** Cell Culture Tested M. W.: 30.03 (as monomer) Store below 30°C	**500 gm** **1 kg**
D84078 CD_2O (32008-59-6)	**Paraformaldehyde-d_2** M.W.: 32.04 (for NMR Spectroscopy) Assay Min. 99.0 atom%D	**1 gm**
184455 $C_6H_{12}O_3$ (123-63-7)	**Paraldehyde** for Synthesis M. W.: 132.16 Assay > 97.0%	**500 ml** **2.5 lit**
034088 $C_{19}H_{19}N_3O$ (467-62-9)	**Pararosaniline** (Base) for Microscopy C.I.: 42500B M. W.: 305.38 Dye content Abt. 95.0%	**25 gm**
024682 $C_{19}H_{18}ClN_3$ (569-61-9)	**Pararosaniline Hydrochloride** C.I. 42500 M. W.: 323.83 Dye content (Titanometry, on dried substance) Min 88.0%	**25 gm** **100 gm**
	Para Toluenesulphonic Acid See p-Toluene Sulphonic Acid	
PCT2124 PTC $C_{23}H_{45}N_5O_{14}.H_2SO_4$ (1263-89-4)	**▲Paromomycin sulphate** Plant Culture Tested M. W.: 713.71 Assay 98%	**1 gm** **5 gm**
TC1353 ATC $C_{23}H_{45}N_2O_{14}.H_2SO_4$ (1263-89-4)	**▲Paromomycin Sulphate** Cell Culture Tested M. W.: 713.71 Assay : ≥98%	**1 gm** **5 gm**
034134 $C_{27}H_{31}N_2NaO_6S_2$ (129-17-9)	**Patent Blue** V F C.I. 42045 M. W.: 566.68 Dye content Abt. 50.0%	**10 gm** **25 gm**

Product Code	Product Name	Packing
604585 $C_{21}H_{14}N_2O_7S$ (3737-95-9)	**Patton & Reeder's Reagent AR** M. W.: 438.41 Dye content (Titanometry, on dried substance) >60.0%	**5 gm** **25 gm** **250 gm**
	PDCB See p-Dichlorobenzene	
038052 (9000-69-5)	**Pectin** Pure	**100 gm** **500 gm** **1 kg**
PCT2312 PTC	**Pea Green Colour** Plant Culture Tested Store below 30°C	**250 gm**
184675 (9032-75-1)	**Pectinase** for Biochemistry From Aspergillus Niger	**10 gm** **25 gm** **100 gm** **500 gm**
PCT2519 PTC $C_{16}H_{18}ClN_3S.3H_2O$ (9032-75-1)	**▲Pectinase** Source from Aspergillus niger Plant Culture Tested M. W.: 373.9 Activity : 8000 -12000 U/g	**5 ku** **25 ku** **50 ku** **100 ku** **300 ku**
PCT2520 PTC $C_{16}H_{18}ClN_3S.3H_2O$ (9033-35-6)	**▲Pectolyase** Plant Culture Tested M. W.: 373.9 Activity 0.3 unit/mg solid	**25 mg** **100 mg** **1 gm**
024678 $C_{17}H_{20}FN_3O_3$ (70458-92-3)	**Pefloxacin** for Lab Use M. W.: 333.36	**1 gm**
	Pelargonic Acid See Nonanoic Acid	
PCT2542 PTC $C_{13}H_{19}N_3O_4$ (40487-42-1)	**Pendimethalin** Plant Culture Tested M. W.: 281.31 Store below 30°C	**1 mg**
TC1187 ATC $C_{16}H_{17}KN_2O_4S$ (113-98-4)	**▲Penicillin G Potassium Salt** Cell Culture Tested 1 million units per vial M. W.: 372.48 Assay : ≥99% Potency : 1400-1680 U/mg	**1 mu** **10 mu** **100 mu**
PCT2132 PTC $C_{16}H_{17}N_2NaO_4S$ (69-57-8)	**▲Penicillin G Sodium Salt** **1 million units/vl** Plant Culture Tested M. W.: 356.37 Potency : 1500-1750 IU/mg	**5 gm** **25 gm** **100 gm**
TC1020 ATC $C_{16}H_{17}N_2NaO_4S$ (69-57-8)	**▲Penicillin G Sodium Salt** Cell Culture Tested 1 million units/vl Recommended for use in cell culture applications at 100000 U/L M. W. : 356.37 Potency : 1500-1750 IU/mg	**1x1 mu** **10x1 mu** **25x1 mu** **100x1 mu**
184795 $C_{15}H_{32}$ (629-62-9)	n-**Pentadecane** for Synthesis M.W.: 212.41	**250 ml**

Storage : · ❄0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
604735 $C_{15}H_{32}$ (629-62-9)	n-**Pentadecane AR** M.W.: 212.41	**250 ml**
029450 $C_5H_{12}O_4$ (115-77-5)	**Pentaerythritol** for Synthesis M.W.: 136.15 Assay (HPLC) 97.0%	**500 gm**
184865 (4067-16-7)	**Pentaethylenehexamine** for Synthesis (PEHA) Assay 70.0%	**500 gm**
	Pentahydroxyflavone See Morin,	
	Pentamethylene Dibromide See 1,5-Dibromopentane	
	2,**4-Pentanedione** See Acetyl Acetone	
029451 C_5H_{12} (109-66-0)	n-**Pentane** M. W.: 72.15 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
604975 C_5H_{12} (109-66-0)	n-**Pentane AR** M. W.: 72.15 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
604985 C_5H_{12} (109-66-0)	n-**Pentane "Dry" AR** M.W.: 72.15 Assay 99.0%	**500 ml**
762700 C_5H_{12} (109-66-0)	n-**Pentane** for HPLC & Spectroscopy M. W.: 72.15 Assay (GC) 99.0%	**1 lit** **2.5 lit**
762720 C_5H_{12} (109-66-0)	n-**Pentane** for Pesticide Residue Trace Analysis M.W.: 72.15	**1 lit** **2.5 lit**
762735 $C_5H_{11}O_3SNa$ (22767-49-3)	1-**Pentane Sulphonic Acid Sodium Salt** Anhydrous For HPLC M.W.: 174.19	**25 gm** **100 gm**
762740 $CH_3(CH_2)_4SO_3NaH_2O$ (207605-40-1)	1-**Pentane Sulphonic Acid Sodium Salt** Monohydrate M. W.: 192.21 Assay (Acidimetric) 99.0%	**25 gm** **100 gm**
	Pentanoic Acid See n-Valeric Acid	
	1-**Pentanol** See n-Amyl Alcohol	
	Pentenic Acid See Diethylenetriaminepentaacetic Acid	
	Pentyl Alcohol See n-Amyl Alcohol	
	tert -**Pentyl Alcohol** See tert-Amyl Alcohol	
	Peppermint Oil See Oil of Peppermint	
039032 (9001-75-6)	**Pepsin** 1:3000 (From porcine stomach mucosa)	**100 gm** **500 gm**

Product Code	Product Name	Packing
185075 (9001-75-6)	**Pepsin** 1:10000 (From porcine stomach mucosa)	**25 gm** **100 gm** **500 gm**
185080 (9001-75-6)	· **Pepsin** 1:10000 for Vaccine Production ex. Porcine stomach mucosa	**25 gm** **500 gm**
TC1686 ATC (9001-75-6)	▲**Pepsin (Bovine)** Cell Culture Tested Activity : ≥140U/mg	**5 gm**
044075	**Peptone** Powder Bacto	**500 gm** **5 kg** **25 kg**
044516	**Peptone** Granular Bacto	**500 gm** **5 kg** **25 kg**
PCT1406 PTC (91079-38-8)	**Peptone Veg No.1** Plant Culture Tested Store below 30°C	**500 gm**
PCT1407 PTC (91079-38-8)	**Peptone From Meat** Plant Culture Tested Store below 30°C	**500 gm**
874680	**Perchloric Acid** 20% About 20.0%	**500 ml** **1 lit** **2.5 lit**
605075 $HClO_4$ (7601-90-3)	**Perchloric Acid** 60% **AR/ACS** M. W.: 100.46 Assay (Acidimetric) 60.0%	**500 ml** **2.5 lit**
970400 MB $HClO_4$ (7601-90-3)	**Perchloric Acid** 60% For Molecular Biology M. W.: 100.46 Assay : 60-62% Store Below 30°C	**500 ml**
605080 $HClO_4$ (7601-90-3)	**Perchloric Acid** 70% **AR/ACS** M. W.: 100.46 Assay (By Acidimetric) 70.0%	**500 ml** **2.5 lit**
605085 $HClO_4$ (7601-90-3)	**Perchloric Acid** 70% **AR** for Diamond Industry M. W.: 100.46 Assay (By Acidimetric) 70.0%	**500 ml** **2.5 lit**
762785	**Perchloric Acid** 70% Acipur for Trace Metal Analysis Assay 70.0%	**500 ml** **1 lit** **2.5 lit**
874630	**Perchloric Acid** 0.01N Solution (0.01N)	**500 ml**
874643	**Perchloric Acid** Solution 0.1N acc. to USP	**500 ml**
874640	**Perchloric Acid** 0.1 N Solution (N/10) (in glacial Acetic Acid for non-aqueous titration)	**500 ml** **1 lit** **2.5 lit**
874653	**Perchloric Acid** CPECTROSOL® 0.1M (0.1N) Standardized Solution In accordance with NIST	**1 lit**
874660	**Perchloric Acid** CPECTROSOL® 1M (1N) Standardized Solution	**1 lit**
	Perchloroethylene See Tetrachloroethylene	

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
029842 H_5IO_6 (10450-60-9)	**Periodic Acid** Cryst. M. W.: 227.94 Assay (Iodometric) 98.0%	25 gm 100 gm
605275 H_5IO_6 (10450-60-9)	**Periodic Acid AR** For Histochemical Polysaccharine analysis M. W.: 227.94 Assay (iodometric) 99.0%	25 gm 100 gm
874700	**Periodic Acid** 1% Solution Forstaining of Cell for Staining of Cell Polysaccharides Schiff's (Pas) Method	250 ml
	Permutit See Dermutit	
185195 (9003-99-0)	▲**Peroxidase From Horse Radish** **~ 250 units/mg**	5000 units 25000 units
970500 MB (9003-99-0)	▲**Peroxidase, Horse Radish** For Molecular Biology (Rz ≥ 3.0, Salt Free) Activity : ≥ 250 Units/mg	25000 units
TC1487 ATC (9003-99-0)	▲**Peroxidase Horseradish** Cell Culture Tested Activity : NLT 250 U/mg	25 mg 50 mg
	Petroleum Benzine See Petroleum Ether	
029825 (8032-32-4)	**Petroleum Ether** for Synthesis Boiling range 40-60°C	500 ml 2.5 lit 25 lit 200 lit
605365 (8032-32-4)	**Petroleum Ether AR** Boiling range 40-60°C	500 ml 2.5 lit 25 lit 200 lit
762825 (8032-32-4)	**Petroleum Ether** 40-60°C for HPLC & Spectroscopy	1 lit 2.5 lit
874730 (8032-32-4)	**Petroleum Ether** 40-60°C for Pesticide Ether Trace Analysis Petroleum Benzine 40-60°C for Pesticide Residue Trace Analysis	1 lit
185385 (8032-32-4)	**Petroleum Ether** 50-70°C for Synthesis	500 ml 2.5 lit
029739 (8032-32-4)	**Petroleum Ether** for Synthesis Boiling range 60-80°C	500 ml 2.5 lit 25 lit 200 lit
605375 (8032-32-4)	**Petroleum Ether AR** Boiling range 60-80°C	500 ml 2.5 lit 25 lit 200 lit
762835 (8032-32-4)	**Petroleum Ether** 60-80°C for HPLC & Spectroscopy	500 ml 2.5 lit
029826 (8032-32-4)	**Petroleum Ether** 80-100°C for Synthesis	500 ml 2.5 lit 25 lit 200 lit
029827 (8032-32-4)	**Petroleum Ether** 100-120°C for Synthesis	500 ml 2.5 lit 25 lit 200 lit

Product Code	Product Name	Packing
024648 (8009-03-8)	**Petroleum Jelly** White	500 gm
024649 (8009-03-8)	**Petroleum Jelly** Yellow	500 gm
	Petroleum Spirit See Petroleum Ether	
TC1209 ATC (9008-97-3)	**PHA-M** (Phytohemagglutinin-M) Cell Culture Tested Assay : ≥60% Store at -20°C	10 mg 25 mg 4x25 mg
TC1226 ATC (9008-97-3)	**PHA-P** (Phytohemagglutinin-M) Cell Culture Tested Potency : ≥62.5 mcg/ml Store at -20°C	5 mg 5x5 mg
185565 $C_6H_5COCH_2Br$ (70-11-1)	**Phenacyl Bromide** M. W.: 199.04 Assay 98.0%	100 gm 500 gm
185625 $C_6H_5COCH_2Cl$ (532-27-4)	**Phenacyl Chloride** M. W.: 154.59 Assay 98.0%	100 gm 500 gm
185765 ⁂ $C_{14}H_{10}$ (85-01-8)	**Phenanthrene** Pract M. W.: 178.23 Assay 98.0%	25 gm 100 gm
605995 ⁂ $C_{14}H_8O_2$ (84-11-7)	9,10-**Phenanthrenequinone AR** M. W.: 208.21 Assay 99.0%	25 gm 100 gm
606025 $C_{12}H_8N_2H_2O$ (5144-89-8)	1,10-**Phenanthroline** (Monohydrate) **AR** Redox Indicator M. W.: 198.23 Assay (Non-aqueous) 99.5%	5 gm 25 gm 100 gm
606035 $C_{12}H_8N_2.HCl.H_2O$ (18851-33-7)	1,10-**Phenanthroline** **Hydrochloride AR** M. W.: 234.69 Assay (acidimetric, dried) 99.5%	5 gm 25 gm
024014 $C_{14}H_{14}N_2O_4S$ (299-11-6)	· **Phenazine Methosulphate** (PMS) for Biochemistry M. W.: 306.34 Assay (Non-aqueous) 96.0%	1 gm 5 gm
970650 MB $C_{14}H_{14}N_2SO_4$ (299-11-6)	· **Phenazine Methosulphate** For Molecular Biology M. W.: 306.34 Assay : ≥ 90%	10 gm
TC1484 ATC $C_{13}H_{11}N_2 . CH_3SO_4$ (299-11-6)	· **Phenazine Methosulfate** Cell Culture Tested M. W.: 306.34 Activity : ≥90%	500 mg 1 gm 5 gm 10 gm 25 gm
606175 $C_{11}H_{12}N_2O$ (60-80-0)	**Phenazone AR** M. W.: 188.23 Assay 99.0%	100 gm 500 gm
185945 ⁂ $C_8H_{11}NO$ (156-43-4)	p-**Phenetidine** for Synthesis M. W.: 137.18 Assay 98.0%	25 gm 500 gm

Storage : · #0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
186055 $C_6H_5OC_2H_5$ (103-73-1)	**Phenetole** M. W.: 122.16 Assay 99.0%	100 ml 500 ml
186215 $C_9H_{10}N_2O$ (92-43-3)	**Phenidone** for Photographic Purpose M. W.: 162.19 Assay (N) 98.0%	100 gm 500 gm
875020	**Phenol** Solution 80%w/w in Water	500 ml
029477 $C_6H_5.OH$ (108-95-2)	· **Phenol** Pure (Carbolic Acid) M. W.: 94.11 Assay(GC) 99.0%	500 gm 25 kg
606355 $C_6H_5.OH$ (108-95-2)	· **Phenol AR** (Carbolic Acid) M. W.: 94.11 Assay 99.5%	500 gm 25 kg
970698 MB $C_6H_5.OH$ (108-95-2)	· **Phenol** for Molecular Biology M. W.: 94.11 Assay (GC) 99.5%	100 gm 500 gm
970700 MB $C_6H_5.OH$ (108-95-2)	· **Phenol** Saturated for Molecular Biology M. W.: 94.11 Assay (GC) 90.0%	100 ml 500 ml
D87678 C_6D_6O (13127-88-3)	**Phenol**-d_6 (for NMR Spectroscopy) M.W.: 100.16 Assay Min. 98.0 atom%D	1 gm
970750 MB	· **Phenol** Solution for Molecular Biology Equilibrated with 10 M tris HCl, pH 8.0, 1M EDTA.	100 ml 500 ml
970770 MB	· **Phenol** Solution for Molecular Biology Saturated with 0.1M Citrate Buffer, pH 4.1-4.5 Suitable for RNA Purification	100 ml 500 ml
970800 MB	· **Phenol Chloroform 5:1** (Phenol : Chloroform : ISO Amyl Alcohol) 125 : 24 :1 for Molecular Biology	500 ml
970820###### MB ######	**Phenol:Chloroform:ISO Amyl Alcohol** 25 : 24 : 1 Saturated with 10 M tris pH 8.0,1m EDTA Suitable for extraction of Protein from Crude Nucleic acid Preparation	100 ml 500 ml
019094 $C_6H_6O_7S_2$ (96-77-5)	**Phenol Disulphonic Acid** M. W.: 254.24 Assay 25% w/v	500 ml
024684	**Phenolic Auramine**	125 ml
	Phenolindo-2, 6-**Dichlorophenol Sodium Salt** See 2,6 Dichlorophenol Indophenol Sodium Salt	
020088 $C_{20}H_{14}O_4$ (77-09-8)	**Phenolphthalein** pH Indicator M. W.: 318.33	50 gm 100 gm 500 gm 25 kg 50 kg
024661	**Phenolphthalein** (Indicator Paper)	200 lvs
875158	**Phenolphthalein** Indicator 0.375% Solution	125 ml 500 ml
875160	**Phenolphthalein** 0.5% w/v alcoholic for Milk Testing	100 ml 2.5 lit
875180	**Phenolphthalein** (Indicator Solution) 1%w/v	125 ml 250 ml 500 ml
875185	**Phenolphthalein** 2% Solution in Alcohol	100 ml
875190	**Phenolphthalein** TS acc. to USP	125 ml
	Phenol Reagent See Folin & Ciocalteus Phenol Reagent	
606415 $C_{19}H_{14}O_5S$ (143-74-8)	**Phenol Red** Indicator **AR** M. W.: 354.38 Dye content (Iodometric) 98.0%	5 gm 25 gm 100 gm 1 kg
606420 $C_{19}H_{13}NaO_5S$ (34487-61-1)	**Phenol Red Sodium Salt AR** Water Soluble M. W.: 376.36	5 gm 25 gm 1 kg
875200	**Phenol Red** Indicator Solution 0.02%	125 ml
875520	**Phenol Red** TS acc. to USP	125 ml
875155	**Phenol Red** 0.1% Indicator Solution	125 ml
	Phenol Tetrabromophthalein 3'- 3" **Di-Sulphonic Acid Disodium Salt** See Bromosulphalein	
186455 $C_{32}H_{22}N_6O_8S_2.2Na$	**Phenol Violet** (pH Indicator) M. W.: 728.67	5 gm 25 gm
	2-**Phenoxy Ethanol** See Ethylene Glycol Mono Phenyl Ether	
186435 $C_{18}H_{15}ClN_4$ (81-93-6)	**Phenosafranine** C.I. No. 50200 M. W.: 322.79 Dye content 80.0%	1 gm
186565 $C_{12}H_9NS$ (92-84-2)	**Phenothiazine** Extra Pure M. W.: 199.27 Assay (GC) 98.0%	250 gm 1 kg
186955 $C_8H_8O_3$ (122-59-8)	**Phenoxy Acetic Acid** for Synthesis M. W.: 152.15	100 gm 500 gm
187055 ✲ $C_6H_5OC_6H_4CH_2OH$ (13826-35-2)	3-**Phenoxy Benzyl Alcohol** (m-Phenoxybenzyl Alcohol) M. W.: 200.23	5 gm 25 gm
187205 $C_6H_5OCH_2CH_2CO_2H$ (7170-38-9)	3-**Phenoxy Propionic Acid** M. W.: 166.17 Assay 99.0%	5 gm 25 gm
187345 $CH_3COOC_6H_5$ (122-79-2)	**Phenyl Acetate** for Synthesis M. W.: 136.15 Assay (GC) 98.0%	500 ml
029487 $C_6H_5.CH_2.COOH$ (103-82-2)	**Phenyl Acetic Acid** M. W.: 136.15 Assay (acidimetric) 99.0%	500 gm
	Phenyl Acetonitrile See Benzyl Cyanide	
187605 $C_6H_5CH_2COCl$ (103-80-0)	**Phenyl Acetyl Chloride** for Synthesis (phenylacetic acid chloride) M. W.: 154.59	500 ml 10 lit

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
187705 $C_9H_{11}NO_2$ (673-06-3)	D-**Phenyl Alanine** for Biochemistry M. W.: 165.19 Assay (TLC) 98.0%	**5 gm** **25 gm** **100 gm**
037139 $C_6H_5CH_2CH.(NH_2)COOH$ (150-30-1)	DL-**Phenylalanine** for Biochemistry M. W.: 165.19 Assay (Non-aqueous) 98.5%	**25 gm** **1 kg**
037138 $C_6H_5.CH_2.CH(NH_2).COOH$ (63-91-2)	L-**Phenylalanine** for Biochemistry M. W.: 165.19 Assay (ex N Non-aqueous) 99.0%	**25 gm** **500 gm**
PCT1316 PTC $C_9H_{11}NO_2$ (63-91-2)	L-**Phenylalanine** Plant Culture Tested M. W.: 165.19 Assay 99% Store below 30°C	**25 gm** **100 gm** **500 gm**
TC1098 ATC $C_9H_{11}NO_2$ (63-91-2)	L-**Phenylalanine** (From non-animal source) Cell Culture Tested M. W.: 165.19 Assay : ≥98.5% Store below 30°C	**10 gm** **25 gm** **100 gm** **1 kg**
TC1098M ATC $C_9H_{11}NO_2$ (63-91-2)	L-**Phenylalanine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 165.19 Store below 30°C	**10 gm** **25 gm** **100 gm** **1 kg**
607005 $C_{13}H_{11}NO_2$ (91-40-7)	n-**Phenyl Anthranilic Acid AR** redox indicator colourless to Pinkish Violet M. W.: 213.24 Assay (Acidimetric) 98.0%	**25 gm** **100 gm**
	N-**Phenyl Benzeneamine** See Diphenylamine	
187865 $C_6H_5CO_2C_6H_5$ (93-99-2)	**Phenyl Benzoate** for Synthesis M. W.: 198.22 Assay 99.0%	**100 gm** **500 gm**
187955 $C_6H_5CH_2NHC_6H_5$ (103-32-2)	n-**Phenyl Benzylamine** for Synthesis M. W.: 183.25 Assay 99.0%	**25 gm**
024667 $C_6H_5B(OH)_2$ (98-80-6)	**Phenyl Boronic Acid** (Benzeneboronic acid, Phenylboron dihydroxide) M.W. : 121.93 Assay (Acidimetric) 98.0%	**25 gm** **100 gm** **500 gm**
	Phenyl Bromide See Bromobenzene	
024685 $C_{19}H_{20}N_2O_2$ (50-33-9)	**Phenyl Butazone** M. W.: 308.38 Assay (Acidimetric) 99.0%	**25 gm**
607625 ✲ $CH_3CH_2CH(C_6H_5)COOH$ (90-27-7)	2-**Phenyl Butyric Acid AR** M. W.: 164.20 Assay 98.0%	**100 gm** **500 gm**
188095 $C_6H_5(CH_2)_3COOH$ (1821-12-1)	4-**Phenyl Butyric Acid** for Synthesis M. W.: 164.20 Assay 99.0%	**100 gm** **500 gm**

Product Code	Product Name	Packing
	Phenyl Cellosolve See Ethylene Glycol Mono Phenyl Ether	
188205 $ClCOOC_6H_5$ (1885-14-9)	**Phenyl Chloroformate** for Synthesis (Chloroformic Acid Phenyl Ester) M. W.: 156.57	**500 ml** **2.5 lit**
	Phenyl Cyanide See Benzonitrile	
188215 $C_{18}H_{30}$ (123-01-3)	1-**Phenyl Dodecan** (Dodecyl Benzene) M.W. : 246.43 Assay 97.0%	**25 ml**
188225 $C_6H_4(CH_2CO_2H)_2$ (7500-53-0)	1,2-**Phenylene Diacetic Acid** M. W.: 194.18 Assay 99.0%	**5 gm**
024666 $C_6H_8N_2$ (108-45-2)	m-**Phenylene Diamine** for Synthesis M. W.: 108.14 Assay (Non-aqueous) 98.0%	**250 gm**
024665 $C_6H_{10}Cl_2N_2$ (541-69-5)	m-**Phenylenediamine Dihydro Chloride** M. W.: 181.07 Assay 99.0%	**25 gm** **500 gm**
029497 $C_6H_4(NH_2)_2$ (95-54-5)	▲o-**Phenylene Diamine** for Synthesis M. W.: 108.14 Assay (GC) 99.0%	**100 gm** **250 gm**
029500 $C_6H_4(NH_2)_2$ (106-50-3)	p-**Phenylene Diamine** for Synthesis M. W.: 108.14 Assay (GC) 98.0%	**250 gm** **25 kg**
024663 $C_6H_{10}Cl_2N_2$ (624-18-0)	P-**Phenylenediamine Dihydrochloride** M. W.: 181.07 Assay (Acidimetric) 99.0%	**100 gm** **500 gm**
	Phenylethane See Ethylbenzene	
029505 $C_6H_5.CH_2.CH_2OH$ (60-12-8)	2-**Phenyl Ethanol** (2-Phenyl Ethyl Alcohol) M. W.: 122.17 Assay (GC) 99.0%	**500 ml** **2.5 lit**
607945 $C_6H_5CH_2CH_2OH$ (60-12-8)	2-**Phenyl Ethanol AR** M. W.: 122.17 Assay (GC) 99.0%	**500 ml** **2.5 lit**
024671 $CH_3COOCH_2CH_2C_6H_5$ (103-45-7)	**Phenyl Ethyl Acetate** M. W.: 164.20 Assay 99.0%	**500 gm**
	ß-Phenyl Ethylamine See 2-Phenethylamine	
188425 $C_6H_5CH_2CH_2NH_2$ (64-04-0)	2-**Phenyl Ethylamine** for Synthesis M. W.: 121.18	**500 ml** **2.5 lit**
608065 $C_8H_{11}N$ (3886-69-9)	R-**Phenyl Ethylamine AR** M. W.: 121.18 Assay 98.0%	**25 gm** **100 gm** **500 gm** **1 kg**
608085 $C_6H_5CH(CH_3)NH_2$ (2627-86-3)	S-**Phenyl Ethylamine AR** M. W.: 121.18 Assay 98.0%	**25 gm** **100 gm** **500 gm** **1 kg**

Storage : ● 0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
188605 $C_{15}H_{14}O_2$ (94-47-3)	**Phenyl Ethyl Benzoate** for Synthesis M. W.: 226.27 Assay 99.0%	**500 gm**
188625 $C_{12}H_{16}O_2$ (103-52-6)	**Phenyl Ethyl Butyrate** for Synthesis M. W.: 192.25 Assay 98.0%	**500 gm**
188645 $C_{17}H_{16}O_2$ (103-53-7)	**Phenyl Ethyl Cinnamate** for Synthesis M. W.: 252.31 Assay 96.0%	**500 gm**
188665 $HCO_2CH_2CH_2C_6H_5$ (104-62-1)	**Phenyl Ethyl Formate** for Synthesis M. W.: 150.17 Assay 96.0%	**500 gm**
188685 $C_{12}H_{16}O_2$ (103-48-0)	**Phenyl Ethyl Isobutyrate** for Synthesis M. W.: 192.25 Assay 98.0%	**500 gm**
188705 $C_9H_{12}O$ (3558-60-9)	**Phenyl Ethyl Methyl Ether** for Synthesis M. W.: 136.19 Assay 98.0%	**500 gm**
188725 $C_{16}H_{16}O_2$ (102-20-5)	**Phenyl Ethyl Phenyl Acetate** for Synthesis M. W.: 240.30 Assay 98.0%	**500 gm**
188745 $C_{11}H_{14}O_2$ (122-70-3)	**Phenyl Ethyl Propionate** for Synthesis M. W.: 178.23 Assay 98.0%	**500 gm**
188765 $C_{15}H_{14}O_3$ (87-22-9)	**Phenyl Ethyl Salicylate** for Synthesis M. W.: 242.27 Assay 97.0%	**500 gm**
608625 $C_{19}H_{12}O_5$ (975-17-7)	**Phenyl Fluorone AR** (9-Phenyl-2,3,7-Trihydroxy-6-Fluorone) M. W.: 320.29	**1 gm** **5 gm**
188915 $C_{12}H_{16}O_6$ (1464-44-4)	**Phenyl-β-D-Glucopyranoside** (Phenyl-β-D-glucoside) M. W.: 256.25	**1 gm**
608765 $C_6H_5CH(NH_2)COOH$ (2835-06-5)	DL-**Phenyl Glycine AR** M. W.: 151.16 Assay 95.0%	**25 gm** **100 gm**
029508 $C_6H_8N_2$ (100-63-0)	**Phenyl Hydrazine** for Synthesis M. W.: 108.14 Assay (Non-aqueous) 97.5%	**100 ml** **500 ml** **2.5 lit**
608855 $C_6H_8N_2$ (100-63-0)	**Phenyl Hydrazine AR** M. W.: 108.14 Assay 98.0%	**100 ml** **500 ml**
875300	**Phenyl Hydrazine** Solution (Reagent for Molybdate)	**100 ml**
029509 $C_6H_5NH.NH_2HCl$ (59-88-1)	**Phenylhydrazine Hydrochloride** M. W.: 144.60 Assay 97.0%	**100 gm** **250 gm**
608865 $C_6H_5NH.NH_2.HCl$ (59-88-1)	**Phenylhydrazine Hydrochloride AR** For the detection of Aldehydes and Ketones M. W.: 144.60 Assay 99.0%	**100 gm** **250 gm**

Product Code	Product Name	Packing
	Phenylhydrazinium Chloride See Phenylhydrazine Hydrochloride	
189105 $C_9H_8N_2$ (670-96-2)	2-**Phenyl Imidazole** M. W.: 144.17 Assay 98.0%	**100 gm**
189225 C_6H_5NCS (103-72-0)	**Phenyl Isothiocyanate** for Synthesis M. W.: 135.19 Assay 98.0%	**100 ml**
	Phenyl Mercaptan See Thiophenol	
029510 $C_8H_8HgO_2$ (62-38-4)	**Phenyl Mercuric Acetate** M. W.: 336.74 Assay(ex Hg argentometric) 98.0%	**25 gm** **100 gm**
029512 $C_{12}H_{11}Hg_2NO_4$ (8003-05-2)	**Phenyl Mercuric Nitrate** Basic M. W.: 634.40 Assay (Argentometric) 98.0-102.0%	**25 gm** **100 gm**
189775 $C_6H_5CH_2SO_2Cl$ (1939-99-7)	**Phenyl Methanesulphonyl Chloride** (α-Toluenesulphonyl Chloride; Phenylmethylsulphonyl Chloride) M. W.: 190.65	**25 gm** **100 gm**
189835 $C_7H_7FO_2S$ (329-98-6)	· **Phenyl Methanesulphonyl Fluoride** (PMSF) (α-Toluenesulphonyl Fluoride) Phenylmethylsulphonyl Fluoride) M. W.: 174.19	**1 gm** **5 gm** **25 gm**
970900 MB ⁂ $C_7H_7FO_2S$ (329-98-6)	· **Phenyl Methanesulphonyl Fluoride** (PMSF) For Molecular Biology M. W.: 174.19 Assay : ≥ 99% Store Below 30°C	**1 gm** **5 gm** **10 gm**
TC1706 ATC $C_7H_7FO_2S$ (329-98-6)	· **Phenylmethanesulfonyl Fluoride** (PMSF) Cell Culture Tested M. W.: 174.19 Assay : ≥99% Store below 30°C	**1 gm** **5 gm** **25 gm**
189975 $C_{10}H_7NHC_6H_5$ (90-30-2)	N-**Phenyl-1-Naphthylamine** for Synthesis (N-1-naphthylaniline, N-phenyl-α-Naphthylamine) M. W.: 219.28	**100 gm** **500 gm**
	p-**Phenyl Phenol** See p-Hydroxy Diphenyl	
190085 ⁂ $C_{12}H_{12}N_2$ (534-85-0)	n-**Phenyl**-1,2-**Phenylenediamine** M. W.: 184.24	**5 gm**
609455 $C_6H_5Na_2O_4P.2H_2O$ (3279-54-7)	▲**Phenylphosphate Disodium Salt AR** M. W.: 254.09 Assay(Acidimetric) 98.0%	**25 gm** **100 gm**
024670 ⁂ $C_{10}H_{14}N_2$ (92-54-6)	1-**Phenyl Piperazine** M. W.: 162.24 Assay (acidimetric) 98.0%	**100 gm** **500 gm**
	Trans-3-**Phenyl**-2-**Propenal** See Cinnamaldehyde	

Product Code	Product Name	Packing
029521 $C_6H_5.NH.CS.NH_2$ (103-85-5)	n-**Phenyl Thiourea** for Synethesis M. W.: 152.22	**10 gm** **25 gm**
190345 $C_9H_{14}N.Cl$ (138-24-9)	**Phenyl Trimethyl Ammonium Chloride** M. W.: 171.67	**100 gm** **500 gm**
875630	**Phenyl Trimethyl Ammonium Hydroxide**,0.1 M in Methanol	**100 ml**
	pH Indicator Paper See Indicator Paper pH	
	pH Indicator Solution (pH 4.0-11.0) See Universal Indicator Solution	
609515 $C_6H_6O_3$ (108-73-6)	**Phloroglucinol AR** for Microscopy M. W.: 126.11 Assay (By GC) 99.0%	**25 gm** **100 gm**
PCT1836 PTC $C_6H_6O_3$ (108-73-6)	**Phloroglucinol** Plant Culture Tested M. W.: 126.11 Assay 99% Store below 30°C	**25 gm** **100 gm**
875350	**Phloroglucinol** Reagent Solution (Reagent for Pentosans)	**100 ml**
034064 $C_{20}H_2Br_4Cl_4Na_2O_5$ (18472-87-2)	▲**Phloxin** B for Microscopy C.I. No. 45410 M. W.: 829.64 Dye content (gravimetric, on dried substance) 80.0%	**25 gm** **100 gm**
190505 (9001-78-9)	**Phosphatase Alkaline** (Alkaline Phosphatase) (from CALF Intestinal Mucosa) Activity 1.5-2U/mg	**100 mg** **500 mg**
875500	**Phosphate** 1000 ppm Single Element Std. Soln. as Po_4	**250 ml**
	Phosphate Molybdate Solution See Folin & WU's Phosphate Molybdate Solution	
	Phosphinic Acid See Hypophosphorous Acid	
PCT2537 PTC $C_5H_{15}N_2O_4P$ (77182-82-2)	▲DL-**Phosphinothricin** Plant Culture Tested M. W.: 198.2	**250 mg** **1 gm**
	Phospholeum See Polyphosphoric acid	
609575 $H_3PO_4.12MoO_3.xH_2O$ (51429-74-4)	**Phosphomolybdic Acid AR/ACS** M. W.: 1825.25 (anhy.)	**25 gm** **100 gm** **500 gm**
875670	**Phosphomolybdic Acid** 20 wt% in ethanol	**100 ml**
	Phosphoric Acid See Orthophosphoric Acid	
029190 HPO_3 (37267-86-0)	m-**Phosphoric Acid** (Glacial Stick) M. W.: 79.97 Assay (acidimetric) (HPO_3) Min 38-40%	**500 gm**
875690	meta-**Phosphoric Acid** 0.6M Solution (Protein Precipitant)	**100 ml**

Product Code	Product Name	Packing
037137 H_3PO_4 (7664-38-2)	ortho-**Phosphoric Acid** (Phosphoric Acid) M. W.: 98.00 Assay (acidimetric) Abt. 85.0%	**500 ml** **2.5 lit** **5 lit** **25 lit**
609725 H_3PO_4 (7664-38-2)	ortho-**Phosphoric Acid AR** Manganese free M. W.: 98.00 Assay 88.0%	**500 ml** **2.5 lit** **5 lit** **25 lit**
029420 H_3PO_4 (7664-38-2)	ortho-**Phosphoric Acid** (Also for Steel Industry) M. W.: 98.0 Assay 85.0%	**500 ml** **2.5 lit** **5 lit** **25 lit**
970230 MB H_3PO_4 (7664-38-2)	ortho-**Phosphoric Acid** For Molecular Biology M. W.: 98.00 Assay : ≥ 85% Store Below 30°C	**250 ml**
763215 H_3PO_4 (7664-38-2)	**Ortho Phosphoric Acid** for HPLC M.W : 98.00 Assay 85.0%	**500 ml** **1 lit**
TC1533 ATC H_3PO_4 (7664-38-2)	**Orthophosphoric Acid** Phosphoric acid Cell Culture Tested M. W.: 98 Assay : ≥95% Store below 30°C	**100 gm** **500 gm**
TC1533M ATC H_3PO_4 (7664-38-2)	**Orthophosphoric Acid** Phosphoric acid Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications M. W.: 98 Store below 30°C	**100 gm** **500 gm**
190725 H_3PO_3 (13598-36-2)	**Phosphorus Acid** (Crystals) M. W.: 82.00 Assay 98.0%	**500 gm**
	Phosphorus (III) **Chloride** See Phosphorus Trichloride	
	Phosphorus (V) **Chloride** See Phosphorus Pentachloride	
875750	**Phosphorous** (P) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in H_2O In accordance with NIST	**100 ml** **250 ml** **500 ml**
875710	**Phosphorous** (P) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H_2O	**100 ml** **500 ml**
875730	**Phosphorous** (P) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H_2O	**100 ml** **500 ml**
	Phosphorus Oxide Chloride See Phosphorus Oxychloride,	
190765 $POBR_3$ (7789-59-5)	**Phosphorous Oxybromide** for Synthesis M.W : 286.69 Assay 98.0%	**100 gm**

Storage : · #0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
024675 $POCl_3$ (10025-87-3)	**Phosphorous Oxychloride** for Synthesis (Min. order should be placed for 4x500 ml or 4x2.5 lit) M. W.: 153.33 Assay (acidimetric) (ex Cl) 98.0-101.0%	**500 ml** **2.5 lit**
024672 PCl_5 (10026-13-8)	**Phosphorous Pentachloride** for Synthesis M. W.: 208.24 Assay (Acidimetric) 98.0%	**250 gm** **500 gm**
024674 P_2S_5 (1314-80-3)	**Phosphorous Pentasulphide** for Synthesis M. W.: 222.25 Assay (ex P) (Acidimetric) 98.0%	**500 gm**
	di-**Phosphorous Pentoxide** See Phosphorous pentoxide	
029527 P_2O_5 (1314-56-3)	di-**Phosphorous Pentoxide** M. W.: 141.94 Assay (acidimetric) 95.0%	**250 gm** **500 gm** **1 kg**
609755 P_2O_5 (1314-56-3)	di-**Phosphorous Pentoxide AR/ACS** M. W.: 141.94 Assay (Acidimetric) 98.0%	**500 gm**
029528 P (7723-14-0)	**Phosphorous Red** At. W.: 30.97 Assay(ex P) 98.0%	**100 gm** **500 gm** **1 kg**
	Phosphorous Red Oxide Chloride See Phosphorous Oxychloride	
024669 PBr_3 (7789-60-8)	**Phosphorous Tribromide** M. W.: 270.70 Assay 98.0%	**100 ml** **500 ml**
029536 PCl_3 (7719-12-2)	**Phosphorous Trichloride** for Synthesis M. W.: 137.33 Assay 99.0%	**500 ml** **2.5 lit** **25 lit**
	Phosphoryl Chloride See Phosphorus Oxychloride	
030544 $H_3PO_4.12WO_3XH_2O$ (12501-23-4)	**Phosphotungstic Acid** M. W.: 2880.05 (Anhy.)	**100 gm** **500 gm**
609795 $H_3PO_4.12WO_3.XH_2O$ (12501-23-4)	**Phosphotungstic Acid AR** Reagent for Microscopy M. W.: 2880.05 (Anhy.)	**25 gm** **100 gm**
190825 (51312-42-6)	**Phosphotungstic Acid Disodium Salt** (Dodeca- Tungstophosphoric Acid Disodium Salt)	**25 gm**
875810	**Phosphotungstic Acid** TS acc. to USP	**100 ml**
609835 $C_6H_4(CHO)_2$ (643-79-8)	▲o-**Phthalaldehyde AR** for Fluorometry M. W.: 134.13 Assay (GLC) 98.0%	**5 gm** **25 gm**
	Phthalein Purple See O-Cresolphthalein Complexone	
	Tere Phthalic Acid See Terephthalic Acid	

Product Code	Product Name	Packing
029539 $C_6H_4(COOH)_2$ (88-99-3)	**Phthalic Acid** for Synthesis M. W.: 166.13 Assay(acidimetric) 99.0%	**500 gm**
609865 $C_6H_4(COOH)_2$ (88-99-3)	**Phthalic Acid AR** M. W.: 166.13 Assay (acidimetric) 99.5%	**500 gm**
029541 $C_6H_4(CO)_2O$ (85-44-9)	**Phthalic Anhydride** for Synthesis M. W.: 148.12 Assay (acidimetric) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
190965 $C_8H_6O_2$ (87-41-2)	**Phthalide** for Synthesis (1-Isobenzofuranone) M. W.: 134.13	**100 gm** **500 gm**
029543 $CO.C_6H_4.CO.NH$ (85-41-6)	**Phthalimide** for Synthesis M. W.: 147.13 Assay (Acidimetric) 98.0%	**500 gm** **5 kg** **50 kg**
	Phthalimide Potassium Salt See Potassium Phthalimide	
PCT1829 PTC $C_6H_3Cl_3N_2O_2$ (1918-02-1)	**Picloram** Plant Culture Tested M. W.: 241.46 Assay 97% Store below 30°C	**5 gm** **10 gm** **50 gm**
191305 C_6H_7N (109-06-8)	a-**Picoline** for Synthesis (2-Picoline, 2-Methyl Pyridine) M. W.: 93.13 Assay 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
159315 C_6H_7N (108-99-6)	b-**Picoline** for Synthesis (3-Methylpyridine, β-Picoline) M. W.: 93.13	**500 ml** **2.5 lit** **25 lit** **200 lit**
159435 C_6H_7NO (108-89-4)	g-**Picoline** (4-Picoline,4-Methyle Pyridine) M. W.: 93.13	**500 ml** **2.5 lit** **25 lit** **200 lit**
191415 C_6H_7NO (931-19-1)	a-**Picoline Oxide** M. W.: 109.13	**100 gm** **500 gm**
191435 C_6H_7NO (1003-73-2)	b-**Picoline Oxide** M. W.: 109.13 Assay 98.0%	**100 gm** **500 gm**
191455 ⁂ C_6H_7NO (1003-67-4)	g-**Picoline Oxide** M. W.: 109.13 Assay 98.0%	**25 gm**
191625 $C_6H_5NO_2$ (98-98-6)	2-**Picolinic Acid** for Synthesis (α-Picolinic Acid, Pyridine-2-Carboxylic Acid) Carboxylic Acid) M. W.: 123.11	**100 gm** **500 gm** **10 kg**
029554 $(NO_2)_3C_6H_2.OH$ (88-89-1)	**Picric Acid** (Moistened with water) M. W.: 229.11 Assay (acidimetric) 99.0-100.5%	**500 gm**
610435 $(NO_2)_3\ C_6H_2OH$ (88-89-1)	**Picric Acid AR** (Moistened with water) M. W.: 229.11 Assay (acidimetric) 99.5-100.5%	**100 gm** **500 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
875900	**Picric Acid** Solution 1.2% **AR** for determination of blood glucose and Creatinine	100 ml 500 ml
875920	**Picric Acid** Saturated Aqueous Soln.	100 ml 500 ml
191765 $C_{10}H_8N_4O_5$ (550-74-3)	**Picrolonic Acid** for Synthesis M. W.: 264.19	1 gm 5 gm
PCT1408 PTC	**Pineapple Powder** Plant Culture Tested Store below 30°C	250 gm
	Pine Oil See Turpentine Oil	
610685 $C_{10}H_{16}$ (80-56-8)	a-**Pinene AR** M. W.: 136.23 Assay 98.0%	500 ml
024650 $C_4H_{10}N_2$ (110-85-0)	**Piperazine** Anhydrous M. W.: 86.14 Assay (Non-aqueous) 98.0%	250 gm 1 kg 5 kg 50 kg
029564 $C_4H_{10}N_2.6H_2O$ (142-63-2)	**Piperazine** (Hexahydrate) M. W.: 194.23 Assay ($HClO_4$-titration) 98.0%	100 gm 500 gm
044120 $C_8H_{18}N_2O_6S_2$ (5625-37-6)	**Piperazine**-1,4-**Bis (2-Ethane Sulphonic Acid)** (Pipes Buffer) M. W.: 302.37	5 gm 25 gm 100 gm
971200 MB $C_8H_{18}N_2O_6S_2$ (5625-37-6)	**Piperazine**-1,4'-**Bis**-(2-**Ethane Sulphonic Acid**) (PIPES) For Molecular Biology M. W.: 302.37 Assay : ≥ 99.5% Store Below 30°C	100 gm 500 gm
PCT2530 PTC $C_8H_{18}N_2O_6S_2$ (5625-37-6)	**Piperazine**-1,4-**Bis (2-Ethane Sulphonic Acid)**(PIPES) Plant Culture Tested M. W.: 302.4 Assay 99% Store below 30°C	10 gm 25 gm 100 gm
TC1270 ATC $C_8H_{18}N_2O_6S_2$ (5625-37-6)	**Piperazine**-1,4-**Bis (2-Ethane Sulphonic Acid)**(PIPES Buffer) Cell Culture Tested M. W.: 302.37 Assay : ≥99% Store below 30°C	50 gm 100 gm
191995 $C_8H_{16}N_2Na_2O_6S_2$ (76836-02-7)	**Piperazine**-1,4-**Bis-(2-Ethanesulphonic Acid) Disodium Salt** for Biochemistry (Pipes Disodium Salt) M. W.: 346.33	25 gm 100 gm
191975 $C_8H_{17}N_2O_6S_2Na$ (10010-67-0)	**Piperazine**-1,4-**Bis (2-Ethane Sulphonic Acid) Sodium Salt** for Biochemistry (Pipes Sodium Salt) M. W.: 324.35	25 gm 100 gm
	Piperazine-1,4-**bis(2-Hydroxypropane Sulphonic Acid) Sesqui Sodium Salt** See POPSO Buffer	
024646	**Piperazine Citrate**	500 gm
	2-(1-**Piperazinyl**) **Pyridine** See 1-(2-Pyridyl) Piprazine	
192185 ⚛ $C_5H_{11}N$ (110-89-4)	**Piperidine** for Synthesis M. W.: 85.15	500 ml 1 lit 2.5 lit 25 lit
611005 ⚛ $C_5H_{11}N$ (110-89-4)	**Piperidine AR** M. W.: 85.15	500 ml 1 lit 2.5 lit 25 lit
192305 ⚛ $C_5H_{11}N.HCl$ (6091-44-7)	**Piperidine Hydrochloride** M. W.: 121.61	100 gm 500 gm
	Piperidinic Acid See 4-Aminobutyric acid	
	1-**Piperidino Ethanol** for Synthesis See 1-(2-Hydroxy Ethyl) Piperidine	
	2-**Piperidino Ethanol** See 1-(2-Hydroxyethyl) Piperidine	
611185 $C_{19}H_{30}O_5$ (51-03-6)	**Piperonyl Butoxide AR** M. W.: 338.44	25 gm 100 gm
192455 $C_5H_{10}O_2$ (75-98-9)	**Pivalic Acid** for Synthesis M. W.: 102.13 Assay 99.0%	500 gm 5 kg
192515 ⁂ C_5H_9N (630-18-2)	**Pivalonitrile** M. W.: 83.13 Assay 98.0%	25 gm 100 gm
192605 $(CH_3)_3CCOCl$ (3282-30-2)	**Pivaloyl Chloride** for Synthesis (Trimethylacetyl Chloride) M. W.: 120.58	500 ml 2.5 lit
033081 $CaSO_4.½H_2O$ (10034-76-1)	**Plaster of Paris** M. W.: 145.15 Assay (Complexometric) 90.0%	500 gm 5 kg
024645 $CaSO_4.½H_2O$ (10034-76-1)	**Plaster of Paris** Pract M. W.: 145.15 Assay (Complexometric as $CaSO_4.½H_2O$) Abt. 90.0-95.0%	500 gm
876300	**Platelets Counting Fluid**	125 ml
876190	**Platinum** (Pt) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HCl In accordance with NIST	100 ml
876220	**Platinum** (Pt) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HCl	100 ml
029569 Pt (7440-06-4)	**Platinum** Wire 0.3 mm	1 gm
192765 Pt (7440-06-4)	**Platinum** (Metal) Powder At. W.: 195.09	1 gm
192805 Pt (7440-06-4)	**Platinum** 5% on Charcoal At. W.: 195.09	10 gm

Storage : · #0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
192825 Pt (7440-06-4)	**Platinum** 10% on Charcoal At. W.: 195.09	**10 gm**
066298 $PtCl_2$ (10025-65-7)	**Platinous Chloride** (Platinum (II) Chloride) M. W.: 266.08 Assay (ex Pt gravimetric) 98%	**1 gm**
024642 $PtCl_4$ (13454-96-1)	**Platinum** (IV) **Chloride** (Chloro Platinic Acid) M. W.: 336.89	**1 gm**
029752 (52785-06-5)	**Platinum Dioxide** Hydrate (about 80% Pt) M. W.: 227.09 (anhydrous) Assay Pt.(Gravimetric) 80.0%	**1 gm**
PCT2538 PTC $C_3H_6OC_2H_4O)X$ (9003-11-6)	**Pluronic F-68** Plant Culture Tested M. W.: 8400 Avg. Store below 30°C	**25 gm** **100 gm**
	PNCB See 1-Chloro-4-Nitrobenzene	
TC1222M ATC $(C_3H_6O.C_2H_4O)_x$ (9003-11-6)	**▲Poloxamer F-68** Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications M. W.: 60.09	**100 gm** **1 kg**
TC1223M ATC $C_3H_6O.C_2H_4O)$ (9003-11-6)	**▲Poloxamer P-188** Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications M. W.: 60.09	**100 gm** **1 kg**
193015 (C_3H_5NO) (9003-05-8)	**Polyacrylamide** (Mw App. 5,000,000) M. W.: 71.07	**250 gm** **1 kg**
193095 $(C_3H_4O_2)$ (9003-01-4)	**Polyacrylic Acid** for Synthesis	**100 ml** **500 ml**
193098 $(C_3H_4O_2)$ (9003-01-4)	**Polyacrylic Acid** Powder for Synthesis	**100 gm** **500 gm**
193118	**Polyamide Resin** (Pellets) Melt temp. 95°C	**100 gm** **500 gm**
193121	**Polyamide Resin** (Pellets) Melt temp. 130°C	**100 gm** **500 gm**
193124	**Polyamide Resin** (Pellets) Melt temp. 140°C	**100 gm** **500 gm**
193127	**Polyamide Resin** (Pellets) Melt temp. 160°C	**100 gm** **500 gm**
193130	**Polyamide Resin** (Pellets) Melt temp. 200°C	**100 gm** **500 gm**
193215 (24936-68-3)	**Polycarbonate Resin** (Pellets) M.W.: 20,000-25000	**100 gm** **500 gm**
193218 (24936-68-3)	**Polycarbonate Resin** (BEADS) M.W.: 20,000-25000	**25 gm** **100 gm**

Product Code	Product Name	Packing
193238	**Polyelectrolyte -CATIONIC**	**500 gm**
193241	**Polyelectrolyte - ANIONIC**	**500 gm**
193295 $(C_2H_4)n$ (9002-88-4)	**Polyethylene** for Synthesis Average M. W.: 1700-4000	**250 gm** **1 kg**
193301	**Polyethylene HDPE**	**1 kg**
193304	**Polyethylene LDPE**	**1 kg**
193310	**Polyethylene AVERAGE MW~35000**	**1 kg**
029570 $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 200 for Synthesis Average M. W.: 190-210	**500 ml** **2.5 lit** **25 lit** **200 lit**
066300 $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 300 for Synthesis Average M. W.: 285-315	**500 ml** **2.5 lit** **25 lit** **200 lit**
029571 $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 400 for Synthesis Average M. W.: 380-420	**500 ml** **2.5 lit** **25 lit** **200 lit**
029573 $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 600 for Synthesis Average M. W.: 570-630	**500 ml** **2.5 lit** **25 lit** **200 lit**
193505 $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 1500 for Synthesis Average M. W.: 1400-1600	**500 gm**
029576 $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 4000 Flakes/Powder Average M. W.: 3500-4500	**500 gm** **5 kg** **25 kg**
971730 MB $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 4000 For Molecular Biology Av. M. W. : 3600-4400 Store Below 30°C	**500 gm**
PCT2305 PTC $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Poly(Ethylene Glycol)** 4000 Plant Culture Tested Av. M. W : 3600 - 4400 Store below 30°C	**500 gm**
029577 $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 6000 Flakes/Powder Average M. W.: 5000-7000	**500 gm** **5 kg** **25 kg**
971920 MB $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 6000 For Molecular Biology Av. M. W.: 5000-7000 Store Below 30°C	**500 gm**
PCT2306 PTC $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 6000 Plant Culture Tested Av. M. W.: 5000 - 7000 Store below 30°C	**500 gm**
193655 $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 8000 Average M.W.: 8000	**500 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
972110 MB $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 8000 For Molecular Biology Av M. W. : 7000-9000 Store Below 30°C	**500 gm**
029864 $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 20000 Carbowax 20000 Av. M. W.: 20000	**500 gm** **1 kg**
971540 MB $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 20000 For Molecular Biology Av. M. W. : 16000-25000 Store Below 30°C	**500 gm**
193765 $CH_3(OCH_2CH_2)_nOH$ (9004-74-4)	**Polyethylene Glycol Monomethyl Ether 350** for Synthesis (Methoxy Polyethylene Glycol 350, MPEG-350, Mono-Methyl polyethylene Glycol) M. W.: 76.09	**500 ml**
193855 (32289-58-0)	**Polyhexamethylene Biguanide Hydrochloride** 20% Aqueous Solution M. W.: 219.7182	**500 gm** **5 kg**
	Polyethylene (20) **Sorbitan Monolaurate** See Cween 20	
	Polyethylene (20) **Sorbitan Mono-oleate** See Cween 80	
	Polyoxyethylene Lauryl Ether See Brij 35	
194025 ⁂ (63148-57-2)	**Polymethyl Hydrosiloxane** (Pmhs) Average M.W. : 1700-3200	**100 ml** **500 ml**
194120 (9011-14-7)	**Polymethyl Methacrylate** Average M.W.~15000	**25 gm** **100 gm**
194123 (9011-14-7)	**Polymethyl Methacrylate** Average M.W.~97000	**25 gm**
194128 (9011-14-7)	**Polymethyl Methacrylate** Average M.W.~120000	**25 gm** **500 gm** **1 kg**
194134 (9011-14-7)	**Polymethyl Methacrylate** Average M.W.~350000	**25 gm** **500 gm** **1 kg**
194140 (9011-14-7)	**Polymethyl Methacrylate** Average M.W.~996000	**25 gm** **500 gm** **1 kg**
025693 $C_{55}H_{96}N_{16}O_{13}.2H_2SO_4$ (1405-20-5)	▲**Polymyxin** B **Sulphate** App. 6,000 USP M. W.: 1385.63 Potency 6000usp units/mg	**1mil.unit**
PCT2125 PTC $C_{55}H_{96}N_{16}O_{13}.2H_2SO_4$ (1405-20-5)	▲**Polymyxin** B **Sulphate** Plant Culture Tested M. W.: 1385.61 Potency : =6000IU/mg	**1X1 mu** **5X1 mu** **25X1 mu**
TC1033 ATC $C_{55}H_{96}N_{16}O_{13}.2H_2SO_4$ (1405-20-5)	▲**Polymyxin** B **Sulphate** Cell Culture Tested (1 million units/vl) Recommended for use in cell culture applications at 50mg/L M. W.: 1385.61 Potency : ≥6500 IU/mg	**1x1 mu** **5x1 mu** **25x1 mu**
029578 (8017-16-1)	**Polyphosphoric Acid** for Synthesis Assay (as P_2O_5 Titrimetry) Abt. 85.0%	**500 gm** **2.5 kg**
612135 (8017-16-1)	**Polyphosphoric Acid AR** Assay (as P_2O_5 Titrimetry) Abt. 85.0%	**500 ml**
194255 $(C_3H_6)_n$ (9003-07-0)	**Polypropylene** for Synthesis	**500 gm** **5 kg**
194260 (9003-07-0)	**Polypropylene** Isotactic Average M.W.~12000	**250 gm** **1 kg**
194280 (9003-07-0)	**Polypropylene** Isotactic Average M.W.~250000	**250.gm** **1 kg**
194300 (9003-07-0)	**Polypropylene** Isotactic Average M.W.~340000	**250 gm** **1 kg**
194345 $(C_8H_8)_n$ (9003-53-6)	**Polystyrene** for Synthesis	**500 gm**
194455 $(C_2F_4)_n$ (9002-84-0)	**Polytetra Fluoro Ethylene** for Synthesis	**100 gm** **500 gm**
194545 $(C_4H_6O_2)_n$ (9003-20-7)	**Polyvinyl Acetate** (Very Fine Crystalline Beads) Average M.W. : 100000	**250 gm** **500 gm**
194560 (9003-20-7)	**Polyvinyl Acetate** Granulated	**500 gm** **5 kg**
194564 (9003-20-7)	**Polyvinyl Acetate** Regular Crystalline Beads	**500 gm** **5 kg**
194574 (9003-20-7)	**Polyvinyl Acetate** Average M.W.~-100000	**25 gm** **500 gm**
194580 (9003-20-7)	**Polyvinyl Acetate** Average M.W.~140000	**100 gm** **500 gm**
194600 (9003-20-7)	**Polyvinyl Acetate** Average M.W.~500000	**100 gm** **500 gm**
029791 $(CH_2CHOH)_n$ (9002-89-5)	**Polyvinyl Alcohol** (Cold) Average M.W. 85,000-1,24,000	**500 gm** **5 kg** **25 kg**
030573 $(CH_2CHOH)_n$ (9002-89-5)	**Polyvinyl Alcohol** (Hot) Average M.W. 13,000-23000 Hot water soluble	**500 gm** **5 kg** **25 kg**
PCT2316 PTC $[-CH_2CHOH-]_n$ (9002-89-5)	**Poly(Vinyl Alcohol)** (hot water soluble) Plant Culture Tested M. W.: 60,000 - 1,25,000 Store below 30°C	**100 gm** **500 gm**
194865 (63148-65-2)	**Polyvinyl Butyral**	**100 gm** **500 gm**
194915 $(C_2H_3Cl)_n$ (9002-86-2)	**Polyvinyl Chloride** for Synthesis	**500 gm**
PCT2004 PTC (9003-39-8)	**Polyvinyl Pyrrolidone (PVP 10)** Plant Culture Tested Av. M.W. : 10,000 Store below 30°C	**100 gm** **500 gm**
024644 $(C_6H_9NO)_n$ (9003-39-8)	**Polyvinyl Pyrrolidone** K-25 M.W. 10000 (Povidone, PVP)	**100 gm** **500 gm** **5 kg**

Storage : ❄ 0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
029579 $(C_6H_9NO)_n$ (9003-39-8)	**Polyvinyl Pyrrolidone** K-30 (Povidone, PVP) Avg. M.W.: 40,000	**100 gm** **500 gm**
972440 MB	**Polyvinyl Pyrrolidone** K-30 (Povidone) For Molecular Biology Water Soluble Polymer Made From N-Vinylpyrrolidone Av. M.W. : 40000 Store Below 30°C	**100 gm** **500 gm**
PCT2002 PTC $(C_6H_9NO)n$ (9003-39-8)	**Polyvinylpyrrolidone (PVP)** K-30 (Povidone) Plant Culture Tested Av. M.W. : 40,000 Store below 30°C	**100 gm** **500 gm**
024643 $(C_6H_9NO)_n$ (9003-39-8)	**Polyvinyl Pyrrolidone** K-90 M.W. 360000 (Povidone, PVP)	**500 gm** **5 kg**
961710 MB $(C_6H_9NO)_n$ (9003-39-8)	**Polyvinyl Pyrolidone** K-90 for Molecular Biology M. W.: 360000	**100 gm**
PCT2003 PTC $(C_8H_9NO)_n$ (9003-39-8)	**Polyvinylpolypyrrolidone (PVPP)** (Crospovidone) Plant Culture Tested Store below 30°C	**100 gm**
	Ponceau B See Biebrich Scarlet	
195005 $C_{22}H_{12}N_4Na_4O_{13}S_4$ (6226-79-5)	**Ponceau S** for Electrophoresis C. I. No. 27195 M. W.: 760.57	**25 gm** **100 gm**
972800 MB $C_{22}H_{12}N_4O_{13}S_4Na_4$ (6226-79-5)	**Ponceau S Sodium Salt** Electrophoretic Stain For Molecular Biology C. I. No. : 27195 M. W. : 760.57 Store Below 30°C	**25 gm**
195125 $C_{24}H_{16}N_2O_2$ (1806-34-4)	**POPOP** Scintillation grade M. W.: 364.41	**5 gm** **25 gm** **100 gm**
	POPOP Dimethyl See Dimethyl POPOP	
044510 $C_{10}H_{22}N_2O_8S_2.2H_2O$ (68189-43-5)	**POPSO** Buffer M. W.: 398.5 Assay 97.0%	**25 gm** **100 gm**
876500	**Potassium** (K) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **250 ml** **500 ml**
876502	**Potassium** (K) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	**100 ml** **250 ml** **500 ml**

Product Code	Product Name	Packing
876550	**Potassium** (K) CRISTAR® 200 ppm Single Element Std. Soln. for ICP in HNO_3	**100 ml** **500 ml**
876570	**Potassium** (K) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in HNO_3	**100 ml** **500 ml**
876610	**Potassium** (K) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	**100 ml** **500 ml**
876572	**Potassium** (K) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H_2O In accordance with NIST	**100 ml** **500 ml**
876612	**Potassium** (K) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H_2O In accordance with NIST	**100 ml** **500 ml**
029580 (7440-09-7)	**Potassium** Metal (In liquid paraffin) At. W.: 39.10 Assay (Acidimetric) 98.0%	**25 gm** **100 gm**
029581 $CH_3.COOK$ (127-08-2)	**Potassium Acetate** M. W.: 98.14 Assay 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
612225 $CH_3.COOK$ (127-08-2)	**Potassium Acetate AR/ACS** M. W.: 98.14 Assay (Non-aqueous) 99.0%	**500 gm**
876670	**Potassium Acetate** TS acc. to USP	**500 ml**
971720 MB $CH_3.COOK$ (127-08-2)	**Potassium Acetate** for Molecular Biology M. W.: 98.14 Assay (Non-aqueous) 99.0%	**500 gm**
	Potassium Alum See Aluminium Potassium Sulphate	
	Potassium Aluminium Sulphate (Potas alum) See Aluminium Potassium Sulphate	
	Potassium Antimonate See Potassium Pyroantimonate	
	Potassium Antimony (III) **Oxide Tartrate** See Antimony Potassium Tartrate	
195215 C_6H_5COOK (582-25-2)	**Potassium Benzoate** for Synthesis M. W.: 160.21	**250 gm** **500 gm**
029616 $KHCO_3$ (298-14-6)	**Potassium Bicarbonate** M. W.: 100.12 Assay(acidimetric on dried basis) 99.5-100.0%	**500 gm** **1 kg** **50 kg**
195305 KHF_2 (7789-29-9)	**Potassium Bifluoride** Extra Pure M. W.: 78.1	**500 gm** **25 kg**
	Potassium Biphosphate See Potassium Dihydrogen otho Phosphate	
	Potassium Bisulphate See Potassium Hydrogen Sulphate	

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
	Potassium Bisulphite See Potassium Metabisulphite	
	Potassium Bitartrate See Potassium Hydrogen (+) Tartrate	
195435 KBH_4 (13762-51-1)	**Potassium Borohydride** for Synthesis M. W.: 53.94	**25 gm** **100 gm**
029588 $KBrO_3$ (7758-01-2)	**Potassium Bromate** M. W.: 167.00 Assay (Iodometric; on dried Subs.) 99.0-101.0%	**250 gm** **500 gm** **50 kg**
612285 $KBrO_3$ (7758-01-2)	**Potassium Bromate AR/ACS** M. W.: 167.00 Assay (Iodometric) 99.8%	**500 gm** **50 kg**
876680	**Potassium Bromate** 0.01667 M (0.1N) Standardized Solution	**1 lit**
876683	**Potassium Bromate** CPECTROSOL® 1/60 mol/L(0.1N) For 1000 ml Solution In accordance with NIST	**1 Amp**
876686	**Potassium Bromate** 1/60 mol/L (0.1N) Solution	**500 ml** **1 lit** **2.5 lit**
029589 KBr (7758-02-3)	**Potassium Bromide** Purified M. W.: 119.00 Assay (ex Br Argentometric) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
612305 KBr (7758-02-3)	**Potassium Bromide AR/ACS** M. W.: 119.00 Assay (Argentometric) 99.5%	**500 gm** **25 kg**
763740 KBr (7758-02-3)	**Potasium Bromide** for Spectroscopy M. W.: 119.00 Assay (Argentometric) 99.5%	**100 gm**
876700	**Potassium Bromide** 0.1M (0.1N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
876705	**Potassium Bromide** 0.1 mol/L (0.1N) for 500 ml solution	**1 Amp** **3 Amp** **6 Amp**
876720	**Potassium Bromide** 0.2 M (0.2N) Volumetric Solution	**1 lit**
876750	**Potassium Bromide** 0.5 M (0.5N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
876708	**Potassium Bromide** 1 mol/L (1N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
876712	**Potassium Bromide** CPECTROSOL® 1M (1N) Standardized Solution In accordance with NIST	**1 lit**
195465 $(CH_3)_3COK$ (865-47-4)	**Potassium** tert-**Butoxide** (Potassium Tert-Butoxide) M. W.: 112.21	**100 gm** **500 gm**
026157 K_2CO_3 (584-08-7)	**Potassium Carbonate** (Anhy.) M. W.: 138.21 Assay (Acidimetric after drying) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
612335 K_2CO_3 (584-08-7)	**Potassium Carbonate** (Anhy.) **AR/ACS** M. W.: 138.21 Assay (Acidimetric after drying at 300° C) 99.9%	**500 gm** **25 kg** **50 kg**
876840	**Potassium Carbonate** TS acc. to USP	**500 ml**
876845	**Potassium Chloride** 0.2M Solution	**500 ml** **1 lit** **2.5 lit**
876850	**Potassium Chloride** 0.5M (0.5N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
876870	**Potassium Chloride** 1M (1N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
876900	**Potassium Chloride Solution** 3M (for Potentiometer Electrodes)	**60 ml**
029594 KCl (7447-40-7)	**Potassium Chloride** Purified M. W.: 74.55 Assay (Argentometric) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
612375 KCl (7447-40-7)	**Potassium Chloride AR** Meets Analytical Specification of IP, BP, Ph. Eur. M. W.: 74.55 Assay 99.5%	**500 gm** **5 kg** **25 kg** **50 kg**
971800 MB KCl (7447-40-7)	**Potassium Chloride** for Molecular Biology M. W.: 74.55 Assay (Argentometric) 99.5%	**500 gm** **5 kg**
PCT1012 PTC KCl (7447-40-7)	**Potassium Chloride** Plant Culture Tested M. W.: 74.55 Assay 99% Store below 30°C	**500 gm** **1 kg**
TC1010 ATC KCl (7447-40-7)	**Potassium Chloride** Cell Culture Tested M. W.: 74.55 Assay : ≥98.5% Store below 30°C	**250 gm** **500 gm** **1 kg**
TC1010M ATC KCl (7447-40-7)	**Potassium Chloride** Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 74.55 Store below 30°C	**250 gm** **500 gm** **1 kg**
612465 K_2PtCl_6 (16921-30-5)	**Potassium Chloro Platinate AR** M. W.: 486.00 Platinum (Pt) 40.0%	**1 gm**
029598 K_2CrO_4 (7789-00-6)	**Potassium Chromate** Purified M. W.: 194.19 Assay (oxidimetric) 99.0%	**500 gm** **25 kg** **50 kg**
612515 K_2CrO_4 (7789-00-6)	**Potassium Chromate AR** M. W.: 194.19 Assay (Iodometric) 99.5-100.5%	**500 gm** **25 kg**

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
877100	**Potassium Chromate** Solution 5% (Chloride Free)	**125 ml**
877047	**Potassium Chromate** 1/30 mol/L (0.1N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
877050	**Potassium Chromate** CPECTROSOL® 0.0333m (0.1N) Standardized Solution In accordance with NIST	**1 lit**
029599 $K_3C_6H_5O_7.H_2O$ (6100-05-6)	tri-**Potassium Citrate** Purified M. W.: 324.41 Assay (Non-aqueous, Calc. on anhydrous subs) 99.0-101.0%	**500 gm** **25 kg** **50 kg**
612545 $K_3C_6H_5O_7.H_2O$ (6100-05-6)	tri-**Potassium Citrate AR** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 324.41 Assay (Non-aqueous, Calc. on anhydrous subs) 99.0%	**500 gm** **25 kg** **50 kg**
TC1106 ATC $C_6H_5K_3O_7.H_2O$) (6100-05-6)	Tri-**Potassium Citrate** monohydrate Cell Culture Tested M. W.: 324.41 Assay : ≥99% Store below 30°C	**500 gm**
024638 KOCN (590-28-3)	**Potassium Cyanate** for Synthesis M. W.: 81.12 Assay (Argentometric) 97.0%	**500 gm**
195495 ⚛ KCN (151-50-8)	**Potassium Cyanide** Against Poison Licence M.W. : 65.12 Assay 96.0%	**1 kg**
612585 ⚛ KCN (151-50-8)	**Potassium Cyanide AR** Against Poison Licence M.W. : 65.12 Assay 97.0%	**500 gm**
029605 $K_2Cr_2O_7$ (7778-50-9)	**Potassium Dichromate** Pure M. W.: 294.18 Assay (iodometric) 99.5%	**500 gm** **1 kg** **2.5 kg** **25 kg** **50 kg**
612615 $K_2Cr_2O_7$ (7778-50-9)	**Potassium Dichromate AR** M. W.: 294.18 Assay (Iodometric; after drying) 99.9%	**500 gm** **2.5 kg** **25 kg** **50 kg**
877370	**Potassium Dichromate** 0.25N Solution	**500 ml** **1 lit** **2.5 lit**
877190	**Potassium Dichromate** 0.02M (0.12N) Volumetric Solution for Determination of Cod	**500 ml** **1 lit** **2.5 lit**
877245	**Potassium Dichromate** 1/60 Mol/L (0.1N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
877365	**Potassium Dichromate** 1/6 Mol/L (1N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
877220	**Potassium Dichromate** CPECTROSOL® 0.0417M(0.25N) Solution in accordance with NIST	**1 lit**
877253	**Potassium Dichromate** CPECTROSOL® 0.0167M(0.1N) Standardized Solution in accordance with NIST	**1 lit**
877250	**Potassium Dichromate** CPECTROSOL® 0.167M (1N) Solution in accordance with NIST	**1 lit**
877360	**Potassium Dichromate** Solution 1/60 mol/lit Citrisol 2.4515g $K_2Cr_2O_7$ For 500 ml solution 0.1 N solution	**6 Amp**
029608 KH_2PO_4 (7778-77-0)	**Potassium Dihydrogen Ortho Phosphate** Anhydrous Purified M. W.: 136.09 Assay (acidimetric) 99.0-101.0%	**500 gm** **5 kg** **25 kg** **50 kg**
612705 KH_2PO_4 (7778-77-0)	**Potassium Dihydrogen Ortho Phosphate** Anhydrous **AR/ACS** M. W.: 136.09 Assay (Acidimetric after drying) 99.5-100.5%	**500 gm** **5 kg** **25 kg** **50 kg**
972100 MB KH_2PO_4 (7778-77-0)	**Potassium Dihydrogen Ortho Phosphate** for Molecular Biology M. W.: 136.09 Assay (Acidimetric) 99.5%	**500 gm**
764000 KH_2PO_4 (7778-77-0)	**Potassium Dihydrogen Orthophosphate** for HPLC (Potassium Phosphate Monobasic) M.W.: 136.09	**500 gm**
877380	**Potassium Dihydrogen Phosphate** 1/15 mol/L (Buffer Stock Solution)	**500 ml** **1 lit** **2.5 lit**
PCT1009 PTC KH_2PO_4 (7778-77-0)	**Potassium Dihydrogen Phosphate** Plant Culture Tested M. W.: 136.09 Assay 99% Store below 30°C	**500 gm** **1 kg** **5 kg** **25 kg**
TC1011 ATC KH_2PO_4 (7778-77-0)	**Potassium Dihydrogen Phosphate** Anhydrous (Potassium phosphate monobasic; Monopotassium phosphate) Cell Culture Tested M. W.: 136.09 Assay : ≥99% Store below 30°C	**100 gm** **500 gm** **1 kg** **5 kg**
TC1011M ATC KH_2PO_4 (7778-77-0)	**Potassium Dihydrogen Phosphate** Anhydrous Monobasic Potassium phosphate Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications M. W.: 136.09 Store below 30°C	**100 gm** **500 gm** **1 kg** **5 kg**
	Potassium Diphosphate Tetrabasic See tetra-Potassium pyrophosphate	
195585 C_2H_5OCSSK (140-89-6)	**Potassium Ethyl Xanthate** for Synthesis M.W.: 160.30	**100 gm** **500 gm**
029610 $K_3Fe(CN)_6$ (13746-66-2)	**Potassium Ferricyanide** Printing grade M. W.: 329.25 Assay (Iodometric) 97.0%	**100 gm** **500 gm** **25 kg** **50 kg**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
612755 $K_3Fe(CN)_6$ (13746-66-2)	**Potassium Ferricyanide AR/ACS** M. W.: 329.25 Assay (iodometric) 99.0%	**500 gm**
877430	**Potassium Ferricyanide** 0.1M (0.1N) Volumetric Solution	**1 lit**
029611 $K_4Fe(CN)_6.3H_2O$ (14459-95-1)	**Potassium Ferrocyanide** Purified M. W.: 422.39 Assay (Oxidimetric) 99.0%	**500 gm** **25 kg** **50 kg**
612805 $K_4Fe(CN)_6.3H_2O$ (14459-95-1)	**Potassium Ferrocyanide AR/ACS** M. W.: 422.39 Assay (Oxidimetric) 99.0%	**500 gm** **25 kg**
195665 K_BF_4 (14075-53-7)	**Potassium Fluoborate** M. W.; 125.90	**250 gm** **1 kg**
029613 KF (7789-23-3)	**Potassium Fluoride** (Anhydrous) M. W.: 58.10 Assay (ion-exchange) 97%	**250 gm** **500 gm** **25 kg** **50 kg**
613625 KF (7789-23-3)	**Potassium Fluoride** (Anhydrous) **AR** M. W.: 58.10 Assay (Ion-exchange) 99.0%	**500 gm** **50 kg**
024634 $CHKO_2$ (590-29-4)	**Potassium Formate** M. W.: 84.12 Assay (Non-aqueous) 98.0%	**100 gm** **500 gm**
613715 $CHKO_2$ (590-29-4)	**Potassium Formate AR** M. W.: 84.12 Assay 99.0%	**500 gm**
024662 ⚛ $KAu(CN)_2$ (13967-50-5)	**Potassium Gold Cyanide** M. W.: 288.10 Approx Au 68.0%	**1 gm** **5 gm**
	Potassium Hexa Cyano Ferrate (III) See Potassium Ferricyanide	
	Potassium Hexa Cyano Ferrate (II) See Potassium Ferrocyanide	
	Potassium Hexachloroplatinate (IV) **See** Potassium Chloroplatinate	
	Potassium Hexahydroantimonate (V) See Potassium Pyroantimonate	
195795 KPF_6 (17084-13-8)	**Potassium Hexafluorophosphate** for Synthesis M.W.: 184.07	**100 gm** **500 gm**
195885 (68514-28-3)	**Potassium Humate**	**500 gm** **5 kg**
	Potassium Hydrogen Carbonate See Potassium Bicarbonate	
613805 $KH(IO_3)_2$ (13455-24-8)	**Potassium Hydrogen Di Iodate AR** M. W.: 389.92 Assay(acidimetry) 99.8%	**25 gm**
	Potassium Hydrogen Difluoride See Potassium Bifluoride	
029619 K_2HPO_4 (7758-11-4)	di-**Potassium Hydrogen Ortho** **Phosphate** (Dibasic) Anhydrous M. W.: 174.18 Assay (Acidimetric) 98.0%	**500 gm** **25 kg** **50 kg**

Product Code	Product Name	Packing
613905 K_2HPO_4 (7758-11-4)	di-**Potassium Hydrogen Ortho** **Phosphate** (Dibasic) Anhydrous **AR** M. W.: 174.18 Assay (Acidimetric) 99.0%	**500 gm** **25 kg** **50 kg**
972300 MB K_2HPO_4 (7758-11-4)	di-**Potassium Hydrogen Ortho** **Phosphate** for Molecular Biology M. W.: 174.18 Assay (Acidimetric) 99.5%	**100 gm** **500 gm**
764500 K_2HPO_4 (7758-11-4)	di-**Potassium Hydrogen Ortho** **Phosphate** for HPLC & Spectroscopy M. W.: 174.18 Assay (Acidimetric) 99.0%	**500 gm**
TC1596 ATC K_2HPO_4 (7758-11-4)	di-**Potassium Hydrogen** **Phosphate** Anhydrous (di-Potassium phosphate Potassium Hydrogen Phosphate Cell Culture Tested M. W. : 174.174 Assay : ≥97% Store below 30°C	**100 gm** **500 gm**
TC1596M ATC HK_2O_4P (7758-11-4)	di-**Potassium Hydrogen** **Phosphate** Anhydrous Meets USP 41-NF 36, EP 9.0 and BP 2016 testing Specifications M. W. : 174.2 Store below 30°C	**500 gm** **1 kg** **5 kg**
PCT1018 PTC K_2HPO_4 (7758-11-4)	di-**Potassium Hydrogen Phosphate** Anhydrous (Potassium Phosphate Dibasic) Plant Culture Tested M. W.: 174.18 Assay 99% Store below 30°C	**500 gm** **1 kg** **5 kg**
	tri-**Potassium Hydrogen Orthophosphate** See tri-Potassium Phosphate	
877500	**Potassium Hydrogen Phthalate** CPECTROSOL® 0.1m (0.1N) Standard Solution In accordance with NIST	**1 lit**
877505	**Potassium Hydrogen Phthalate** 0.17gm/L (for COD Determination)	**1 lit**
029621 $COOH.C_6H_4.COOK$ (877-24-7)	**Potassium Hydrogen Phthalate** Purified M. W.: 204.22 Assay (after drying) 99.5%	**500 gm** **50 kg**
613965 $COOH.C_6H_4.COOK$ (877-24-7)	**Potassium Hydrogen Phthalate AR** M. W.: 204.22 Assay (Non-aqueous, after drying) 99.9-100.1%	**500 gm** **50 kg**
764700 $COOH.C_6H_4.COOK$ (877-24-7)	**Potassium Hydrogen Phthalate** for HPLC M.W.: 204.22 Assay 99.5%	**500 gm**
029624 $KHSO_4$ (7646-93-7)	**Potassium Hydrogen Sulphate** Cryst. M. W.: 136.16 Assay (ex; acidity) 99.0%	**500 gm** **25 kg** **50 kg**
614055 $KHSO_4$ (7646-93-7)	**Potassium Hydrogen Sulphate AR** M. W.: 136.16 Assay 99.0%	**500 gm** **25 kg** **50 kg**

Storage : · ❄0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
029626 $C_4H_5KO_6$ (868-14-4)	**Potassium Hydrogen** (+) **Tartrate** M. W.: 188.18	500 gm 25 kg 50 kg
877950	**Potassium Hydroxide** Solution 40% w/v for Gas Analysis to BS	500 ml 1 lit 2.5 lit
877970	**Potassium Hydroxide** 45% Aqueous Solution **AR**	500 ml 1 lit 2.5 lit
877925	**Potassium Hydroxide** 1 mol/L (1N) For 500 ml Solution	1 Amp 3 Amp 6 Amp
877760	**Potassium Hydroxide** 0.1 M (0.1N) Citrisol Volumetric Solution	3 Amp 6 Amp
877700	**Potassium Hydroxide** 0.1 M (0.1N) CTITRINORM Volumetric Solution	500 ml 1 lit 2.5 lit
877703	**Potassium Hydroxide** CPECTROSOL® 0.1M (0.1N) Standardized Solution In accordance with NIST	1 lit
877705	**Potassium Hydroxide** 0.5 mol/L (0.5N) For 500 ml Solution	3 Amp 6 Amp
877755	**Potassium Hydroxide** CPECTROSOL® 0.05M (0.05N) Standardized Solution In accordance with NIST	1 lit
877845	**Potassium Hydroxide** CPECTROSOL® 0.5M (0.5N) Standardized Solution In accordance with NIST	1 lit
877855	**Potassium Hydroxide** 0.5N Solution In Ethanol	500 ml 1 lit 2.5 lit
877858	**Potassium Hydroxide** CPECTROSOL® 1M (1N) Standardized Solution In accordance with NIST	1 lit
877850	**Potassium Hydroxide in Methanol** 0.5 M (0.5N) Alcoholic CTITRINORM Volumetric Solution	500 ml 1 lit 2.5 lit
877920	**Potassium Hydroxide** Alcoholic 1M (1N) Volumetric Solution	500 ml 1 lit 2.5 lit
877708	**Potassium Hydroxide** CPECTROSOL® In Ethanol 0.1M (0.1N) Standardized Solution In accordance with NIST	1 lit
877846	**Potassium Hydroxide** CPECTROSOL® In Ethanol 0.5M (0.5N) Standardized Solution In accordance with NIST	1 lit
877923	**Potassium Hydroxide** CPECTROSOL® In Methanol 1M (1N) Standardized Solution In accordance with NIST	1 lit
026165 KOH (1310-58-3)	**Potassium Hydroxide** Flakes (Caustic Potash) M. W.: 56.11 Assay (Acidimetric) 85.0%	500 gm 1 kg 5 kg 25 kg 50 kg
614335 KOH (1310-58-3)	**Potassium Hydroxide** Flakes **AR** M. W.: 56.11	500 gm 5 kg
029628 KOH (1310-58-3)	**Potassium Hydroxide** Pellets Purified M. W.: 56.11 Assay (Acidimetric) 85.0%	500 gm 5 kg 25 kg 50 kg
614365 KOH (1310-58-3)	**Potassium Hydroxide** Pellets **AR** M. W.: 56.11 Assay (Acidimetric) 85.0%	500 gm 5 kg 25 kg 50 kg
195985 KOH (1310-58-3)	**Potassium Hydroxide Pellets** Bio Grade for Biochemistry M. W.: 56.11 Assay 86%	500 gm
972220 MB KOH (1310-58-3)	**Potassium Hydroxide Pellets** For Molecular Biology M. W.: 56.11 Assay : ≥ 85% Store Below 30°C	500 gm
TC1505 ATC KOH (1310-58-3)	**Potassium Hydroxide Pellets** Potash caustic Cell Culture Tested M. W.: 56.11 Assay : ≥85% Store below 30°C	500 gm 5 kg
195983 KOH (1310-58-3)	**Potassium Hydroxide** Powder M.W : 56.11 Assay 85%	500 gm 5 kg 25 kg
PCT2560 PTC KOH (1310-58-3)	**Potassium Hydroxide** Plant Culture Tested M. W.: 56.1 Store below 30°C	500 gm 1 kg 5 kg
878100	**Potassium Iodate** CPECTROSOL® 0.0147M (0.08833N) Standardized Solution in accordance with NIST	1 lit
878130	**Potassium Iodate** CPECTROSOL® 0.01667M (0.1N) Volumetric Solution in accordance with NIST	1 lit
878132	**Potassium Iodate** 1/60 mol/L (0.1N) Volumetric Solution	500 ml 1 lit 2.5 lit
878160	**Potassium Iodate** CPECTROSOL® 0.05 M (0.3 N) CTITRINORM Standard Soln. in accordance with NIST	1 lit
878155	**Potassium Iodate** 0.05 mol/L (0.3N) Volumetric Solution	500 ml 1 lit 2.5 lit
877165	**Potassium Iodate** Solution C(KIO_3) 1/60 mol/L (0.1N) For 1000 ml Solution	1 Amp
029630 KIO_3 (7758-05-6)	**Potassium Iodate** Pure M. W.: 214.00 Assay (iodometric) 99.5%	100 gm 250 gm 5 kg
614405 KIO_3 (7758-05-6)	**Potassium Iodate AR** Oxidizing Agent in Volumetric Chemical Analysis M. W.: 214.00 Assay (Iodometric; after drying) 99.9%	100 gm 250 gm 5 kg

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
878320	**Potassium Iodide** 0.1M (0.1N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
878323	**Potassium Iodide** CPECTROSOL® 0.1M Standardized Solution In accordance with NIST	**1 lit**
878360	**Potassium Iodide** 1M (1N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
878365	**Potassium Iodide** CPECTROSOL® 1M Standardized Solution In accordance with NIST	**1 lit**
878500	**Potassium Iodide** 3M (3N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
878805	**Potassium Iodide** CPECTROSOL® 3M Standardized Solution In accordance with NIST	**1 lit**
878525	**Potassium Iodide** TS acc. to USP	**500 ml**
029631 KI (7681-11-0)	**Potassium Iodide** Pure M. W.: 166.00 Assay (Oxidimetric; after drying) 99.0%	**25 gm** **100 gm** **250 gm** **500 gm** **5 kg** **25 kg** **50 kg**
614465 KI (7681-11-0)	**Potassium Iodide AR/ACS** M. W.: 166.00 Assay (Oxidimetric; after drying) 99.8%	**25 gm** **100 gm** **500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
972260 MB KI (7681-11-0)	**Potassium Iodide** For Molecular Biology M. W.: 166.0 Assay : ≥ 99.8% Store Below 30°C	**100 gm** **250 gm**
PCT1116 PTC KI (7681-11-0)	**Potassium Iodide** Plant Culture Tested M. W.: 166 Assay 99.8% Store below 30°C	**100 gm** **250 gm** **1 kg**
878290	**Potassium Iodide Iodate** N/50	**500 ml**
196095 BiI_7K_4 (12589-75-2)	**Potassium Iodo Bismuthate** M. W. : 1253.50	**25 gm**
614565 $I_6Pt.K_2$ (16905-14-9)	**Potassium Iodoplatinate AR** M.W. : 1034.68	**1 gm**
029633 $C_3H_5KO_3$ (996-31-6)	**Potassium Lactate** Soln. Abt 50% M. W.: 128 Assay Abt. 50.0%	**500 ml**
196245 K_2HgI_4 (7783-33-7)	**Potassium Mercuric Iodide** Pure M. W.: 786.38	**25 gm** **100 gm**
029634 $K_2S_2O_5$ (16731-55-8)	**Potassium Metabisulphite** M. W.: 222.31 Assay (Iodometric) 95.0%	**500 gm** **5 kg** **25 kg** **50 kg**

Product Code	Product Name	Packing
614625 $K_2S_2O_5$ (16731-55-8)	**Potassium Metabisulphite AR** M. W.: 222.31 Assay (Iodometric) 97.0%	**500 gm**
	Potassium Metal See Potassium metal	
196355 KIO_4 (7790-21-8)	**Potassium Meta Periodate** Extra Pure M.W.: 230.00 Assay 99.0%	**100 gm** **500 gm**
614725 KIO_4 (7790-21-8)	**Potassium Meta Periodate AR/ACS** Reagent for Li and Mn M. W.: 230.00 Assay (iodometric after drying) 99.8%	**100 gm** **500 gm**
	Potassium Meta Vanadate See Potassium (Meta) Vanadate	
029638 KNO_3 (7757-79-1)	**Potassium Nitrate** Purified M. W.: 101.10 Assay (Ion-exchange) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
614765 KNO_3 (7757-79-1)	**Potassium Nitrate AR** M. W.: 101.10 Assay (Ion-exchange) 99.5%	**500 gm** **50 kg**
972350 MB KNO_3 (7757-79-1)	**Potassium Nitrate** For Molecular Biology M. W.: 101.1 Assay : ≥ 99% Store Below 30°C	**500 gm**
PCT1010 PTC KNO_3 (7757-79-1)	**Potassium Nitrate** Plant Culture Tested M. W.: 101.10 Assay 99% Store below 30°C	**500 gm** **1 kg** **5 kg** **25 kg**
TC1161 ATC KNO_3 (7757-79-1)	**Potassium Nitrate** Cell Culture Tested M. W.: 101.10 Assay : ≥99% Store below 30°C	**500 gm** **1 kg**
029639 KNO_2 (7758-09-0)	**Potassium Nitrite** Crystal M. W.: 85.11 Assay 97.0%	**100 gm** **500 gm**
614805 KNO_2 (7758-09-0)	**Potassium Nitrite AR/ACS** M. W.: 85.11 Assay (Redox-titration) 97.0%	**100 gm** **500 gm**
196505 $C_{15}H_{36}O_2.k$ (143-18-0)	**Potassium Oleate** for Synthesis M. W.: 320.55 Assay 87.0%	**500 gm**
029641 $(COOK)_2.H_2O$ (6487-48-5)	**Potassium Oxalate** Purified M. W.: 184.23 Assay (oxidimetric) 99.0%	**500 gm** **25 kg** **50 kg**
614895 $(COOK)_2.H_2O$ (6487-48-5)	**Potassium Oxalate AR/ACS** M. W.: 184.23 Assay (Oxidimetric) 99.5%	**500 gm** **50 kg**
878640	**Potassium Oxalate** 5% Solution Assay 4.9-5.1%	**125 ml**
878660	**Potassium Oxalate** 10% Solution Assay 9.9-10.1%	**125 ml**
614935 ⚛ $KClO_4$ (7778-74-7)	**Potassium Perchlorate AR/ACS** M. W.: 138.55 Assay (argentometric) 99.0-100.5%	**500 gm** **2.5 kg**

Storage : ❄ 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
878720	**Potassium Perchlorate** 1M Solution	100 ml 250 ml 500 ml 1 lit
	Potassium Periodate See Potassium Meta Periodate	
878780	**Potassium Permanganate** Solution 0.02 Mol/lit Citrisol 1.5805g $KMnO_4$ For 500 ml Solution 0.1N Solution	1 Amp 3 Amp 6 Amp
878740	**Potassium Permanganate** CPECTROSOL® 0.01M (0.05N) Standard Solution In accordance with NIST	1 lit
878745	**Potassium Permanganate** CPECTROSOL® 0.02M (0.1N) Standard Solution In accordance with NIST	1 lit
878790	**Potassium Permanganate** CPECTROSOL® 0.05M (0.25N) Standard Solution In accordance with NIST	1 lit
878793	**Potassium Permangnate** 0.1N acc. to USP	500 ml
878783	**Potassium Permanganate** 0.1 N (0.02 mol/L) Solution In Water	500 ml 1 lit 2.5 lit
878795	**Potassium Permanganate** 0.5 N (0.1 mol/L) Solution In Water	500 ml 1 lit 2.5 lit
878820	**Potassium Permanganate** CPECTROSOL® 0.2M (1N) Standard Solution In accordance with NIST	1 lit
878850	**Potassium Permanganate** 0.25 N Solution in water	500 ml 1 lit 2.5 lit
878880	**Potassium Permanganate** 1.0 N	500 ml 1 lit 2.5 lit
029644 $KMnO_4$ (7722-64-7)	**Potassium Permanganate** Purified M. W.: 158.03 Assay (Iodometric) 99.0%	500 gm 5 kg 25 kg 50 kg
615025 $KMnO_4$ (7722-64-7)	**Potassium Permanganate AR/ACS** Meets Analytical Specification of USP M. W.: 158.03 Assay (Iodometric) 99.5-100.5%	500 gm 50 kg
PCT2534 PTC $KMnO_4$ (7722-64-7)	**Potassium Permanganate** Plant Culture Tested M. W.: 158.03 Store below 30°C	500 gm 1 kg
	Potassium Peroxymonosulphate See Oxzone	
	Potassium Peroxydisulphate See Potassium Persulphate	
029861 $K_2S_2O_8$ (7727-21-1)	▲**Potassium Persulphate** M. W.: 270.31 Assay (Redox-titration) 98.0%	500 gm 5 kg 25 kg 50 kg
615065 $K_2S_2O_8$ (7727-21-1)	▲**Potassium Persulphate AR** M. W.: 270.31 Assay (Redox-titration) 99.0%	500 gm 50 kg
196225 K_3PO_4 (7778-53-2)	tri-**Potassium Phosphate** M. W .: 212.27 Assay 97.0%	500 gm
615085 K_3PO_4 (7778-53-2)	tri-**Potassium Phosphate AR** M. W .: 212.27 Assay 98.0%	250 gm
024629 $C_8H_4KNO_2$ (1074-82-4)	**Potassium Phthalimide** M. W.: 185.22 Assay (dried, Non-aqueous) 99.0%	500 gm 25 kg
	Potassium Phosphate Dibasic See di-Potassium Hydrogen Ortho Phosphate	
	Potassium Phosphate Mono Basic See Potassium Dihydrogen Ortho Phosphate	
029582 $K[Sb(OH)_6]$ (12208-13-8)	**Potassium Pyroantimonate** (Potassium Antimonate) M. W.: 262.89 Assay (on dried basis) 98.5%	100 gm 500 gm
615175 $K[Sb(OH)_6]$ (12208-13-8)	**Potassium Pyroantimonate AR** M. W.: 262.89 Assay 99.0%	100 gm 500 gm
024660 $K_4O_7P_2$ (7320-34-5)	tetra-**Potassium Pyrophosphate** M. W.: 330.34 Assay (acidimetric) 98.0%	500 gm 25 kg 50 kg
196375 $K_2S_2O_7$ (7790-62-7)	**Potassium Pyrosulphate** M. W.: 254.33	100 gm 500 gm
615215 $K_2S_2O_7$ (7790-62-7)	**Potassium Pyrosulphate AR** (Potassium Disulphate) M. W.: 254.33 Assay (acidimetric) 97.5%	500 gm
196400	**Potassium Silicate** Solution	5 lit 25 lit
196425 K_2SiF_6 (16871-90-2)	**Potassium Silicofluoride** M. W.: 220.27	1 kg
029656 $C_4H_4KNaO_6.4H_2O$ (6381-59-5)	**Potassium Sodium** (+) **Tartrate** M. W.: 282.22 Assay (Non-aqueous) 99.0-102.0%	500 gm 5 kg 25 kg 50 kg
615305 $C_4H_4KNaO_6.4H_2O$ (6381-59-5)	**Potassium Sodium** (+) **Tartrate AR/ACS** M. W.: 282.22 Assay (Non-aqueous) 99.0%	500 gm 25 kg 50 kg
972430 MB $C_4H_4KNaO_6.4H_2O$ (6381-59-5)	**Potassium Sodium (+) Tartrate Tetrahydrate** For Molecular Biology M. W.: 282.22 Assay : ≥ 99% Store Below 30°C	500 gm
024651 $C_6H_7KO_2$ (24634-61-5)	**Potassium Sorbate** M. W.: 150.22 Assay (Acidimetric; on cal. dried basis) 99.0-101.0%	1 kg 25 kg 50 kg

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
196515 $K_2SnO_3.3H_2O$ (12125-03-0)	**Potassium Stannate** Trihydrate for Synthesis M. W.: 298.95 Assay (Trance metal basis) 99.9%	**500 gm**
196595 $C_{18}H_{35}O_2.K$ (593-29-3)	**Potassium Stearate** for Synthesis M. W.: 322.57	**500 gm**
029658 K_2SO_4 (7778-80-5)	**Potassium Sulphate** Low in Nitrogen Content Suitable for Protein Test M. W.: 174.25 Assay (Alkalimetric) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
615395 K_2SO_4 (7778-80-5)	**Potassium Sulphate AR/ACS** M. W.: 174.25 Assay (Alkalimetric) 99.5%	**500 gm** **25 kg** **50 kg**
PCT1011 PTC K_2SO_4 (7778-80-5)	**Potassium Sulphate** Plant Culture Tested M. W.: 174.26 Assay 99% Store below 30°C	**500 gm** **1 kg**
879090	**Potassium Sulphate** TS acc. to USP	**500 ml**
196725 K_2S (1312-73-8)	**Potassium Sulphide** M. W.: 110.26	**500 gm**
196775 K_2SO_3 (10117-38-1)	**Potassium Sulphite** M. W.: 158.26 Assay 90.0%	**500 gm**
	Potassium Sulphocyanide See Potassium Thiocyanate	
196815 $C_4H_6O_6.K_2$ (921-53-9)	**DL - Potassium Tartrate** Extra Pure M. W.: 226.26	**500 gm**
615985 $C_4H_6O_6.K_2$ (921-53-9)	**DL-Potassium Tartrate AR** M. W.: 226.26	**250 gm**
	Potassium Tert-Butoxide See Potassium tert-Butoxide	
196780 $K_2TeO_3.3H_2O$ (7790-58-1)	**Potassium Tellurite** Trihydrate for Microbiology M.W. : 307.84 Assay (Argentometric on dried substance) 98.0%	**25 gm** **100 gm**
029664 $K_2B_4O_7.4H_2O$ (12045-78-2)	**Potassium Tetraborate** M. W.: 305.50 Assay 99.0-101.0%	**500 gm**
024654 K_2PtCl_4 (10025-99-7)	**Potassium Tetra Chloro** **Platinate** (II) M. W.: 415.09 Assay (ex Pt Gravimetric) 46.3-47.0%	**1 gm** **5 gm**
029665 $C_4H_3KO_8.2H_2O$ (6100-20-5)	**Potassium Tetraoxalate** M. W.: 254.19 Assay 99.0%	**500 gm**
616385 $C_4H_3KO_8.2H_2O$ (6100-20-5)	**Potassium Tetraoxalate** (Dihydrate) **AR** M. W.: 254.19	**100 gm**
	Potassium Tetroxoiodate See Potassium Meta Perodate	

Product Code	Product Name	Packing
879120	**Potassium Thiocyanate** CPECTROSOL® 0.1M (0.1N) Standard Solution In accordance with NIST	**1 lit**
879160	**Potassium Thiocyanate** 0.05 M (0.05N) CTITRINORM Standard Solution	**1 lit**
879185	**Potassium Thiocyanate** 0.1 N Solution	**500 ml** **1 lit** **2.5 lit**
029666 KSCN (333-20-0)	**Potassium Thiocyanate** M. W.: 97.18 Assay (Argentometric) 98.0%	**500 gm** **25 kg** **50 kg**
616475 KSCN (333-20-0)	**Potassium Thiocyanate AR/ACS** M. W.: 97.18 Assay (Argentometric) 99.0%	**500 gm** **25 kg** **50 kg**
196925 $K_2S_2O_3$ (10294-66-3)	**Potassium Thiosulphate** Practical Grade M. W.: 190.32 Assay 95.0%	**100 gm** **500 gm**
196975 K_2TiO_3 (12030-97-6)	**Potassium Titanate** M. W.: 174.06	**100 gm** **500 gm**
024658 K_2TiF_6 (16919-27-0)	**Potassium Titanium Fluoride** M. W.: 240.09 Assay 98.0%	**100 gm**
616795 K_2TiF_6 (16919-27-0)	**Potassium Titanium Fluoride AR** M. W.: 240.09	**500 gm**
616885 $K_2TiC_4O_9.2H_2O$ (14402-67-6)	**Potassium Titanium Oxalate AR** M. W.: 354.13 Assay 98.5%	**100 gm** **250 gm**
024630 KVO_3 (13769-43-2)	**Potassium** meta **Vanadate** M.W.: 138.04 Assay (exV) 98.0%	**100 gm** **500 gm**
PCT1409 PTC	**Potato Powder** Plant Culture Tested Store below 30°C	**100 gm**
	Potato Starch See Starch Potato	
TC1601M ATC $(C_6H_9NO)_n$ (9003-39-8)	**Povidone, K-value ≤15** Plasdone C; PVP, 1-Vinyl-2- pyrrolidinone polymer Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications Store below 30°C	**10 gm** **50 gm** **100 gm** **500 gm**
TC1562M ATC $(C_6H_9NO)_n$ (9003-39-8)	**Povidone, K-value > 15** Plasdone C; PVP, 1-Vinyl-2- pyrrolidinone polymer Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications Store below 30°C	**10 gm** **50 gm** **100 gm** **500 gm**
014615 $C_{15}H_{11}NO$ (92-71-7)	**PPO** (2,5-Diphenyloxazole) Scintillation grade M. W.: 221.26 Assay (Spectrophotometric) 99.0%	**25 gm** **100 gm** **500 gm**
RE2140 (7440-10-0)	**Praseodymium** Metal **Ingot** Assay (Trace metal basis) 99.99%	**10 gm** **50 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
RE2145 (7440-10-0)	**Praseodymium** Metal **Lump** Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE2150 (7440-10-0)	**Praseodymium** Metal **Powder** 325 Mesh Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE2195 $Pr(O_2C_2H_3)_3.xH_2O$ (334869-74-8)	**Praseodymium Acetate** M. W.: 318.03 Assay (Trace metal basis) 99.9%	**25 gm** **100 gm**
RE2200 $Pr(O_2C_2H_3)_3.xH_2O$ (334869-74-8)	**Praseodymium Acetate** M. W.: 318.03 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE2205 $Pr(O_2C_2H_3)_3.xH_2O$ (334869-74-8)	**Praseodymium Acetate** M. W.: 318.03 Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE2220 $Pr_2(CO_3)_3.8H_2O$ (14948-62-0)	**Praseodymium Carbonate** M. W.: 605.97 Assay (Trace metal basis) 99.9%	**25 gm** **100 gm**
RE2225 $Pr_2(CO_3)_3.8H_2O$ (14948-62-0)	**Praseodymium Carbonate** M. W.: 605.97 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE2230 $Pr_2(CO_3)_3.8H_2O$ (14948-62-0)	**Praseodymium Carbonate** M. W.: 605.97 Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE2245 $PrCl_3.xH_2O$ (19423-77-9)	**Praseodymium Chloride** M. W.: 247.27 Assay (Trace metal basis) 99.9%	**25 gm** **100 gm**
RE2250 $PrCl_3.xH_2O$ (19423-77-9)	**Praseodymium Chloride** M. W.: 247.27 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE2255 $PrCl_3.xH_2O$ (19423-77-9)	**Praseodymium Chloride** M. W.: 247.27 Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE2270 PrF_3 (13709-46-1)	**Praseodymium Fluoride** M. W.: 197.90 Assay (Trace metal basis) 99.9%	**10 gm** **50 gm**
RE2275 PrF_3 (13709-46-1)	**Praseodymium Fluoride** M. W.: 197.90 Assay (Trace metal basis) 99.99%	**10 gm** **50 gm**
RE2280 PrF_3 (13709-46-1)	**Praseodymium Fluoride** M. W.: 197.90 Assay (Trace metal basis) 99.999%	**10 gm** **100 gm**
RE2300 $Pr(OH)_3.xH_2O$	**Praseodymium Hydroxide** M. W.: 191.90 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE2305 $Pr(OH)_3.xH_2O$	**Praseodymium Hydroxide** M. W.: 191.90 Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE2320 $Pr(NO_3)_3.xH_2O$ (15878-77-0)	**Praseodymium Nitrate** M. W.: 326.92 (Anhy.) Assay (Trace metal basis) 99.9%	**25 gm** **100 gm**
RE2325 $Pr(NO_3)_3.xH_2O$ (15878-77-0)	**Praseodymium Nitrate** M. W.: 326.92 (Anhy.) Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE2330 $Pr(NO_3)_3.xH_2O$ (15878-77-0)	**Praseodymium Nitrate** M. W.: 326.92 (Anhy.) Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**

Product Code	Product Name	Packing
RE2345 $Pr_2(C_2O_4)_3.xH_2O$ (28877-86-3)	**Praseodymium Oxalate** M. W.: 545.87 (Anhy.) Assay (Trace metal basis) 99.9%	**25 gm**
RE2350 $Pr_2(C_2O_4)_3.xH_2O$ (28877-86-3)	**Praseodymium Oxalate** M. W.: 545.87 (Anhy.) Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE2355 $Pr_2(C_2O_4)_3.xH_2O$ (28877-86-3)	**Praseodymium Oxalate** M. W.: 545.87 (Anhy.) Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE2368 Pr_6O_{11} (12037-29-5)	**Prasedymium Oxide** Ceramic Grade M.W. 1021.44 Assay 97.0%	**1 kg**
RE2370 Pr_6O_{11} (12037-29-5)	**Praseodymium Oxide** M. W.: 1021.43 Assay (Trace metal basis) 99.9%	**10 gm** **25 gm** **100 gm**
RE2375 Pr_6O_{11} (12037-29-5)	**Praseodymium Oxide** M. W.: 1021.43 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE2380 Pr_6O_{11} (12037-29-5)	**Praseodymium Oxide** M. W.: 1021.43 Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE2395 $Pr_2(SO_4)_3.8H_2O$ (13510-41-3)	**Praseodymium Sulphate** M. W.: 714.12 Assay (Trace metal basis) 99.9%	**25 gm** **100 gm** **500 gm**
RE2400 $Pr_2(SO_4)_3.8H_2O$ (13510-41-3)	**Praseodymium Sulphate** M. W.: 714.12 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
029672 $C_{13}H_{11}N_3.0.5H_2SO_4$ (1811-28-5)	**Proflavine Hemisulphate** M.W. : 516.58	**5 gm** **25 gm**
043033 $C_{21}H_{30}O_2$ (57-83-0)	**Progesterone** for lab use M. W.: 314.47 Assay(HPLC) 97.0%	**5 gm** **25 gm** **500 gm**
TC1379 ATC $C_{21}H_{30}O_2$ (57-83-0)	**Progesterone** Cell Culture Tested M. W.: 314.46 Assay : ≥97% Store below 30°C	**1 gm** **5 gm** **25 gm**
PCT1854 PTC $C_{10}H_{10}CaO_5$ (127277-53-6)	· **Prohexadione Calcium** Plant Culture Tested M. W.: 250.26	**100 mg** **1 gm**
617495 $C_5H_9NO_2$ (344-25-2)	D-**Proline AR** M. W.: 115.13 Assay 99.0%	**1 gm** **5 gm**
037143 $C_5H_9NO_2$ (147-85-3)	L-**Proline** for Biochemistry M. W.: 115.13 Assay (Non-aq.on dried Subs.) 99.0%	**5 gm** **25 gm** **500 gm**
PCT1317 PTC $C_5H_9NO_2$ (147-85-3)	L-**Proline** Plant Culture Tested M. W.: 115.13 Assay 99% Store below 30°C	**5 gm** **25 gm** **500 gm** **1 kg**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
TC1109 ATC $C_5H_9NO_2$ (147-85-3)	**L-Proline** (From non-animal source) Cell Culture Tested M. W.: 115.13 Assay : ≥99% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
TC1109M ATC $C_5H_9NO_2$ (147-85-3)	**L-Proline** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 115.13 Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
	Propanal See Propionaldehyde	
	Propan-1-ol See 1-Propanol	
	Propan-2-ol See 2-Propanol	
029673 $C_3H_8O_2$ (57-55-6)	1,2-**Propanediol** for Synthesis (Propylene Glycol) M. W.: 76.10 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
617585 $C_3H_8O_2$ (57-55-6)	1,2-**Propanediol AR** M. W.: 76.10 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
197345 $C_3H_8O_2$ (504-63-2)	1,3-**Propanediol** for Synthesis (Trimethylene Glycol, 1,3-Propylene Glycol) M.W : 76.09	**500 ml** **2.5 lit**
	1,2-**Propanediol Cyclic Carbonate** See Propylene Carbonate	
765700 $C_3H_7NaO_3S$ (14533-63-2)	1-**Propane Sulphonic Acid Sodium Salt** HPLC M.W. : 146.14 Assay 99.0%	**5 gm** **25 gm**
765705	2-**Propane-Sulphonic Acid Sodium Salt** for HPLC Assay 99.0%	**5 gm** **25 gm**
	2-**Propen-1-ol** See Allyl Alcohol	
029679 C_3H_8O (71-23-8)	1-**Propanol** for Synthesis (n-Propyl Alcohol) M. W.: 60.10 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
617645 C_3H_8O (71-23-8)	1-**Propanol AR** (n-Propyl Alcohol) M. W.: 60.10 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 li**
765793 $CH_3.CH_2.CH_2OH$ (71-23-8)	1-**Propanol** GC-HS Grade (n-Propyl Alcohol) M.W. 60.10	**1 lit**
765800 C_3H_8O (71-23-8)	1-**Propanol** for HPLC & Spectroscopy M. W.: 60.10 Assay (GC) 99.8%	**1 lit**
765760 C_3H_8O (71-23-8)	1-**Propanol** for Pesticide residue analysis (n-Propyl Alcohol, Propan-1-Ol) M. W.: 60.10	**1 lit**
TC1571M ATC C_3H_8O (71-23-8)	1-**Propanol** n-Propanol Meets EP 9.0 and BP 2016 testing specifications M. W.: 60.09 Store below 30°C	**500 ml** **1 lit**
029694 C_3H_8O (67-63-0)	2-**Propanol** for Synthesis (ISO-Propyl Alcohol) M. W.: 60.10 Assay (GC) 99.0%	**500 ml** **2.5 lit** **5 lit** **25 lit** **200 lit**
617665 C_3H_8O (67-63-0)	2-**Propanol AR** (ISO-Propyl Alcohol) M. W.: 60.10 Assay (GC) 99.5%	**500 ml** **1 lit** **2.5 lit** **25 lit**
617675 C_3H_8O (67-63-0)	2-**Propanol** Specially dried **AR** M. W.: 60.10 Assay (GC) 99.5%	**500 ml** **2.5 lit**
765853 $CH_3CH(OH)CH_3$ (67-63-0)	2-**Propanol** GC-HS Grade M.W : 60.10 Assay 99.8%	**1 lit**
765857 C_3H_8O (67-63-0)	2-**Propanol** EL grade (ISO-Propyl Alcohol) M. W.: 60.10 Assay (GC) 99.8%	**2.5 lit**
765860 C_3H_8O (67-63-0)	2-**Propanol** for HPLC & Spectroscopy M. W.: 60.10 Assay (GC) 99.8%	**500 ml** **1 lit** **2.5 lit**
972570 MB C_3H_8O (67-63-0)	2-**Propanol** for Molecular Biology M. W.: 60.10 Assay (GC) 99.5%	**500 ml**
765900 C_3H_8O (67-63-0)	**Propanol-2-OL** for Pesticide Residue Trace Analysis (Iso Propyl Alcohol, 2-Propanol) M. W.: 60.10	**1 lit**
D89478 C_3H_7DO (3972-26-7)	2-**Propanol**-d_1 (for NMR Spectroscopy) M.W.: 61.10 Assay Min. 98.0 atom%D	**25 ml**
024683 $C_{16}H_{21}NO_2.HCl$ (318-98-9)	· **Propanolol Hydrochloride** for Lab Use M. W.: 295.81 Assay 99.0%	**5 gm**
	2-**Propanone** See Acetone	
197385 C_3H_4O (107-19-7)	**Propargyl Alcohol** (2-Propyn-1-ol,Propinol, Ethynyl Carbinol) M. W.: 56.06	**500 ml** **2.5 lit** **25 lit**
	2-**Propinol** See Propargyl Alcohol	

Storage : · #0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
TC1223 ATC $C_3H_4O_2$ (57-57-8)	**β-Propiolactone** M. W.: 72.06 Assay ≥97% Store at -20°C	**100 ml**
029685 C_3H_6O (123-38-6)	**Propionaldehyde** for Synthesis M. W.: 58.08 Assay (GC) 98.0%	**500 ml** **2.5 lit**
029688 $C_3H_6O_2$ (79-09-4)	**Propionic Acid** for Synthesis M. W.: 74.08 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
029689 $C_6H_{10}O_3$ (123-62-6)	**Propionic Anhydride** for Synthesis M. W.: 130.14 Assay 97.0%	**500 ml** **2.5 lit** **25 lit**
197535 CH_3CH_2CN (107-12-0)	**Propionitrile** for Synthesis (Ethyl Cyanide) M. W.: 55.08	**250 ml** **1 lit** **10 lit**
618305 CH_3CH_2CN (107-12-0)	**Propionitrile AR** M. W.: 55.08	**250 ml**
197625 CH_3CH_2COCl (79-03-8)	**Propionyl Chloride** for Synthesis (Propionic Acid Chloride) M. W.: 92.52	**500 ml** **2.5 lit**
972510 MB $C_{27}H_{34}I_2N_4$ (25535-16-4)	**▲Propodium Iodide** For Molecular Biology M. W.: 668.39 Assay : ≥ 94%	**10 mg** **25 mg**
197885 $C_5H_{10}O_2$ (109-60-4)	n-**Propyl Acetate** for Synthesis M. W.: 102.13	**500 ml** **2.5 lit** **25 lit** **200 lit**
	n-**Propyl Alcohol** See 1-Propanol	
	iso-**Propyl Alcohol** See 2-Propanol	
198065 C_9H_{12} (103-65-1)	N-**Propyl Benzene** M. W.: 120.19 Assay 97.5%	**100 ml** **500 ml**
	Propyl Chloride See Allyl Chloride	
	iso-Propyl Ether See Di-iso-Propyl Ether	
029695 C_3H_9N (107-10-8)	n-**Propylamine** for Synthesis M. W.: 59.11 Assay(GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
619005 C_3H_9N (107-10-8)	n-**Propylamine AR** M. W.: 59.11	**500 ml** **2.5 lit**
027484 $CH_3.CH_2.CH_2Br$ (106-94-5)	n-**Propyl Bromide** for Synthesis M. W.: 122.99 Assay (GC) 99.0%	**500 ml** **2.5 lit**
198305 $C_4H_6O_3$ (108-32-7)	**Propylene Carbonate** (1,2-Propanediol Cyclic Carbonate) (4-Methyl-1,3-Dioxolan-2-one) M. W.: 102.09	**500 ml** **2.5 lit** **25 lit** **200 lit**
619325 $C_4H_6O_3$ (108-32-7)	**Propylene Carbonate AR** M. W.: 102.09	**500 ml**
	Propylene Glycol See 1,2-Propanediol	
	Propylene Glycol Monomethyl Ether See1-Methoxy-2-Propanol	
619505 C_3H_6O (75-56-9)	**Propylene Oxide AR** M. W.: 58.08 Assay 99.5%	**100 ml**
029704 $C_{10}H_{12}O_5$ (121-79-9)	n-**Propyl Gallate** (Antioxident) M. W.: 212.20 Assay (Complexometric) 98.0%	**100 gm** **500 gm** **5 kg** **25 kg**
025691 $C_{10}H_{12}O_3$ (94-13-3)	**Propyl-p-Hydroxy Benzoate** (Propyl Paraben) M. W.: 180.20 Assay Acidimetric, potentiometric cal. on dried subs. 99.0-102.0%	**500 gm** **5 kg** **25 kg** **50 kg**
024627 $C_{10}H_{11}NaO_3$ (35285-69-9)	**Propyl-p-Hydroxy Benzoate** **Sodium Salt** M. W.: 202.19 Assay 99.0-104.0%	**500 gm** **5 kg** **25 kg** **50 kg**
198505 C_3H_7I (107-08-4)	n-**Propyl Iodide** for Synthesis (1-Iodopropane) M.W. : 169.99 Assay 99.0%	**100 ml** **500 ml**
	Propyl Paraben See propy-p-Hydroxybenzoate	
	2-**Propyn**-1-**ol** See Propargyl Alcohol,	
	N-**Propyl**-3,4,5-**Trihydroxybenzoate** See N-Propyl Gallate	
619845 (53597-25-4)	**Protamine Sulphate AR**	**5 gm** **25 gm**
TC1563M ATC (9009-65-8)	**Protamine Sulphate** Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 372.42 Store below 30°C	**10 gm** **50 gm**
024647 ✲	**Protein A** Soluble Purified from S aureus Cell Wall, Lyophilised essentially salt free binding capacity 7-14 mgm of human 1g per mgm solid	**2 mg**
972590 MB	**▲Protein A Sepharose** For Molecular Biology	**500 mg** **1 gm**
972670 MB (39450-01-6)	**▲Proteinase K, From Pichia Pastoris** Recombinant PCR Grade For Molecular Biology M. W.: 28.93 kDa	**10 mg** **100 mg** **1 gm**
TC1687 ATC (39450-01-6)	**▲Proteinase K** Cell Culture Tested M. W.: 28.9 kDa	**10 mg** **100 mg**

Product Code	Product Name	Packing
198565	**Proteose Peptone** (Culture Media Ingradient)	**500 gm**
198615 $(OH)_2C_6H_3CO_2H$ (99-50-3)	**Protocatechuic Acid** for Synthesis M. W.: 154.12 Assay 97.0%	**25 gm** **100 gm**
198695 $Fe_4[Fe(CN)_6]_3$ (14038-43-8)	**Prussian Blue** for Microscopy M.W. : 859.23	**5 gm** **25 gm** **100 gm** **1 kg**
033083 (1332-09-8)	**Pumic Stone** (Granular for elemental analysis)	**500 gm**
024659 (1332-09-8)	**Pumic Stone** Powder	**500 gm** **5 kg**
PCT2150 PTC $C_{22}H_{29}N_7O_5.2HCl$ (58-58-2)	▲**Puromycin Dihydrochloride** Plant Culture Tested M. W.: 544.043	**10 mg**
TC1198 ATC $C_{22}H_{29}N_7O_5.2HCl$ (58-58-2)	▲**Puromycin Dihydrochloride** Cell Culture Tested M. W.: 544.43 Assay : ≥98%	**10 mg** **25 mg**
PCT1811 PTC $C_4H_{12}N_2.2HCl$ (333-93-7)	▲**Putrescine Dihydrochloride** (1,4-Butanediamine dihydrochloride) Plant Culture Tested M. W.: 161.07 Assay 99%	**1 gm** **5 gm** **25 gm**
TC1163 ATC $C_4H_{12}N_2.2HCl$ (333-93-7)	▲**Putrescine Dihydrochloride** Cell Culture Tested M. W.: 161.07 Assay : ≥98%	**5 gm** **25 gm**
029707 C_5H_5N (110-86-1)	**Pyridine** M. W.: 79.10 Assay (GC) 99.0%	**250 ml** **500 ml** **2.5 lit**
619935 C_5H_5N (110-86-1)	**Pyridine AR** M. W.: 79.10 Assay 99.5%	**250 ml** **500 ml** **2.5 lit** **25 lit** **200 lit**
620355 C_5H_5N (110-86-1)	**Pyridine "Dry" AR** M. W.: 79.10	**500 ml**
199000 C_5H_5N (110-86-1)	**Pyridine** for Karl Fischer Reagent M. W.: 79.10	**500 ml**
766500 C_5H_5N (110-86-1)	**Pyridine** for HPLC & Spectroscopy M. W.: 79.10	**1 lit**
D93078 C_5D_5N (7291-22-7)	**Pyridine**-d_5 (for NMR Spectroscopy) M.W.: 84.14 Assay Min. 99.5 atom%D	**10x0.75 ml**
D93087 C_5D_5N (7291-22-7)	**Pyridine**-d_5 (for NMR Spectroscopy) M.W.: 84.14 Assay Min. 99.5 atom%D	**10 ml**
	Pyridine 2:6-**Dicarboxylic Acid** for synthesis SEE 2,6-Dipicolinic Acid	

Product Code	Product Name	Packing
199045 ✲ $C_5H_5N.HBr$ (18820-82-1)	**Pyridine Hydrobromide** for Synthesis (Pyridinium Bromide) M. W.: 160.01	**1 kg**
199095 C_5H_5NO (694-59-7)	**Pyridine**-N-**Oxide** for Synthesis M. W.: 95.10 Assay 94.0-106.0%	**25 gm** **100 gm**
	3-**Pyridine Carbonitrile** See 3-Cyano Pyridine	
	4-**Pyridine Carbonitrile** See 4-Cyano Pyridine	
199315 $C_5H_6NClCrO_3$ (26299-14-9)	**Pyridinium Chlorochromate** for Synthesis M. W.: 215.56 Assay 98.0%	**100 gm** **500 gm**
620785 $C_{10}H_{10}N_2.H_2Cr_2O_7$ (20039-37-6)	**Pyridinium Dichromate AR** M. W.: 376.20	**25 gm** **100 gm** **500 gm**
199405 $C_{12}H_{13}NO_3S$ (24057-28-1)	**Pyridinium**-p-**Toluene Sulphonate** for Synthesis (4-Toluenesulphonic Acid Pyridine Salt) M. W.: 251.30	**25 gm** **100 gm** **500 gm**
TC1164 ATC $C_8H_9NO_3.HCl$ (65-22-5)	▲**Pyridoxal Hydrochloride** Cell Culture Tested M. W. : 203.62 Assay : ≥99%	**5 gm** **25 gm**
024668 $C_8H_{10}NO_6PH_2O$ (41468-25-1)	· **Pyridoxal**-5-**Phosphate** for Biochemistry M. W.: 265.16 Assay 99.0%	**1 gm** **5 gm**
TC1165 ATC $C_8H_{12}N_2O_2.2HCl$ (524-36-7)	▲**Pyridoxamine Dihydrochloride** Cell Culture Tested M. W.: 241.11 Assay : ≥98%	**1 gm** **5 gm** **25 gm**
044086 $C_8H_{11}NO_3.HCl$ (58-56-0)	**Pyridoxine Hydrochloride** For Biochemistry M. W.: 205.64 Assay (dried, non aqueous) 98-101.0%	**5 gm** **25 gm** **100 gm**
PCT1212 PTC $C_8H_{11}NO_3.HCl$ (58-56-0)	▲**Pyridoxine Hydrochloride** (Vitamin B6 hydrochloride) Plant Culture Tested M. W.: 205.64 Assay 99%	**10 gm** **25 gm**
TC1039 ATC $C_8H_{11}NO_3.2HCl$ (58-56-0)	▲**Pyridoxine Hydrochloride** (Vitamin B6 hydrochloride) Cell Culture Tested M. W.: 205.64 Assay : ≥99%	**10 gm** **25 gm** **100 gm**
TC1039M ATC $C_8H_{11}NO_3.HCl$ (58-56-0)	▲**Pyridoxine Hydrochloride** Vitamin B6; Pyridoxol hydrochloride Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 205.64	**10 gm** **25 gm** **100 gm**
029438 $C_{12}H_9NO$ (127406-56-8)	4-(2-**Pyridyl) Benzaldehyde** M.W.: 183.21	**5 gm** **500 gm**

Storage : · #0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
620875 $C_{20}H_{14}N_4$ (1046-56-6)	**3-(2-Pyridyl)-5,6-Diphenyl-1,2,4-Triazine AR (PDT)** M. W.: 310.36 Assay ($HClO_4$-titration) 99.0%	**1 gm** **5 gm**
620885 $C_{20}H_{12}N_4Na_2O_6S_2$ (28048-33-1)	**3-(2-Pyridyl)-5,6-Diphenyl -1,2,4-Triazine 4'-4"-Disulphonic Acid Disodium Salt AR** M. W.: 514.44 Assay ($HClO_4$-titration, on anhydrous substances) 99.0%	**1 gm**
	1-(2-Pyridyl Azo)-2-naphthol Metal (Pm) Indicator See PAN Indicator	
	4-(2-Pyridyl Azo) Resorcinol Mono Sodium Salt Metal (Pm) Indicator See PAR Indicator	
024673 $C_9H_{13}N_3$ (34803-66-2)	**1- (2-Pyridyl) Piprazine** M.W.: 163.22	**5 gm** **25 gm** **500 gm**
027653 $C_6H_4(OH)_2$ (120-80-9)	**Pyrocatechol** M. W.: 110.11 Assay (GC) 98.0%	**100 gm** **500 gm** **25 kg** **50 kg**
	3,5-Pyrocatechol Disulphonic Acid Disodium Salt See Tiron	
620925 $C_6H_4(OH)_2$ (120-80-9)	**Pyrocatechol AR** M. W.: 110.11 Assay (GC) 99.0%	**100 gm** **500 gm**
621295 $C_{19}H_{14}O_7S$ (115-41-3)	**Pyrocatechol Violet AR** (Catechol violet) M.W.: 386.38	**1 gm** **5 gm**
879360	**Pyrocatechol Violet** Solution Adsorption Indicator (Reagent for Al, Bi, Sn, V &Ti)	**100 ml**
	Pyrogallic Acid See Pyrogallol	
029716 $C_6H_3(OH)_3$ (87-66-1)	**Pyrogallol** for Synthesis 1, 2, 3-Trihydroxy benzene (Pyrogallic acid) M. W.: 126.11 Assay (By GC) 98.0%	**100 gm** **500 gm** **25 kg**
621385 $C_6H_3(OH)_3$ (87-66-1)	**Pyrogallol AR** M. W.: 126.11 Assay (By GC) 99.0%	**100 gm** **500 gm**
621425 $C_{19}H_{14}O_9S$ (32638-88-3)	**Pyrogallol Red AR** M. W.: 418.38	**1 gm**
199545 $C_5H_7NO_3$ (98-79-3)	**▲L-Pyroglutamic Acid** for Biochemistry M. W.: 129.11 Assay 99.0%	**25 gm** **100 gm**
199625 $C_{42}H_{54}Cl_8Fe_2N_4O_2$ (2150-48-3)	**Pyronin B** C. I. NO. 45010 M.W.: 1042.22 Dye content 30.0%	**5 gm**

Product Code	Product Name	Packing
199645 $C_{17}H_{19}ClN_2O$ (92-32-0)	**▲Pyronin G** for Microscopy Suitable as Tracker Dye in Acid Buffer System (Pyronin y) C. I. No. 45005 M.W.: 302.80	**5 gm**
972750 MB $C_{17}H_{19}ClN_2O$ (92-32-0)	**Pyronin Y** For Molecular Biology C. I. No.: 45005 M. W.: 302.80	**5 gm**
	Pyrrolidine-1-Dithiocarboxylic Acid Ammonium Salt See Ammonium Pyrrolidine Dithiocarbamate	
	S-(-)-2-**Pyrrolidone**-5-Carboxylic Acid See L-Pyroglutamic	
199755 C_4H_5N (109-97-7)	**Pyrrole** for Synthesis M.W.: 67.09 Assay 97.5%	**100 ml** **500 ml**
199835 $C_5H_5NO_2$ (634-97-9)	**Pyrrole-2-Carboxylic Acid** M.W.: 111.10 Assay 99.0%	**25 gm** **100 gm**
199945 C_4H_9N (123-75-1)	**Pyrrolidine** for Synthesis (Tetramethyleneimine Tetrahydropyrole) M.W.: 71.12	**500 ml** **1 lit**
621465 C_4H_9N (123-75-1)	**Pyrrolidine AR** M. W.: 71.12 Assay 99.5%	**100 ml** **500 ml**
200105 $C_6H_{13}NO$ (2955-88-6)	2-**Pyrrolidino Ethanol** for Synthesis M.W.: 115.17 Assay 97.0%	**100 ml**
200225 C_7H_7NO (616-45-5)	2-**Pyrrolidone** (2-Pyrrolidone, Butyrolactum) M.W.: 85.10	**500 ml** **2.5 lit** **25 lit** **200 lit**
TC1692 ATC (9001-59-6)	**▲Pyruvate Kinase** Cell Culture Tested M. W.: 237 kDa Assay : ≥95%	**1000 units**
	Pyruvic Acid Sodium Salt See Sodium Pyruvate	

NANOPOWDER / NANOPARTICLES

Product Code : N11930
CAS No. (7782-40-3)

Diamond Nanoparticles / Nanopowder (C,3-10nm)
Assay 98%

Available Packs 1 gm, 5 gm, 25 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
623895 SiO_2 (14808-60-7)	**Quartz** Granular **AR** Washed and Calcined M. W.: 60.09	**250 gm** **1 kg**
024449 SiO_2 (14808-60-7)	**Quartz** Powder Pure M. W.: 60.08	**250 gm** **1 kg**
024500 SiO_2 (14808-60-7)	**Quartz** Powder ≤ 230 Mesh Pure M. W.: 60.08	**100 gm**
623905 SiO_2 (14808-60-7)	**Quartz** Powder ≤ 230 mesh **AR** M. W.: 60.08	**100 gm**
024448 SiO_2 (14808-60-7)	**Quartz** Powder ≥ 230 Mesh Pure M. W.: 60.08	**100 gm** **500 gm**
623910 SiO_2 (14808-60-7)	**Quartz** Fine Powder > 230 Mesh **AR** M. W.: 60.08	**250 gm** **1 kg**
024446 SiO_2 (14808-60-7)	**Quartz** Sand Acid Purified Pure M. W.: 60.08	**500 gm** **1 kg**
024447 SiO_2 (14808-60-7)	**Quartz** White Powder Pure For Cleaning of Platinum,Crucibles, Calcined, Crdeu M. W.: 60.08	**2.5 kg**
623915 SiO_2 (14808-60-7)	**Quartz** Washed & Calcined **AR** M. W.: 60.08	**250 gm** **1 kg**
205315 $C_{15}H_{10}O_7.2H_2O$ (6151-25-3)	▲**Quercetin Dihydrate** (3,3,4,5,7-pentahydroxyflavone) M. W.: 338.27	**25 gm** **100 gm**
PCT2547 PTC $C_{15}H_{10}O_7.2H_2O$ (6151-25-3)	▲**Quercetin Dihydrate** Plant Culture Tested M. W.: 338.27 Store below 30°C	**25 gm** **100 gm**
626895 $C_{10}H_7NO_2$ (93-10-7)	**Quinaldic Acid AR** M. W.: 173.17 Assay 98.0%	**5 gm**
205505 $C_{10}H_9N$ (91-63-4)	**Quinaldine** for Synthesis (2-Methylqunoline) M. W.: 143.19 Assay 95.0%	**100 gm** **500 gm**
205615 $C_{21}H_{23}IN_2$ (117-92-0)	▲**Quinaldine Red** Indicator M. W.: 430.33 Dye content 95.0%	**1 gm** **5 gm**
879860	**Quinaldine** Red Indicator Solution	**100 ml**
627075 $C_{12}H_{10}O_4$ (106-34-3)	**Quinhydrone AR** M. W.: 218.21	**100 gm**
205835 $C_7H_{12}O_6$ (77-95-2)	▲**Quinic Acid** for Synthesis M. W.: 192.17 Assay 98.0%	**5 gm** **25 gm**

Product Code	Product Name	Packing
PCT2548 PTC $C_{20}H_{24}N_2O_2$ (130-95-0)	**Quinine** Plant Culture Tested M. W.: 324.42 Store below 30°C	**10 gm** **25 gm**
627135 (146-39-4)	**Quinine Glycero Phosphate AR**	**5 gm**
024445 $(C_{20}H_{24}N_2O_2)_2.H_2SO_4.2H_2O$ (6119-70-6)	**Quinine Sulphate** M. W.: 782.95 Assay (Non-aqueous) 99.5%	**25 gm**
627175 $(C_{20}H_{24}N_2O_2)_2.H_2SO_4.2H_2O$ (6119-70-6)	**Quinine Sulphate AR** M. W.: 782.95 Assay (Non-aqueous) 99.5%	**25 gm**
	Quinol See Hydroquinone	
030012 C_9H_7N (91-22-5)	**Quinoline** for Synthesis M. W.: 129.16 Assay (GC) 97.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
627495 C_9H_7N (91-22-5)	**Quinoline AR** M. W.: 129.16	**1 lit**
206035 $C_{10}H_7NO_2$ (486-74-8)	**Quinoline**-4-**Carboxylic Acid** for Synthesis M. W.: 173.17 Assay 97.0%	**1 gm**
206140 (8003-22-3)/(91-22-5)	**Quinoline Yellow** (Spirit Soluble) C.I. 47000	**25 gm**
206145 $C_{18}H_9NO_8S_2.2Na$ (8004-92-0)	**Quinoline Yellow** (Water Soluble) C.I. 47005 M. W.: 477.38	**25 gm** **100 gm**
206235 ✲ $C_7H_5NO_4$ (89-00-9)	**Quinolinic Acid** for Synthesis M.W.: 167.12 Assay 99.0%	**25 gm** **100 gm** **500 gm**

NANOPOWDER / NANOPARTICLES

Product Code : N74385
CAS No. (25583-20-4)

Titanium Nitride Nanoparticles / Nanopowder (20nm)
Assay 97+%

Available Packs 5 gm, 25 gm, 100 gm

Storage : · #0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
840000	**R.B.C. Diluting Fluid** (Gower's)	500 ml
883010	**R.B.C. Diluting Fluid** (Hayem's)	125 ml 500 ml
632495 $C_{18}H_{32}O_{16}.5H_2O$ (17629-30-0)	D-**Raffinose AR** (Pentahydrate) M. W.: 594.52	10 gm 25 gm 100 gm
TC1162 ATC $C_{18}H_{32}O_{16}.5H_2O$ (17629-30-0)	D-**(+)-Raffinose** Pentahydrate (Melitose; Melitriose) Cell Culture Tested M. W.: 594.51 Assay : ≥98% Store below 30°C	25 gm 100 gm 500 gm
	Raney Nickel Catalyst Alloy See Nickel Aluminium Alloy	
TC1416 ATC $C_{51}H_{79}NO_{13}$ (53123-88-9)	· **Rapamycin** 23,27-Epoxy-3H-pyrido[2,1-c][1,4] oxaazacyclohentriacontine, AY 22989, Sirolimus Cell Culture Tested M. W.: 914.17 Assay : ≥90%	10 mg 50 mg
	Rare Earth Multi Element See Multi Element	

Reagents & Solutions According To United States Pharmacopoeia

800105	**Acetate Buffer** TS acc. to USP	500 ml
800263	**Acetic Acid Solution** 2N acc. to USP	500 ml
800336	**Acetic Acid - Ammonium** Acetate Buffer TS acc. to USP	500 ml
804800	**Ammonia** TS acc. to USP	500 ml
804805	**Ammonia-Ammonium** Chloride Buffer TS acc. to USP	500 ml
805070	**Ammonium Carbonate** TS acc. to USP	500 ml
805140	**Ammonium Chloride**-Ammonium Hydroxide TS acc. to USP	500 ml
805138	**Ammonium Chloride** TS acc. to USP	500 ml
806200	**Ammonium Thiocyanate** TS acc. to USP	500 ml
808082	**Barium Chloride** TS acc. to USP	500 ml
808200	**Barium Nitrate** TS acc. to USP	500 ml
811282	**Bromate-Bromide** Solution 0.1N acc. to USP	500 ml
811744	**Bromocresol Green** TS acc. to USP	125 ml
812005	**Bromophenol Blue** TS acc. to USP	125 ml
812175	**Bromothymol Blue** TS acc. to USP	125 ml
814470	**Calcium Sulphate** TS acc. to USP	500 ml
819045	**Congo Red** TS acc. to USP	125 ml
819280	**Copper Acetate** TS acc. to USP	500 ml
819390	**Copper Sulphate** TS acc. to USP	500 ml
829050	**Edetate Disodium** TS acc. to USP	500 ml
834270	**Ferric Ammonium** Sulphate TS acc. to USP	500 ml
834325	**Ferric Chloride** TS acc. to USP	500 ml
839650	**Glycerin Base** TS acc. to USP	500 ml
844865	**Hydrochloric Acid** 1N acc. to USP	500 ml
849845	**Iodine Solution** 0.1N acc. to USP	500 ml
859825	**Lead Acetate** TS acc. to USP	500 ml
864520	**Mercuric Chloride** TS acc. to USP	100 ml
865750	**Methylene Blue** TS acc. to USP	125 ml
865863	**Methyl Orange** TS acc. to USP	125 ml
866043	**Methyl Red** TS acc. to USP	125 ml
866048	**Methyl** Red-Methylene Blue solution acc. to USP	125 ml
868805	**Neutral Red** TS acc. to USP	125 ml
871580	**Oxalic Acid** TS acc. to USP	500 ml
874643	**Perchloric Acid** Solution 0.1N acc. to USP	500 ml
875190	**Phenolphthalein** TS acc. to USP	125 ml
875520	**Phenol Red** TS acc. to USP	125 ml
875810	**Phosphotungstic Acid** TS acc. to USP	100 ml
876670	**Potassium Acetate** TS acc. to USP	500 ml
876840	**Potassium Carbonate** TS acc. to USP	500 ml
878525	**Potassium Iodide** TS acc. to USP	500 ml
878793	**Potassium Permangnate** Solution 0.1N acc. to USP	500 ml
879090	**Potassium Sulphate** TS acc. to USP	500 ml
883215	**Resorcinol** TS acc. to USP	500 ml
889415	**Silver Nitrate** Solution 0.1N acc. to USP	500 ml
890325	**Sodium Acetate** TS acc. to USP	500 ml
891250	**Sodium Chloride** TS, Alkaline acc. to USP	500 ml
892163	**Sodium Hydroxide** TS (1 N) acc. to USP	500 ml
893245	**Sodium Thiosulphate** Solution 0.1N (N/10) acc. to USP	500 ml
894495	**Sulphanilic Acid** TS acc. to USP	500 ml
894594	**Sulphomolybdic** Acid TS acc. to USP	500 ml
895152	**Sulphuric** Acid Solution 1N acc. to USP	500 ml
897443	**Thymol Blue** TS acc. to USP	125 ml
908530	**Zinc Sulphate** Solution 0.05M	500 ml
	Red Phosphorus See Phosphorus Red	
	Reinecke Salt See Ammonium Reineckate	
TC1689 ATC (9001-98-3)	▲**Renin** Cell Culture Tested Rennet strength : NLT 800 MCU/g	1 gm 5 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
	Resacetophenone See 2,4-Dihydroxy Aceto Phenone	
632585 $C_{33}H_{40}N_2O_9$ (50-55-5)	**Reserpine AR** M.W.: 608.69 Assay (Non-aqueous) ≥ 99.0%	**1 gm** **5 gm**
	Resazurin AR See Resazurin Sodium Salt	
632635 $C_{12}H_6N.NaO_4$ (62758-13-8)	**Resazurin Sodium Salt AR** M. W.: 251.17 Dye content Min. 75.0%	**1 gm** **5 gm**
	Resorcin Blue See Lacmoid,	
030019 $C_6H_4(OH)_2$ (108-46-3)	**Resorcinol** for Synthesis M. W.: 110.11 Assay (GC) 99.0%	**250 gm** **500 gm** **25 kg**
632695 $C_6H_4(OH)_2$ (108-46-3)	**Resorcinol AR** M. W.: 110.11 Assay(GC) 99.5%	**100 gm** **500 gm**
972830 MB $C_6H_6O_2$ (108-46-3)	**Resorcinol** (1,3-Dihydroxybenzene) For Molecular Biology M. W.: 110.11 Assay : ≥ 99% Store Below 30°C	**25 gm** **100 gm** **500 gm**
883215	**Resorcinol** TS acc.to USP	**500 ml**
213755 ⁂ $C_8H_{10}O_2$ (151-10-0)	**Resorcinol Dimethyl Ether** for Synthesis M.W.: 138.16 Assay 98.0%	**100 gm** **500 gm**
213865 ⁂ $C_7H_6O_3$ (95-01-2)	**b-Resourcylaldehyde** for Synthesis M.W.: 138.12 Assay 97.5%	**25 gm** **100 gm**
213975 $C_{14}H_{12}O_3$ (501-36-0)	**Resveratrol** for Biochemistry M. W.: 228.24 Assay 99.0%	**1 gm**
883225	**Reticulocyte Counting** Fluid	**125 ml**
TC1153 ATC $C_{22}H_{32}O_2$ (127-47-9)	**▲Retinol Acetate** (Vitamin A acetate power: Retinyl acetate) Cell Culture Tested M. W.: 328.49 Assay : ≥475000 IU/g	**1 gm** **5 gm** **25 gm**
632785 $C_6H_{12}O_5H_2O$ (10030-85-0)	**L-Rhamnose AR** M. W.: 182.17	**5 gm** **25 gm**
883250	**Rhenium** (Re) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **500 ml**
883260	**Rhenium** (Re) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	**100 ml**
030668 Re (7440-15-5)	**Rhenium** Metal Powder M. W.: 186.21 Assay 99.9%	**1 gm** **5 gm**

Product Code	Product Name	Packing
632795 $C_{28}H_{31}N_2O_3Cl$ (81-88-9)	**Rhodamine B AR** for Microscopy C.I. No. 45170 M. W.: 479.02 Dye content Abt. 80.0%	**25 gm** **100 gm**
020102 $C_{28}H_{31}ClN_2O_3$ (989-38-8)	**Rhodamine** 6G C.I. No. 45160 M. W.: 479.02 Dye content (Spectrophotometric, on dried subs.) Abt. 95.0%	**5 gm** **25 gm** **100 gm** **1 kg**
214165 ⁂ $C_{29}H_{30}ClN_3O_3S$ (36877-69-7)	**Rhodamine B-Iso-Thiocyanate** for Biochemistry & Microscopy M.W.: 536.08	**100 mg** **1 gm**
214395 $C_{10}H_{20}O$ (141-25-3)	**Rhodinol** for Synthesis M. W.: 156.27	**500 gm**
214505 $C_{12}H_{22}O_2$ (141-11-7)	**Rhodinyl Acetate** for Synthesis M. W.: 198.30	**500 gm**
214525 $C_{14}H_{26}O_2$ (732282-93-8)	**Rhodinyl Butyrate** for Synthesis M. W.: 226.36	**500 gm**
214545 (845870-35-1)	**Rhodinyl Formate** for Synthesis	**500 gm**
214565 $C_{18}H_{26}O_2$ (10486-14-3)	**Rhodinyl Phenyl Acetate** for Synthesis M. W.: 274.40	**500 gm**
883320	**Rhodium** (Rh) CPECTROSOL® Atomic Absorption Std.Soln. Contain1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **500 ml**
883330	**Rhodium** (Rh) CRISTAR® Element Std. Soln. for ICP in HNO_3	**100 ml**
214675 Rh (7440-16-6)	**Rhodium** (Metal) Powder A.W.: 102.91 Assay 99%	**100 mg**
030671 $RhCl_3xH_2O$ (20765-98-4)	**Rhodium Trichloride** Rh contain abt 40% M. W.: 209.26 (Anhydrous) Assay (Rh) 40.0%	**100 mg**
	Rhodizonic Acid Sodium Salt See Sodium Rhodizonate	
PCT2133 PTC $C_8H_{12}N_4O_5$ (36791-04-5)	**▲Ribavirin** Plant Culture Tested M. W.: 244.2 Assay : =98.9%	**10 mg** **50 mg**
044088 $C_{17}H_{20}N_4O_6$ (83-88-5)	**Riboflavin** For Biochemistry Vitamin B_2 (For Lab use) M. W.: 376.37 Assay (Spectrophotometric, on dried substance) 98.0-102.0%	**5 gm** **10 gm** **25 gm** **500 gm**
PCT1214 PTC $C_{17}H_{20}N_4O_6$ (83-88-5)	**(-)-Riboflavin** (Vitamin B2) Plant Culture Tested M. W.: 376.36 Assay 99% Store below 30°C	**10 gm** **25 gm**

Storage : ❄ 0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

R

Laboratory Chemicals

Product Code	Product Name	Packing
TC1167 ATC $C_{17}H_{20}N_4O_6$ (83-88-5)	**(-)-Riboflavin** (Vitamin G; Vitamin B2) Cell Culture Tested M. W.: 376.36 Assay : ≥98% Store below 30°C	**25 gm** **100 gm**
TC1167M ATC $C_{17}H_{20}N_4O_6$ (83-88-5)	**(-)-Riboflavin** Vitamin G; Vitamin B2; Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 376.36 Store below 30°C	**25 gm** **100 gm**
044089 $C_{17}H_{20}N_4NaO_9P$ (130-40-5)	▲**Riboflavin-5-Mono Phosphate Sodium** Salt (FMN) for Biochemistry M. W.:478.33 (For Lab use) Assay (UV) 93.0%	**5 gm** **25 gm**
039039 (9001-99-4)	· **Ribonuclease** 3x cryst Lyophilised (R Nase) ex. Bovine pancreas	**100 mg** **500 mg**
972910 MB (9001-99-4)	**Ribonuclease-A** (See: RNase A) From Bovine Pancreas (DNase Free) For Molecular Biology M. W.: ~13700 Assay : ≥ 50 Units/mg E. C. No. : 3.1.27.5 Protein (Kunitz) Store at 20°C	**100 mg** **500 mg** **1 gm**
972990 MB (63231-63-0)	**Ribonucleic Acid** (See: RNA, From Torula Yeast) For Molecular Biology Assay : ≥ 86% Upon Receipt Store at - 20°C	**10 gm** **25 gm** **100 gm**
973070 MB (73049-77-1)	▲**Ribonucleic Acid Sodium Salt** For Molecular Biology	**10 gm** **25 gm** **100 gm**
038058 $C_5H_{10}O_5$ (50-69-1)	· D-**Ribose** for Biochemistry M. W.: 150.13 Assay ≥ 99.0%	**5 gm** **25 gm** **1 kg**
973180 MB $C_5H_{10}O_5$ (50-69-1)	▲D-**Ribose** For Molecular Biology M. W.: 150.13 Assay : ≥ 99%	**1 gm** **5 gm** **25 gm** **100 gm**
PCT1614 PTC $C_5H_{10}O_5$ (50-69-1)	▲D-(-)-**Ribose** Plant Culture Tested M. W.: 150.13 Assay 99%	**5 gm** **25 gm**
TC1168 ATC $C_5H_{10}O_5$ (50-69-1)	▲D-(-)-**Ribose** Cell Culture Tested M. W.: 150.13 Assay : ≥99%	**25 gm** **100 gm**
214805 ✲ $C_5H_{10}O_5$ (24259-59-4)	L-**Ribose** for Biochemistry M.W.: 150.13	**1 gm** **5 gm**
	Rice Starch See Starch Rice	

Product Code	Product Name	Packing
099800 $C_{43}H_{58}N_4O_{12}$ (13292-46-1)	· **Rifampicin** for Lab use M. W.: 822.96 Assay(dried subsatnce) 97-102%	**1 gm** **5 gm**
PCT2119 PTC $C_{43}H_{58}N_4O_{12}$ (13292-46-1)	▲**Rifampicin** Plant Culture Tested M. W.: 822.94 Assay 97%	**1 gm** **5 gm** **25 gm** **100 gm**
TC1354 ATC $C_{43}H_{58}N_4O_{12}$ (13292-46-1)	▲**Rifampicin (Rifampin)** Cell Culture Tested M. W.: 822.94 Potency : ≥97%	**1 gm** **5 gm**
883380	**Ringer**'S Solution	**125 ml** **500 ml**
TC1688 ATC (9001-99-4)	**RNase A (DNase free)** Source : Bovine Pancreas Cell Culture Tested M. W.: ~13.7 kDa Store at -20°C	**100 mg** **500 mg** **1 gm**
883410	**Robert's** Test Reagent	**125 ml**
	Rochelle Salt See Potassium Sodium (+) Tartrate	
632840 $C_{20}H_{19}N_3.HCl$ (632-99-5)	**Rosaniline Hydrochloride AR** M.W. : 337.86 Dye content (Titanometric; on dried subs.) 88.0%	**25 gm** **100 gm**
	p-**Rosaniline Hydrochloride** See Pararosaniline Chloride,	
	P-**Rosaniline** See Pararosaniline	
215025 $C_{10}H_9Cl_3O_2$ (90-17-5)	**Rose** Crystals Pure M. W..: 267.53	**500 gm**
632855 $C_{20}H_2O_5I_4Cl_4Na_2$ (632-69-9)	**Rose Bengal AR** C.I. No. 45440 M. W.: 1017.6 Dye content (Gravimetry, on dried substance) Abt.75.0%	**5 gm** **25 gm** **100 gm**
024498 $C_{19}H_{14}O_3$ (603-45-2)	**Rosolic Acid** C.I. 43800 (Para Rosolic Acid, Aurine) M. W.: 290.32 Dye Content 85%	**25 gm** **100 gm**
044464	**Rothera's** Mixture Powder (For detection of Ketone bodies (Acetone) in Urine)	**100 gm**
024497 $C_{41}H_{76}N_2O_{15}$ (80214-83-1)	**Roxithromycin** for Lab use M.W. : 837.05 Assay 90.0%	**1 gm** **5 gm**
	Rubenic Acid See Dithiooxamide	
883510	**Rubidium** (Rb) CPECTROSOL® Atomic Absorption Std. Soln. Contain1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **500 ml**
883520	**Rubidium** (Rb) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	**100 ml**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
632885 RbBr (7789-39-1)	**Rubidium Bromide AR** M.W.: 165.37 Assay 99.0%	**5 gm** **25 gm**
215145 Rb_2CO_3 (584-09-8)	**Rubidium Carbonate** M.W.: 230.94 Assay 98.5-101.5%	**10 gm** **50 gm**
632975 RbCl (7791-11-9)	**Rubidium Chloride AR** M. W.: 120.92	**5 gm** **25 gm**
973230 MB (7791-11-9)	**Rubidium Chloride** (RbCl) For Molecular Biology M. W. : 120.92 Assay : ≥ 99.5% Store Below 30°C	**5 gm** **25 gm**
632945 RbI (7790-29-6)	**Rubidium Iodide AR** M.W.: 212.37	**10 gm** **50 gm**
215185 Rb_2SO_4 (7488-54-2)	**Rubidium Sulphate** M.W.: 267.00 Assay 99.8%	**5 gm** **25 gm**

Product Code	Product Name	Packing
215255 Ru (7440-18-8)	**Ruthenium** Metal A.W.: 101.07 Assay (trace metal basis) 99.99%	**1 gm**
215445 RuO_2 (12036-10-1)	**Ruthenium Dioxide** Anhydrous M.W.: 133.07 Assay 99.9%	**1 gm** **5 gm**
034066 $Ru_3O_2(NH_3)_{14}Cl_6.4H_2O$ (11103-72-3)	**Ruthenium Red** Content about 34% Approx M. W.: 858.42 Assay (As Ru) 34.0%	**1 gm** **5 gm**
030032 $RuCl_3.xH_2O$ (14898-67-0)	**Ruthenium Trichloride** Ru Content about 40% M. W.: 207.43 (anhydrous) Assay (Ru) 38-43%	**1 gm** **10 gm**
024492 $C_{27}H_{30}O_{16}.3H_2O$ (250249-75-3)/ (153-18-4)	**Rutin** (Vitamin P) M. W.: 664.55 Assay (HPLC) Abt. 90.0%	**25 gm** **100 gm**

Animal Tissue Culture

Tested Chemicals

CDH introducing the comprehensive range of animal tissue culture tested chemicals. We are one of the pioneer supplier of chemicals and specialty chemicals, including amino acids, antibiotics, growth factors, biochemicals, used in cell culture. ATC chemicals are analysed with cell culture test to verify their suitability in cell culture application apart from analytical testing .

These products are specially designed for the customers looking for products in compliance to USP, EP and BP testing specifications. Every batch is released for supply is provided with a detailed Certificate of Analysis (COA) defining the product specification.

Storage : · ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
024384 $C_7H_5NO_3S$ (81-07-2)	**Saccharin** insoluble M. W.: 183.18 Assay (Acidimetric) 98.0%	500 gm
030034 $C_7H_4NNaO_3.S.2H_2O$ (6155-57-3)	**Saccharin Sodium** M. W.: 241.19 Assay (Non-aq., on anhydrous subs.) 98.0%	500 gm 25 kg 50 kg
	Saccharose See Sucrose	
034067 $C_{20}H_{19}ClN_4$ (477-73-6)	**Safranine O** for Microscopy C.I. No. 50240 M. W.: 350.85 Dye content (spectrophotometry, dried) Abt. 90.0%	25 gm 100 gm 1 kg
887100	**Safranine** 1% w/v Aq.Staining Solution	125 ml 250 ml
	Salmine Sulphate See Protamine Sulphate	
038060 $C_{13}H_{18}O_7$ (138-52-3)	**Salicin** for Microbiology M. W.: 286.28	5 gm 25 gm
030035 $C_6H_4(OH).CHO$ (90-02-8)	**Salicylaldehyde** for Synthesis M. W.: 122.12 Assay (GC) 99.0%	100 ml 250 ml
634305 $C_6H_4(OH).CHO$ (90-02-8)	**Salicylaldehyde AR** M. W.: 122.12 Assay (GC) 99.5%	100 ml 500 ml
215685 $C_{14}H_{12}N_2O_2$ (959-36-4)	**Salicylaldehyde Azine** M .W.: 240.26	25 gm
638305 $2\text{-}(OH)C_6H_4CH{=}NOH$ (94-67-7)	**Salicylaldehyde Oxime AR** (salicylaldoxime) M .W.: 137.14	5 gm 25 gm
024399 $C_7H_7NO_2$ (65-45-2)	**Salicylamide** M. W.: 137.14 Assay (T) 98.0%	500 gm
638395 $C_7H_8N_2O_2$ (936-02-7)	**Salicylhydrazide AR** M. W.: 152.15	25 gm
030038 $C_6H_4(OH).COOH$ (69-72-7)	**Salicylic Acid** for Synthesis M. W.: 138.12 Assay 99.0%	500 gm 5 kg 25 kg 50 kg
638435 $C_6H_4(OH)COOH$ (69-72-7)	**Salicylic Acid AR** M. W.: 138.12 Assay (Cal. on dried subs. alkalimetric) 99.0-100.5%	500 gm 25 kg 50 kg
PCT1826 PTC $C_7H_6O_3$ (69-72-7)	**Salicyclic Acid** Plant Culture Tested M. W.: 138.12 Assay 99% Store below 30°C	500 gm
024382	**Salt Mixture** Bernhart Tommarelli (a modified NRC salt mixture)	500 gm 1 kg 5 kg
024381	**Salt Mixture** H.M.W. (acc. to Hubble Mendal and Wakeman, Journal of Nutrition 14,273 (1937)	500 gm 1 kg 5 kg
024380	**Salt Mixture** XIV (as per USP XIV (1950)	500 gm 1 kg 5 kg
RE2410 (7440-19-9)	**Samarium** Metal Ingot Assay (Trace metal basis) 99.99%	25 gm 100 gm
RE2415 (7440-19-9)	**Samarium** Metal Lump (1 cm) Assay (Trace metal basis) 99.99%	25 gm 100 gm
RE2420 (7440-19-9)	**Samarium** Metal Powder 325 mesh Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE2465 $SmC_6H_9O_6.XH_2O$ (100587-91-5)	**Samarium** (III) **Acetate** M .W.: 327.49 (Anhy.) Assay (Trace metal basis) 99.9%	25 gm 100 gm
RE2470 $SmC_6H_9O_6.XH_2O$ (100587-91-5)	**Samarium** (III) **Acetate** M .W.: 327.49 (Anhy.) Assay (Trace metal basis) 99.99%	25 gm 100 gm
RE2480 $Sm_2(CO_3)_3.XH_2O$ (38245-37-3)	**Samarium** (III) **Carbonate** M. W.: 480.73 (Anhy.) Assay (Trace metal basis) 99.99%	25 gm 100 gm
RE2485 $Sm_2(CO_3)_3.XH_2O$ (38245-37-3)	**Samarium** (III) **Carbonate** M. W.: 480.73 (Anhy.) Assay (Trace metal basis) 99.999%	25 gm 100 gm
RE2490 $Sm_2(CO_3)_3.XH_2O$ (38245-37-3)	**Samarium** (III) **Carbonate** M. W.: 480.73 (Anhy.) Assay (Trace metal basis) 99.9999%	5 gm 25 gm
RE2500 $SmCl_3.XH_2O$ (10361-82-7)	**Samarium** (III) **Chloride** M. W.: 256.71 (Anhy.) Assay (Trace metal basis) 99.99%	25 gm 100 gm
RE2505 $SmCl_3.XH_2O$ (10361-82-7)	**Samarium** (III) **Chloride** M. W.: 256.71 (Anhy.) Assay (Trace metal basis) 99.999%	25 gm 100 gm
RE2510 $SmCl_3.XH_2O$ (10361-82-7)	**Samarium** (III) **Chloride** M. W.: 256.71 (Anhy.) Assay (Trace metal basis) 99.9999%	5 gm 25 gm
RE2520 $Sm(NO_3)_3.6H_2O$ (13759-83-6)	**Samarium** (III) **Nitrate** M. W.: 444.47 Assay (Trace metal basis) 99.99%	25 gm 100 gm
RE2525 $Sm(NO_3)_3.6H_2O$ (13759-83-6)	**Samarium** (III) **Nitrate** M. W.: 444.47 Assay (Trace metal basis) 99.999%	25 gm 100 gm
RE2530 $Sm(NO_3)_3.6H_2O$ (13759-83-6)	**Samarium** (III) **Nitrate** M. W.: 444.47 Assay (Trace metal basis) 99.9999%	5 gm 25 gm
RE2545 Sm_2O_3 (12060-58-1)	**Samarium** (III) **Oxide** M. W.: 348.70 Assay (Trace metal basis) 99.9%	10 gm 25 gm 100 gm 500 gm
RE2550 Sm_2O_3 (12060-58-1)	**Samarium** (III) **Oxide** M. W.: 348.70 Assay (Trace metal basis) 99.99%	25 gm 100 gm 500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
RE2555 Sm_2O_3 (12060-58-1)	**Samarium** (III) **Oxide** M. W.: 348.70 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm** **100 gm**
RE2565 $Sm_2(SO_4)_3.8H_2O$ (13465-58-2)	**Samarium** (III) **Sulphate** M. W.: 733.03 Assay Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE2570 $Sm_2(SO_4)_3.8H_2O$ (13465-58-2)	**Samarium** (III) **Sulphate** M. W.: 733.03 Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE2575 $Sm_2(SO_4)_3.8H_2O$ (13465-58-2)	**Samarium** (III) **Sulphate** M. W.: 733.03 Assay (Trace metal basis) 99.9999%	**5 gm** **25 gm**
024383 SiO_2 (14808-60-7)	**Sand** Acid Purified 40-200 mesh M. W.: 60.08	**500 gm** **1 kg** **5 kg**
024369 SiO_2 (14808-60-7)	**Sand** Calcined Crude Pract M. W.: 60.08	**2.5 kg**
	Sanger's Reagent See 1-Fluoro-2,4-Dinitrobenzene	
044092 (8047-15-2)	**Saponin** Pure	**100 gm** **500 gm**
973310 MB (8047-15-2)	**Saponin** (From Plant) For Molecular Biology Store Below 30°C	**100 gm** **500 gm**
216005 $C_3H_7NO_2$ (107-97-1)	**Sarcosine** For Biochemistry M. W.: 89.09 Assay 98.0%	**100 gm** **500 gm**
973390 MB $C_{15}H_{28}NO_3Na$ (137-16-6)	▲**Sarcosyl** For Molecular Biology M. W. : 293.38 Assay : ≥ 94%	**5 gm** **25 gm**
887290	**Scandium** (Sc) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **500 ml**
887300	**Scandium** (Sc) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 2% HNO_3	**50 ml** **100 ml**
RE2585 (7440-20-2)	**Scandium** Metal Ingot Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE2590 (7440-20-2)	**Scandium** Metal Lump (1cm) Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE2595 (7440-20-2)	**Scandium** Metal Powder Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE2635 $Sc(O_2C_2H_3)_3.XH_2O$ (304675-64-7)	**Scandium Acetate** M. W.: 222.10 (Anhy.) Assay (Trace metal basis) 99.9%	**1 gm** **5 gm**
RE2640 $Sc(O_2C_2H_3)_3.XH_2O$ (304675-64-7)	**Scandium Acetate** M. W.: 222.10 (Anhy.) Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**

Product Code	Product Name	Packing
RE2645 $Sc(O_2C_2H_3)_3.XH_2O$ (304675-64-7)	**Scandium Acetate** M. W.: 222.10 (Anhy.) Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
RE2650 $Sc(O_2C_2H_3)_3.XH_2O$ (304675-64-7)	**Scandium Acetate** M. W.: 222.10 (Anhy.) Assay (Trace metal basis) 99.9999%	**1 gm** **5 gm**
RE2665 $Sc_2(CO_3)_3.XH_2O$	**Scandium Carbonate** M. W.: 269.94 (Anhy.) Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE2670 $Sc_2(CO_3)_3.XH_2O$	**Scandium Carbonate** M. W.: 269.94 (Anhy.) Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
RE2680 $ScCl_3.6H_2O$ (20662-14-0)	**Scandium Chloride** M. W.: 259.41 Assay (Trace metal basis) 99.9%	**1 gm** **5 gm**
RE2685 $ScCl_3.6H_2O$ (20662-14-0)	**Scandium Chloride** M. W.: 259.41 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE2690 $ScCl_3.6H_2O$ (20662-14-0)	**Scandium Chloride** M. W.: 259.41 Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
RE2695 $ScCl_3.6H_2O$ (20662-14-0)	**Scandium Chloride** M. W.: 259.41 Assay (Trace metal basis) 99.9999%	**1 gm** **5 gm**
RE2705 ScF_3 (13709-47-2)	**Scandium Fluoride** M. W.: 101.95 Assay (Trace metal basis) 99.9%	**1 gm** **10 gm**
RE2710 ScF_3 (13709-47-2)	**Scandium Fluoride** M. W.: 101.95 Assay (Trace metal basis) 99.99%	**1 gm** **10 gm**
RE2715 ScF_3 (13709-47-2)	**Scandium Fluoride** M. W.: 101.95 Assay (Trace metal basis) 99.999%	**5 gm**
RE2725 $Sc(OH)_3.xH_2O$ (17674-34-9)	**Scandium Hydroxide** M. W.: 95.95 (Anhy.) Assay (Trace metal basis) 99.9%	**5 gm**
RE2730 $Sc(OH)_3.xH_2O$ (17674-34-9)	**Scandium Hydroxide** M. W.: 95.95 (Anhy.) Assay (Trace metal basis) 99.99%	**5 gm**
RE2735 $Sc(OH)_3.xH_2O$ (17674-34-9)	**Scandium Hydroxide** M. W.: 95.95 (Anhy.) Assay (Trace metal basis) 99.999%	**5 gm**
RE2745 ScI_3 (14474-33-0)	**Scandium Iodide** M. W.: 425.67 Assay (Trace metal basis) 99.95%	**1 gm** **5 gm**
RE2755 $Sc(NO_3)_3.XH_2O$ (107552-14-7)	**Scandium Nitrate** M. W.: 230.97 (Anhy.) Assay (Trace metal basis) 99.9%	**1 gm** **5 gm**
RE2760 $Sc(NO_3)_3.XH_2O$ (107552-14-7)	**Scandium Nitrate** M. W.: 230.97 (Anhy.) Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE2765 $Sc(NO_3)_3.XH_2O$ (107552-14-7)	**Scandium Nitrate** M. W.: 230.97 (Anhy.) Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**

Storage : · ❄0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
RE2770 $Sc(NO_3)_3.XH_2O$ (107552-14-7)	**Scandium Nitrate** M. W.: 230.97 (Anhy.) Assay (Trace metal basis) 99.9999%	**1 gm** **5 gm**
RE2785 $Sc_2(C_2O_4)_3.XH_2O$ (17926-77-1)	**Scandium Oxalate** M. W.: 353.97 (Anhy.) Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE2790 $Sc_2(C_2O_4)_3.XH_2O$ (17926-77-1)	**Scandium Oxalate** M. W.: 353.97 (Anhy.) Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
RE2795 $Sc_2(C_2O_4)_3.XH_2O$ (17926-77-1)	**Scandium Oxalate** M. W.: 353.97 (Anhy.) Assay (Trace metal basis) 99.9999%	**1 gm** **5 gm**
RE2805 Sc_2O_3 (12060-08-1)	**Scandium Oxide** M. W.: 137.91 Assay (Trace metal basis) 99.9%	**1 gm** **5 gm**
RE2810 Sc_2O_3 (12060-08-1)	**Scandium Oxide** M. W.: 137.91 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE2815 Sc_2O_3 (12060-08-1)	**Scandium Oxide** M. W.: 137.91 Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
RE2820 Sc_2O_3 (12060-08-1)	**Scandium Oxide** M. W.: 137.91 Assay (Trace metal basis) 99.9999%	**1 gm** **5 gm**
RE2830 $Sc_2(SO_4)_3.8H_2O$ (52788-54-2)	**Scandium Sulphate** M. W.: 522.22 Assay (Trace metal basis) 99.9%	**1 gm** **10 gm**
RE2835 $Sc_2(SO_4)_3.8H_2O$ (52788-54-2)	**Scandium Sulphate** M. W.: 522.22 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE2840 $Sc_2(SO_4)_3.8H_2O$ (52788-54-2)	**Scandium Sulphate** M. W.: 522.22 Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
	Scarlet Red See Sudan IV	
887330	**Schaeffer & Fulton's Spore Stain A**	**100 ml**
887360	**Schaeffer & Fulton's Spore Stain B**	**100 ml**
887390	**Schaeffer & Fulton's Spore stains kit**	**KIT**
888040	**Schiff's** Reagent for detection of aldehydes	**125 ml** **500 ml**
	SDS Biological Detergent See Sodium Lauryl Sulphate	
TC1698 ATC $C_{12}H_{25}NaO_4S$	**SDS** (Dodecyl sulphate sodium salt) Cell Culture Tested M. W.: 288.38 Store below 30°C	**25 gm** **100 gm** **250 gm** **500 gm** **1 kg**
216150 SiO_2 (7631-86-9)	**Sea Sand** Purified M.W.: 60.08	**500 gm** **1 kg**
638525 SiO_2 (7631-86-9)	**Sea Sand AR** M. W.: 60.08	**1 kg**

Product Code	Product Name	Packing
030042 $C_{10}H_{18}O_4$ (111-20-6)	**Sebacic Acid** for Synthesis M. W.: 202.25 Assay (acidimetric) 98.0%	**500 gm** **25 kg** **50 kg**
216215 H_2SeO_4 (7783-08-6)	**Selenic Acid** for Synthesis M. W.: 144.97	**25 ml** **100 ml**
	Selenious Acid See Selenous Acid	
888160	**Selenium** (Se) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	**250 ml**
888190	**Selenium** (Se) CPECTROSOL® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	**100 ml**
888130	**Selenium** (Se) CPECTROSOL® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	**100 ml**
030045 Se (7782-49-2)	**Selenium** (Metal) Powder A. W.: 78.96 Assay (iodometric) 99.0%	**100 gm** **500 gm**
638615 Se (7782-49-2)	**Selenium** (Metal) Powder Black **AR** A. W.: 78.96 Assay (Iodometric) 99.5%	**25 gm** **100 gm** **500 gm**
216285 Se (7782-49-2)	**Selenium** (Metal) Pellets A. W.: 78.96 Assay (Iodometric) 99.999%	**100 gm**
030050 SeO_2 (7446-08-4)	**Selenium Dioxide** (Sublimed) M. W.: 110.96 Assay (ex Se Iodometric) 98.0%	**100 gm** **500 gm**
024387 SeS_2 (7488-56-4)	**Selenium Disulphide** M. W.: 143.09 Assay (ex Se) 52.0-55.5%	**100 gm** **250 gm**
030054 H_2SeO_3 (7783-00-8)	**Selenous Acid** M. W.: 128.97 Assay (ex Se iodometric) 98.0%	**100 gm** **1 kg**
888280	**Seliwan Off's** Reagent	**125 ml**
888310	**Semen Diluting** Fluid	**125 ml**
030056 CH_5N_3OHCl (563-41-7)	**Semicarbazide Hydrochloride** M. W.: 111.53 Assay (Oxidimetric) 98.0%	**100 gm** **500 gm** **25 kg**
638675 CH_5N_3OHCl (563-41-7)	**Semicarbazide Hydrochloride AR** M. W.: 111.53 Assay (Oxidimetric) 99.5%	**100 gm** **500 gm** **25 kg**
055046	**Seralite 225** (Na) 14-25 mesh standard grade	**500 gm**
037147 $C_3H_7NO_3$ (302-84-1)	DL-**Serine** M. W.: 105.10 Assay (non aqueous) 98.5%	**25 gm** **100 gm**
TC1377 ATC $C_3H_7NO_3$ (302-84-1)	DL-**Serine** (±) 2-Amino-3-hydroxypropionic acid Cell Culture Tested M. W.: 105.09 Assay : ≥98% Store below 30°C	**25 gm** **100 gm**

Product Code	Product Name	Packing
037146 $C_3H_7NO_3$ (56-45-1)	L-**Serine** M. W.: 105.10 Assay (Non-aqueous Calc. with ref. to the dried substance) 98.5-101.0%	**5 gm** **25 gm** **100 gm** **500 gm**
PCT1318 PTC $C_3H_7NO_3$ (56-45-1)	L-**Serine** Plant Culture Tested M. W.: 105.09 Assay 99% Store below 30°C	**5 gm** **25 gm** **100 gm** **500 gm**
TC1113 ATC $C_3H_7NO_3$ (56-45-1)	L-**Serine** (From non-animal source) Cell Culture Tested M. W.: 105.09 Assay : ≥98.5% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
TC1113M ATC $C_3H_7NO_3$ (56-45-1)	L-**Serine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 105.09 Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
216405 ⁂ $C_4H_9NO_3.HCl$ (5680-80-8)	▲L-**Serine Methyl Ester HCl** for Biochemistry M. W.: 155.58 Assay 98.0%	**5 gm** **25 gm** **100 gm**
216515 ⁂ $C_{14}H_{19}N_5O_2.H_2O_4SH_2O$ (61-47-2)	**Serotinine Creatinine Sulfate** for Biochemistry M. W.: 405.43	**1 gm**
216605 ⁂ $C_7H_6O_3$ (533-31-3)	**Sesamol** For Synthesis [3,4-(Methylenedioxy) Phenol] M. W.: 138.12 Assay 98.0%	**50 gm** **250 gm**
024404 (9000-59-3)	**Shellac** Flakes (Arsenic free)	**500 gm**
888400	**Shorr** Staining Soln.	**125 ml**
	Silica Fumed Fine Powder See Aerosil	
030060 SiO_2 (112926-00-8)	**Silica Gel Blue** Self indicating (Coarse) 5-8 mesh M. W.: 60.08	**500 gm** **1 kg** **5 kg** **25 kg**
216740 SiO_2 (112926-00-8)	**Silica Gel Blue** Self indicating (about 6-20 mesh) M. W.: 60.08	**500 gm** **1 kg** **5 kg** **25 kg**
216750 (112926-00-8)	**Silica** Gel Self Indicating Orange	**500 gm** **1 kg**
030062 SiO_2 (112926-00-8)	**Silica Gel White** Ability to absorb moisture (coarse) M. W.: 60.08	**500 gm** **1 kg** **5 kg**
024398 SiO_2 (112926-00-8)	**Silica Gel 60-120** mesh Column Chromatography M. W.: 60.08	**500 gm** **25 kg** **50 kg**
024361 SiO_2 (112926-00-8)	**Silica Gel 60-200** mesh for Resolution of Acidic Mixtures pH of 10% Slurry 4.0-5.5 M. W.: 60.08	**500 gm** **25 kg**
024397 SiO_2 (112926-00-8)	**Silica Gel 100-200** mesh for Lipid Chromatography M. W.: 60.08	**500 gm** **25 kg**
024396 SiO_2 (112926-00-8)	**Silica Gel 100-200** mesh Fia grade M. W.: 60.08	**500 gm**
216905 SiO_2 (112926-00-8)	**Silica Gel 200-400** Mesh M. W.: 60.08	**500 gm** **25 kg**
024366 SiO_2 (112926-00-8)	**Silica Gel 230-400** mesh for TLC M. W.: 60.08	**500 gm** **25 kg**
216995 SiO_2 (112926-00-8)	**Silica Gel 400-700** Mesh M. W.: 60.08	**500 gm**
024395 SiO_2 (112926-00-8)	**Silica Gel** for TLC with **Binder** M. W.: 60.08	**500 gm**
024385 SiO_2 (112926-00-8)	**Silica Gel** without Binder for TLC M. W.: 60.08	**500 gm**
015173 SiO_2 (112926-00-8)	**Silica Gel Davison** 923 Suitable for use in the testing of Petroleum Product by I.P. and ASTM Methods M. W.: 60.08	**500 gm**
024391 SiO_2 (112926-00-8)	**Silica Gel G** for TLC M. W.: 60.08	**250 gm** **500 gm** **1 kg**
024388 SiO_2 (112926-00-8)	**Silica Gel GF 254** for TLC Contains $CaSO_4$ M. W.: 60.08	**500 gm** **25 kg**
024390 SiO_2 (112926-00-8)	**Silica Gel H** for TLC M. W.: 60.08	**500 gm**
638765 SiO_2 (112926-00-8)	**Silica Gel H** for TLC **AR** M. W.: 60.08	**500 gm**
024394 SiO_2 (112926-00-8)	**Silica Gel HF 254** for TLC without $CaSO_4$ M. W.: 60.08	**500 gm**
638825 SiO_2 (112926-00-8)	**Silica Gel HF 254** for TLC **AR** M. W.: 60.08	**500 gm**
216715 SiO_2 (112945-52-5)	**Silica** Powder Precipitated M. W.: 60.08	**500 gm**

Storage : ∙ #0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
217175 $SiO_2.XH_2O$ (1343-98-2)	**Silicic Acid for Lipid Chromatography** Narrow Range below 325 Mesh M. W. 60.08 (anhy.)	250 gm 500 gm
030064 $SiO_2.XH_2O$ (1343-98-2)	**Silicic Acid** Precipitated Dried M. W. 60.08 (anhy.) Assay (gravimetry SiO_2 on calcined substance) 99-100.5%	500 gm
888680	**Silicon** (Si) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in H_2O In accordance with NIST	100 ml 250 ml 500 ml
888740	**Silicon** (Si) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml
888710	**Silicon** (Si) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml
030066 Si (7440-21-3)	**Silicon** (Metal) Powder M. W.: 28.09 Assay (Alkalimetric) 99.0%	500 gm
033151	**Silicon Antifoaming Agent** Nonionic	100 ml 500 ml 2.5 lit
973470 MB	**Silicon** (Anti Foaming Agent) For Molecular Biology Store Below 30°C	100 gm 500 gm
024356 SiC (409-21-2)	**Silicon Carbide** 220 mesh M. W.: 40.10 Mesh size (pass through 220 mesh) Min 95.0%	500 gm
024354 SiC (409-21-2)	**Silicon Carbide** 400 Mesh M. W.: 40.10 Mesh size (pass through 400 mesh) Min 95.0%	500 gm
217272 SiO_2 (60676-86-0)	**Silicon Dioxide** Confirming to BP Specification M.W. 60.08	1 kg
217275 $SiO_2.XH_2O$ (63231-67-4)	**Silicon Dioxide Colloidal** Hydrate Confirming to IP M.W : 60.1	1 kg
	Silicon High Vacuum Grease See High Vacuum Silicon Grease	
015067 (63148-62-9)	**Silicon Oil** For Oil Baths upto 250°C	500 ml 2.5 lit 25 lit
640205 $H_4[Si(W_3O_{10})_4].xH_2O$ (12027-43-9)	**Silicotungstic Acid AR** M. W.: 2878.17	25 gm 100 gm
888840	**Silver** (Ag) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	100 ml 250 ml 500 ml
888900	**Silver** (Ag) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml 500 ml
888960	**Silver** (Ag) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml 500 ml
030072 Ag (7440-22-4)	**Silver** Metal Powder At. W.: 107.87 Assay (Argentometric) 99.9%	25 gm 100 gm
030073 Ag (7440-22-4)	**Silver** Metal Wire Abt. 1mm M. W.: 107.87	25 gm
030074 $C_2H_3AgO_2$ (563-63-3)	**Silver Acetate** for Synthesis M. W.: 166.91 Assay (ex Ag) 98.0%	25 gm 100 gm
024359 AgBr (7785-23-1)	**Silver Bromide** for Synthesis M. W.: 187.77 Assay (ex Ag) 97.0%	25 gm
030078 Ag_2CO_3 (534-16-7)	**Silver Carbonate** Purified M. W.: 275.75 Assay (ex Ag) 98.0%	25 gm
030079 AgCl (7783-90-6)	**Silver Chloride** M. W.: 143.32 Assay (ex Ag gravimetric) 99.0%	25 gm 100 gm
640295 AgCl (7783-90-6)	**Silver Chloride AR** M. W.: 143.32	25 gm 100 gm 500 gm
217475 Ag_2CrO_4 (7784-01-2)	**Silver Chromate** M. W.: 331.73	25 gm
640325 $C_5H_{10}AgNS_2$ (1470-61-7)	▲**Silver Diethyl Dithiocarbamate AR** M. W.: 256.13	5 gm 25 gm
640515 ✲ AgF (7775-41-9)	**Silver Fluoride AR** M. W.: 126.87 Assay 99.0%	5 gm 10 gm
024357 $AgIO_3$ (7783-97-3)	**Silver Iodate** M. W.: 282.77 Assay (Iodometric) 98.0%	25 gm 100 gm 500 gm
030085 AgI (7783-96-2)	**Silver Iodide** M. W.: 234.77 Assay (ex Ag Argentometric) 98.0%	25 gm
217563 $AgNO_3$ (7761-88-8)	**Silver Nitrate** Technical M.W : 169.87	25 gm 100 gm 500 gm
030087 $AgNO_3$ (7761-88-8)	**Silver Nitrate** M. W.: 169.87 Assay (Argentometric ex Ag) 99.8%	10 gm 25 gm 100 gm 500 gm
640575 $AgNO_3$ (7761-88-8)	**Silver Nitrate AR/ACS** M. W.: 169.87 Assay (Argentometric ex Ag) (Trace metals basis) 99.9%	10 gm 25 gm 100 gm 500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
973550 MB $AgNO_3$ (7761-88-8)	**Silver Nitrate** For Molecular Biology M. W.: 169.87 Assay : ≥ 99% Store Below 30°C	**10 gm** **25 gm** **100 gm**
PCT2307 PTC $AgNO_3$ (7761-88-8)	**Silver Nitrate** Plant Culture Tested M. W.: 169.87 Assay 99.9% Store below 30°C	**10 gm** **25 gm** **100 gm**
889280	**Silver Nitrate** Solution N/10 (0.1N)	**125 ml** **500 ml** **1 lit** **2.5 lit**
889290	**Silver Nitrate** N/50 solution (0.02 M)	**500 ml** **1 lit** **2.5 lit**
889300	**Silver Nitrate** Solution 0.2906%	**125 ml**
889330	**Silver Nitrate** Solution 0.5814%	**125 ml**
889340	**Silver Nitrate** Solution 0.1 M Citrisol 8.4935 g $AgNO_3$ for 500 ml Solution 0.1 N Solution	**1 Amp** **3 Amp** **6 Amp**
889370	**Silver Nitrate** CPECTROSOL® 0.01M (0.01N) Volumetric Solution In accordance with NIST	**1 lit**
889400	**Silver Nitrate** CPECTROSOL® 0.05M (0.05N) Volumetric Solution In accordance with NIST	**1 lit**
889410	**Silver Nitrate** CPECTROSOL® 0.1M (0.1N) Volumetric Solution In accordance with NIST	**1 lit**
889415	**Silver Nitrate** Solution 0.1N acc. to USP	**500 ml**
889450	**Silver Nitrate** CPECTROSOL® 0.5M (0.5N) Volumetric Solution In accordance with NIST	**1 lit**
889455	**Silver Nitrate** 0.05N Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
889520	**Silver Nitrate** CPECTROSOL® 1M (1N) Volumetric Solution In accordance with NIST	**1 lit**
889525	**Silver Nitrate** 1N Volumetric Solution	**100 ml** **500 ml** **1 lit**
030090 Ag_2O (20667-12-3)	**Silver Oxide** Purified M. W.: 231.74 Assay (ex Ag Argentometric) 98.0%	**25 gm** **500 gm**
640885 Ag_2O (20667-12-3)	**Silver Oxide AR** M. W.: 231.74	**25 gm**
217675 $AgClO_4$ (7783-93-9)	**Silver Perchlorate** Pure M. W.: 207.32 Assay 97.0%	**25 gm** **100 gm**
024350 Ag_3PO_4 (7784-09-0)	**Silver** ortho **Phosphate** M. W.: 418.57 Assay (ex Ag Argentometric) 99.0%	**25 gm**
640995 Ag_3PO_4 (7784-09-0)	**Silver** ortho **Phosphate AR** M. W.: 418.57	**25 gm**
217755 (9008-42-8)	▲**Silver Proteinate** for Histology	**5 gm** **25 gm**
030095 Ag_2SO_4 (10294-26-5)	**Silver Sulphate** Purified M. W.: 311.79 Assay (Argentometric ex Ag) 98.5%	**10 gm** **25 gm** **100 gm**
641035 Ag_2SO_4 (10294-26-5)	**Silver Sulphate AR/ACS** M. W.: 311.79 Assay (Argentometric) 99.0%	**10 gm** **25 gm** **100 gm**
889860	**Silver Sulphate** 10,000 mg/lit in Sulphuric Acid	**1 lit**
889870	**Silver Sulphate** 60,000 mg/lit in Sulphuric Acid	**1 lit**
024362 Ag_2S (21548-73-2)	**Silver Sulphide** M. W.: 247.80 Assay (ex Ag Argentometric) 98.0%	**25 gm**
PCT2308 PTC (23149-52-2)	▲**Silver Thiosulphate** Plant Culture Tested	**100 ml** **5X100 ml**
024379 $AgVO_3$ (13497-94-4)	**Silver Vanadate** M. W.: 206.81 Assay 98.0%	**5 gm** **25 gm**
889900	**Simon's** Reagent '**A**'	**25 ml**
889902	**Simon's** Reagent '**B**'	**25 ml**
PCT2524 $C_{29}H_{50}O$ (83-46-5)	b **Sitosterol** Plant Culture Tested M. W.: 414.71 Assay 99% Store at -20°C	**10 gm** **100 gm** **500 gm**
024363	**Skim Milk Powder** for Microbiology	**500 gm**
	SLES See Sodium Lauryl Ether Sulfate	
889930	**Smith's** Reagent For Bile Pigment	**125 ml**
217935	**Soap Powder** (White)	**1 kg** **10 kg**
889940	**Soap Solution** (For Water Hardness Determination)	**1 lit**
889945	**Soap** Solution According to Clarke's	**500 ml**
033106 (8006-28-8)	**Sodalime** Granules	**500 gm** **5 kg**
641125 (8006-28-8)	**Sodalime AR** With indicator For Absorbing Carbon dioxide	**1 kg** **5 kg**
218085 NH_2Na (7782-92-5)	**Sodamide** M.W. : 39.01 Assay 98.0%	**100 gm** **500 gm**
890000	**Sodium** (Na) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **250 ml** **500 ml**

Storage : ❄ 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
890060	**Sodium** (Na) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	**100 ml** **250 ml** **500 ml**
890180	**Sodium** (Na) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H_2O In accordance with NIST	**100 ml** **500 ml**
890150	**Sodium** CRISTAR® 10000 ppm Single Element Std. Soln. for ICP-MS in H_2O In accordance with NIST	**100 ml** **500 ml**
890120	**Sodium** CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in HNO_3 In accordance with NIST	**100 ml** **500 ml**
890210	**Sodium** (Na) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	**100 ml** **500 ml**
030101 Na (7440-23-5)	**Sodium** Metal Pieces in Kerosene/Liq. Paraffin At. W.:22.99 Assay 98.0%	**100 gm** **250 gm** **500 gm**
641185 Na (7440-23-5)	**Sodium** Metal **AR** Pieces in Kerosene/Liq. Paraffin At. W. : 22.99 Assay (Acidimetric) 99.0%	**250 gm** **500 gm**
030104 CH_3COONa (127-09-3)	**Sodium Acetate** Anhydrous M. W.: 82.03 Assay (Non-aqueous) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
641225 CH_3COONa (127-09-3)	**Sodium Acetate** Anhydrous **AR/ACS** M. W.: 82.03 Assay(non-aqueous) 99.0%	**250 gm** **500 gm** **5 kg** **25 kg** **50 kg**
769600 CH_3COONa (127-09-3)	**Sodium Acetate** Anhydrous for HPLC & Spectroscopy M. W.: 82.03 Assay (Non-aqueous) 99.5%	**500 gm**
984300 MB CH_3COONa (127-09-3)	**Sodium Acetate** Anhydrous for Molecular Biology M. W.: 82.03 Assay (Non-aqueous) 99.0%	**250 gm**
TC1023 ATC $C_2H_3O_2Na$ (127-09-3)	**Sodium Acetate** Anhydrous [Acetic acid sodium salt) Cell Culture Tested M. W.: 82.03 Assay : ≥99% Store below 30°C	**100 gm** **500 gm**
TC1023U ATC CH_3COONa (127-09-3)	**Sodium Acetate** Anhydrous Acetic acid sodium salt, Sodium acetate Meets USP 41-NF 36 testing specifications M. W.: 82.03 Store below 30°C	**100 gm** **500 gm**

Product Code	Product Name	Packing
890300	**Sodium Acetate** Buffer Solution for Chlorine determination in water monitors	**500 ml** **2.5 lit**
890325	**Sodium Acetate** TS acc. to USP	**500 ml**
030103 $C_2H_3NaO_23H_2O$ (6131-90-4)	**Sodium Acetate** Trihydrate Cryst. M. W.: 136.08 Assay (non-aqueous) 99.0-102.0%	**500 gm** **5 kg** **25 kg** **50 kg**
641230 $C_2H_3NaO_23H_2O$ (6131-90-4)	**Sodium Acetate** Trihydrate Cryst. **AR** Meets Analytical Specification of IP M. W.: 136.08 Assay (Non-aqueous) 99.5%	**500 gm** **5 kg** **25 kg** **50 kg**
769700 $C_2H_3NaO_23H_2O$ (6131-90-4)	**Sodium Acetate** Trihydrate for HPLC M. W.: 136.08	**500 gm**
984350 MB $C_2H_3NaO_23H_2O$ (6131-90-4)	**Sodium Acetate** Trihydrate for Molecular Biology M. W.: 136.08	**250 gm** **500 gm**
TC1456 ATC CH_3COONa . $3H_2O$ (6131-90-4)	**Sodium Acetate** Trihydrate Acetic acid sodium salt trihydrate Cell Culture Tested M. W.: 136.08 Assay : ≥98% Store below 30°C	**250 gm** **500 gm** **1 kg** **5 kg**
TC1456M ATC $C_2H_9NaO_5$ (6131-90-4)	**Sodium Acetate** Trihydrate Acetic acid sodium salt trihydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 136.079 Store below 30°C	**250 gm** **500 gm** **1 kg** **2 kg** **5 kg**
	Sodium Acid Phosphate See Sodium Dihydrogen Orthophosphate	
030105 (9005-38-3)	**Sodium Alginate**	**500 gm** **5 kg** **25 kg** **50 kg**
030110	**Sodium Alginate** (Low Viscosity)	**500 gm** **5 kg**
984400 MB (9005-38-3)	**Sodium Alginate** For Molecular Biology Store Below 30°C	**100 gm** **500 gm**
PCT2317 PTC (9005-38-3)	**Sodium Alginate** Plant Culture Tested Store below 30°C	**100 gm** **500 gm**
	Sodium Alizarine Sulfonate See Alizarine Red S	
218275 $NaAlO_2$ (11138-49-1)	**Sodium Aluminate** for Synthesis M. W.: 81.97	**500 gm** **5 kg**
	Sodium Aluminium Fluoride See Cryolite	
	Sodium Amide See Sodamide	

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ·#0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
027199 $H_3NH_3O_4PNa$ (13011-54-6)	**Sodium Ammonium Phosphate** M. W.: 137.07	**500 gm**
218315 $Na_2HAsO_4.7H_2O$ (10048-95-0)	**Sodium Arsenate** M. W.: 312.02	**25 gm** **250 gm** **500 gm**
641265 $Na_2HAsO_4.7H_2O$ (10048-95-0)	**Sodium Arsenate AR/ACS** M. W.: 312.02 Assay (iodometric) 99.0-102.0%	**25 gm** **250 gm** **500 gm**
218335 $NaAsO_2$ (7784-46-5)	**Sodium Arsenite** M. W.: 129.91	**25 gm** **250 gm** **500 gm**
641275 $NaAsO_2$ (7784-46-5)	**Sodium Arsenite AR** M. W.: 129.91 Assay (iodometric) 98.5%	**25 gm** **250 gm** **500 gm**
890390	**Sodium Arsenite** 0.05 M (0.1N) Volumetric Soln.	**500 ml** **2.5 lit**
890395	**Sodium Arsenite** CPECTROSOL® 0.05M (0.1N) Standardized Solution In accordance with NIST	**1 lit**
890420	**Sodium Arsenite** CPECTROSOL® 0.005M (0.01N) Standardized Solution In accordance with NIST	**1 lit**
890450	**Sodium Arsenite** CPECTROSOL® 0.15M (0.3N) Standardized Solution In accordance with NIST	**1 lit**
024343 $C_6H_7NaO_6$ (134-03-2)	**Sodium** L(+) **Ascorbate** M.W.:198.11 Assay(dried basis) 99-101%	**100 gm** **500 gm**
TC1095 ATC $C_6H_7NaO_6$ (134-03-2)	**Sodium** L(+) **Ascorbate** (Vitamin C sodium salt) Cell Culture Tested M. W.: 198.11 Assay : ≥99% Store below 30°C	**100 gm** **500 gm**
030111 NaN_3 (26628-22-8)	**Sodium Azide** M. W.: 65.01 Assay (oxidimetric) 99.0%	**100 gm** **500 gm** **25 kg**
641335 NaN_3 (26628-22-8)	**Sodium Azide AR** M. W.: 65.01 Assay (oxidimetric) 99.5%	**100 gm** **500 gm**
984500 MB NaN_3 (26628-22-8)	**Sodium Azide** For Molecular Biology M. W.: 65.01 Assay : ≥ 98% Store Below 30°C	**100 gm** **500 gm**
TC1704 ATC NaN_3 (26628-22-8)	**Sodium Azide** Cell Culture Tested M. W. : 65.01 Store below 30°C	**25 gm** **100 gm** **500 gm**
030112 C_6H_5COONa (532-32-1)	**Sodium Benzoate** Meets Analytical Specification of IP, BP, Ph. Eur., FCC. M. W.: 144.11 Assay (on dry material Non-aqueous) 99.0-100.5%	**500 gm** **5 kg** **25 kg** **50 kg**
641425 C_6H_5COONa (532-32-1)	**Sodium Benzoate AR** M. W.: 144.11 Assay (on dried) 99.5%	**500 gm** **25 kg** **50 kg**
	Sodium Bicarbonate See Sodium Hydrogen Carbonate	
	Sodium Biphosphate See Sodium Dihydrogen Orthophosphate	
030161 $NaHSeO_3$ (7782-82-3)	**Sodium Biselenite** M.W.: 150.96 Assay (ex Se Iodometric) 98.0%	**100 gm** **1 kg**
030113 $NaBiO_3$ (12232-99-4)	**Sodium Bismuthate** [Sodium bismuthate (V)] M. W.: 279.97 Assay (Oxidimetric) 80.0%	**25 gm** **100 gm**
641485 $NaBiO_3$ (12232-99-4)	**Sodium Bismuthate AR** M. W.: 279.97 Assay (oxidimetric) 85.0%	**100 gm**
	Sodium Bisulphate See Sodium Hydrogen Sulphate	
024392 $NaHSO_3$ (7631-90-5)	**Sodium Bisulphite** M.W.: 104.06 Assay (Iodometry) 58.5-67.4%	**500 gm** **5 kg** **25 kg** **50 kg**
641525 $NaHSO_3$ (7631-90-5)	**Sodium Bisulphite AR** M. W.: 104.06 Assay (as SO_2 content) 58.5%	**500 gm** **5 kg** **25 kg** **50 kg**
218555 $C_4H_6O_6.Na$ (526-94-3)	**Sodium Bitartrate** Extra Pure M. W.: 172.07	**500 gm**
030181 $NaBO_2.4H_2O$ (10555-76-7)	**Sodium-m-Borate** M. W.: 137.86 Assay (acidimetric) 98.0%	**500 gm**
030114 $NaBH_4$ (16940-66-2)	**Sodium Borohydride** for Synthesis M. W.: 37.83 Assay (Iodometric) 98.0%	**25 gm** **100 gm** **500 gm** **5 kg**
030115 $NaBrO_3$ (7789-38-0)	**Sodium Bromate** M. W.: 150.89 Assay (iodometric) 99.0%	**500 gm** **25 kg** **50 kg**
030116 NaBr (7647-15-6)	**Sodium Bromide** Pure M. W.: 102.89 Assay (after drying Argentometric) 99.0%	**500 gm** **25 kg** **50 kg**
641585 NaBr (7647-15-6)	**Sodium Bromide AR** M. W.: 102.89 Assay (ex Br) after drying 99.5%	**500 gm** **25 kg** **50 kg**
060112 C_4H_9NaO (865-48-5)	**Sodium-tert-Butoxide** M. W.: 96.11 Assay (potentiometric) 97.0%	**100 gm** **500 gm**
024336 $C_4H_7NaO_2$ (156-54-7)	**Sodium Butyrate** M. W.: 110.09 Assay (GC) 98.5%	**100 gm** **500 gm**

Storage : ❄ 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
TC1471 ATC $CH_3CH_2CH_2COONa$ (156-54-7)	**Sodium Butyrate** Butyric acid sodium salt trihydrate Cell Culture Tested M. W.: 110.09 Assay : ≥99% Store below 30°C	**5 gm** **100 gm** **500 gm**
030118 $C_2H_6AsNaO_23H_2O$ (124-65-2)	**Sodium Cacodylate** M. W.: 214.03 Assay (ex Na Non-aqueous) 97.0%	**25 gm** **100 gm**
984800 MB $C_2H_6AsO_2Na.3H_2O$ (6131-99-3)	**Sodium Cacodylate** Trihydrate For Molecular Biology M. W.: 214.03 Assay : ≥ 98% Store Below 30°C	**50 gm**
	Sodium Caprylate See Caprylic Acid Sodium Salt	
891000	**Sodium Carbonate** N/10	**1 Amp** **3 Amp** **6 Amp**
891030	**Sodium Carbonate** 0.05 M (0.1N) Volumetric Soln.	**500 ml**
891060	**Sodium Carbonate** CPECTROSOL® 0.5M (1N) Standard Solution In accordance with NIST	**1 lit**
030119 $Na_2CO_3.H_2O$ (5968-11-6)	**Sodium Carbonate** Monohydrate M. W.: 124.00 Assay (Acidimetric) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
642195 $Na_2CO_3.H_2O$ (5968-11-6)	**Sodium Carbonate** Monohydrate **AR** M. W.: 124.00	**500 gm** **25 kg** **50 kg**
030121 Na_2CO_3 (497-19-8)	**Sodium Carbonate** (Anhydrous) Pure M. W.: 105.99 Assay (acidimetric after drying) 99.5%	**500 gm** **5 kg** **25 kg** **50 kg**
642205 Na_2CO_3 (497-19-8)	**Sodium Carbonate** (Anhydrous) **AR** M. W.: 105.99 Assay (acidimetric cal. on dried Subs.) 99.5-100.5%	**500 gm** **5 kg** **25 kg** **50 kg**
984840 MB Na_2CO_3 (497-19-8)	**Sodium Carbonate** (Anhydrous) (Soda Ash) For Molecular Biology M. W.: 105.99 Assay : ≥ 99.9% Store Below 30°C	**100 gm** **500 gm** **1 kg**
024386 (9005-46-3)	**Sodium Caseinate** for Biochemistry	**100 gm** **500 gm**
030123 NaCl (7647-14-5)	**Sodium Chloride** Cryst. Pure M. W.: 58.44 Assay (Argentometric after ignition) 99.5%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
642243 NaCl (7647-14-5)	**Sodium Chloride AR/ACS** M. W.: 58.44 Assay (Argentometric, after ignition) 99.9%	**500 gm** **5 kg** **25 kg** **50 kg**

Product Code	Product Name	Packing
770200 NaCl (7647-14-5)	**Sodium Chloride** for HPLC M. W.: 58.44 Assay (Argentometric) 99.5%	**500 gm**
984900 NaCl (7647-14-5)	**Sodium Chloride** for Molecular Biology M. W.: 58.44 Assay (Argentometric after ignition) 99.9%	**500 gm** **5 kg**
TC1046 ATC NaCl (7647-14-5)	**Sodium Chloride** Cell Culture Tested M. W.: 58.44 Assay : ≥99% Store below 30°C	**500 gm** **1 kg** **5 kg** **10 kg**
TC1046M ATC NaCl (7647-14-5)	**Sodium Chloride** Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 58.44 Store below 30°C	**500 gm** **1 kg** **5 kg** **10 kg**
891150	**Sodium Chloride** (Concentrated saline solution) for prepairing isotonic (0.9% w/v) Soln.	**500 ml** **5 lit**
891250	**Sodium Chloride** TS, Alkaline acc. to USP	**500 ml**
891180	**Sodium Chloride** 0.1 M (0.1N) Volumetric Solution	**1 Amp** **3 Amp** **6 Amp**
891185	**Sodium Chloride** 0.1 N Solution	**500 ml** **1 lit** **2.5 lit**
891190	**Sodium Chloride** CPECTROSOL® 0.1M (0.1N) Standard Solution In accordance with NIST	**1 lit**
891200	**Sodium Chloride** CPECTROSOL® 1M (1N)Standard Solution In accordance with NIST	**1 lit**
891210	**Sodium Chloride** CPECTROSOL® 0.05M (0.05N) Standard Solution In accordance with NIST	**1 lit**
891220	**Sodium Chloride** 0.5M (0.5N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
891205	**Sodium Chloride** 1 N Solution	**500 ml** **1 lit** **2.5 lit**
026176 $NaClO_2$ (7758-19-2)	**Sodium Chlorite** M. W.: 90.44 Assay (Iodometric titration) 80.0%	**500 gm** **1 kg** **25 kg**
218955 CH_2CO_2NaCl (3926-62-3)	**Sodium Chloroacetate** Mono for Synthesis (Chloroacetic Acid Sodium Salt) M. W.: 116.48	**500 gm**
219005 $Na_3IrCl_6.xH_2O$ (123334-23-6)	**Sodium (Hexa) Chloro Iridate** M. W.: 473.90 Anhy Assay (Ir) 35-40%	**1 gm** **5 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
219115 $C_{24}H_{40}O_5Na$ (361-09-1)	**Sodium Cholate** for Biochemistry M. W.: 430.55	**25 gm** **100 gm**
030733 $Na_2CrO_4.4H_2O$ (10034-82-9)	**Sodium Chromate** Tetrahydrate M. W.: 234.03 Assay (iodometric) 99.0-102.0%	**100 gm** **500 gm** **25 kg** **50 kg**
642325 $Na_2CrO_4.4H_2O$ (10034-82-9)	**Sodium Chromate AR** M. W.: 234.03 Assay(iodometric) 99.5%	**500 gm** **25 kg** **50 kg**
TC1526M ATC $Na_3C_6H_5O_7$ (68-04-2)	**Sodium Citrate** Anhydrous Meets USP 41-NF 36 testing specifications M. W.: 258.07 Store below 30°C	**100 gm** **500 gm**
030128 $Na_3C_6H_5O_7.2H_2O$ (6132-04-3)	tri **Sodium Citrate** Dihydrate (tri-Sodium Citrate-2 hydrate) Meets Analytical Specification of FCC. M. W.: 294.10 Assay (Cal. anhydrous basis Non-aqueous) 99.0-100.5%	**100 gm** **500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
642385 $Na_3C_6H_5O_7.2H_2O$ (6132-04-3)	tri **Sodium Citrate AR/ACS** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 294.10 Assay (calculated w.r.t. anhydrous subs. Non-aqueous) 99.0-100.5%	**500 gm** **5 kg** **25 kg** **50 kg**
985400 MB $Na_3C_6H_5O_7.2H_2O$ (6132-04-3)	tri **Sodium Citrate** for Molecular Biology M. W.: 294.10 Assay (Non-aqueous) 99.5%	**500 gm**
TC1249 ATC $Na_3C_6H_5O_7.2H_2O$ (6132-04-3)	tri-**Sodium Citrate** Dihydrate Cell Culture Tested M. W.: 294.10 Assay : ≥99% Store below 30°C	**500 gm** **1 kg** **5 kg**
TC1249M ATC $Na_3C_6H_5O_7.2H_2O$ (6132-04-3)	tri-**Sodium Citrate** Dihydrate Sodium citrate dihydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W. : 294.1 Store below 30°C	**500 gm** **1 kg** **5 kg**
891410	**Sodium Citrate** Solution 3.8% w/v (as $C_6H_5Na_3O_7.2H_2O$) 3.8-4.2% w/v	**500 ml**
219190 $Na_3Co(NO_2)_6$ (13600-98-1)	**Sodium Cobaltinitrite** M. W.: 403.94 Assay 90.0%	**100 gm**
642445 $Na_3Co(NO_2)_6$ (13600-98-1)	**Sodium Cobaltinitrite AR** M. W.: 403.94 Assay 95.0%	**25 gm** **100 gm**
219255 NaOCN (917-61-3)	**Sodium Cyanate** for Synthesis M. W.: 65.01	**500 gm**
219345 NaCN (143-33-9)	**Sodium Cyanide** Extra Pure (Against Poison Licence) M. W.: 49.01	**500 gm** **1 kg** **25 kg** **50 kg**

Product Code	Product Name	Packing
642845 NaCN (143-33-9)	**Sodium Cyanide AR/ACS** (Against Poison Licence) M. W.: 49.01	**500 gm** **25 kg** **50 kg**
066320 $NaBH_3CN$ (25895-60-7)	**Sodium Cyanoborohydride** M.W.: 62.84 Assay (Iodometric) 95.0%	**25 gm** **100 gm**
219455 $C_{10}H_{21}O_4SNa$ (142-87-0)	**Sodium Decyl Sulphate** for ion pair Chromatography (Decyl Sulphate Sodium Salt) M. W.: 260.32 Assay 99.0%	**5 gm**
066325 $C_{24}H_{39}O_4Na$ (302-95-4)	▲**Sodium Deoxycholate** (Sodium desoxycholate) M.W. : 414.55 Assay 90.0%	**25 gm** **100 gm** **500 gm**
030130 $Na_2Cr_2O_7.2H_2O$ (7789-12-0)	**Sodium Dichromate** Dihydrate M. W.: 298.00 Assay (iodometric) 99.0%	**500 gm** **25 kg** **50 kg**
642905 $Na_2Cr_2O_7.2H_2O$ (7789-12-0)	**Sodium Dichromate AR/ACS** M. W.: 298.00 Assay (iodometric) 99.5%	**500 gm** **25 kg** **50 kg**
642945 $C_5H_{10}NNaS_2.3H_2O$ (20624-25-3)	**Sodium Diethyl Dithiocarbamate AR/ACS** Sensitivity to Cu... 1:50,000,000 M. W.: 225.30 Assay (iodometric) 98.5%	**100 gm** **500 gm**
891480	**Sodium Diethyl Dithiocarbamate** Solution (Reagent for Cd, Cr, CU, Pb, Co, Mn, Ni, U & Zn)	**100 ml**
219500	**Sodiumdihydrido-bis-** (2-**methoxyethoxy**) **Aluminate** -70% in Toluene	**100 ml** **500 ml**
030132 $NaH_2PO_4.2H_2O$ (13472-35-0)	**Sodium Dihydrogen Ortho Phosphate** Dihydrate Cryst. M. W.: 156.01 Assay (acidimetric) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
642985 $NaH_2PO_4.2H_2O$ (13472-35-0)	**Sodium Dihydrogen Ortho Phosphate** Dihydrate **AR** M. W.: 156.01 Assay (Acidimetric; dried subs.) 98.0-100.5%	**500 gm** **5 kg** **50 kg**
771000 $NaH_2PO_4.2H_2O$ (13472-35-0)	**Sodium Dihydrogen Ortho Phosphate** **Dihydrate** for HPLC M. W.: 156.01 Assay 99.0% (acidimetric)	**500 gm**
643010 NaH_2PO_4 (7558-80-7)	**Sodium Dihydrogen Orthophosphate** Anhydrous **AR** M.W.119.98	**500 gm**
986000 MB NaH_2PO_4 (7558-80-7)	**Sodium Dihydrogen Ortho Phosphate** Anhydrous Molecular Biology M.W. : 119.98 Assay 98.0%	**500 gm**
643005 $NaH_2PO_4.H_2O$ (10049-21-5)	**Sodium Dihydrogen Ortho Phosphate** Monohydrate **AR** M. W.: 137.99 Assay 99.0%	**500 gm** **25 kg** **50 kg**

Storage : ● 0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
986010 MB $NaH_2PO_4.H_2P$ (10049-21-5)	**Sodium Dihydrogen Ortho Phosphate** Monohydrate For Molecular Biology M. W.: 137.99 Assay : ≥ 99.5% Store Below 30°C	**250 gm**
TC1459 ATC NaH_2PO_4 (7558-80-7)	**Sodium Dihydrogen Phosphate** (Sodium phosphate monobasic) Cell Culture Tested M. W.: 119.98 Assay : ≥98% Store below 30°C	**100 gm** **500 gm** **1 kg** **5 kg**
TC1459M ATC NaH_2PO_4 (7558-80-7)	**Sodium Dihydrogen Phosphate** (Sodium phosphate monobasic) Monosodium dihydrogen orhtophosphate, Monosodium phosphate, anhydrous Meets USP 41-NF 36 and BP 2016 testing specifications M. W.: 119.98 Store below 30°C	**100 gm** **500 gm** **1 kg**
PCT1013 PTC $NaH_2PO_4.H_2O$ (10049-21-5)	**Sodium Dihydrogen Phosphate** Monohydrate Plant Culture Tested M. W.: 137.99 Assay 98% Store below 30°C	**500 gm** **1 kg** **5 kg** **25 kg**
TC1068 ATC $NaH_2PO_4.H_2O$ (10049-21-5)	**Sodium Dihydrogen Phosphate** Monohydrate (Sodium phosphate monobasic; Monosodium phosphate) Cell Culture Tested M. W.: 137.99 Assay : ≥98% Store below 30°C	**100 gm** **500 gm** **1 kg** **5 kg**
891500 $P_{12}H_{10}Na$ (5137-46-2)	· **Sodium Diphenyl** Solution **AR** M.W. : 177.20	**15 ml** **10x15 ml**
643065 $C_{12}H_{10}NNaO_3S$ (6152-67-6)	**Sodium Diphenylamine Sulphonate AR/ACS** M. W.: 271.27	**5 gm** **25 gm**
891510	**Sodium Diphenylamine Sulphonate** Indicator Solution (Redox indicator)	**100 ml**
	tetra - **Sodium Diphosphate** See tetra-Sodium Pyrophosphate	
	Sodium Dodecyl Benzene Sulphonate See Dodecyl Benzene Sulphonic Acid Sodium Salt	
	Sodium Disulphite See Sodium Meta Bisulphite	
219595 $Na_2S_2O_4+H_2O$ (7775-14-6)	**Sodium Dithionite** Purified M. W.: 174.13+H_2O Assay (Iodometric) 87.0%	**100 gm** **500 gm** **25 kg** **50 kg**
986110 MB $Na_2O_4S_2$ (7775-14-6)	▲**Sodium Dithionite** For Molecular Biology M. W.: 174.11 Assay : ≥ 85%	**500 gm**

Product Code	Product Name	Packing
	Sodium Dodecyl Sulphate See Sodium Lauryl Sulphate	
219645 C_2H_5NaO (141-52-6)	**Sodium Ethoxide** for Synthesis (Sodium Ethylate) M.W : 68.05 Assay 94.0%	**250 gm** **1 kg** **10 kg**
219700 $C_6FeN_6Na_4.10H_2O$ (14434-22-1)	**Sodium Ferrocyanide Decahydrate** M. W : 484.06	**500 gm**
030139 NaF (7681-49-4)	**Sodium Fluoride** M. W.: 41.99 Assay (Non-aqueous) 97.0%	**500 gm** **5 kg** **25 kg** **50 kg**
643105 NaF (7681-49-4)	**Sodium Fluoride AR** M. W.: 41.99 Assay (ion exchange) 99.0%	**500 gm** **25 kg** **50 kg**
891530	**Sodium Fluoride** 1 gm/lit Volumetric Solution	**1 lit**
891535	**Sodium Fluoride** 40 gm/lit Volumetric Solution	**1 lit**
219735 $NaBF_4$ (13755-29-8)	**Sodium Fluoroborate** M. W.: 109.79	**500 gm**
	Sodium Flurosilicate See Sodium Silicofluoride	
024332 CH_3NaO_4S (870-72-4)	**Sodium Formaldehyde Bisulphite** M. W.: 134.08 Assay (Iodometric) 96.0%	**500 gm**
030141 $CH_3NaO_3S.2H_2O$ (6035-47-8)	**Sodium Formaldehyde Sulphoxylate** M. W.: 154.11 Assay (Iodometric) 95.0%	**500 gm** **2.5 kg** **25 kg** **50 kg**
891565	**Sodium Formate** 0.01 N Solution	**500 ml** **1 lit** **2.5 lit**
891568	**Sodium Formate** 0.1 N Solution	**500 ml** **1 lit** **2.5 lit**
891571	**Sodium Formate** 0.5 N Solution	**500 ml** **1 lit** **2.5 lit**
030142 HCOONa (141-53-7)	**Sodium Formate** M. W.: 68.01 Assay (Iodometric) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
643145 HCOONa (141-53-7)	**Sodium Formate AR/ACS** M. W.: 68.01 Assay (Iodometric) 99.0%	**500 gm** **25 kg** **50 kg**
030143 $C_4H_2O_4Na_2$ (17013-01-3)	**Sodium Fumarate** M. W.: 160.04 Assay (Non-aqueous) 99.0%	**500 gm**
643195 $C_4H_2O_4Na_2$ (17013-01-3)	**Sodium Fumarate AR** M. W.: 160.04 Assay (ex Na) 99.5%	**100 gm** **1 kg**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
030144 $C_6H_{11}NaO_7$ (527-07-1)	▲**Sodium Gluconate** for Synthesis M. W.: 218.14 Assay (non-aqueous) 98.0-102.0%	**500 gm** **50 kg**
037106 $C_5H_8O_4NNa.H_2O$ (6106-04-3)	**Sodium-L-Glutamate** M. W.: 187.13 Assay (non-aqueous) 99.0%	**100 gm** **500 gm** **5 kg** **25 kg** **50 kg**
TC1064 ATC $C_5H_8NNaO_4H_2O$ (6106-04-3)	**Sodium-L-Glutamate** (L-Glutamic Acid Mono Sodium Monohydrate) (From non-animal source) Cell Culture Tested M. W.: 187.13 Assay : ≥99% Store below 30°C	**100 gm** **500 gm** **1 kg**
643255 $C_3H_7Na_2O_6P.5H_2O$ (13408-09-8)	**Sodium-b-Glycero Phosphate AR** Substrate for the assay of Phosphatase M. W.: 306.11 Assay (potentiometric) 98.0%	**25 gm** **100 gm** **1 kg**
	Sodium Hexafluoroaluminate See Cryolite	
	Sodium Hexafluorosilicate See Sodium Silicofluoride	
030734 $(NaPO_3)_6$ (10124-56-8)	**Sodium Hexametaphosphate** M. W.: 612.00 Assay (as P_2O_5) 62.0%	**500 gm** **5 kg** **25 kg** **50 kg**
	Sodium Hexanitro Cobaltate (III) See Sodium Cobaltinitrite	
	Sodium Hippurate See Hippuric Acid Sodium Salt	
030150 HNa (7646-69-7)	**Sodium Hydride** for Synthesis (Moistened with Paraffin Oil) M. W.: 24.00 Assay(titrimetry) 55-65%	**25 gm** **100 gm** **500 gm** **5 kg**
030151 $NaHCO_3$ (144-55-8)	**Sodium Hydrogen Carbonate** Purified M. W.: 84.01 Assay (acidimetric) 99.0-101.0%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
643545 $NaHCO_3$ (144-55-8)	**Sodium Hydrogen Carbonate AR** Meets Analytical Specification of BP, USP, Ph. Eur. M. W.: 84.01 Assay (Acidimetric) 99.7-100.3%	**500 gm** **5 kg** **25 kg** **50 kg**
771200 $NaHCO_3$ (144-55-8)	**Sodium Hydrogen Carbonate** for HPLC & Spectroscopy M.W. : 84.01 Assay (Acidimetric) 99.7-100.3%	**500 gm**
986200 MB $NaHCO_3$ (144-55-8)	**Sodium Hydrogen Carbonate** for Molecular Biology M. W.: 84.01 Assay (Acidimetric) 99.7%	**500 gm**

Product Code	Product Name	Packing
PCT2535 PTC $NaHCO_3$ (144-55-8)	**Sodium Hydrogen Carbonate** (Sodium Bicarbonate) Plant Culture Tested M. W.: 84.01 Store below 30°C	**100 gm** **500 gm** **1 kg** **5 kg**
TC1230 ATC $NaHCO_3$ (144-55-8)	**Sodium Hydrogen Carbonate** (Sodium Bicarbonate) Cell Culture Tested M. W.: 84.01 Assay : ≥99.5% Store below 30°C	**100 gm** **500 gm** **1 kg** **5 kg**
TC1230M ATC $NaHCO_3$ (144-55-8)	**Sodium Hydrogen Carbonate** (Sodium Bicarbonate) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 84.01 Store below 30°C	**100 gm** **500 gm** **1 kg** **5 kg**
030152 $C_6H_6Na_2O_7.1½\ H_2O$ (144-33-2)	di-**Sodium Hydrogen Citrate** M. W.: 263.11 Assay (Non-aqueous) 99.0-104.0%	**500 gm**
030158 Na_2HPO_4 (7558-79-4)	di-**Sodium Hydrogen Ortho Phosphate** Anhydrous M. W.: 141.96 Assay (acidimetric dried subs.) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
643385 Na_2HPO_4 (7558-79-4)	di-**Sodium Hydrogen Ortho Phosphate** Anhydrous **AR** M. W.: 141.96 Assay (Acidimetric; dried subs.) 99.0%	**500 gm** **25 kg** **50 kg**
771500 Na_2HPO_4 (7558-79-4)	di-**Sodium Hydrogen Ortho Phosphate** Anhydrous for HPLC & Spectroscopy M. W.: 141.96 Assay (Acidimetric; dried subs.) 99.0%	**500 gm**
986350 MB Na_2HPO_4 (7558-79-4)	di-**Sodium Hydrogen Ortho Phosphate** Anhydrous for Molecular Biology M. W.: 141.96 Assay (Acidimetric ;after drying) 99.5%	**500 gm**
TC1051 ATC Na_2HPO_4 (7558-79-4)	di-**Sodium Hydrogen Phosphate** Anhydrous (Sodium phosphate dibasic; Disodium phosphate Cell Culture Tested M. W.: 141.96 Assay : ≥99% Store below 30°C	**100 gm** **500 gm** **1 kg** **5 kg**
TC1051M ATC Na_2HPO_4 (7558-79-4)	di-**Sodium Hydrogen Phosphate** Anhydrous Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications M. W.: 141.96 Store below 30°C	**100 gm** **500 gm** **1 kg** **5 kg**
030157 $Na_2HPO_4.2H_2O$ (10028-24-7)	di-**Sodium Hydrogen Ortho Phosphate** Dihydrate Purified M. W.: 177.99 Assay (acidimetric dried subs.) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**

S

Laboratory Chemicals

Storage : · ❄0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
643405	di-**Sodium Hydrogen Ortho Phosphate** Dihydrate **AR**	**500 gm** **5 kg** **25 kg** **50 kg**
$Na_2HPO_4.2H_2O$ (10028-24-7)	M. W.: 177.99 Assay (Acidimetric; dried substance) 99.5%	
986400 MB	di- **Sodium Hydrogen Ortho Phosphate** Dihydrate For Molecular Biology	**500 gm** **5 kg**
$Na_2HPO_4.2H_2O$ (10028-24-7)	M. W.: 177.99 Assay (Acidimetric) 99.0%	
TC1507 ATC	di-**Sodium Hydrogen Phosphate** Dihydrate (Sodium phosphate dibasic dihydrate Cell Culture Tested	**500 gm** **1 kg** **5 kg**
$Na_2HPO_42H_2O$ (10028-24-7)	M. W.: 177.99 Assay : ≥99% Store below 30°C	
TC1507M ATC	di-**Sodium Hydrogen Phosphate** Dihydrate Disodium phosphate dihydrate Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications	**500 gm** **1 kg** **5 kg**
$Na_2HPO_42H_2O$ (10028-24-7)	M. W.: 177.99 Store below 30°C	
030156	di-**Sodium Hydrogen Ortho Phosphate** Dodecahydrate	**500 gm** **25 kg** **50 kg**
$Na_2HPO_4.12H_2O$ (10039-32-4)	M. W.: 358.14 Assay (acidimetric) 98.0-101.0%	
TC1508 ATC	di-**Sodium Hydrogen Phosphate** Dodecahydrate (Sodium phosphate dibasic Dodecahydrate) Cell Culture Tested	**500 gm** **5 kg**
$Na_2HPO_412H_2O$ (10039-32-4)	M. W.: 358.14 Assay : ≥99% Store below 30°C	
891550	di-**Soidum Hydrogen Phosphate** 1/15 mol/L (Buffer Stock Solution)	**500 ml** **1 lit** **2.5 lit**
	Sodium Hydrogen Selenite See Sodium Biselenite	
030162	**Sodium Hydrogen Sulphate** Monohydrate	**500 gm** **25 kg** **50 kg**
$NaHSO_4.H_2O$ (10034-88-5)	M. W.: 138.07 Assay (acidimetric) 98-104.0%	
643465	**Sodium Hydrogen Sulphate** Monohydrate **AR**	**500 gm** **25 kg** **50 kg**
$NaHSO_4.H_2O$ (10034-88-5)	M. W.: 138.07 Assay (acidimetric) 99.0%	
	Sodium Hydrogen Sulphite See Sodium Bisulfite	
219875	**Sodium Hydrosulphide** 30% (Sodium Hydrogen Sulphide)	**5 lit**
	Sodium Hydrosulphite See Sodium Dithionite	

Product Code	Product Name	Packing
030166	**Sodium Hydroxide** Flakes	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
NaOH (1310-73-2)	M. W.: 40.00 Assay (acidimetric) 96.0%	
219950	**Sodium Hydroxide** Powder	**500 gm** **5 kg** **25 kg**
NaOH (1310-73-2)	M.W : 40.00 Assay 98.0%	
030167	**Sodium Hydroxide** Pellets Purified	**500 gm** **5 kg** **25 kg** **50 kg**
NaOH (1310-73-2)	M. W.: 40.00 Assay (Acidimetric) 97.0%	
643525	**Sodium Hydroxide** Pellets **AR** Meets Analytical Specification of BP, USP, Ph. Eur.	**500 gm** **5 kg** **25 kg** **50 kg**
NaOH (1310-73-2)	M. W.: 40.00 Assay (Acidimetric) 98.0%	
986460 MB	**Sodium Hydroxide** Pellets For Molecular Biology	**100 gm** **500 gm** **5 kg**
NaOH (1310-73-2)	M. W.: 40.00 Assay : ≥ 98% Store Below 30°C	
TC1460 ATC	**Sodium Hydroxide** Pellets Caustic Soda Cell Culture Tested	**500 gm** **1 kg** **5 kg**
NaOH (1310-73-2)	M. W.: 40 Assay : ≥99% Store below 30°C	
TC1460M ATC	**Sodium Hydroxide** Pellets Caustic Soda Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications	**500 gm** **1 kg** **5 kg**
NaOH (1310-73-2)	M. W.: 40 Store below 30°C	
891580	**Sodium Hydroxide** 10% Solution **AR**	**500 ml** **1 lit**
NaOH (1310-73-2)	M.W. 40.0 Assay About 10.0%	
891583	**Sodium Hydroxide** 21% Solution **AR**	**500 ml** **1 lit**
NaOH (1310-73-2)	M.W. 40.0 Assay About 21.0%	
891586	**Sodium Hydroxide** 32% Solution **AR** (For Determination Of Nitrogen)	**500 ml** **1 lit**
NaOH (1310-73-2)	M.W. 40.0 Assay About 32.0%	
891589	**Sodium Hydroxide** 45% Solution **AR**	**500 ml** **1 lit**
NaOH (1310-73-2)	M.W. 40.0 Assay About 45.0%	
891592	**Sodium Hydroxide** 50% Solution in Water **AR**	**500 ml** **1 lit**
NaOH (1310-73-2)	M.W. 40.0 Assay About 50.0%	
891600	**Sodium Hydroxide** N/1 Solution 1 mol/L Citrisol 20.00 g NaOH for 500 ml Solution 1N solution	**1 Amp** **3 Amp** **6 Amp**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
891630	**Sodium Hydroxide** N/10 Solution 0.1 mol/L Citrisol 2.000 g NaOH for 500 ml solution 0.1N Solution	**1 Amp** **3 Amp** **6 Amp**
891660	**Sodium Hydroxide** Solution (N/10)	**500 ml** **1 lit** **2.5 lit**
891690	**Sodium Hydroxide** CPECTROSOL® 0.01M (0.01N) Standard Solution In accordance with NIST	**1 lit**
891695	**Sodium Hydroxide** 0.01 mol/L (0.01N) For 500 ml Solution	**1 Amp** **3 Amp** **6 Amp**
891700	**Sodium Hydroxide** CPECTROSOL® 0.02M (0.02N) Standard Solution In accordance with NIST	**1 lit**
891970	**Sodium Hydroxide** CPECTROSOL® 0.2M (0.2N) Standard Solution In accordance with NIST	**1 lit**
891720	**Sodium Hydroxide** 0.05 M (0.05N) Volumetric Solution	**500 ml**
891750	**Sodium Hydroxide** CPECTROSOL® 0.1M (0.1N) Standard Solution In accordance with NIST	**1 lit**
891870	**Sodium Hydroxide** CPECTROSOL® 0.111M (0.111N) Standard Solution In accordance with NIST	**1 lit**
891960	**Sodium Hydroxide** 0.2 M (0.2N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
891705	**Sodium Hydroxide** 0.02 mol/L (0.02N) Solution	**500 ml** **1 lit** **2.5 lit**
891990	**Sodium Hydroxide** 0.25 M (0.25N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
891997	**Sodium Hydroxide** CPECTROSOL® 0.25M (0.25N) Standard Solution In accordance with NIST	**1 lit**
891999	**Sodium Hydroxide** 0.25 mol/L (0.25N) For 500 ml Solution	**1 Amp** **3 Amp** **6 Amp**
892000	**Sodium Hydroxide** 0.33 mol/L (0.33N) Solution	**500 ml** **1 lit** **2.5 lit**
891995	**Sodium Hydroxide** 0.357M (1/2.8N) Solution	**500 ml** **1 lit** **2.5 lit**
892050	**Sodium Hydroxide** 0.5 M (0.5N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
892055	**Sodium Hydroxide** CPECTROSOL® 0.5M (0.5N) Standard Solution In accordance with NIST	**1 lit**
892058	**Sodium Hydroxide** 0.5 mol/L (0.5N) For 500 ml Solution	**1 Amp** **3 Amp** **6 Amp**
892060	**Sodium Hydroxide** 1M (1N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
892063	**Sodium Hydroxide** CPECTROSOL® 1M (1N) Standard Solution In accordance with NIST	**1 lit**
892065	**Sodium Hydroxide** 2 M (2N) Volumetric Solution	**500 ml** **1 lit** **5 lit**
892068	**Sodium Hydroxide** CPECTROSOL® 2M (2N) Standard Solution In accordance with NIST	**1 lit**
892070	**Sodium Hydroxide** 4 M (4N) Low in Carbonate Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
892075	**Sodium Hydroxide** CPECTROSOL® 4M (4N) Standard Solution In accordance with NIST	**1 lit**
892080	**Sodium Hydroxide** 5M (5N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
892095	**Sodium Hydroxide** 6M (6N) Solution	**500 ml** **1 lit** **2.5 lit**
892110	**Sodium Hydroxide** 8M (8N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
892170	**Sodium Hydroxide** 10M (10N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
892163	**Sodium Hydroxide** TS (1 N) acc. to USP	**500 ml**
220045	**Sodium Hypobromite** For Synthesis	**500 ml**
023039	**Sodium Hypochlorite** Solution (Approximately 4% w/v available Chlorine)	**500 ml** **1 lit** **5 lit** **25 lit**
PCT2311 PTC NaOCl (7681-52-9)	**Sodium Hypochlorite** **(4% w/v solution)** Plant Culture Tested M. W.: 74.44 Store below 30°C	**5X50 ml** **5X100 ml**
030170 $NaH_2PO_2H_2O$ (10039-56-2)	**Sodium Hypophosphite** (Monohydrate) M. W.: 105.99 Assay (oxidimetric) 98.0-101.0%	**500 gm** **25 kg** **50 kg**
644245 $NaH_2PO_2H_2O$ (10039-56-2)	**Sodium Hypophosphite** (Monohydrate) **AR** M. W.: 105.99	**500 gm** **25 kg** **50 kg**

Storage : · ❄0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
030171 $NaIO_3$ (7681-55-2)	**Sodium Iodate** M. W.: 197.90 Assay (Iodometric) 98.0%	**100 gm**
644305 $NaIO_3$ (7681-55-2)	**Sodium Iodate AR** M. W.: 197.90 Assay (Iodometric) 99.5%	**100 gm**
030172 NaI (7681-82-5)	**Sodium Iodide** Pure M. W.: 149.89 Assay (ex I)(after drying)99.0%	**25 gm** **100 gm** **250 gm** **25 kg**
644345 NaI (7681-82-5)	**Sodium Iodide AR/ACS** M. W.: 149.89 Assay (after drying) 99.5%	**100 gm** **250 gm**
030173 $C_3H_5NaO_3$ (72-17-3)	**Sodium Lactate** 60% Soln. M. W.: 112.06 Assay (Non-aqueous) 58.8-61.2%	**500 ml** **2.5 lit** **25 lit** **50 lit**
220305 $(C_2H_4O)_nC_{12}H_{26}O_4SNa$ (9004-82-4)	**Sodium Lauryl Ether Sulphate** (SLES) M.W. : 332.43	**5 lit** **25 lit** **50 lit**
044145 $C_{12}H_{25}NaO_4S$ (151-21-3)	**Sodium Lauryl Sulphate** Powder Meets Analytical Specification of IP, BP, USP, NF, Ph. Eur. M.W.: 288.38 Assay (Sodium Lauryl Sulphate) 90.0%	**500 gm** **5 kg** **25 kg** **50 kg**
024349 $C_{12}H_{25}NaO_4S$ (151-21-3)	**Sodium Lauryl Sulphate** (Needle Shape) M. W.: 288.38 Assay (As sodium Lauryl Sulphate) 90.0%	**500 gm** **5 kg** **25 kg** **50 kg**
644595 $C_{12}H_{25}NaO_4S$ (151-21-3)	**Sodium Lauryl Sulphate AR/ACS** For SDS Electrophoresis M. W.: 288.38 Assay (After drying two phase titration) 99.0%	**100 gm** **500 gm** **1 kg** **25 kg**
772000 $C_{12}H_{25}NaO_4S$ (151-21-3)	**Sodium Lauryl Sulphate** HPLC (Sodium Dodecyl Sulphate) M. W.: 288.38	**10 gm** **25 gm**
986680 MB $C_{12}H_{25}NaO_4S$ (151-21-3)	**Sodium Lauryl Sulphate** For Molecular Biology M. W.: 288.38 Assay (After drying two phase titration) 99.0%	**25 gm** **100 gm** **500 gm** **1 kg**
892270	**Sodium Lauryl Sulphate** 10% Solution	**100 ml**
892272	**Sodium Lauryl Sulphate** 20% Solution	**250 ml**
	Sodium-M-Arsenite See Sodium Arsenite	
030179 $C_3H_2Na_2O_4$ (141-95-7)	**Sodium Malonate** M. W.: 148.03 Assay(Non-aqueous) 98.5%	**100 gm** **500 gm**
030180 $Na_2S_2O_5$ (7681-57-4)	**Sodium Metabisulphite** Purified (Sodium Disulphite, Sodium Pyrosulphite) M. W.: 190.11 Assay (iodometric) 95.0%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
644455 $Na_2S_2O_5$ (7681-57-4)	**Sodium Metabisulphite AR/ACS** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 190.11 Assay (Iodometric) 98.0%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
	Sodium Meta Periodate See Sodium-meta-Periodate	
026186 $Na_2SiO_3.9H_2O$ (13517-24-3)	**Sodium Meta Silicate** Nonahydrate M. W.: 284.2 Assay Abt. 95.0%	**500 gm** **1 kg** **25 kg** **50 kg**
024325 $Na_2SiO_3.5H_2O$ (10213-79-3)	**Sodium Meta Silicate** Pentahydrate M.W.: 212.14 Assay (Acidimetric) 97.0%	**500 gm** **5 kg** **50 kg**
PCT2327 PTC Na_2SiO_3 (6834-92-0)	**Sodium Meta Silicate** Plant Culture Tested M. W.: 122.06 Assay 95% Store below 30°C	**1 gm** **25 gm**
	Sodium Metavanadate See Sodium (meta) Vanadate	
066323 $NaOCH_3$ (124-41-4)	**Sodium Methoxide** M. W.: 54.02 Assay (Calculated; as $NaOCH_3$) 97.5%	**100 gm** **500 gm** **5 kg** **25 kg** **50 kg**
892450	**Sodium Methoxide** Solution 25% Assay 24.9-25.1%	**500 ml** **2.5 lit**
892470	**Sodium Methoxide** 0.5M solution in Methanol ACS	**500 ml** **1 lit**
030185 $Na_2MoO_4.2H_2O$ (10102-40-6)	**Sodium Molybdate** Pure M. W.: 241.95 Assay (ex Mo) 98-102.0%	**100 gm** **250 gm** **500 gm** **1 kg** **25 kg**
644495 $Na_2MoO_4.2H_2O$ (10102-40-6)	**Sodium Molybdate AR** Reagent for Alkaloids M. W.: 241.95 Assay (ex Mo) 99.0-102.0%	**100 gm** **250 gm** **500 gm** **1 kg** **25 kg**
PCT1117 PTC $Na_2MoO_4.2H_2O$ (10102-40-6)	**Sodium Molybdate** Dihydrate Plant Culture Tested M. W.: 241.95 Assay 99.5% Store below 30°C	**100 gm** **500 gm**
TC1581M ATC $Na_2MoO_4.2H_2O$ (10102-40-6)	**Sodium Molybdate** Dihydrate Meets EP 9.0 and and BP 2016 testing specifications M. W.: 241.95 Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
	Sodium Monochloroacetate See Sodium Chloro Acetate Mono	
220875 ✲ $C_{10}H_8NO_3SNa$ (130-13-2)	**Sodium Naphthionate** M. W.: 245.23	**1 kg**
	Sodium-a-Naphthylamine Sulfonate See Sodium Naphthionate	

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ▪ 0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
644585 $C_{10}H_8NaPO_4.H_2O$ (81012-89-7)	▲**Sodium-1-Naphthyl Phosphate Monohydrate AR** (1-Naphthyl Phosphate Mono Sodium Salt) M. W.: 264.15 Assay (NaOH titration) 99.0%	**5 gm**
030187 $NaNO_3$ (7631-99-4)	**Sodium Nitrate** Purified M. W.: 84.99 Assay (ex NO_3) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
645075 $NaNO_3$ (7631-99-4)	**Sodium Nitrate AR/ACS** M. W.: 84.99 Assay (ex NO_3) 99.5%	**500 gm** **5 kg** **25 kg** **50 kg**
PCT1014 PTC $NaNO_3$ (7631-99-4)	**Sodium Nitrate** Plant Culture Tested M. W.: 84.99 Assay 99% Store below 30°C	**500 gm** **1 kg**
030188 $NaNO_2$ (7632-00-0)	**Sodium Nitrite** Purified M. W.: 69.00 Assay (ex NO_2 Oxidimetric) 98.0%	**100 gm** **500 gm** **5 kg** **25 kg** **50 kg**
645080 $NaNO_2$ (7632-00-0)	**Sodium Nitrite AR** M. W.: 69.00 Assay (ex NO_2 Oxidimetric) 98.0%	**500 gm** **25 kg** **50 kg**
892630	**Sodium Nitrite** 0.1M (0.2N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
892635	**Sodium Nitrite** CPECTROSOL® 0.1M (0.2N) Standardized Solution In accordance with NIST	**1 lit**
892660	**Sodium Nitrite** 0.2M (0.4N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
892665	**Sodium Nitrite** CPECTROSOL® 0.2M (0.4N) Standardized Solution In accordance with NIST	**1 lit**
892690	**Sodium Nitrite** 0.5M (1N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
892695	**Sodium Nitrite** CPECTROSOL® 0.5M (0.1N) Standardized Solution In accordance with NIST	**1 lit**
892720	**Sodium Nitrite** 1M (2N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
892725	**Sodium Nitrite** CPECTROSOL® 1M (2N) Standardized Solution In accordance with NIST	**1 lit**
892750	**Sodium Nitrite** 4M (8N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
892755	**Sodium Nitrite** CPECTROSOL® 4M (8N) Standardized Solution In accordance with NIST	**1 lit**
	Sodium Nitroso Pentacyano Ferrate (III) See Sodium Nitroprusside	
030190 $Na_2[Fe(CN)_5NO]2H_2O$ (13755-38-9)	**Sodium Nitroprusside** Purified M. W.: 297.95 Assay (Argentometric) 98.0%	**25 gm** **100 gm** **500 gm**
645170 $Na_2[Fe(CN)_5NO].2H_2O$ (13755-38-9)	**Sodium Nitroprusside AR/ACS** M. W.: 297.95 Assay (Argentometric) 99.0%	**100 gm** **500 gm**
645435 $C_8H_{18}O_4SNa$ (142-31-4)	**Sodium Octyl Sulphate AR** M. W.: 232.27	**5 gm** **25 gm**
221135 $C_{18}H_{33}NaO_2$ (143-19-1)	**Sodium Oleate** Pure M. W.: 304.44 Assay 98.0%	**1 kg**
030193 $Na_3PO_4.12H_2O$ (10101-89-0)	tri-**Sodium Ortho Phosphate** -12-hydrate M. W.: 380.13 Assay (acidimetric) 98.0%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
645495 $Na_3PO_4.12H_2O$ (10101-89-0)	tri-**Sodium Ortho Phosphate** -12-hydrate **AR** M. W.: 380.13 Assay (acidimetric) 98.0-102.0%	**500 gm** **5 kg** **25 kg** **50 kg**
030195 $C_2Na_2O_4$ (62-76-0)	**Sodium Oxalate** Purified (di-Sodium Oxalate) M. W.: 134.00 Assay (oxidimetric) 99.5%	**500 gm** **25 kg** **50 kg**
645535 $C_2Na_2O_4$ (62-76-0)	**Sodium Oxalate AR** M. W.: 134.00 Assay(oxidimetric) 99.9%	**500 gm** **25 kg** **50 kg**
892840	**Sodium Oxalate** 0.05M (0.1N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
892845	**Sodium Oxalate** CPECTROSOL® 0.05 M (0.1 N) Standard Solution In accordance with NIST	**1 lit**
221295 Na_2O (1313-59-3)	**Sodium Oxide** M. W.: 61.98 Assay 80.0%	**25 gm**
026152 $C_6Cl_5.NaO$ (131-52-2)	**Sodium Pentachlorophenate** M. W.: 288.32 Assay (acidimetric,on anhydrous substance) 98.0%	**500 gm**
024326 $NaBO_3.4H_2O$ (10486-00-7)	**Sodium Perborate** Tetrahydrate M. W.: 153.86 Assay (Iodometric) 96.0%	**1 kg** **25 kg** **50 kg**
221500 $Na_2CO_3.1.5H_2O_2$ (15630-89-4)	**Sodium Percarbonate** M.W. 157.01	**500 gm** **2.5 kg**
645605 ⚛ $NaClO_4.H_2O$ (7791-07-3)	**Sodium Perchlorate AR** M. W.: 140.46 Assay (argentometric) 99.0%	**500 gm**

S

Laboratory Chemicals

Storage : · #0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
892885	**Sodium Perchlorate** 1M Solution	**100 ml** **250 ml** **500 ml** **1 lit**
030200 $NaIO_4$ (7790-28-5)	**Sodium** meta **Periodate** M. W.: 213.89 Assay (Iodometric) 98.0%	**100 gm** **500 gm**
645645 $NaIO_4$ (7790-28-5)	**Sodium** Meta **Periodate AR/ACS** For the colorimetric determination of triglycerides M. W.: 213.89 Assay (Iodometric, on dry subs.) 99.0%	**100 gm** **500 gm**
645665 Na_2O_2 (1313-60-6)	**Sodium Peroxide** granular **AR/ACS** M. W.: 77.98 Assay (By titration of reducing powder against permaganate) 95.0%	**100 gm** **500 gm**
	Sodium Peroxydisulphate See Sodium Persulphate	
030203 $Na_2S_2O_8$ (7775-27-1)	**Sodium Persulphate** M. W.: 238.09 Assay (iodometric) 95.0%	**100 gm** **500 gm** **25 kg** **50 kg**
645705 $Na_2S_2O_8$ (7775-27-1)	**Sodium Persulphate AR** M. W.: 238.09 Assay(iodometric) 98.0%	**500 gm** **25 kg**
	Sodium Phosphate Dibasic See di-Sodium Hydrogen Ortho Phosphate	
	Sodium Phosphate Monobasic See Sodium dihydrogen Orthophosphate	
	Sodium Phosphate Tribasic See tri-Sodium Orthophosphate	
645745 (55963-78-5)	**Sodium Polyanethole Sulphonate AR**	**1 gm** **5 gm**
	Sodium Polyphosphate See Sodium Hexametaphosphate	
	Sodium Potassium Tartrate See Potassium Sodium tartrate	
030206 $C_3H_5NaO_2$ (137-40-6)	**Sodium Propionate** M. W.: 96.06 Assay (after drying, Non-aqueous) 99.0-101.0%	**500 gm** **25 kg** **50 kg**
030208 $Na_4P_2O_7$ (7722-88-5)	tetra-**Sodium Pyro Phosphate** (Anhydrous) M. W.: 265.90 Assay (acidimetric) 97.5%	**500 gm** **25 kg** **50 kg**
030207 $Na_4P_2O_7.10H_2O$ (13472-36-1)	tetra-**Sodium Pyro Phosphate** (Decahydrate) M. W.: 446.05 Assay (acidimetric) 98.5%	**500 gm** **50 kg**
645835 $Na_4P_2O_7.10H_2O$ (13472-36-1)	tetra-**Sodium Pyro Phosphate** (Decahydrate) **AR** M. W.: 446.06 Assay (acidimetric) 99-103%	**500 gm** **25 kg** **50 kg**

Product Code	Product Name	Packing
646085 $NaHSO_4$ (7681-38-1)	**Sodium Pyrosulphate AR** M.W. : 120.06	**1 kg**
646175 $C_3H_3O_3Na$ (113-24-6)	**Sodium Pyruvate** for Biochemistry **AR** M. W.: 110.04 Assay (NAT) (Non-aqueous) 99.0%	**25 gm** **100 gm** **500 gm**
PCT1503 PTC $C_3H_3O_3Na$ (113-24-6)	**Sodium Pyruvate** (Pyruvic acid sodium salt) Plant Culture Tested M. W.: 110.04 Assay 99% Store below 30°C	**25 gm** **100 gm**
TC1166 ATC $C_3H_3O_3Na$ (113-24-6)	**Sodium Pyruvate** (Pyruvic acid sodium salt) Cell Culture Tested M. W.: 110.04 Assay : ≥99% Store below 30°C	**25 gm** **100 gm** **250 gm** **1 kg**
646235 $C_6Na_2O_6$ (523-21-7)	▲**Sodium Rhodizonate AR** M. W.: 214.04 Assay (non-aqueous) 98.5%	**5 gm**
892900	**Sodium Rhodizonate** Reagent Solution (Reagent for Ba, Pb, Sr)	**100 ml**
030210 $C_7H_5NaO_3$ (54-21-7)	**Sodium Salicylate** M. W.: 160.10 Assay (after drying non-aqueous) 99.0%	**500 gm** **25 kg** **50 kg**
646305 $C_7H_5NaO_3$ (54-21-7)	**Sodium Salicylate AR** M. W.: 160.10 Assay (dried substance) 99.5-100.5%	**250 gm** **500 gm**
646405 Na_2SeO_4 (13410-01-0)	**Sodium Selenate AR** M. W.:188.94 Assay 99.0%	**100 gm** **1 kg**
221605 $Na_2SeO_3.5H_2O$ (26970-82-1)	**Sodium Selenite** Pentahydrate M.W : 263.0 Assay 98.5%	**100 gm** **1 kg**
221615 Na_2SeO_3 (10102-18-8)	**Sodium Selenite** Anhydrous M. W.:172.94	**100 gm** **1 kg**
646495 Na_2SeO_3 (10102-18-8)	**Sodium Selenite AR** Additive for nutrient media alkaloidal reagent M. W.: 172.94 Assay (ex Se Oxidimetric) 99.0%	**25 gm** **100 gm** **1 kg**
TC1169 ATC Na_2SeO_3 (10102-18-8)	**Sodium Selenite** Cell Culture Tested M. W.: 172.94 Assay : ≥99% Store below 30°C	**10 gm** **25 gm** **100 gm**
TC1169E ATC Na_2SeO_3 (10102-18-8)	**Sodium Selenite** Anhydrous Meets EP 9.0 testing specifications M. W.: 172.94 Store below 30°C	**10 gm** **25 gm** **100 gm**
024327	**Sodium Sesquicarbonate**	**500 gm**
	Sodium-m-Silicate See Sodium Meta Silicate	

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ·#0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
892935 $Na_2Si_3O_7$ (1344-09-8)	**Sodium Silicate** Solution water glass M. W.: 242.2 Assay as (Na_2O Titrimetric) 10% (Gravimetric as) 25.5-28.5%	**5 lit** **25 lit**
221765 Na_2SiF_6 (16893-85-9)	**Sodium Silicofluoride** M W.: 188.05 Assay (NaF) 43.0-45.0%	**500 gm** **1 kg** **25 kg** **50 kg**
026190 $Na_2SnO_3.3H_2O$ (12209-98-2)	**Sodium Stannate** M.W.:266.71 Assay [soluble Tin (as Sn)] Abt. 40.0%	**500 gm** **25 kg** **50 kg**
030217 (9063-38-1)	**Sodium Starchglycolate**	**500 gm** **5 kg** **25 kg** **50 kg**
221895 $CH_3(CH_2)_{16}COONa$ (822-16-2)	**Sodium Stearate** for Synthesis M.W. : 306.46 Assay 98.0%	**500 gm**
030219 $(CH_2COONa)_2.6H_2O$ (6106-21-4)	**Sodium Succinate** Hexahydrate M. W.: 270.14 Assay (dried, non-aq.) 99.0%	**100 gm** **500 gm** **25 kg** **50 kg**
646555 $(CH_2COONa)_2.6H_2O$ (6106-21-4)	**Sodium Succinate AR** (Hexahydrate) M. W.: 270.14 Assay (NT) 99.0%	**100 gm** **500 gm**
TC1219 ATC $C_4H_4O_4Na_2.6H_2O$ (6106-21-4)	**Sodium Succinate** Hexahydrate Cell Culture Tested M. W.: 270.14 Assay : ≥99% Store below 30°C	**25 gm** **100 gm** **500 gm**
221995 Na_2SO_4 (7757-82-6)	**Sodium Sulphate** Anhydrous Granular **AR/ACS** for Pesticide Residue Analysis M.W.: 142.04 Assay 99.0%	**500 gm** **2.5 kg** **25 kg**
030223 Na_2SO_4 (7757-82-6)	**Sodium Sulphate** Anhydrous Purified (Sodium Sulphate Dried) M. W.: 142.04 Assay (after drying) 99.0%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
646605 Na_2SO_4 (7757-82-6)	**Sodium Sulphate** (Anhydrous) **AR/ACS** M. W.: 142.04 Assay (Acidimetric after drying) 99.5%	**500 gm** **1 kg** **25 kg** **50 kg**
772700 Na_2SO_4 (7757-82-6)	**Sodium Sulphate** HPLC M. W.: 142.04	**250 gm**
986780 MB Na_2SO_4 (7757-82-6)	**Sodium Sulphate** Anhydrous For Molecular Biology M. W.: 142.04 Assay : ≥ 99% Store Below 30°C	**1 kg**
PCT1015 PTC Na_2SO_4 (7757-82-6)	**Sodium Sulphate** Anhydrous Plant Culture Tested M. W.: 142.04 Assay 99% Store below 30°C	**500 gm** **1 kg**
TC1572M ATC Na_2SO_4 (7757-82-6)	**Sodium Sulphate** Anhydrous Meets USP 41-NF 36, EP 9.0 BP 2016 testing specifications M. W.: 142.04 Store below 30°C	**500 gm** **1 kg** **5 kg**
030224 $Na_2S.XH_2O$ (27610-45-3)	**Sodium Sulphide** Fused Flakes Iron Free M. W.: 78.04 + H_2O Assay (Na_2S) 55.0-58.0%	**500 gm** **25 kg** **50 kg**
646665 $Na_2S.XH_2O$ (27610-45-3)	**Sodium Sulphide AR** M. W.: 78.04 Assay (Na_2S) About 60.0%	**500 gm** **25 kg** **50 kg**
030226 Na_2SO_3 (7757-83-7)	**Sodium Sulphite** Anhydrous Purified M. W.: 126.04 Assay (iodometric) 96.0%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
646705 Na_2SO_3 (7757-83-7)	**Sodium Sulphite** Anhydrous **AR/ACS** M. W.: 126.04 Assay(iodometric) 97.0%	**500 gm** **25 kg** **50 kg**
986800 MB Na_2SO_3 (7757-83-7)	**Sodium Sulphite** Anhydrous For Molecular Biology M. W.: 126.04 Assay : ≥ 98% Store Below 30°C	**500 gm**
030227 $[CHOHCOONa]_2.2H_2O$ (6106-24-7)	di-**Sodium Tartrate** Purified M. W.: 230.08 Assay (Non-aqueous) 99-101%	**500 gm** **25 kg** **50 kg**
646735 $C_4H_4Na_2O_62H_2O$ (6106-24-7)	di-**Sodium Tartrate AR** M. W.: 230.08 Assay 99.0%	**250 gm** **500 gm**
024323 $C_4H_4Na_2O_6$ (868-18-8)	**Sodium**-DL-**Tartrate** Anhydrous (Not Suitable for Karl Fischer) M. W.: 194.05 Assay (Non-aqueous) 99-101.00%	**500 gm**
	Sodium Tauroglycocholate for Bacteriological See Bile Salt	
TC1347 ATC $C_{26}H_{44}NO_6SNa.XH_2O$ (207737-97-1)	▲**Sodium Taurodeoxycholate** Hydrate Cell Culture Tested M. W.: 521.69 (anhydrous basis) Assay : ≥99% Store below 30°C	**500 mg** **1 gm** **5 gm**
222125 Na_2TeO_3 (10102-20-2)	**Sodium Tellurite** Extra Pure M. W.: 221.58 Assay (Te) 56.7-58.5%	**100 gm**
	Di-**Sodium Tetraborate** See Borax	
222235 Na_2PdCl_4 (13820-53-6)	**Sodium Tetrachloropalladate** M. W.: 294.21	**1 gm** **5 gm**
646805 $C_{24}H_{20}BNa$ (143-66-8)	**Sodium Tetra Phenyl Borate AR/ACS** M. W.: 342.23 Assay (argentometric) 99.5%	**10 gm** **100 gm**
030636 NaSCN (540-72-7)	**Sodium Thiocyanate** M. W.: 81.07 Assay (Calculated on dried basis; Argentometric) 98.0%	**500 gm** **25 kg**

Storage : · #0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
646845 NaSCN (540-72-7)	**Sodium Thiocyanate AR/ACS** M. W.: 81.07 Assay (Calculated on dried basis; argentometric) 99.0%	**500 gm** **50 kg**
893120	**Sodium Thiocyanate** CPECTROSOL® 0.1M (0.1N) Volumetric Solution In accordance with NIST	**1 lit**
030234 $C_2H_3NaO_2S$ (367-51-1)	**Sodium Thioglycolate** for Bacteriology M.W. : 114.09 Assay (Iodometric) 98.0%	**100 gm** **500 gm**
030235 $Na_2S_2O_3.5H_2O$ (10102-17-7)	**Sodium Thiosulphate** Pentahydrate Purified (Sodium Thiosulphate-5-hydrate Hypo) M. W.: 248.17 Assay (iodometric) 99.0%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
646905 $Na_2S_2O_3.5H_2O$ (10102-17-7)	**Sodium Thiosulphate** Pentahydrate **AR/ACS** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 248.17 Assay (Iodometric) 99.5%	**500 gm** **5 kg** **25 kg** **50 kg**
986930 MB $Na_2S_2O_3.5H_2O$ (10102-17-7)	**Sodium Thiosulphate** Pentahydrate For Molecular Biology M. W.: 248.18 Assay : ≥ 99% Store Below 30°C	**500 gm** **1 kg**
PCT1122 PTC $Na_2S_2O_{3.5}H_2O$ (10102-17-7)	**Sodium Thiosulphate Pentahydrate** Plant Culture Tested M. W.: 248.18 Assay 99.5% Store below 30°C	**500 gm**
222335 $Na_2S_2O_3$ (7772-98-7)	**Sodium Thiosulphate** Anhydrous M.W : 158.10 Assay 97.0%	**1 kg**
646935 $Na_2S_2O_3$ (7772-98-7)	**Sodium Thiosulphate** (Anhydrous) **AR** M. W.: 158.11 Assay (iodometric on dried subs.) 98.0%	**500 gm** **1 kg** **50 kg**
986870 MB $Na_2S_2O_3$ (7772-98-7)	**Sodium Thiosulphate** Anhydrous For Molecular Biology M. W.: 158.11 Assay : ≥ 98% Store Below 30°C	**500 gm**
893240	**Sodium Thiosulphate** 0.1 M (0.1N) Volumetic Solution (N/10)	**500 ml** **1 lit** **2.5 lit**
893270	**Sodium Thiosulphate** 0.01M (0.01N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
892275	**Sodium Thiosulphate** CPECTROSOL® 0.01M (0.01N) Standardized Solution In accordance with NIST	**1 lit**
893275	**Sodium Thiosulphate** 0.01 mol/L (N/10) (0.01N) For 500 ml Solution	**1 Amp** **3 Amp** **6 Amp**
893330	**Sodium Thiosulphate** 0.05M (0.05N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
893345	**Sodium Thiosulphate** CPECTROSOL® 0.1M (0.1N) Standardized Solution In accordance with NIST	**1 lit**
893335	**Sodium Thiosulphate** CPECTROSOL® 0.05M (0.05N) Standardized Solution In accordance with NIST	**1 lit**
893340	**Sodium Thiosulphate** Solution 0.1 mol/L Citrisol 12.409g $Na_2S_2O_3$ $5H_2O$ for 500 ml solution 0.1 N solution	**1 Amp** **3 Amp** **6 Amp**
893350	**Sodium Thiosulphate** 0.2M (0.2N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
893360	**Sodium Thiosulphate** 0.394M (0.394N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
893390	**Sodium Thiosulphate** 1M (1N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
893395	**Sodium Thiosulphate** CPECTROSOL® 1M (1N) Standardized Solution In accordance with NIST	**1 lit**
893245	**Sodium Thiosulphate** Solution 0.1N (N/10) acc. to USP	**500 ml**
024320 $C_6H_{10}BNaO_6$ (56553-60-7)	**Sodium Triacetoxyborohydride** M. W.: 211.94 Assay 95.0%	**25 gm** **100 gm** **500 gm**
222485 CCl_3CO_2Na (650-51-1)	**Sodium Trichloroacetate** (Trichloroacetic acid sodium salt) M. W.: 185.37	**500 gm**
030719 $Na_5O_{10}P_3$ (7758-29-4)	**Sodium Tripolyphosphate** Anhydrous (STPP) M. W.: 367.86 Assay (Cal. Based on P_2O_5) 57-59%	**1 kg** **5 kg**
030237 $Na_2WO_4.2H_2O$ (10213-10-2)	**Sodium Tungstate** Purified M. W.: 329.86 Assay (Gravimetric) 98.0%	**100 gm** **250 gm** **2.5 kg**
646995 $Na_2WO_4.2H_2O$ (10213-10-2)	**Sodium Tungstate AR/ACS** Reagent for determination of Uric acid M. W.: 329.86 Assay 99.0-101.0%	**100 gm** **250 gm** **500 gm**
893480	**Sodium Tungstate** 10% w/v Volumetric Solution Assay 10-11.0% w/v	**100 ml** **500 ml**
030183 $NaVO_3$ (13718-26-8)	**Sodium** Meta **Vanadate** (Sodium Monovanadate) M. W.: 121.93 Assay (ex V) 98.0%	**100 gm** **500 gm**
893560	**Soil testing kit** (For the estimation of organic carbon)	**25 te**
893565	**Soil testing kit** (For the estimation of N,P,K & pH)	**4x10 te**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
893570	**Soil testing kit** refill pack (Reagents only) (For the estimation of N,P,K & pH)	**4x10 te**
	Solochrome Black T See Erichrome black T	
	Solochrome Cyanine R See Eriochrome Cyanine R.	
013120 $C_{20}H_{13}N_2NaO_5S$ (2538-85-4)	**Solochrome Dark Blue** C.I. No. 15705 (Calcon, Eriochrome Blue Black R) M. W.: 416.39	**5 gm** **25 gm**
	Soluble Blue See Aniline Blue	
	Solvent Ether See Diethyl Ether	
222765 $C_{28}H_{22}N_2O_2$ (128-80-3)	**Solvent Green 3** [Quinzarine Green (Spirit Soluble)] (C.I. 61565) M.W. : 418.49 Dye content 95.0%	**25 gm**
	Solvent Red See Sudan IV	
030241 $C_6H_8O_2$ (110-44-1)	**Sorbic Acid** Mould yeast inhibitor M. W.: 112.13 Assay (acidimetric) 98.5%	**500 gm** **5 kg** **25 kg** **50 kg**
	Sorbic Acid Potassium Salt See Potassium Sorbate	
	Sorbitan Monolaurate See Span 20	
	Sorbitan Monopalmitate See Span 40	
	Sorbitan Monostearate See Span 60	
	Sorbitan Monooleate See Span 80	
	Sorbite Powder See D-Sorbitol	
030242 $C_6H_{14}O_6$ (50-70-4)	D-**Sorbitol** for Microbiology M. W.: 182.17 Assay (Iodometric, Calc. On anhy. Subs.) 98.0-100.5%	**250 gm** **1 kg**
987180 MB $C_6H_{14}O_6$ (50-70-4)	D-**Sorbitol** Molecular Biology Grade M. W.: 182.17	**500 gm** **1 kg** **5 kg**
PCT1606 PTC $C_6H_{14}O_6$ (50-70-4)	D-(-)-**Sorbitol** Plant Culture Tested M. W.: 182.17 Assay 99% Store below 30°C	**500 gm** **1 kg**
TC1170 ATC $C_6H_{14}O_6$ (50-70-4)	D-(-)-**Sorbitol** Cell Culture Tested M. W.: 182.17 Assay : ≥98% Store below 30°C	**500 gm** **1 kg** **5 kg**

Product Code	Product Name	Packing
TC1170M ATC $C_6H_{14}H_6$ (50-70-4)	D-(-)-**Sorbitol** Polyhydric alcohol; D- Glucitol; Meets USP 41-NF 36, EP 9.0, JP 17 BP 2016 testing specifications M. W.: 182.17 Store below 30°C	**500 gm** **1 kg** **5 kg**
024314	**Sorbitol** Liquid 70%	**500 ml** **2.5 lit**
222905 $C_6H_{12}O_6$ (87-79-6)	L (-) **Sorbose** for Biochemistry M. W.: 180.16	**25 gm** **100 gm** **500 gm**
	Sorensen's Salt See di-Sodium Hydrogen Ortho Phosphate	
044095 (68513-95-1)	**Soyabean Meal** Defatted	**500 gm**
024321 (8002-43-5)	**Soya Lecithin**	**100 gm** **500 gm**
H72081 HISURE $C_{16}H_9N_2Na_3O_{11}S_3$ (23647-14-5)	**Spadns AR/ACS** Certified M. W.: 570.40	**5 gm** **25 gm**
056002 $C_{18}H_{34}O_6$ (1338-39-2)	**Span** 20 M. W.: 346.46	**500 ml** **2.5 lit**
024347 $C_{22}H_{42}O_6$ (26266-57-9)	**Span** 40 M. W.: 402.57	**500 gm**
024346 $C_{24}H_{46}O_6$ (1338-41-6)	**Span** 60 M.W. : 430.62	**500 gm**
024345 $C_{60}H_{114}O_8$ (26658-19-5)	**Span** 65 M. W.: 963.55	**500 gm**
024344 $C_{24}H_{44}O_6$ (1338-43-8)	**Span** 80 M. W.: 428.60	**500 ml** **5 lit**
TC1599 $C_{24}H_{44}O_6$ (1338-43-8)	**Span**® 80, Vaccine Grade M. W.: 428.6 Store below 30°C	**100 ml** **500 ml**
223085 $C_{60}H_{108}O_8$ (26266-58-0)	**Span** 85 (sorbitain Trioleate) M. W.: 957.50	**500 ml**
TC1408 ATC $C_{19}H_{22}F_2N_4O_3$ (110871-86-8)	▲**Sparfloxacin** 5-Amino-1-cyclohexyl-7-(cis-3,5-Dimethylpiperazino-6,8-difluoro-1, 4-dihydro-4-oxo-3-quinolinecaroxylic acid Cell Culture Tested M. W.: 392.4 Assay : ≥98.5%	**1 gm** **10 gm**
PCT2134 PTC $C_{14}H_{24}N_2O_7.2HCl.5H_2O$ (22189-32-8)	▲**Spectinomycin Dihydrochloride Pentahydrate** Plant Culture Tested M. W.: 495.35 Assay 98%	**1 gm** **5 gm** **25 gm**

Storage : · ❄0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code		Product Name	Packing
TC1034	ATC	▲**Spectinomycin Dihydrochloride Pentahydrate** Cell Culture Tested Recommended for use in cell culture application at 7.5-20 mg/L $C_{14}H_{24}N_2O_7.2HCl.5H_2O$ M. W.: 495.35 (22189-32-8) Potency : ≥603 µg/mg	1 gm 5 gm 25 gm
PCT1812	PTC	· **Spermidine** Plant Culture Tested $C_7H_{19}N_3$ M. W.: 145.25 (124-20-9) Assay 98%	1 gm 5 gm
TC1276	ATC	· **Spermidine** Cell Culture Tested $C_7H_{19}N_3$ M. W.: 145.25 (124-20-9) Assay : ≥98%	1 gm 5 gm
PCT1821	PTC	· **Spermine** Plant Culture Tested $C_{10}H_{26}N_4$ M. W.: 202.34 (71-44-3) Assay 97%	1 gm
TC1275	ATC	· **Spermine (Free base)** Cell Culture Tested $C_{10}H_{26}N_4$ M. W.: 202.34 (71-44-3) Assay : ≥96%	1 gm 5 gm
TC1279	ATC	· **Sphingomyelin** Cell Culture Tested Source : Bovine brain (85187-10-6) Assay : ≥98%	100 mg 500 mg
223275	⁂	**Squalane** for Synthesis $C_{30}H_{62}$ M. W.: 422.81 (111-01-3)	100 ml 500 ml
223305	⁂	**Squalene** for Synthesis $C_{30}H_{50}$ M. W.: 410.72 (111-02-4) Assay 98.0%	100 ml 500 ml

***Standard Solutions in accordance with NIST**

*AAS Standard Solutions

*ICP Single Element Standard Solutions

*Multi Element ICP Standard Solutions

*Conductivity Standard Solutions

AAS Standards Solution

Product Code	Product Name	Packing
803140	**Aluminium** (Al) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	100 ml 250 ml 500 ml
803142	**Aluminium** (Al) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	100 ml 250 ml 500 ml
806500	**Antimony** (Sb) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	100 ml 250 ml 500 ml
803502	**Antimony** (Sb) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	100 ml 250 ml 500 ml
807000	**Arsenic** (As) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	100 ml 250 ml 500 ml
807002	**Arsenic** (As) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	100 ml 250 ml 500 ml
807450	**Barium** (Ba) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	100 ml 250 ml 500 ml
807452	**Barium** (Ba) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in Diluted HCl in accordance with NIST	100 ml 250 ml 500 ml
809350	**Beryllium** (Be) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in 0.5 HF in 2% HNO_3 In accordance with NIST	100 ml 250 ml 500 ml
809352	**Beryllium** (Be) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	100 ml 250 ml 500 ml
809900	**Bismuth** (Bi) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	100 ml 250 ml 500 ml
810840	**Boron** (B) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in H_2O In accordance with NIST	100 ml 250 ml 500 ml
813350	**Cadmium** (Cd) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	100 ml 250 ml 500 ml
813352	**Cadmium** (Cd) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	100 ml 250 ml 500 ml
814010	**Calcium** (Ca) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	100 ml 250 ml 500 ml
814012	**Calcium** (Ca) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	100 ml 250 ml 500 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · ❄0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
815350	**Cerium** (Ce) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 in accordance with NIST	100 ml 250 ml 500 ml
815590	**Cesium** CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	100 ml 250 ml 500 ml
817540	**Chromium** (Cr) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	100 ml 250 ml 500 ml
817542	**Chromium** (Cr) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	100 ml 250 ml 500 ml
817710	**Cobalt** (Co) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	100 ml 250 ml 500 ml
817712	**Cobalt** (Co) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	100 ml 250 ml 500 ml
819100	**Copper** (Cu) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	100 ml 250 ml 500 ml
819102	**Copper** (Cu) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	100 ml 250 ml 500 ml
829695	**Erbium** (Er) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 in accordance with NIST	100 ml 500 ml
830070	**Europium** (Eu) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 in accordance with NIST	100 ml 500 ml
839060	**Gadolinium** (Gd) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/per lit AAS in HNO_3 in accordance with NIST	100 ml 500 ml
839100	**Gallium** (Ga) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/ lit AAS in HNO_3 in accordance with NIST	100 ml 500 ml
839265	**Germanium** (Ge) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/ lit AAS in HNO_3 in accordance with NIST	100 ml 500 ml
839910	**Gold** (Au) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Hcl in accordance with NIST	250 ml
844000	**Hafnium** (Hf) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 in accordance with NIST	100 ml 500 ml
844395	**Holmium** (Ho) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 in accordance with NIST	100 ml 500 ml
849300	**Indium** (In) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	250 ml
850040	**Iron** (Fe) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	100 ml 250 ml 500 ml
850042	**Iron** (Fe) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	100 ml 250 ml 500 ml
859400	**Lanthanum** (La) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	100 ml 250 ml 500 ml
859402	**Lanthanum** (La) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	100 ml 250 ml 500 ml
859630	**Lead** (Pb) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	100 ml 250 ml 500 ml
860920	**Lithium** (Li) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	100 ml 250 ml 500 ml
861450	**Lutetium** (Lu) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 in accordance with NIST	100 ml 500 ml
863100	**Magnesium** (Mg) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 in accordance with NIST	100 ml 250 ml 500 ml

Storage : · #0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
863102	**Magnesium** (Mg) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	100 ml 250 ml 500 ml
863640	**Manganese** (Mn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	100 ml 250 ml 500 ml
863642	**Manganese** (Mn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	100 ml 250 ml 500 ml
864860	**Mercury** (Hg) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	100 ml 250 ml 500 ml
866370	**Molybdenum** (Mo) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in 0.5 N HNO_3 in accordance with NIST	100 ml 250 ml 500 ml
868650	**Neodymium** (Nd) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 in accordance with NIST	250 ml
868870	**Nickel** (Ni) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	100 ml 250 ml 500 ml
869290	**Niobium** (Nb) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 in accordance with NIST	100 ml 500 ml
874100	**Palladium** (Pd) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	100 ml 250 ml 500 ml
871402	**Palladium** (Pd) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	100 ml 250 ml 500 ml
875750	**Phosphorous** (P) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in H_2O In accordance with NIST	100 ml 250 ml 500 ml
876190	**Platinum** (Pt) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Hcl In accordance with NIST	100 ml
876500	**Potassium** (K) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	100 ml 250 ml 500 ml
876502	**Potassium** (K) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	100 ml 250 ml 500 ml
883250	**Rhenium** (Re) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	100 ml 500 ml
883320	**Rhodium** (Rh) CPECTROSOL® Atomic Absorption Std. Soln. Contain1000 mg/lit AAS in HNO_3 In accordance with NIST	100 ml 500 ml
883510	**Rubidium** (Rb) CPECTROSOL® Atomic Absorption Std. Soln. Contain1000 mg/lit AAS in HNO_3 In accordance with NIST	100 ml 500 ml
887290	**Scandium** (Sc) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	100 ml 500 ml
888160	**Selenium** (Se) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	250 ml
888680	**Silicon** (Si) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in H_2O In accordance with NIST	100 ml 250 ml 500 ml
888840	**Silver** (Ag) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	100 ml 250 ml 500 ml
890000	**Sodium** (Na) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	100 ml 250 ml 500 ml
890060	**Sodium** (Na) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	100 ml 250 ml 500 ml
893990	**Strontium** (Sr) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	100 ml 250 ml 500 ml
893992	**Strontium** (Sr) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	100 ml 250 ml 500 ml
896100	**Tellurium** (Te) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	100 ml 500 ml

Product Code	Product Name	Packing
896130	**Tellurium** (Te) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl In accordance with NIST	100 ml 500 ml
896200	**Terbium** (Tb) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	100 ml 500 ml
897510	**Tin** (Sn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HCl In accordance with NIST	100 ml 250 ml 500 ml
900080	**Tungsten** (W) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	100 ml 500 ml
902590	**Vanadium** (V) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	100 ml 250 ml 500 ml
902592	**Vanadium** (V) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	100 ml 250 ml 500 ml
907500	**Zinc** (Zn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	100 ml 250 ml 500 ml
907502	**Zinc** (Zn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	100 ml 250 ml 500 ml

ICP Single Element Standard Solution

Product Code	Product Name	Packing
803190	**Aluminium** (Al) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
803192	**Aluminium** (Al) CRISTAR® 1000 ppm Single Element Std Soln. for ICP in Hcl In accordance with NIST	100 ml 500 ml
803194	**Aluminium** (Al) CRISTAR® 10000 ppm Single Element Std Soln. for ICP in Hcl In accordance with NIST	100 ml 500 ml
806550	**Antimony** (Sb) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
806600	**Antimony** (Sb) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HCl In accordance with NIST	100 ml 500 ml
806650	**Antimony** (Sb) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HCl In accordance with NIST	100 ml 500 ml
807050	**Arsenic** (As) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
807100	**Arsenic** (As) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
807500	**Barium** (Ba) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in HNO_3 In accordance with NIST	100 ml 500 ml
807550	**Barium** (Ba) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP-MS in HNO_3 In accordance with NIST	100 ml 500 ml
807502	**Barium** (Ba) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in Hcl In accordance with NIST	100 ml 500 ml
807552	**Barium** (Ba) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP-MS in Hcl In accordance with NIST	100 ml 500 ml
809400	**Beryllium** (Be) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	50 ml 100 ml
809950	**Bismuth** (Bi) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500ml
809952	**Bismuth** (Bi) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
810860	**Boron** (B) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H_2O In accordance with NIST	100 ml 500 ml
810862	**Boron** (B) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H_2O In accordance with NIST	100 ml 500 ml

Storage : · ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
813400	**Cadmium** (Cd) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
813420	**Cadmium** (Cd) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
814050	**Calcium** (Ca) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
814090	**Calcium** (Ca) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
814030	**Calcium** (Ca) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	100 ml 500 ml
814070	**Calcium** (Ca) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	100 ml 500 ml
815400	**Cerium** (Ce) CRISTAR® 1000 ppm Single Element Standard for ICP in HNO_3	100 ml 500 ml
815420	**Cerium** (Ce) CRISTAR® 10000 ppm Single Element Standard for ICP in HNO_3	100 ml 500 ml
815610	**Cesium** (Cs) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml 500 ml
815650	**Cesium** (Cs) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml 500 ml
815612	**Cesium** (Cs) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H_2O In accordance with NIST	100 ml 500 ml
815652	**Cesium** (Cs) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H_2O In accordance with NIST	100 ml 500 ml
817580	**Chromium** (Cr) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	100 ml 500 ml
817600	**Chromium** (Cr) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	100 ml 500 ml
817620	**Chromium** (Cr) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
817640	**Chromium** (Cr) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
817740	**Cobalt** (Co) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
817770	**Cobalt** (Co) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP-MS in HNO_3 In accordance with NIST	100 ml 500 ml
819150	**Copper** (Cu) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in HNO_3 In accordance with NIST	100 ml 500 ml
819180	**Copper** (Cu) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP-MS in HNO_3 In accordance with NIST	100 ml 500 ml
829700	**Erbium** CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml 500 ml
830080	**Europium** (Eu) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml 500 ml
839070	**Gadolinium** (Gd) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml 500 ml
839110	**Gallium** (Ga) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 2% HNO_3	50 ml 100 ml
839270	**Germanium** (Ge) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 5% HNO_3 1% HF	100 ml
839960	**Gold** (Au) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Diluted Hcl in accordance with NIST	100 ml 500 ml
839980	**Gold** (Au) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl in accordance with NIST	100 ml 500 ml
844020	**Hafnium** (Hf) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ▪ 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
844400	**Holmium** (Ho) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml 500 ml
849350	**Indium** (In) CRISTAR® 1000 ppm Single Element Std. Soln. "Certisol" for ICP in HNO_3	100 ml
850130	**Iron** (Fe) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
850160	**Iron** CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
850070	**Iron** (Fe) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	100 ml 500 ml
850100	**Iron** (Fe) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	100 ml 500 ml
859430	**Lanthanum** (La) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml 500 ml
859660	**Lead** (Pb) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
859690	**Lead** (Pb) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
860950	**Lithium** (Li) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml 500 ml
860980	**Lithium** (Li) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml 500 ml
861470	**Lutetium** (Lu) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml 500 ml
863030	**Magnesium** (Mg) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml 500 ml
863060	**Magnesium** (Mg) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml 500 ml
863670	**Manganese** (Mn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml 500 ml
863690	**Manganese** (Mn)CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml 500 ml
863710	**Manganese** (Mn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl	100 ml 500 ml
863730	**Manganese** (Mn) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl	100 ml 500 ml
864890	**Mercury** (Hg) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
864910	**Mercury** (Hg) CRISTAR® 10000 ppm Single Element Std. Soln for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
866400	**Molybdenum** (Mo) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in1% HNO_3 & 1%.HF	100 ml
868660	**Neodymium** (Nd) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml 500 ml
868900	**Nickel** (Ni) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
868920	**Nickel** (Ni) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
869300	**Niobium** (Nb) CRISTAR® 1000 ppm Single Element Std. Soln for ICP in 5% HNO_3 1% in HF In accordance with NIST	50 ml 100 ml
874150	**Palladium** (Pd) CRISTAR® 1000 ppm Single Element Std. Soln for ICP in Hcl.	100 ml 500 ml
874170	**Palladium** (Pd) CRISTAR® 10000 ppm Single Element Std. Soln for ICP in Hcl.	100 ml 500 ml
875710	**Phosphorous** (P) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H_2O	100 ml 500 ml

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
875730	**Phosphorous** (P) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H_2O	100 ml 500 ml
876220	**Platinum** (Pt) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl	100 ml
876550	**Potassium** (K) CRISTAR® 200 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml 500 ml
876570	**Potassium** (K) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in HNO_3	100 ml 500 ml
876610	**Potassium** (K)CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml 500 ml
876572	**Potassium** (K) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H_2O In accordance with NIST	100 ml 500 ml
876612	**Potassium** (K) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H_2O In accordance with NIST	100 ml 500 ml
883260	**Rhenium** (Re) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml
883330	**Rhodium** (Rh) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml
883520	**Rubidium** (Rb) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml
887300	**Scandium** (Sc) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 2% HNO_3	50 ml 100 ml
888190	**Selenium** (Se) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml
888130	**Selenium** (Se) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml
888740	**Silicon** (Si) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml
888710	**Silicon** (Si) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml
888900	**Silver** (Ag) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml 500 ml
888960	**Silver** (Ag) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml 500 ml
890180	**Sodium** (Na) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H_2O In accordance with NIST	100 ml 500 ml
890150	**Sodium** (Na) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP-MS in H_2O In accordance with NIST	100 ml 500 ml
890120	**Sodium** (Na) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in HNO_3 In accordance with NIST	100 ml 500 ml
890210	**Sodium** (Na) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
894080	**Strontium** (Sr) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
894110	**Strontium** (Sr) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
894020	**Strontium** (Sr) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	100 ml 500 ml
894050	**Strontium** (Sr) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	100 ml 500 ml
894730	**Sulphur** (S) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H_2O In accordance with NIST	100 ml 500 ml
894760	**Sulphur** (S) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H_2O In accordance with NIST	100 ml 500 ml
896010	**Tantalum** (Ta) CRISTAR® 1000 ppm Single Element Std. Soln. in 5% HNO_3, 1% HF In accordance with NIST	50 ml 100 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
896150	**Tellurium** (Te) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
896155	**Tellurium** (Te) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
896210	**Terbium** (Tb) CRISTAR® 1000 ppm Single Element Standard for ICP in HNO_3	100 ml
896190	**Thallium** (TI) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 2% HNO_3 In accordance with NIST	50 ml 100 ml
897520	**Tin** (Sn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl	100 ml 500 ml
897560	**Tin** (Sn) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl	100 ml 500 ml
900180	**Tungsten** (W) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 1% HNO_3, 2% HF In accordance with NIST	50 ml 100 ml
902610	**Vanadium** (V) CRISTAR® 1000 ppm Single Element Standard for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
902630	**Vanadium** (V) CRISTAR® 10000 ppm Single Element Standard for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
905750	**Yttrium** (V) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 2% HNO_3 In accordance with NIST	50 ml 100 ml
907540	**Zinc** (Zn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
907560	**Zinc** CRISTAR® 10000 ppm Single Element Std. Soln.for ICP-MS in In accordance with NIST	100 ml 500 ml
907520	**Zinc** (Zn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	100 ml 500 ml

Product Code	Product Name	Packing
	ICP Multi-Element Standard Solution	
866605	**Multi Element Standard Solution** CRISTAR® for **ICP - 20** **Elements; 10 mg/L each** Ce, Dy,Er, Eu, Ga, Gd, Ho, In, La, Lu, Nd, Pr, Sc, Sm, Tb, Th, Tm, U, Y, Yb in 2% HNO_3 In accordance with NIST	50 ml 100 ml
866705	**Mulit Element Standard Solution** CRISTAR® **for ICP- 32** **Elements; 100 mg/L** **each** Al, Ag, As, B, Ba, Be, Bi, Ca, Cd, Cs, Co,Cr, Fe, In, K, Li, Mg, Mn, Mo, Na, NI, Nb, Pb, Rb, Sb,Se, Sr,Ti, Tl, V, U, Zn, in 5% HNO_3 In accordance with NIST	150 ml 100 ml
866530	**Multi Element Standard Solution** CRISTAR® for **ICP- 3** **Elements; 10 mg/L** **each** P,S, Si, in H_2O In accordance with NIST	50 ml 100 ml
866570	**Multi Element Standard Solution** CRISTAR® for **ICP -10** **Elements; 10 mg/L** each Ag, Al, As, B, Ba, Bi, Ca, Cd, Na, K in 5% HNO_3 In accordance with NIST	50 ml 100 ml
866566	**Multi Element Standard Solution** CRISTAR® **for ICP -9** **Elements; 10 mg/L** each Fe, Pb, Cu, Cr, Co, Mg, Mn, Ni, Mo in 5% HNO_3 In accordance with NIST	50 ml 100 ml
866558	**Multi Element Standard Solution** CRISTAR® for **ICP -8** **Elements; 10 mg/L** **each** V, Zn, Sr, Li, Pb, Fe, Na, K in 5% HNO_3 In accordance with NIST	50 ml 100 ml
866545	**Multi Element Standard Solution** CRISTAR® for **ICP - 6** **Elements; 10 mg/L each** Au, Rh, Pd, Ru, Ir, Pt in 5% Hcl In accordance with NIST	50 ml 100 ml
866579	**Multi Element Standard Solution** CRISTAR® for **ICP -10** **Elements; 100 mg/L** **each** Ag, Al, As, B, Ba, Bi, Ca, Cd, Na, K in 5% HNO_3 In accordance with NIST	50 ml 100 ml
866571	**Multi Element Standard Solution** CRISTAR® for **ICP -9** **Elements; 100 mg/L** **each** Fe, Pb, Cu, Cr, Co, Mg, Mn, Ni, Mo in 5% HNO_3 In accordance with NIST	50 ml 100 ml

Storage : · ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
866561	**Multi Element Standard Solution** CRISTAR® for **ICP -8** **Elements; 100 mg/L** **each** V, Zn, Sr, Li, Pb, Fe, Na, K in 5% HNO_3 In accordance with NIST	50 ml 100 ml
866548	**Multi Element Standard Solution** CRISTAR® for **ICP - 6** **Elements; 100 mg/L** **each** Au, Rh, Pd, Ru, Ir, Pt in 5% HCl In accordance with NIST	50 ml 100 ml
866535	**Multi Element Standard Solution** CRISTAR® for **ICP -4** **Elements; 1000 mg/L** **each** Ca, K, Mg, Na in 2% HNO_3 In accordance with NIST	50 ml 100 ml
866580	**Multi Element Standard Solution** CRISTAR® for **ICP - 15** **Elements; 10 mg/L each** Pt, Pd, Rh, Ir, Au, Ru, Zr, Hf, Ta, W, Ge, Te, Os, Re, Sn in 5% Hcl In accordance with NIST	50 ml 100 ml
866590	**Multi Element Standard Solution** CRISTAR® for **ICP - 18** **Elements; 10 mg/L** each Pt, Pd, Rh, Ir, Au, Ru, Zr, Hf, Ta, W, Ge, Te, W, Ge, Te, Os, Re, Sn, in 5% HCl In accordance with NIST	50 ml 100 ml
866595	**Multi Element Standard Solution** CRISTAR® for **ICP - 18** **Elements; 100 mg/L** "Certisol" each (Ce, Dy, Er, Eu, Gd, Ho, La, Lu, Nd, Pr, Sc, Sm, Tb, Th, Tm, U, Y, Yb) in HNO_3 In accordance with NIST	50 ml 100 ml
867000	**Multi Cation IC Standard Solution** CRISTAR® 6 components (Lithium (Li^+) 10 mg/l; Sodium (Na^+) 20 mg/l; Ammonium (Nh_4^+) 40 mg/l; Calcium (Ca^{2+}) 40 mg/l; Magnesium (Mg^{2+}) 20 mg/l; Potassium (K^+) 20 mg/l in Nitric acid 0.1%)In accordance with NIST	100 ml
867010	**Multi Cation IC Standard Solution** CRISTAR® 6 Components (Lithium (Li^+) 0.5 mg/l; Sodium (Na^+) 2 mg/l; Ammonium (Nh_4^+) 2.5 mg/l; Calcium (Ca^{2+}) 5 mg/l; Magnesium (Mg^{2+}) 2.5 mg/l; Potassium (K^+) 5 mg/l in Nitric acid 0.1%)In accordance with NIST	100 ml
867020	**Multi Anion IC Standard Solution** CRISTAR® 7 Components (1000 mg/l each of Chlorides (Cl^-); Fluorides (F^-); Bromides (Br^-); Nitrites (NO^{2-}); Nitrates (No^{3-}); Phosphates (Po_4^{3-}); Sulphates (SO_4^{2-}) in Water) In accordance with NIST	100 ml
867030	**Multi Anion IC Standard Solution** CRISTAR® 7 Components (F^-) 5mg/l ; Chlorides (Cl^-) 10mg/l ; Nitrites (NO^{2-}) 15mg/l ; Bromides (Br^-) 25mg/l ; Nitrates (NO^{3-}) 25mg/L ; Phosphates (PO_4^{3-}) 40mg/l ; Sulphates (SO_4^{2-}) 30mg/l in Water) In accordance with NIST	100 ml

Product Code	Product Name	Packing
	Conductivity Standard Solution	
818830	**Conductivity Standard 5** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818833	**Conductivity Standard 10** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818836	**Conductivity Standard 15** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818839	**Conductivity Standard 20** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818842	**Conductivity Standard 25** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818845	**Conductivity Standard 29.4** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818848	**Conductivity Standard 50** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818851	**Conductivity Standard 70** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818855	**Conductivity Standard 75** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818858	**Conductivity Standard 84** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818861	**Conductivity Standard 100** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818864	**Conductivity Standard 147** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818867	**Conductivity Standard 185** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818870	**Conductivity Standard 200** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818873	**Conductivity Standard 250** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818876	**Conductivity Standard 300** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818879	**Conductivity Standard 390** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818882	**Conductivity Standard 400** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818885	**Conductivity Standard 500** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818888	**Conductivity Standard 600** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818891	**Conductivity Standard 718** CRISTAR® **Microsiemense** in accordance with NIST	500 ml

Product Code	Product Name	Packing
818894	**Conductivity Standard 1000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818987	**Conductivity Standard 1412** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818900	**Conductivity Standard 1413** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818903	**Conductivity Standard 2000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818906	**Conductivity Standard 2060** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818909	**Conductivity Standard 2500** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818912	**Conductivity Standard 3000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818915	**Conductivity Standard 5000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818918	**Conductivity Standard 7000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818921	**Conductivity Standard 10000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818924	**Conductivity Standard 12880** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818927	**Conductivity Standard 13250** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818930	**Conductivity Standard 13400** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818933	**Conductivity Standard 15000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818936	**Conductivity Standard 20000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818939	**Conductivity Standard 30000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818942	**Conductivity Standard 35000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818945	**Conductivity Standard 40000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818948	**Conductivity Standard 50000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818951	**Conductivity Standard 58700** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818954	**Conductivity Standard 60000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818957	**Conductivity Standard 80000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818960	**Conductivity Standard 84000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818963	**Conductivity Standard 100000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818966	**Conductivity Standard 111800** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818969	**Conductivity Standard 150000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818976	**Conductivity Standard 200000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818979	**Conductivity Standard 300000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
818982	**Conductivity Standard 500000** CRISTAR® **Microsiemense** in accordance with NIST	500 ml
223415 $SnCl_4$ (7646-78-8)	**Stannic Chloride** Anhydrous (Tin (IV) Chloride) Fuming Liquid M.W. : 260.52 Assay 98.5-101.5%	500 ml 2.5 lit
030247 $SnCl_4.5H_2O$ (10026-06-9)	**Stannic Chloride** Pentahydrate M. W.: 350.58 Assay (ex Sn) 97.5%	500 gm
897590	**Stannic Chloride** 1M Solution in Dichloromethane	100 ml 500 ml
030251 SnO_2 (18282-10-5)	**Stannic Oxide** M. W.: 150.69 Assay (by gravimetric) 99.0%	500 gm
647395 SnO_2 (18282-10-5)	**Stannic Oxide AR** M. W.: 150.69 Assay 99.5%	250 gm
030254 $SnCl_2.2H_2O$ (10025-69-1)	**Stannous Chloride** (Tin II Chloride) M. W.: 225.63 Assay (oxidimetric 97.0%	100 gm 250 gm 500 gm 5 kg 25 kg
647435 $SnCl_2.2H_2O$ (10025-69-1)	**Stannous Chloride AR/ACS** Reagent for Amino Acid & Peptide Analysis M. W.: 225.63 Assay 98.0-103.0%	100 gm 250 gm 500 gm 5 kg 25 kg
223745 SnC_2O_4 (814-94-8)	**Stannous Oxalate** Extra Pure M. W.: 206.73 Assay (Tin) 56-58%	100 gm 500 gm
030258 SnO (21651-19-4)	**Stannous Oxide** M. W.: 134.69 Assay (ex stannous, Tin) 90.0%	500 gm
030726 $SnSO_4$ (7488-55-3)	**Stannous Sulphate** (Tin (II) Sulphate) M. W.: 214.75 Assay (oxidimetric, Sn) 50.0%	100 gm 500 gm

Storage : · ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
646435 $SnSO_4$ (7488-55-3)	**Stannous Sulphate AR** M. W.: 214.75 Assay (iodometric) 96.0%	250 gm
893910	**Starch** 0.05% w/v aq.Indicator Solution	100 ml
893890	**Starch** 0.5% w/v aq.Indicator Solution in Saturated Salt Solution APHA Stabilized	100 ml
893893	**Starch** 1 wt. % Aqueous Solution Stabilized	125 ml
030261 $(C_6H_{10}O_5)_n$ (9005-25-8)	**Starch Corn** (Maize) (Insoluble)	500 gm 5 kg
044514 (9005-84-9)	**Starch Hydrolysed** for Biochemistry	100 gm 500 gm
987990 MB $(C_6H_{10}O_5)_n$ (9005-25-8)	**Starch Hydrolysed** For Molecular Biology	100 gm 500 gm
PA1850	**Starch Iodide** Paper (10 Books of 20 Leaves in Box)	200 lvs
030262 (9005-25-8)	**Starch Potato** (Insoluble)	500 gm 5 kg 25 kg
223945 (9005-25-8)	**Starch Rice** (Insoluble)	500 gm
030264 (9005-84-9)	**Starch** Soluble (Ex Potato)	500 gm 25 kg
647625 (9005-84-9)	**Starch** Soluble (Ex Potato) **AR**	500 gm 25 kg
224055 (9005-25-8)	**Starch Wheat** (Insoluble)	500 gm
024319 $C_{18}H_{36}O_2$ (57-11-4)	**Stearic Acid** for Biochemistry M. W.: 284.49 Assay 99.0%	5 gm 25 gm
030267 $C_{18}H_{36}O_2$ (57-11-4)	**Stearic Acid** for Synthesis M. W.: 284.49 Total assay (Palmitic acids stearic acid) ($C_{18}H_{36}O_2$ & $C_{16}H_{32}O_2$) (GC) 90.0%	500 gm 25 kg
TC1384 ATC $C_{18}H_{36}O_2$ (57-11-4)	**Stearic Acid** Cell Culture Tested M. W.: 284.48 Assay : ≥99% Store below 30°C	1 gm 5 gm 10 gm 25 gm
030268 $(C_{17}H_{35}.CO)_2O$ (638-08-4)	**Stearic Anhydride** M. W.: 550.95 Assay (ex anhydride) 97.0%	5 gm
	Stearyl Alcohol See 1-Octadecanol	
224245 $C_{27}H_{50}NCl.H_2O$ (122-19-0)	**Stearylkonium Chloride** (Dimethylstearylbenzylammonium Chloride) M. W.: 442.00 Assay (ex ci) 98.0%	25 gm 100 gm

Product Code	Product Name	Packing
893940	**Steril** Solution	1 lit 5 lit
224415 $C_{29}H_{48}O$ (83-48-7)	▲**Stigmasterol** for Biochemistry (3-β-Hydroxy-24-Ethyl-5,22-Cholestadiene) M. W.: 412.70	1 gm 5 gm
PCT2525 PTC $C_{29}H_{48}O$ (83-48-7)	▲**Stigmasterol** Plant Culture Tested M. W.: 412.69 Assay 95%	1 gm 5 gm 25 gm
893975	**Stoke**'s Reagent (As reducing agent-blood examination)	100 ml
224495	**Stopcock Grease** (Lab)	250 gm 1 kg
987050 MB (9013-20-1)	▲**Streptavidin** For Molecular Biology Activity (Fibrinogen) :~14 Units/mg Protein	5 mg
024360 $C_{21}H_{39}N_7O_{12}.1.5H_2SO_4$ (3810-74-0)	▲**Streptomycin Sulphate** for Lab Use M. W.: 728.69 Assay (dried) 95.0%	5 gm 25 gm
PCT2120 PTC $C_{21}H_{39}N_7O_{12}.1.5H_2SO_4$ (3810-74-0)	▲**Streptomycin Sulphate** Plant Culture Tested M. W.: 728.69 Potency 650-850 µg/mg	5 gm 25 gm 100 gm
TC1035 ATC $C_{21}H_{39}N_7O_{12}.1.5H_2SO_4$ (3810-74-0)	▲**Streptomycin Sulphate** Cell Culture Tested Recommended for use in cell culture application at 100 mg/L M. W.: 728.69 Potency : ≥730 Units/mg	5 gm 25 gm
224625 $C_8H_{15}N_3O_7$ (18883-66-4)	▲**Streptozotocin** for Biochemistry M. W.: 265.22 Assay (HPLC) 98.0%	100 mg 1 gm
TC1418 ATC $C_8H_{15}N_3O_7$ (18883-66-4)	**Streptozotocin** N-(methyl nitroso carbamoyl)-α-D-Glucosamine Cell Culture Tested M. W.: 265.22 Assay: ≥98% Store at -20°C	100 mg 1 gm
893990	**Strontium** (Sr) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	100 ml 250 ml 500 ml
893992	**Strontium** (Sr) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	100 ml 250 ml 500 ml
894080	**Strontium** (Sr) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	100 ml 500 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
894110	**Strontium** (Sr) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	**100 ml** **500 ml**
894020	**Strontium** (Sr) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	**100 ml** **500 ml**
894050	**Strontium** (Sr) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	**100 ml** **500 ml**
224815 Sr (7440-24-6)	**Strontium** (Metal) INGOT M. W.: 87.62 Assay (trace metal basis) 99.9%	**5 gm** **25 gm**
224835 $(CH_3CO_2)_2Sr$ (543-94-2)	**Strontium Acetate** M. W.: 205.71	**500 gm**
224855 (71786-49-7)	**Strontium Borate**	**500 gm**
224875 $SrBr_2$ (10476-81-0)	**Strontium Bromide** M. W.: 247.43	**500 gm**
648115 $SrBr_2$ (10476-81-0)	**Strontium Bromide AR** M. W.: 247.43	**500 gm**
030275 $SrCO_3$ (1633-05-2)	**Strontium Carbonate** M. W.: 147.63 Assay (acidimetric) 99.0%	**250 gm** **500 gm** **25 kg**
030276 $SrCl_2.6H_2O$ (10025-70-4)	**Strontium Chloride** Purified M. W.: 266.62 Assay (Complexometric) 98.0-101.0%	**500 gm** **50 kg**
648155 $SrCl_2.6H_2O$ (10025-70-4)	**Strontium Chloride AR/ACS** M. W.: 266.62	**500 gm**
225025 $SrCrO_4$ (7789-06-2)	**Strontium Chromate** M.W. : 203.61	**500 gm**
225045 SrF_2 (7783-48-4)	**Strontium Fluoride** for Synthesis M. W.: 125.62	**500 gm**
225065 $Sr(OH)_2.8H_2O$ (1311-10-0)	**Strontium Hydroxide** Octahydrate Extra Pure M. W.: 265.76	**500 gm**
030282 $Sr(NO_3)_2$ (10042-76-9)	**Strontium Nitrate** Anhydrous Purified M. W.: 211.63 Assay (complexometric) 99.0%	**500 gm** **50 kg**
648245 $Sr(NO_3)_2$ (10042-76-9)	**Strontium Nitrate AR/ACS** M. W.: 211.63 Assay (Complexometric) 99.0%	**500 gm**
225085 SrC_2O_4 (814-95-9)	**Strontium Oxalate** Extra Pure M. W.: 175.64	**500 gm**

Product Code	Product Name	Packing
225125 ⁂ $Sr_3(PO_4)_2$ (7446-28-8)	**Strontium Phosphate** M. W.: 452.80	**500 gm**
024342 $SrSO_4$ (7759-02-6)	**Strontium Sulphate** Pure M. W.: 183.68 Assay 98.0%	**500 gm**
225135 SrS (1314-96-1)	**Strontium Sulphide** M. W.: 119.69	**500 gm**
225335 $C_{10}H_{12}O_2$ (93-92-5)	**Styrallyl Acetate** for Synthesis M. W.: 164.20	**500 gm**
225435 (8046-19-3)	**Styrax** for Synthesis (Gum Storax)	**500 gm**
225585 C_8H_8 (100-42-5)	**Styrene** for Synthesis (Monomer-Stabilised) M. W.: 104.15 Assay 98.0%	**500 ml**
648955 $C_8H_{14}O_4$ (505-48-6)	**Suberic Acid AR** M. W.: 174.19 Assay 98.0%	**100 gm** **500 gm**
030295 $C_4H_6O_4$ (110-15-6)	**Succinic Acid** Cryst. Pure M. W.: 118.09 Assay (acidimetric) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
649045 $C_4H_6O_4$ (110-15-6)	**Succinic Acid AR** M. W.: 118.09 Assay(acidimetric) 99.5%	**100 gm** **500 gm** **25 kg** **50 kg**
PCT1504 PTC $C_4H_6O_4$ (110-15-6)	**Succinic Acid** Plant Culture Tested M. W.: 118.09 Assay 99% Store below 30°C	**100 gm** **500 gm**
TC1047 ATC $C_4H_6O_4$ (110-15-6)	**Succinic Acid, Free Acid** Cell Culture Tested M. W.: 118.09 Assay : ≥99% Store below 30°C	**100 gm** **500 gm**
	Succinic Acid 2,2-**Dimethyl Hydrazide** See Alar (B-9)	
030296 $C_4H_4O_3$ (108-30-5)	**Succinic Anhydride** for Synthesis M. W.: 100.07 Assay (acidimetric) 99.0%	**100 gm** **500 gm** **25 kg** **50 kg**
030297 $C_4H_5NO_2$ (123-56-8)	**Succinimide** (Butanimide) M. W.: 99.09 Assay (acidimetric) 98.5%	**100 gm** **500 gm** **25 kg**
030299 $C_{12}H_{22}O_{11}$ (57-50-1)	**Sucrose** (Saccharose) M. W.: 342.30	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**

Storage : ❄ 0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
645105 $C_{12}H_{22}O_{11}$ (57-50-1)	**Sucrose AR/ACS** M. W.: 342.30 Assay 99.5%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
987380 MB $C_{12}H_{22}O_{11}$ (57-50-1)	**Sucrose** For Molecular Biology M. W.: 342.30 Assay 99.5%	**500 gm** **1 kg** **5 kg** **25 kg**
PCT1607 PTC $C_{12}H_{22}O_{11}$ (57-50-1)	**Sucrose** Plant Culture Tested M. W.: 342.3 Assay 99% Store below 30°C	**500 gm** **1 kg** **5 kg** **25 kg**
TC1048 ATC $C_{12}H_{22}O_{11}$ (57-50-1)	**Sucrose** Source : Sugarcane Cell Culture Tested M. W.: 342.30 Store below 30°C	**500 gm** **1 kg** **5 kg**
TC1048M ATC $C_{12}H_{22}O_{11}$ (57-50-1)	**Sucrose** D-(+)-Saccharose, Sugar Meets USP 41-NF 36, EP 9.0, JP 17 BP 2016 testing specifications M. W.: 342.30 Store below 30°C	**500 gm** **1 kg** **5 kg**
TC1648 ATC $C_{12}H_{22}O_{11}$ (57-50-1)	**Sucrose** Source : Beetroot Cell Culture Tested M. W.: 342.30 Store below 30°C	**500 gm** **1 kg** **5 kg**
024304 $C_{16}H_{12}N_2O$ (842-07-9)	**Sudan** I C.I. 12055 M. W.: 248.29 Dye content (titanometry) Abt. 97.0%	**25 gm** **100 gm**
034069 $C_{22}H_{16}N_4O$ (85-86-9)	**Sudan** III for Microscopy C.I. No. 26100 M. W.: 352.4 Dye content (titanometry) Not less than 75.0%	**10 gm** **25 gm** **100 gm**
894290	**Sudan** III Solution	**125 ml**
034070 $C_{24}H_{20}N_4O$ (85-83-6)	**Sudan** IV for Microscopy C.I. No. 26105 M. W.: 380.45 Dye content (titanometry) About 80.0%	**10 gm** **25 gm** **100 gm**
894350	**Sudan** IV Solution	**125 ml** **500 ml**
894355	**Sudan** IV Staining Solution (Fat Stain)	**100 ml**
034071 $C_{29}H_{24}N_6$ (4197-25-5)	**Sudan Black** B for Microscopy C.I. No. 26150 M. W.: 456.55 Dye content (Acidimetry) 60.0%	**10 gm** **25 gm** **100 gm**
987420 MB $C_{29}H_{24}N_6$ (4197-25-5)	**Sudan Black B** For Molecular Biology C. I. No. : 26150 M. W. : 456.54 Store Below 30°C	**25 gm**
894375	**Sudan Black** (Alcoholic) Solution	**100 ml**
894377	**Sudan Black** (P.G.) Solution	**100 ml**
034074 (4197-25-5)	**Sudan Yellow** C. I. No. : 12055	**25 gm**
024310 $C_8H_9N_2NaO_3S.H_2O$ (6209-17-2)	**Sulphacetamide Sodium** for Lab Use M. W.: 254.24 Assay (Calculated on anhy. basis) 99.0%	**5 gm** **25 gm** **100 gm**
024313 $C_{10}H_{10}N_4O_2S$ (68-35-9)	**Sulphadiazine** for Lab Use M. W.: 250.28	**25 gm**
024309 $C_{12}H_{14}N_4O_2S$ (57-68-1)	**Sulphamethazine** Plain for Lab Use M. W.: 278.33 Assay (HPLC) 99.0%	**25 gm** **100 gm**
024318 $C_{10}H_{11}N_3O_3S$ (723-46-6)	▲**Sulphamethoxazole** for Lab Use M. W.: 253.28	**10 gm** **100 gm**
PCT2135 PTC $C_{10}H_{11}N_3O_3S$ (723-46-6)	▲**Sulphamethoxazole** Plant Culture Tested M. W.: 253.28 Assay 98%	**5 gm** **25 gm** **50 gm**
030307 NH_2SO_3H (5329-14-6)	**Sulphamic Acid** (Amido Sulphonic Acid) M. W.: 97.09 Assay (acidimetric on dired subs.) 99.0%	**500 gm** **5 kg** **50 kg**
649665 NH_2SO_3H (5329-14-6)	**Sulphamic Acid AR** (Amido Sulphonic Acid) M. W.: 97.09 Assay (acidimetric on dried subs.) 99.3-100.3%	**100 gm** **500 gm** **25 kg**
225760 $C_6H_8N_2O_2S$ (63-74-1)	**Sulphanilamide** M. W.: 172.20 Assay (HPLC) 98.0%	**500 gm** **25 kg**
649225 $C_6H_8N_2O_2S$ (63-74-1)	**Sulphanilamide AR** M. W.: 172.20 Assay (HPLC) 99.0%	**100 gm** **500 gm** **25 kg**
030309 $C_6H_7NO_3S$ (121-57-3)	**Sulphanilic Acid** for Synthesis M. W.: 173.19 Assay (acidimetric) 98.5%	**100 gm** **500 gm**
649265 $C_6H_7NO_3S$ (121-57-3)	**Sulphanilic Acid AR/ACS** Sensitivity to Nitrate 1:100,000,000 Parts M. W.: 173.19 Assay (Acidimetric) 99.0%	**100 gm** **500 gm**
894490	**Sulphanilic** Acid Solution 0.8%	**100 ml**
894495	**Sulphanilic Acid** TS acc. to USP	**500 ml**
894520	**Sulphate** Standard Solution 1000 mg/l	**100 ml**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄ 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
225795 $C_4H_8O_2S$ (126-33-0)	**Sulpholane** for Synthesis (Tetramethylene Sulfone) M. W.: 120.17 Assay 98.0%	**500 ml** **2.5 lit**
649675 $C_4H_8O_2S$ (126-33-0)	**Sulpholane AR** M. W.: 120.17 Assay 99.0%	**500 ml** **2.5 lit**
894594	**Sulphomolybdic** Acid TS acc. to USP	**500 ml**
894590	**Sulphomolybdic** Acid Solution (Reagent for Glucosides)	**100 ml**
030314 $C_7H_6O_6S.2H_2O$ (5965-83-3)	5-**Sulphosalicylic Acid** M. W.: 254.21 Assay (acid-base titrimetric) 99.0-101.0%	**100 gm** **500 gm** **25 kg**
649765 $C_7H_6O_6S.2H_2O$ (5965-83-3)	5-**Sulphosalicylic Acid AR** Suitable for detection of Protein in Urine M. W.: 254.21 Assay(acidimetric) 99.5%	**250 gm** **500 gm**
894610	5-**Sulpho Salicylic Acid** 3% Solution	**125 ml**
894640	5-**Sulpho Salicylic Acid** 10% Solution	**125 ml**
894670	5-**Sulphosalicylic Acid** 20% Solution	**125 ml** **250 ml**
894700	5-**Sulphosalicyclic Acid** 30% Soln. for Biochemistry	**250 ml**
894715	**Sulphosalicylic** Acid Solution (Reagent for Fe-green blue to pale yellow)	**100 ml**
894730	**Sulphur** (S) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H_2O in accordance with NIST	**100 ml** **500 ml**
894760	**Sulphur** (S) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H_2O in accordance with NIST	**100 ml** **500 ml**
226005 S (7704-34-9)	**Sulphur** Powder Extra Pure M. W.: 32.06 Assay 98.0%	**500 gm** **25 kg** **50 kg**
649965 S (7704-34-9)	**Sulphur** Powder **AR** M. W.: 32.06 Assay 99.0%	**500 gm**
	Sulphur Dioxide Aqueous Solution See Sulphurous Acid 5-6%	
226125 S_2Cl_2 (10025-67-9)	**Sulphur Monochloride** for Synthesis M. W.: 135.04 Assay 98.0%	**500 ml** **25 lit**
894850	**Sulphuric Acid** N/1	**500 ml**
894880	**Sulphuric Acid** N/50 (0.02N)	**500 ml** **2.5 lit**
894890	**Sulphuric Acid** 2N/3	**500 ml**
894895	**Sulphuric Acid** 10%	**500 ml**

Product Code	Product Name	Packing
894900	**Sulphuric Acid** 20% v/v Assay About 19.9-20.1% v/v	**500 ml**
894910	**Sulphuric Acid** 25% v/v Assay about 24.9-25.1% v/v	**500 ml**
894913 H_2SO_4 (7664-93-9)	**Sulphuric Acid** 25% **AR** for Analysis M.W. 98.08 Assay about 25%	**500 ml** **2.5 lit**
894920	**Sulphuric Acid** 40% for Determination of Gas Metabolism According to Knipping	**500 ml** **1 lit** **2.5 lit**
894930	**Sulphuric Acid** 90-91% for Gerber Fat Determination and Determination of Nitrates in Milk	**500 ml** **2.5 lit**
894950	**Sulphuric Acid** 0.005 M (0.01N) for 1000 ml Solution	**1 Amp** **6 Amp**
894955	**Sulphuric Acid** CPECTROSOL® 0.005M (0.01N) for 1000 ml In accordance with NIST	**1 lit**
894960	**Sulphuric Acid** 0.05M (0.1N) N/10 Standardized Solution	**500 ml** **1 lit** **2.5 lit**
894965	**Sulphuric Acid** CPECTROSOL® 0.05M (0.1N) Standardized Solution In accordance with NIST	**1 lit**
894970	**Sulphuric Acid** 0.1M (0.2N) Standardized Solution	**500 ml** **1 lit** **2.5 lit**
895000	**Sulphuric Acid** CPECTROSOL® 0.1M (0.2N) Standardized Solution In accordance with NIST	**1 lit**
895090	**Sulphuric Acid** 0.1N Solution 0.05 mol/lit Citrisol	**1 Amp** **3 Amp** **6 Amp**
895120	**Sulphuric Acid** CPECTROSOL® 0.25M (0.5N) Standardized Solution In accordance with NIST	**1 lit**
895130	**Sulphuric Acid** 0.25M (0.5N) Solution	**500 ml** **1 lit** **2.5 lit**
895140	**Sulphuric Acid** 0.5M (1N) Standardized Solution	**500 ml** **1 lit** **2.5 lit**
895150	**Sulphuric Acid** CPECTROSOL® 0.5M (1N) Standardized Solution In accordance with NIST	**1 lit**
895153	**Sulphuric** Acid 0.5 mol/L (N/1) (1N) For 500 ml Solution	**1 Amp** **3 Amp** **6 Amp**
895152	**Sulphuric** Acid Solution 1N acc. to USP	**500 ml**

Storage : ❄ 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
895155	**Sulphuric Acid** 1M (2N) Standardized Solution	500 ml 1 lit 2.5 lit
895160	**Sulphuric Acid** CPECTROSOL® 1M (2N) Standardized Solution In accordance with NIST	1 lit
895170	**Sulphuric Acid** 2.5M (5N) Solution	500 ml 1 lit 2.5 lit
895260	**Sulphuric Acid** CPECTROSOL® 2.5M (5N) Standardized Solution In accordance with NIST	1 lit
895265	**Sulphuric Acid** 5M (10N) Standardized Solution	500 ml 1 lit 2.5 lit
895275	**Sulphuric Acid** CPECTROSOL® 5M (10N) Standardized Solution In accordance with NIST	1 lit
226325 H_2SO_4 (7664-93-9)	**Sulphuric Acid** (SP.GR 1.835) M. W.: 98.08 Assay ABT 98% (Order must be placed for 8x500 ml pack in a thermocole boxes) (Order must be placed for 4x2.5 lit ml pack in a thermocole boxes) (Order must be placed for 4x5 lit ml pack in boxes)	500 ml 2.5 lit 5 lit
650055 H_2SO_4 (7664-93-9)	**Sulphuric Acid AR** (SP.GR 1.84) M. W.: 98.08 Assay ABT 98% (Order must be placed for 8x500 ml pack in a thermocole boxes) (Order must be placed for 4x2.5 lit ml pack in a thermocole boxes) (Order must be placed for 4x5 lit ml pack in boxes)	500 ml 2.5 lit
773530 H_2SO_4 (7664-93-9)	**Sulphuric Acid** Acipur for Trace Metal Analysis M.W : 98.08 Assay 96.0%	500 ml 1 lit 2.5 lit
773520 H_2SO_4 (7664-93-9)	**Sulphuric Acid** EL (SP.GR. 1.84) For Use in VLSI/ULSI M. W.: 98.08 Assay ABT 98%	2.5 lit
895440 H_2SO_3 (7782-99-2)	**Sulphurous Acid** Solution 5-6% **AR** (Sulphur dioxide) M. W.: 64.06 Assay (SO_2) 5.0-6.0% w/v	500 ml 2.5 lit
226445 SO_2Cl_2 (7791-25-5)	**Sulphuryl Chloride** for Synthesis M. W.: 134.97	500 ml
	Sunset Yellow See Yellowish orange S	
TC1693 ATC (9054-89-1)	**Superoxide Dismutase (SOD)** Cell Culture Tested M. W.: 32.5 kDa Activity : NLT 1000U/mg Store at -20°C	15 ku
895470	**Susa Fixative**	50 ml
226715 $[HOC_6H_2(OCH_3)_2CH=N-]_2$ (14414-32-5)	**Syringaldazine** (4-Hydroxy-3,5-Dimethoxy-Benzaldehyde Azine) M. W.: 360.36	1 gm 5 gm
226855 $HOC_6H_2(OCH_3)_2CHO$ (134-96-3)	**Syringaldehyde** for Synthesis (4-Hydroxy-3,5-Dimethoxy-Benzaldehyde) M. W.: 182.17	5 gm 25 gm 100 gm
226885 $HOC_6H_2(OCH_3)_2CO_2H$ (530-57-4)	**Syringic Acid** for Synthesis (4-Hydroxy-3,5-Dimethoxy-Benzoic Acid) M. W.: 198.17	25 gm

SPECIALLY DRIED SOLVENTS

These solvents are processed & distilled with drying agents to obtain a minimum possible moisture content and are most suitable for Moisture Sensitive Reactions.

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ▪ 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
033122 (14807-96-6)	**Talcum** Powder Pract	**500 gm** **5 kg** **25 kg** **50 kg**
236885 $C_{76}H_{52}O_{46}$ (1401-55-4)	**Tannic Acid** Powder Pure M. W.: 1701.23	**100 gm** **250 gm** **500 gm**
655565 $C_{76}H_{52}O_{46}$ (1401-55-4)	**Tannic Acid AR** M. W.: 1701.23	**100 gm** **250 gm** **500 gm**
PCT2549 PTC $C_{76}H_{52}O_{46}$ (1401-55-4)	**Tannic acid** Plant Culture Tested M. W.: 1701.2 Store below 30°C	**100 gm** **250 gm** **500 gm**
896000	**Tannic Acid** Solution (Reagent for Albumin & Gelatin)	**100 ml**
896010	**Tantalum** (Ta) CPRCTROSOL® 1000 ppm Single Element Std. Soln. in 5% HNO_3,1% HF In accordance with NIST	**50 ml** **100 ml**
237055 Ta (7440-25-7)	**Tantalum** Sheet 0.1mm Thick (40mm X 100mm) M. W.: 180.95 Assay 99.9%	**1 pc**
237075 Ta (7440-25-7)	**Tantalum** Sheet 0.1mm Thick (40mm X 50mm) M. W.: 180.95 Assay 99.9%	**1 pc**
N73107 Ta (7440-25-7)	**Tantalum Nanoparticles/** **Nanopowder** (60-80nm) M. W.: 180.95 Assay 99.7%	**1 gm** **5 gm** **25 gm**
655655 Ta_2O_5 (1314-61-0)	**Tantalum** (V) **Oxide AR** (Tantalum penta oxide) M. W.: 441.89 Assay (Base on trance metal) 99.5%	**5 gm** **10 gm** **50 gm**
044158 $C_7H_{17}NO_6S$ (29915-38-6)	**TAPS** Buffer M. W.: 243.28 Assay (Acidimetric) 99.0%	**25 gm** **100 gm**
TC1271 ATC $C_7H_{17}NO_6S$ (29915-38-6)	**TAPS** Buffer Cell Culture Tested M. W.: 243.28 Assay : ≥99.5% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
044575 $C_7H_{17}NO_7S$ (68399-81-5)	**TAPSO** Buffer M.W.: 259.28 Assay 99.0%	**100 gm**
TC1272 ATC $C_7H_{17}NO_7S$ (68399-81-5)	**TAPSO** Buffer Cell Culture Tested M. W.: 259.28 Assay : ≥99% Store below 30°C	**25 gm** **100 gm** **500 gm**
024273 $C_4H_6O_6$ (147-71-7)	D (-) **Tartaric Acid** M. W.: 150.09 Assay (acidimetric) 99.0%	**100 gm** **250 gm**
237435 $C_4H_6O_6$ (133-37-9)	DL-**Tartaric Acid** (This is not D-Tartaric Acid) M. W.: 150.09 Assay (acidimetric) 99.0%	**500 gm** **25 kg** **50 kg**
030713 $C_4H_6O_6$ (87-69-4)	L (+) **Tartaric Acid** Cryst.Pure (Dextro-Rotatory (+) Tartaric Acid) M. W.: 150.09 Assay (acidimetric) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
655745 $C_4H_6O_6$ (87-69-4)	L (+) **Tartaric Acid AR** (Dextro-Rotatory (+) Tartaric Acid) M. W.: 150.09 Assay (on dried subs. acidimetric) 99.5-100.5%	**500 gm** **5 kg** **25 kg** **50 kg**
034150 $C_{16}H_9N_4Na_3O_9S_2$ (1934-21-0)	**Tartrazine** for Microscopy C.I. No. 19140 M. W.: 534.37 Dye content (dried, titanometric) 85.0%	**25 gm** **100 gm** **1 kg**
037149 $C_2H_7NO_3S$ (107-35-7)	**Taurine** for Synthesis M. W.: 125.15 Assay (T; acidimetry) 98.0%	**100 gm**
TC1028 ATC $C_2H_7NO_3S$ (107-35-7)	**Taurine** (From non-animal source) Cell Culture Tested M. W.: 125.15 Assay : ≥99% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
	Tauroglycocholic Acid Sodium Salt See Bile Salt For Bacteriology	
655945 $C_{11}H_{16}N_5O.BF_4$ (125700-67-6)	**▲TBTU (O-(1H-Benzotriazol-1-YI)-** **N,N,N',N'-Teramethyluroniumtetra** **Fluoroborate) AR** M. W.: 321.08	**5 gm** **25 gm** **100 gm**
655985 H_6TeO_6 (7803-68-1)	**Telluric Acid AR** M. W.: 229.64 Assay 99.0%	**25 gm**
896100	**Tellurium** (Te) CPECTROSOL® Contains 1000 mg/lit Atomic . Absorption Std. Soln AAS in HNO_3 In accordance with NIST	**100 ml** **500 ml**
896130	**Tellurium** (Te) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	**100 ml** **500 ml**
896150	**Tellurium** (Te) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	**100 ml** **500 ml**
896155	**Tellurium** (Te) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	**100 ml** **500 ml**
030347 Te (13494-80-9)	**Tellurium** (Metal) powder At. W.: 127.60 Assay (Iodometry) 99.0%	**100 gm**

Storage : · ❄0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
	TEMED See N,N,N,N Tetramethyl Ethylenediamine	
656125 $C_9H_{18}NO$ (2564-83-2)	▲**Tempo** (Free Radical) **AR** M. W.: 156.25 Assay 98.0%	**1 gm** **5 gm** **25 gm**
896200	**Terbium** (Tb) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **500 ml**
896210	**Terbium** (Tb) CRISTAR® 1000 ppm Single Element Standard for ICP in HNO_3	**100 ml**
RE2850 Tb (7440-27-9)	**Terbium** Metal **Ingot** M. W. : 158.93 Assay (Trace metal basis) 99.99%	**2 gm** **10 gm**
RE2855 Tb (7440-27-9)	**Terbium** Metal **Lump** M. W. : 158.93 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE2860 Tb (7440-27-9)	**Terbium** Metal **Powder** 325 mesh M. W. : 158.93 Assay (Trace metal basis) 99.9%	**1 gm** **5 gm**
RE2900 $Tb(CH_3CO_2)_3.xH_2O$ (100587-92-6)	**Terbium Acetate** M. W.: 336.06 (Anhy.) Assay (Trace metal basis) 99.9%	**10 gm** **50 gm**
RE2905 $Tb(CH_3CO_2)_3.xH_2O$ (100587-92-6)	**Terbium Acetate** M. W.: 336.06 (Anhy.) Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE2910 $Tb(CH_3CO_2)_3.xH_2O$ (100587-92-6)	**Terbium Acetate** M. W.: 336.06 (Anhy.) Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE2925 $Tb_2(CO_3)_3.xH_2O$ (100587-96-0)	**Terbium Carbonate** M. W.: 497.88 (Anhy.) Assay (Trace metal basis) 99.9%	**10 gm** **50 gm**
RE2930 $Tb_2(CO_3)_3.xH_2O$ (100587-96-0)	**Terbium Carbonate** M. W.: 497.88 (Anhy.) Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE2935 $Tb_2(CO_3)_3.xH_2O$ (100587-96-0)	**Terbium Carbonate** M. W.: 497.88 (Anhy.) Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE2950 $TbCl_3.6H_2O$ (13798-24-8)	**Terbium Chloride** M. W.: 373.38 Assay (Trace metal basis) 99.9%	**10 gm** **50 gm**
RE2955 $TbCl_3.6H_2O$ (13798-24-8)	**Terbium Chloride** M. W.: 373.38 Assay (Trace metal basis) 99.99%	**10 gm** **50 gm**
RE2960 $TbCl_3.6H_2O$ (13798-24-8)	**Terbium Chloride** M. W.: 373.38 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE2975 $Tb(NO_3)_3.5H_2O$ (57584-27-7)	**Terbium Nitrate** M. W.: 435.02 Assay (Trace metal basis) 99.9%	**5 gm** **25 gm** **100 gm**
RE2980 $Tb(NO_3)_3.5H_2O$ (57584-27-7)	**Terbium Nitrate** M. W.: 435.02 Assay (Trace metal basis) 99.99%	**10 gm** **50 gm**

Product Code	Product Name	Packing
RE2985 $Tb(NO_3)_3.5H_2O$ (57584-27-7)	**Terbium Nitrate** M. W.: 435.02 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE3000 Tb_4O_7 (12037-01-3)	**Terbium Oxide** M. W.: 747.69 Assay (Trace metal basis) 99.9%	**1 gm** **5 gm** **10 gm** **50 gm** **250 gm** **1 kg**
RE3005 Tb_4O_7 (12037-01-3)	**Terbium Oxide** M. W.: 747.69 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm** **250 gm**
RE3010 Tb_4O_7 (12037-01-3)	**Terbium Oxide** M. W.: 747.69 Assay (Trace metal basis) 99.999%	**1 gm** **5 gm** **25 gm** **250 gm**
RE3025 $Tb_2(SO_4)_3.8H_2O$ (13842-67-6)	**Terbium Sulphate** M. W.: 750.16 Assay (Trace metal basis) 99.9%	**5 gm** **50 gm**
RE3030 $Tb_2(SO_4)_3.8H_2O$ (13842-67-6)	**Terbium Sulphate** M. W.: 750.16 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE3035 $Tb_2(SO_4)_3.8H_2O$ (13842-67-6)	**Terbium Sulphate** M. W.: 750.16 Assay (Trace metal basis) 99.999%	**10 gm** **50 gm**
237525 $C_8H_6O_2$ (623-27-8)	**Terephthalaldehyde** for Synthesis M. W.: 134.13 Assay 97.5%	**100 gm** **500 gm**
237635 $C_{18}H_{14}$ (92-94-4)	p-**Terphenyl** for Synthesis M. W.: 230.30	**25 gm** **100 gm**
030351 $C_8H_6O_4$ (100-21-0)	**Terephthalic Acid** for Synthesis M. W.: 166.14 Assay (acidimetric) 98.0%	**500 gm**
D98568 $C_8H_2D_4O_4$ (60088-54-2)	**Terephthalic-d_4-Acid** M.W.: 170.16 (for NMR Spectroscopy) Assay Min. 99.0 atom%D	**1 gm** **5 gm**
237805 $C_8H_4Cl_2O_2$ (100-20-9)	**Terphthaloyl Chloride** for Synthesis M. W.: 203.02 Assay 99.0%	**100 gm** **500 gm**
024274 $C_{10}H_{18}O$ (8006-39-1)	**Terpineol** (Mixture of isomers) M. W.: 154.25 Assay (mix isomers) 98.0%	**500 ml** **2.5 lit**
237975 $C_{12}H_{20}O_2$ (80-26-2)	**Terpinyl Acetate** for Synthesis M. W.: 196.29 Assay 95.0%	**500 gm**
	Tert-Butanol See tert-Butanol	
044130 $C_6H_{15}NO_6S$ (7365-44-8)	**TES** Buffer M. W.: 229.25 Assay (Acidimetric) 99.0%	**25 gm** **100 gm**
987560 MB $C_6H_{15}NO_6S$ (7365-44-8)	**TES** Buffer (See : N-[Tris(Hydroxymethyl)Methyl]-2-Aminoethanesulphonic Acid) For Molecular Biology M. W. : 229.25 Assay : ≥ 99% Store Below 30°C	**100 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
TC1273 ATC $C_6H_{15}NO_6S$ (7365-44-8)	**TES** Buffer Cell Culture Tested M. W.: 229.25 Assay : ≥99% Store below 30°C	**25 gm** **100 gm**
238045 $C_{19}H_{28}O_2$ (58-22-0)	**Testosterone** for Lab use M. W.: 288.42	**5 gm** **25 gm**
238135 (57-85-2)	**Testosterone Propionate**	**5 gm** **25 gm**
030355 ✲ $C_2H_2Br_4$ (79-27-6)	1,1,2,2-**Tetra Bromo Ethane** for Microscopy M. W.: 345.67 Assay (GC) 98.5%	**250 gm** **500 gm**
238270 $C_{16}H_{40}BN$ (33725-74-5)	**Tetrabutylammonium Borohydride** for Synthesis M.W. 257.31 Assay 98.0%	**5 gm** **25 gm**
024283 $C_{16}H_{36}NBr$ (1643-19-2)	**Tetra Butyl Ammonium Bromide** M. W.: 322.37 Assay (argentometric) 99.0%	**500 gm** **25 kg**
656955 $C_{16}H_{36}NBr$ (1643-19-2)	**Tetrabutyl Ammonium Bromide AR** M. W.: 322.37	**100 gm** **500 gm**
773700 $C_{16}H_{36}NBr$ (1643-19-2)	**Tetrabutyl Ammonium Bromide** HPLC Phase Transfer Catalyst Suitable for HPLC M. W.: 322.37	**100 gm**
238285 $[CH_3(CH_2)_3]_4NCl$ (1112-67-0)	**Tetrabutyl Ammonium Chloride** for Synthesis M. W.: 277.92 Assay 99.0%	**250 gm** **500 gm**
773750 $C_{16}H_{36}NH_2O_4P$ (5574-97-0)	▲**Tetrabutyl Ammonium Dihydrogen Phosphate AR/ HPLC** M. W.: 339.45 Assay 99.0%	**5 gm** **25 gm**
024282 $C_{16}H_{37}NO_4S$ (32503-27-8)	**Tetra Butyl Ammonium Hydrogen Sulphate** for Synthesis M. W.: 339.54 Assay (acidimetric) 98.0%	**100 gm** **500 gm** **25 kg**
773800 $C_{16}H_{37}NO_4S$ (32503-27-8)	**Tetrabutyl Ammonium Hydrogen Sulphate** HPLC M. W.: 339.53	**100 gm**
890290	**Tetra**-N-**Butyl Ammonium Hydroxide** 0.1N aq. Solution **AR**	**500 ml**
896310	**Tetra**-N-**Butyl Ammonium Hydroxide** 0.1N In Isopropanol **AR**	**500 ml**
896330	**Tetra**-N-**Butyl Ammonium Hydroxide** 0.1N in methanol **AR** (For Non-Aqueous Titration)	**500 ml**
896340 (2052-49-5)	**Tetrabutyl Ammonium Hydroxide** 1M solution in Methanol	**100 ml** **500 ml**

Product Code	Product Name	Packing
896350	**Tetra**-N-**Butyl Ammonium Hydroxide** 1m in Water	**100 ml**
896370	**Tetra**-N-**Butyl Ammonium Hydroxide** 10% aqueous Solution Assay (acidimetric) 9.9-10.1%	**100 ml**
896390	**Tetra**-N-**Butyl Ammonium Hydroxide** 10% in Methanol Assay About 10.0%	**100 ml**
896400 (2052-49-5)	**Tetrabutyl Ammonium Hydroxide** 12.5% In Methanol	**100 ml** **500 ml**
896450	**Tetra**-N-**Butyl Ammonium Hydroxide** 20% aq. Solution Assay About 20.0%	**100 ml** **500 ml**
896470	**Tetra**-N-**Butyl Ammonium Hydroxide** 20% Solution in Methanol Assay About 20%	**100 ml** **500 ml**
896510	**Tetra**-N-**Butyl Ammonium Hydroxide** 25% In Methanol Extra Pure Assay About 25%	**100 ml** **500 ml**
896530	**Tetra**-N-**Butyl Ammonium Hydroxide** 40% in Methanol **AR** Assay About 40%	**100 ml** **500 ml**
896570	**Tetra**-N-**Butyl Ammonium Hydroxide** 40 % in Water Assay 39-41%	**100 ml** **500 ml**
896790 (2052-49-5)	**Tetra**-N-**Butyl Ammonium Hydroxide** 54-56 % **aqueous solution** Assay 54-56%	**100 ml** **500 ml**
657055 $[CH_3(CH_2)_3]_4NI$ (311-28-4)	**Tetra Butyl Ammonium Iodide AR** M. W.: 369.38 Assay (argentometric) 99.0%	**25 gm** **100 gm** **1 kg**
896290 ✲	**Tetrabutylammonium Phosphate** Monobasic 1M Solution In Ethanol	**100 ml**
	Tetrachloro-p-Benzoquinone See p-Chloranil	
026198 $CHCl_2.CHCl_2$ (79-34-5)	1,1,2,2-**Tetra Chloroethane** for Synthesis M. W.: 167.85 Assay (GC) 97.0%	**500 ml** **2.5 lit**
657165 $CHCl_2.CHCl_2$ (79-34-5)	1,1,2,2-**Tetra Chloroethane AR500** M. W.: 167.85 Assay (GC) 98.0%	**500 ml** **2.5 lit**
030693 $CCl_2:CCl_2$ (127-18-4)	**Tetrachloroethylene** for Synthesis (Perchloro Ethylene) M. W.: 165.83 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
657195 $CCl_2:CCl_2$ (127-18-4)	**Tetrachloroethylene AR** (perchloroethylene) M. W.: 165.83	**500 ml** **2.5 lit** **25 lit**
774000 $Cl_2C:CCl_2$ (127-18-4)	**Tetrachloroethylene** for HPLC & Spectroscopy M. W.: 165.83 Assay (GC) 99.8%	**500 ml** **1 lit**
239025 $C_8Cl_4O_3$ (117-08-8)	**Tetrachloro Phthalic Anhydride** M. W.: 285.95 Assay 96.0%	**1 kg**

Storage : · ❄0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
657275 ✲ C_6N_4 (670-54-2)	**Tetracyanoethylene AR** M. W.: 128.09 Assay 98.0%	**5 gm**
239175 ✲ $C_{12}H_4N_4$ (1518-16-7)	7,7,8,8-**Tetracyanoquino Dimethane** Extra Pure M. W.: 204.19 Assay 98.0%	**5 gm**
099900 $C_{22}H_{24}N_2O_8HCl$ (64-75-5)	▲**Tetracycline Hydrochloride** for Lab Use M. W.: 480.90 Assay 95.0%	**5 gm** **25 gm**
987810 MB $C_{22}H_{24}N_2O_8.HCl$ (64-75-5)	▲**Tetracycline Hydrochloride** For Molecular Biology M. W. : 480.9 Potency : ≥ 900 µg/mg	**5 gm** **25 gm**
PCT2126 PTC $C_{22}H_{24}N_2O_8.HCl$ (64-75-5)	▲**Tetracycline Hydrochloride** Plant Culture Tested M. W.: 480.9 Assay 98%	**5 gm** **25 gm** **100 gm**
TC1036 ATC $C_{22}H_{24}N_2O_8.HCl$ (64-75-5)	▲**Tetracycline Hydrochloride** Cell Culture Tested Recommended for use in cell culture M. W.: 480.9 Potency : ≥720 IU/mg	**5 gm** **25 gm**
	Tetradecanoic Acid See Myristic Acid	
	1-**Tetradecanol** See Myristyl Alcohol	
	Tetradecyltrimethyl Ammonium Bromide See Cetrimide	
657465 $C_{14}H_{30}$ (629-59-4)	N-**Tetradecane AR** M. W.: 198.39	**100 ml** **500 ml**
774090 $C_{40}H_{84}NBr$ (14937-42-9)	**Tetradecyl Ammonium Bromide** **AR** for HPLC M. W.: 659.01 Assay 99.0%	**5 gm** **25 gm**
	Tetraethoxy Silane See Tetraethyl Ortho Silicate	
030366 $(C_2H_5)_4$ NBr (71-91-0)	**Tetraethyl Ammonium Bromide** for Synthesis M. W.: 210.16 Assay (Argentometric) 98.0%	**100 gm** **500 gm**
239515 $C_8H_{20}ClN$ (56-34-8)	**Tetraethyl Ammonium Chloride** (Contains 10-15% Water) Pure M. W.: 165.70	**25 gm** **100 gm**
774140 $C_8H_{20}NHO_4S$ (16873-13-5)	**Tetraethyl Ammonium Hydrogen Sulphate** (HPLC) M. W.: 227.32 Assay 99.0%	**25 gm** **100 gm**
896740 (77-98-5)	**Tetraethyl Ammonium Hydroxide** 20% In Water for Synthesis Assay 18.5-21.5%	**100 ml** **500 ml**
896770 (77-98-5)	**Tetraethyl Ammonium Hydroxide** 25% Aqueous Solution Assay 23.5-26.5%	**100 ml** **500 ml**

Product Code	Product Name	Packing
024237 $C_8H_{20}NI$ (68-05-3)	**Tetraethyl Ammonium Iodide** M. W.: 257.153	**100 gm** **1 kg**
239395 $C_8H_{20}O_4Si$ (78-10-4)	**Tetraethyl** Ortho **Silicate** for Synthesis M. W.: 208.33 Assay 99.0%	**500 ml**
657745 $C_{28}H_{60}NBr$ (4368-51-8)	**Tetraheptylammonium Bromide AR** M. W.: 490.70	**25 gm** **100 gm**
	1,2,3,4-**Tetrahydrobenzene** See Cyclohexene	
030371 C_4H_8O (109-99-9)	**Tetrahydrofuran** (Stabilized) for Synthesis M. W.: 72.11 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit**
657835 C_4H_8O (109-99-9)	**Tetrahydrofuran AR** Stabilized M. W.: 72.11 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit**
774380 C_4H_8O (109-99-9)	**Tetrahydrofuran** For HPLC & Spectroscopy M. W.: 72.11 Assay (GC) 99.7%	**1 lit** **2.5 lit**
657905 C_4H_8O (109-99-9)	**Tetrahydrofuran** (Stabilized) Specially Dried M. W.: 72.11 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit**
774410 C_4H_8O (109-99-9)	**Tetrahydrofuran** for Pesticide Residue Trace Analysis M. W.: 72.11	**1 lit**
	1,2,3,4-**Tetrahydro Naphthalene** See Tetralin	
677925 $C_6H_4O_6.2H_2O$ (5676-48-2)	**Tetrahydroxy-p-Benzoquinone AR** Indicator for Sulphate Titration M. W.: 208.12 Assay (HPLC) 97.0%	**1 gm** **5 gm**
658055 $C_{72}H_{60}P_4Pd$ (14221-01-3)	▲**Tetrakis** (Triphenylphosphine) Palladium(0) (Reduction Catalyst) **AR** M. W.: 1155.56 Assay 99.0%	**1 gm** **5 gm** **25 gm**
030373 $C_{10}H_{12}$ (119-64-2)	**Tetralin** M. W.: 132.21 Assay (GC) 98.0%	**500 ml** **2.5 lit**
240125 $C_{10}H_{10}O$ (529-34-0)	a-**Tetralone** for Synthesis M. W.: 146.19 Assay 97.0%	**100 gm** **500 gm**
240085 $C_{10}H_{10}O$ (530-93-8)	b-**Tetralone** M. W.: 146.19 Assay 98.0%	**5 gm** **25 gm**
240335 $C_4H_{12}BrN$ (64-20-0)	**Tetramethyl Ammonium Bromide** for Synthesis M. W.: 154.05 Assay 98.0%	**100 gm** **500 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
030379 $C_4H_{12}CIN$ (75-57-0)	**Tetramethyl Ammonium Chloride** pure M. W.: 109.60 Assay (argentometry) 98.0%	**100 gm** **500 gm**
896860	**Tetramethyl Ammonium Hydrogen Sulphate** 0.1 N **AR**	**500 ml**
774500 $C_4H_{12}NHO_4S$ (80526-82-5)	**Tetramethyl Ammonium Hydrogen Sulphate** (HPLC) for Ion Pair Chromatography M. W.: 171.21	**5 gm** **25 gm**
897000 (75-59-2)	**Tetramethyl Ammonium Hydroxide** 0.1 N in methanol	**250 ml** **500 ml**
897010	**Tetramethyl Ammonium Hydroxide** 1M Solution In Methanol	**100 ml** **500 ml**
897013	**Tetramethyl Ammonium Hydroxide** 1M Solution in water	**100 ml** **500 ml**
897020 $(CH_3)_4.NOH$ (75-59-2)	**Tetramethyl Ammonium Hydroxide** 10% Solution in water for Polarography M.W.: 91.15 Assay (acidimetric) 9.5-10.5%	**50 ml** **250 ml**
897050 $(CH_3)_4.NOH$ (75-59-2)	**Tetramethyl Ammonium Hydroxide** 25% aqueous Solution pure M.W.: 91.15 Assay (acidimetric) 24.0-27.0%	**100 ml** **500 ml**
897070 $(CH_3)_4.NOH$ (75-59-2)	**Tetramethyl Ammonium Hydroxide** 25% in Methanol pure M.W.: 91.15 Assay (acidimetric) 24.0-27.0%	**100 ml** **500 ml**
240555 $(Ch_3)_4N(OH).5H_2O$ (10424-65-4)	· **Tetramethyl Ammonium Hydroxide Pentahydrate** Extra Pure M.W. 181.23 Assay 98.0%	**25 gm** **100 gm**
024234 $C_4H_{12}IN$ (75-58-1)	**Tetramethyl Ammonium Iodide** M. W.: 201.05 Assay (argentometric) 99.0%	**100 gm** **500 gm**
658465 $C_{16}H_{20}N_2$ (366-29-0)	N,N,N'N'-**Tetramethyl Benzidine AR** M. W.: 240.34 Assay 95.0%	**1 gm**
658545 $C_{16}H_{20}N_2$ (54827-17-7)	▲3,3,5,5-**Tetramethyl Benzidine AR** (TMB) (Reagent for Detection of Blood) M. W.: 240.34	**1 gm** **5 gm** **25 gm**
TC1705 ATC $C_{16}H_{20}N_2$ (54827-17-7)	**3,3',5,5' Tetramethyl benzidine** (TMB) Cell Culture Tested M. W.: 240.34 Assay : ≥99%	**100 mg** **1 gm** **5 gm**
988900 MB $C_{16}H_{20}N_2$ (54827-17-7)	▲3,3',5,5'-**Tetramethylbenzidine** (TMB) For Molecular Biology M. W. : 240.34 Assay : ≥ 99%	**1 gm** **5 gm**
240825 $C_{17}H_{22}N_2$ (101-61-1)	n,n,n,n'-**Tetramethyl Diamino Diphenyl Methane** for Synthesis (Michler's Base) M. W.: 254.37	**25 gm**
	Tetramethylene Dibromide See 1,4-Dibromobutane	
	Tetramethylene Dichloride See 1,4-Dichlorobutane	
	Tetramethylene Glycol See 1,4-Butanediol	
	Tetramethyleneimine See Pyrrolidine	
044308 $C_6H_{16}N_2$ (110-18-9)	n,n,n,n'-**Tetramethyl Ethylenediamine** (Temed) for Synthesis M. W.: 116.21 Assay (GLC) 99.0%	**100 ml** **500 ml** **2.5 lit**
658605 $C_6H_{16}N_2$ (110-18-9)	n,n,n,n-**Tetramethyl Ethylene Diamine AR** M. W.: 116.21 Assay (GC) 99.0%	**100 ml** **500 ml**
988500 $C_6H_{16}N_2$ (110-18-9)	n,n,n,n'-**Tetramethyl Ethylene Diamine** for Electrophoresis/Molecular Biology M. W.: 116.21	**100 ml**
658725 $C_5H_{13}N_3$ (80-70-6)	1,1,3,3-**Tetramethyl Guanidine AR** M. W.: 115.18 Assay 98.5%	**100 gm** **500 gm**
030386 $C_{10}H_{16}N_2.2HCl$ (637-01-4)	▲n,n,n,n-**Tetramethyl**-p-**Phenylene Diamine Dihydrochloride** M. W.: 237.17 Assay (argentometric) 98.0%	**5 gm** **25 gm**
	2,2,6,6-**Tetramethylpiperidine-1-Oxyl** See TEMPO	
D99036 $C_4H_{12}Si$ (75-76-3)	**Tetramethylsilane** (TMS) M.W.: 88.23 (for NMR Spectroscopy) Assay (GC) Min. 99.9%	**100 ml**
	Tetramethyluronium Hexafluorophosphate See HATU	
012325 $C_6H_{12}N_2S_4$ (137-26-8)	**Tetramethyl Thiuram Disulphide** M. W.: 240.44 Assay 98.0%	**100 gm** **500 gm**
	Tetranitro Blue Tetrazolium Chloride See Tetranitro B.T.	
658915 $C_{40}H_{28}Cl_2N_{12}O_{10}$ (1184-43-6)	**Tetranitro B.T. AR** (Tetranitro Blue Tetrazolium Chloride) M. W.: 907.63	**100 mgm** **250 mgm**
	Tetraphenyl Boron Sodium Salt See Sodium Tetra Phenyl Borate	
241225 $C_{24}H_{20}P.Br$ (2751-90-8)	**Tetraphenyl Phosphonium Bromide** for Synthesis M. W.: 419.3	**25 gm** **100 gm**
241265 $C_{24}H_{20}P.Cl$ (2001-45-8)	**Tetraphenyl Phosphonium Chloride** for Synthesis M. W.: 374.85 Assay 98.0%	**25 gm**
241305 ✲ $C_{24}H_{20}P.I$ (2065-67-0)	**Tetraphenyl Phosphonium Iodide** for Synthesis M. W.: 466.30	**25 gm**

Storage : · #0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
	Tetraphosphoric Acid See Polyphosphoric acid	
	Tetrapotassium Diphosphate See tetra-Potassium Pyrophosphate	
241425 $C_{12}H_{28}NBr$ (1941-30-6)	**Tetrapropyl Ammonium Bromide** Extra Pure M. W.: 266.26	**100 gm** **500 gm**
897260 (4499-86-9)	**Tetrapropyl Ammonium Hydroxide** 10% Aqueous Solution Assay 9.5-10.5%	**100 ml** **500 ml**
897280 (4499-86-9)	**Tetrapropyl Ammonium Hydroxide** 20% Solution in Water Assay 18.5-21.5%	**100 ml** **500 ml**
897300 (4499-86-9)	**Tetrapropyl Ammonium Hydroxide** 40% Solution in Water Assay 38.5-41.5%	**100 ml** **500 ml**
897350 CH_2N_4 (288-94-8)	▲**Tetrazole**, 3 To 4 Wt. % Solution in Acetonitrile M.W. 70.05	**100 ml** **500 ml**
774680 CH_2N_4 (288-94-8)	▲1H-**Tetrazole** for DNA Synthesis (Amidite Activator) M. W.: 70.05 Store at -2°C	**1 gm** **5 gm** **25 gm**
988990 MB CH_2N_4 (288-94-8)	▲1H-**Tetrazole** For Molecular Biology M. W. : 240.34 Assay : ≥ 99%	**1 gm** **5 gm**
	Tetrazolium Blue See Blue Tetrazolium	
	Tetrazolium Red See 2,3,5 Tri Phenyl Tetrazolium Chloride	
	Tetrazolium Salt See 2,3,5-Triphenyl Tetrazolium Chloride	
659325 $C_{23}H_{17}ClN_4$ (1719-71-7)	▲**Tetrazolium Violet AR** M. W.: 384.86	**1 gm**
896190	**Thallium** (TI) CRISTAR® 1000 ppm Single Element Standard Soln. for ICP in 2% HNO_3 In accordance with NIST	**50 ml** **100 ml**
659415 $C_8H_5F_3O_2S$ (326-91-0)	2-**Thenoyl Trifluoro Acetone AR** M. W.: 222.19 Assay (acidimetric) 99.0%	**10 gm** **100 gm**
241905 $C_7H_8N_4O_2$ (83-67-0)	**Theobromine** for Synthesis M. W.: 180.16 Assay 99.0%	**25 gm** **100 gm** **500 gm**
659505 $C_7H_8N_4O_2$ (58-55-9)	**Theophylline** Anhydrous **AR** M. W.: 180.16 Assay 99.0%	**25 gm** **100 gm** **5 kg**
PCT1819 PTC $C_{10}H_7N_3S$ (148-79-8)	▲**Thiabendazole** Plant Culture Tested M. W.: 201.25 Assay 98%	**50 gm** **100 gm**
044005 $C_{12}H_{17}N_4OSClHCl$ (67-03-8)	**Thiamine Hydrochloride** for Biochemistry (Vitamin B1) M. W.: 337.27 Assay (On dried substance) 98.5-101.5%	**10 gm** **25 gm** **500 gm**
TC1173 ATC $C_{12}H_{17}ClN_4OS.HCl$ (67-03-8)	▲**Thiamine Hydrochloride** (Vitamin B1 hydrochloride) Cell Culture Tested M. W.: 337.27 Assay : ≥99%	**25 gm** **100 gm** **500 gm**
TC1173M ATC $C_{12}H_{17}ClN_4OS.HCl$ (67-03-8)	▲**Thiamine Hydrochloride** Vitamin B1; Thiamine monohydrochloride Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 337.27	**25 gm** **100 gm** **500 gm**
	Thiazolyl Blue See M.T.T. Tetrazolium	
PCT1215 PTC $C_{12}H_{17}ClN_4OS.HCl$ (67-03-8)	▲**Thiamine Hydrochloride** (Vitamin B1 hydrochloride) Plant Culture Tested M. W.: 337.27 Assay 99%	**25 gm** **100 gm** **500 gm**
PCT1820 PTC $C_9H_8N_4OS$ (51707-55-2)	▲**Thidiazuron (TDZ)** Plant Culture Tested M. W.: 220.25 Assay 92%	**250 mg** **1 gm**
PCT2409 PTC	▲**Thidiazuron (TDZ) Solution** w/ 1 mg/ml TDZ in sterile distilled water Sterile filtered Plant Culture Tested	**20 ml** **5X20 ml**
030416 $C_9H_9HgNaO_2S$ (54-64-8)	**Thimersoal** Used as a Preservative for Sucrose Buffer Solution M. W.: 404.81 Assay (Argentometric) 97.0%	**10 gm** **25 gm** **100 gm** **1 kg**
	Thimersoal See Thimerosal	
PCT2136 PTC $C_9H_9HgNaO_2S$ (54-64-8)	**Thimersoal** (Sodium ethylmercurithio salicylate) Plant Culture Tested M. W.: 404.81 Store below 30°C	**10 gm** **25 gm** **100 gm**
TC1470 ATC $C_9H_9HgNaO_2S$ (54-64-8)	**Thimersoal** Cell Culture Tested Thiomersal; Thiomersalate; Mercurothiolate; Sodium Ethylmercrithiosalicylate M. W.: 404.81 Potency : ≥97% Store below 30°C	**10 gm** **25 gm** **100 gm** **500 gm**
024294 CH_3CSNH_2 (62-55-5)	**Thioacetamide** Pract M. W.: 75.13 Assay (Argentometry) 98.0%	**100 gm** **500 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
659545 CH_3CSNH_2 (62-55-5)	**Thioacetamide AR** for Precipitation of Heavy Metals M. W.: 75.13 Assay (Argentometric)99.0%	**25 gm** **100 gm** **500 gm** **5 kg**
897370	**Thioacetamide** Solution (Reagent for As, Bi, Cd, Sb, Co, Pb, Ni & Zn)	**100 ml**
242125 CH_3COSH (507-09-5)	**Thioacetic Acid** for Synthesis M. W.: 76.12	**100 ml** **500 ml**
242175 ⁂ C_7H_8S (100-68-5)	**Thioanisole** M.W. 124.21 Assay 99.0%	**100 ml** **500 ml**
659605 $C_4H_4N_2O_2S$ (504-17-6)	2-**Thiobarbituric Acid AR** M. W.: 144.15 Assay (acidimetric on dried substance) 99.0%	**25 gm** **100 gm**
242305 C_7H_7NS (2227-79-4)	**Thiobenzamide** M. W.: 137.20 Assay 98.0%	**25 gm** **100 gm**
	Thiocarbamide See Thiourea	
242575 $C_4H_{10}O_2S$ (111-48-8)	2,2-**Thio Diethanol** for Synthesis M. W.: 122.19 Assay 99.0%	**500 ml**
242725 $C_{17}H_{19}ClN_2S$ (2390-54-7)	**Thioflavine T** C.I. 49005 M. W.: 318.86 Dye content 65-75%	**5 gm** **25 gm**
030415 $CH_2(SH)COOH$ (68-11-1)	**Thioglycolic Acid** 80% M. W.: 92.11 Assay Abt. 80.0%	**500 ml** **2.5 lit**
024263 $C_3H_8O_2S$ (96-27-5)	1-**Thioglycerol** (3-Mercapto-1, 2-Propanediol) M. W.: 108.16 Assay (oxidimetric) 90.0%	**100 ml** **500 ml**
242825 $C_4H_6O_4S$ (70-49-5)	**Thiomalic Acid** for Synthesis Used In Cosmetic, Mettallurgy, Printing Ink and for Electroplating M. W.: 150.15 Assay 97.0%	**100 gm** **500 gm**
	Thioglycollic Acid Sodium Salt See Sodium Thioglycollate	
242945 $C_{12}H_9N_3S.C_2H_4O_2$ (78338-22-4)	**Thionin Acetate** for Microscopy C. I. No. 52000 M. W.: 287.34	**5 gm** **25 gm**
024288 $SOCl_2$ (7719-09-7)	**Thionyl Chloride** for Synthesis (Min. order should be for 4x500 ml) M. W.: 118.97 Assay (iodometric ex; Cl) 99.0-101.0%	**500 ml** **2.5 lit**
243085 C_4H_4S (110-02-1)	**Thiophene** for Synthesis M. W.: 84.14	**100 ml** **500 ml**
243255 C_5H_4OS (98-03-3)	**Thiophene-2-Carboxyaldehyde** for Synthesis M. W.: 112.15 Assay 98.0%	**100 gm** **500 gm**

Product Code	Product Name	Packing
024230 C_6H_6S (108-98-5)	**Thiophenol** for Synthesis M. W.: 110.2 Assay (GC) 98.0%	**500 ml** **2.5 lit**
	Thiosalicylic Acid See 2-Mercaptobenzoic Acid	
243575 CH_5N_3S (79-19-6)	**Thiosemicarbazide** for Synthesis M. W.: 91.13	**25 gm** **100 gm** **1 kg**
660295 CH_5N_3S (79-19-6)	**Thiosemicarbazide AR** M. W.: 91.13 Assay (Iodometric) 99.0%	**25 gm** **100 gm**
243725 ⁂ $C_4H_4N_2OS$ (141-90-2)	2-**Thiouracil** for Synthesis (Used in Bioside & Electroplating) M. W.: 128.15 Assay 99.0%	**25 gm** **100 gm**
024297 CH_4N_2S (62-56-6)	**Thiourea** Pract M. W.: 76.12 Assay (iodometric) About 97.0%	**500 gm** **25 kg** **50 kg**
030423 CH_4N_2S (62-56-6)	**Thiourea** Purified M. W.: 76.12 Assay (Iodometric) 98.0%	**500 gm** **25 kg** **50 kg**
660355 CH_4N_2S (62-56-6)	**Thiourea AR** M. W.: 76.12 Assay (Iodometric) 99.0%	**250 gm** **500 gm** **50 kg**
660375 $C_{16}H_{11}AsN_2Na_2O_{10}S_2$ (3688-92-4)	**Thorin Indicator AR** Reagent for Throium, Beryllium & Other Metals M. W.: 576.30	**5 gm**
660415 $Th(NO_3)_45H_2O$ (14767-04-5)	**Thorium Nitrate AR** as a reagent for determination of Fluorine M. W.: 570.13 Assay (complexometric) 99.0%	**5 gm**
660435 ThO_2 (1314-20-1)	**Thorium Oxide AR** M. W.: 264.04 Assay 99.0%	**5 gm**
	Thoron Indicator See Thorin Indicator	
243935 $C_4H_9NO_3$ (80-68-2)	DL-**Threonine** for Biochemistry M. W.: 119.12	**25 gm** **100 gm**
TC1378 ATC $C_4H_9NO_3$ (80-68-2)	DL-**Threonine** (±)-2-Amino-3-hydroxybutyric acid Cell Culture Tested M. W.: 119.12 Assay : ≥99% Store below 30°C	**25 gm** **100 gm**
660505 $C_4H_9NO_3$ (72-19-5)	L-**Threonine AR** M. W.: 119.12 Assay (ex. N non-aq.) 99.0%	**5 gm** **25 gm** **500 gm**
PCT1319 PTC $C_4H_9NO_3$ (72-19-5)	L-**Threonine** Plant Culture Tested M. W.: 119.12 Assay 99% Store below 30°C	**5 gm** **25 gm** **500 gm**

Storage : ❄0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
TC1120 ATC $C_4H_9NO_3$ (72-19-5)	L-**Threonine** (From non-animal source) Cell Culture Tested M. W.: 119.12 Assay : ≥99% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
TC1120M ATC $C_4H_9NO_3$ (72-19-5)	L-**Threonine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 119.12 Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
RE3045 Tm (7440-30-4)	**Thulium** Metal Ingot M. W.: 168.93 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE3050 Tm (7440-30-4)	**Thulium** Metal Lump M. W.: 168.93 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE3055 Tm (7440-30-4)	**Thulium** Metal Powder 325 mesh M. W.: 168.93 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE3095 $Tm(CH_3CO_2)_3.xH_2O$ (207738-11-2)	**Thulium** (III) **Acetate** M. W.: 346.07 (Anhy.) Assay (Trace metal basis) 99.9%	**1 gm** **5 gm** **100 gm**
RE3100 $Tm(CH_3CO_2)_3.xH_2O$ (207738-11-2)	**Thulium** (III) **Acetate** M. W.: 346.07 (Anhy.) Assay(Trace metal basis) 99.99%	**5 gm** **25 gm**
RE3105 $Tm(CH_3CO_2)_3.xH_2O$ (207738-11-2)	**Thulium** (III) **Acetate** M. W.: 346.07 (Anhy.) Assay(Trace metal basis) 99.999%	**1 gm** **25 gm**
RE3110 $Tm(CH_3CO_2)_3.xH_2O$ (207738-11-2)	**Thulium** (III) **Acetate** M. W.: 346.07 (Anhy.) Assay (Trace metal basis) 99.9999%	**1 gm** **25 gm**
RE3114 $Tm_2(CO_3)_3.xH_2O$ (87198-17-2)	**Thulium** (III) **Carbonate** M. W.: 517.90. (Anhy.) Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE3116 $Tm_2(CO_3)_3.xH_2O$ (87198-17-2)	**Thulium** (III) **Carbonate** M. W.: 517.90. (Anhy.) Assay (Trace metal basis) 99.999%	**1 gm** **25 gm**
RE3118 $Tm_2(CO_3)_3.xH_2O$ (87198-17-2)	**Thulium** (III) **Carbonate** M. W.: 517.90. (Anhy.) Assay (Trace metal basis) 99.9999%	**1 gm** **25 gm**
RE3120 $TmCl_3$ (13537-18-3)	**Thulium** (III) **Chloride** M. W.: 275.29 Assay (Trace metal basis) 99.9%	**2 gm** **10 gm**
RE3125 $TmCl_3$ (13537-18-3)	**Thulium** (III) **Chloride** M. W.: 275.29 Assay (Trace metal basis) 99.99%	**1 gm** **10 gm**
RE3130 $TmCl_3$ (13537-18-3)	**Thulium** (III) **Chloride** M. W.: 275.29 Assay (Trace metal basis) 99.999%	**2 gm** **10 gm**
RE3135 $TmCl_3$ (13537-18-3)	**Thulium** (III) **Chloride** M. W.: 275.29 Assay (Trace metal basis) 99.9999%	**1 gm** **25 gm**
RE3137 TmF_3 (13760-79-7)	**Thulium** (III) **Fluoride** M. W.: 225.93 Assay (Trace metal basis) 99.9%	**2 gm** **10 gm**
RE3139 TmF_3 (13760-79-7)	**Thulium** (III) **Fluoride** M. W.: 225.93 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE3141 TmF_3 (13760-79-7)	**Thulium** (III) **Fluoride** M. W.: 225.93 Assay (Trace metal basis) 99.999%	**1 gm** **25 gm**
RE3143 TmF_3 (13760-79-7)	**Thulium** (III) **Fluoride** M. W.: 225.93 Assay (Trace metal basis) 99.9999%	**1 gm** **25 gm**
RE3145 TmI_3 (13813-43-9)	**Thulium** (III) **Iodide** M. W.: 549.65 Assay (Trace metal basis) 99.95%	**1 gm** **5 gm**
RE3155 $Tm(NO_3)_3.xH_2O$	**Thulium** (III) **Nitrate** M. W.: 354.95 (Anhy.) Assay (Trace metal basis) 99.9%	**10 gm** **50 gm**
RE3160 $Tm(NO_3)_3.xH_2O$	**Thulium** (III) **Nitrate** M. W.: 354.95 (Anhy.) Assay (Trace metal basis) 99.99%	**2 gm** **10 gm**
RE3165 $Tm(NO_3)_3.xH_2O$	**Thulium** (III) **Nitrate** M. W.: 354.95 (Anhy.) Assay (Trace metal basis) 99.999%	**1 gm** **25 gm**
RE3170 $Tm(NO_3)_3.xH_2O$	**Thulium** (III) **Nitrate** M. W.: 354.95 (Anhy.) Assay (Trace metal basis) 99.9999%	**1 gm** **25 gm**
RE3172 $Tm_2(C_2O_4)_3.xH_2O$ (58176-73-3)	**Thulium Oxalate** M. W.: 601.93 (Anhy.) Assay (Trace metal basis) 99.9%	**2 gm** **10 gm**
RE3174 $Tm_2(C_2O_4)_3.xH_2O$ (58176-73-3)	**Thulium Oxalate** M. W.: 601.93 (Anhy.) Assay (Trace metal basis) 99.99%	**1 gm** **25 gm**
RE3176 $Tm_2(C_2O_4)_3.xH_2O$ (58176-73-3)	**Thulium Oxalate** M. W.: 601.93 (Anhy.) Assay (Trace metal basis) 99.999%	**1 gm** **25 gm**
RE3178 $Tm_2(C_2O_4)_3.xH_2O$ (58176-73-3)	**Thulium Oxalate** M. W.: 601.93 (Anhy.) Assay (Trace metal basis) 99.9999%	**1 gm** **25 gm**
RE3180 Tm_2O_3 (12036-44-1)	**Thulium Oxide** M. W.: 385.88 Assay (Trace metal basis) 99.9%	**2 gm** **10 gm** **50 gm**
RE3185 Tm_2O_3 (12036-44-1)	**Thulium Oxide** M. W.: 385.88 Assay (Trace metal basis) 99.99%	**2 gm** **10 gm**
RE3190 Tm_2O_3 (12036-44-1)	**Thulium Oxide** M. W.: 385.88 Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
RE3195 Tm_2O_3 (12036-44-1)	**Thulium Oxide** M. W.: 385.88 Assay (Trace metal basis) 99.9999%	**1 gm** **10 gm**
RE3205 $Tm_2(SO_4)_3.8H_2O$ (13778-40-0)	**Thulium Sulphate** M. W.: 770.18 Assay (Trace metal basis) 99.9%	**1 gm** **5 gm**
RE3210 $Tm_2(SO_4)_3.8H_2O$ (13778-40-0)	**Thulium Sulphate** M. W.: 770.18 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
RE3215 $Tm_2(SO_4)_3.8H_2O$ (13778-40-0)	**Thulium Sulphate** M. W.: 770.18 Assay (Trace metal basis) 99.999%	**1 gm** **25 gm**
042048 $C_{10}H_{14}N_2O_5$ (50-89-5)	▲**Thymidine** for biochemistry M. W.: 242.23 Assay (HPLC) 99.0%	**1 gm** **5 gm** **25 gm**
TC1174 ATC $C_{10}H_{14}N_2O_5$ (50-89-5)	▲**Thymidine** Cell Culture Tested M. W.: 242.23 Assay : ≥99% Store below 30°C	**1 gm** **5 gm** **10 gm** **25 gm**
244125 $C_5H_6N_2O_2$ (65-71-4)	▲**Thymine** for Biochemistry M. W.: 126.11 Assay 99%	**5 gm** **25 gm**
TC1175 ATC $C_5H_6N_2O_2$ (65-71-4)	▲**Thymine** Cell Culture Tested M. W.: 126.11 Assay : ≥98%	**5 gm** **25 gm**
030433 $C_{10}H_{14}O$ (89-83-8)	**Thymol** (Crystal) M. W.: 150.22 Assay(GC) 99.0%	**100 gm** **500 gm**
660595 $C_{10}H_{14}O$ (89-83-8)	**Thymol** (Crystal) **AR** M. W.: 150.22 Assay (GC) 99.5%	**100 gm** **500 gm**
660655 $C_{27}H_{30}O_5S$ (76-61-9)	**Thymol Blue** pH Indicator **AR** pH Transition range 1.2-2.8 Red to Yellow M. W.: 466.60	**5 gm** **25 gm**
897440	**Thymol Blue** Indicator Solution	**125 ml**
020114 $C_{27}H_{29}NaO_5S$ (62625-21-2)	**Thymol Blue Sodium Salt** pH Indicator M. W.: 488.58	**5 gm**
897443	**Thymol Blue** TS acc. to USP	**125 ml**
660695 $C_{28}H_{30}O_4$ (125-20-2)	**Thymolphthaleine AR** pH Indicator M. W.: 430.55	**5 gm** **25 gm** **1 kg**
897490	**Thymolphthaleine** Indicator Solution	**125 ml**
024261 $C_{38}H_{44}N_2O_{12}$ (1913-93-5)	**Thymolphthaleine** Complexone M. W.: 720.78	**1 gm** **5 gm**
	Thymolphthalexon See Thymolpthalein Complexone	
024284	**Thymol Violet** pH Indicator	**5 gm** **25 gm**
	Tiles Wash See TW009	
PCT2113 PTC $C_{15}H_{14}N_2Na_2O_6S_2/C_8H_8KNO_5$ (4697-14-7 /61177-45-5)	▲**Timentin** [Ticarcillin disodium salt / Potassium clavulanate mixture (15:1)] Plant Culture Tested M. W.: 428.4/237.3	**1 gm** **2 gm**

Product Code	Product Name	Packing
PCT2508 PTC	**Timentin Solution** [Ticarcillin disodium salt / Potassium clavulanate mixture (15:1)] w/ 100 mg/ml Timentin in sterile distilled water Sterile filtered Plant Culture Tested Store at -20°C	**20 ml** **100 ml**
897510	**Tin** (Sn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HCl In accordance with NIST	**100 ml** **250 ml** **500 ml**
897520	**Tin** (Sn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl	**100 ml** **500 ml**
897560	**Tin** (Sn) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl	**100 ml** **500 ml**
660735 Sn (7440-31-5)	**Tin** (Metal) Powder **AR** At. Wt. : 118.69 Assay 99.5%	**100 gm** **500 gm**
660745 Sn (7440-31-5)	**Tin** (Metal) Powder **AR** At. W.: 118.69 Assay 99.9%	**5 gm** **25 gm**
244305 Sn (7440-31-5)	**Tin Wire** (2.0 MM) M. W.: 118.69	**5 gm** **25 gm**
660755 Sn (7440-31-5)	**Tin (**Metal) Foil **AR** At. W.:118.69 Assay 99.8%	**250 gm**
024298 Sn (7440-31-5)	**Tin** (Metal) Foil At. W.: 118.69 Assay (Complexometic) 99.5%	**50 gm**
030438 Sn (7440-31-5)	**Tin** (Metal) Granulated At. W.: 118.69 Assay (Complexometic) 99.5%	**100 gm** **500 gm**
660765 Sn (7440-31-5)	**Tin** (Metal) Granulated **AR** At. W.: 118.69 Assay (Complexometic) 99.7%	**100 gm** **500 gm**
	Tin (II) **Chloride** See Stannous Chloride	
	Tin (IV) **Chloride** See Stannic Chloride	
024296 $Sn(BF_4)_2$ (13814-97-6)	**Tin** (II) **Fluoborate** 50% for Electroplating M.W. : 292.32 Assay 50.0% **Tin** (IV) **Oxide** See Stannic Oxide	**500 gm** **25 kg**
N74282 (18282-10-5)	**Tin Oxide Nanoparticles/** **Nanopowder** (50-70nm) Assay SnO_2 99.9%	**5 gm** **25 gm**
	Tin (II) **Sulphate** See Stannous Sulphate	
661135 (149-45-1)	**Tiron AR** Metal (pH) Indicator	**5 gm** **25 gm**
897600	**Titan Yellow** Solution	**100 ml** **500 ml**

T

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
661225 $C_{28}H_{19}N_5Na_2O_6S_4$ (1829-00-1)	**Titan Yellow AR** C.I. No. 19540 M. W.: 695.73	**10 gm** **50 gm**
244465 Ti (7440-32-6)	**Titanium** Metal Powder M. W.: 47.87	**100 gm**
N74287 Ti (7440-32-6)	**Titanium Nanoparticles/ Nanopowder** (40-60nm) M. W.: 47.87 Assay 99.9%	**5 gm** **25 gm**
244485 Ti (7440-32-6)	**Titanium** Metal Granular M. W.: 47.87	**25 gm** **100 gm**
244735 $TiCl_4$ (7550-45-0)	▲**Titanium** (IV) **Chloride** for Synthesis (titanium tetrachloride) M. W.: 189.68	**500 ml** **2.5 lit**
030446 TiO_2 (13463-67-7)	**Titanium Dioxide** (Titanium IV Oxide) M. W.: 79.89 Assay (ex Ti) 98.0%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
661315 TiO_2 (13463-67-7)	**Titanium Dioxide AR** M. W.: 79.89 Assay (ex Ti dried subs.) 99.0-100.5%	**500 gm** **5 kg** **25 kg** **50 kg**
661325 TiO_2 (13463-67-7)	**Titanium Dioxide AR** M. W.: 79.89 Assay (ex Ti) 99.9%	**10 gm**
244785 TiO_2 (1317-80-2)	**Titanium Dioxide, Rutile** (Titanium (IV) Oxide, Rutile) M.W. 79.87	**500 gm** **1 kg**
N74385 TiN (25583-20-4)	**Titanium Nitride Nanoparticles/ Nanopowder** (20nm) M.W. 61.87 Assay 97+%	**5 gm** **25 gm** **100 gm**
N74412 TiO_2 (13463-67-7)	**Titanium Oxide Nanoparticles/ Nanopowder** (mixture of anatase and rutile, 10-30nm) M.W. 79.87 Assay 99.5%	**25 gm** **100 gm**
N74430 TiO_2 (13463-67-7)	**Titanium Oxide Nanopowder/ Nanoparticles** (Rutile, 10-30nm) M.W. 79.87 Assay 99.5%	**25 gm** **100 gm** **500 gm**
N74440 TiO_2 (13463-67-7)	**Titanium Oxide Nanoparticles/ Nanopowder** (Anatase 10-30nm) M.W. 79.87 Assay 99.5%	**25 gm** **100 gm** **500 gm**
	Titanium (IV) **Oxide** See Titanium Dioxide	
897700 ⁂	**Titanium** (III) **Sulphate** (0.1 M) Volumetric Solution	**100 gm**
	Titanium Tetrachloride See Titanium (IV) Chloride	
897730	**Titanium Tetrachloride** 0.1 M 20% Hydrochloric Acid	**100 ml** **500 ml**
897733	**Titanium Tetrachloride** 1 M Solution In Dichloromethane	**100 ml** **500 ml**
897736	**Titanium Tetrachloride** 1 M Solution In Toluene	**100 ml** **500 ml**
244885 $C_{12}H_{28}O_4Ti$ (546-68-9)	**Titanium Tetraisopropoxide** for Synthesis M. W.: 284.22 Assay 97.0%	**500 ml** **2.5 lit**
244865 (546-68-9)	**Titanium Tetraisopropoxide** 27.8-28.6% TiO_2	**500 ml** **2.5 lit**
030448 $TiCl_3$ (7705-07-9)	**Titanium Trichloride** Solution for Synthesis M.W. : 154.23 Assay ~15.0%	**250 ml** **500 ml**
	Titanous Chloride Solution See Titanium Trichloride Solution	
044099 $C_{31}H_{52}O_3$ (7695-91-2)	▲DL-a-**Tocopherol Acetate** (Vitamin E Acetate) M. W.: 472.75 Assay (Oxidimetric) 96-102%	**50 gm** **1 kg**
TC1376 ATC $C_{31}H_{52}O_3$ (7695-91-2)	▲DL-α-**Tocopherol Acetate** (Vitamin E acetate) Cell Culture Tested M. W.: 472.74 Assay : ≥96%	**5 gm** **25 gm** **100 gm**
	Toilet Cleaner See Tc009	
245105 $C_{14}H_{16}N_2$ (119-93-7)	o-**Tolidine** M.W. 212.30 Assay 97.5%	**100 gm** **500 gm**
897900 $C_{14}N_{16}N_2$ (119-93-7)	o-**Tolidine** Reagent (For Chlorine Estimation) M. W.: 212.30	**500 ml**
897910	o-**Tolidine** Reagent for Gold	**100 ml**
661395 $C_{14}H_{16}N_2$ (119-93-7)	o-**Tolidine AR** Reagent for the Halogens and Gold M. W.: 212.30 Assay 99.0%	**25 gm** **100 gm**
661415 $C_{14}H_{18}Cl_2N_2$ (612-82-8)	o-**Tolidine Hydrochloride AR** M. W.: 285.22 Assay (Argentometric by autotitrator) 99.0%	**25 gm** **100 gm**
898000	**Tollen's** Reagent	**100 ml** **500 ml**
030452 $C_6H_5.CH_3$ (108-88-3)	**Toluene** Rectified M. W.: 92.14 Assay(GC) 99.0%	**500 ml** **1 lit** **2.5 lit** **25 lit**
661475 $C_6H_5CH_3$ (108-88-3)	**Toluene AR** M. W.: 92.14 Assay (GC) 99.5%	**500 ml** **1 lit** **2.5 lit** **25 lit**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
030454 $C_6H_5.CH_3$ (108-88-3)	**Toluene** Sulphur Free M. W.: 92.14 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
661480 $C_6H_5.CH_3$ (108-88-3)	**Toluene** Specially Dried **AR** M. W.: 92.14 Assay (GC) 99.5%	**500 ml** **2.5 lit**
775783 $C_6H_5.CH_3$ (108-88-3)	**Toluene** GC-HS Grade M. W.: 92.14 Assay(GC) 99.0%	**1 lit**
775500 $C_6H_5CH_3$ (108-88-3)	**Toluene** For HPLC & Spectroscopy M. W.: 92.14 Assay (GC) 99.7%	**1 lit** **2.5 lit**
014627 $C_6H_5CH_3$ (108-88-3)	**Toluene** Scintillation Grade M. W.: 92.14 Assay (GC) 99.5%	**500 ml** **2.5 lit**
775550 $C_6H_5CH_3$ (108-88-3)	**Toluene** for Pesticide Residue Trace Analysis (Methy Benzene) M. W.: 92.14	**1 lit**
D99450 C_7D_8 (2037-26-5)	**Toluene**-d_8 (for NMR Spectroscopy) M.W.: 100.21 Assay (GC) Min. 99.5 atom%D	**10 ml**
245435 $C_9H_6N_2O_2$ (584-84-9)	**Toluene** -2-4-**Diisocyanate** (Tolylene-2,4-Diisocyanate, 2,4-Diisocyanato toluene) M. W.: 174.16	**500 ml** **2.5 lit**
661505 $CH_3.C_6H_3(SH)_2$ (496-74-2)	**Toluene**-3,4-**Dithiol AR** M. W.: 156.27 Assay (GC) 97.0%	**5 ml**
661515 $C_7H_6S_2Zn$ (29726-21-4)	**Toluene**-3,4-**Dithiol Zinc** Derivative **AR** M.W.: 219.62	**1 gm**
024286 $C_7H_9NO_2S$ (70-55-3)	p-**Toluene Sulphonamide** M. W.: 171.22 Assay 99.0%	**500 gm**
024268 $CH_3.C_6H_4.SO_3H.H_2O$ (6192-52-5)	p-**Toluene Sulphonic Acid** Pract M. W.: 190.22 Assay 97.5%	**500 gm** **5 kg**
030459 $CH_3.C_6H_4.SO_3H.H_2O$ (6192-52-5)	p-**Toluene Sulphonic Acid** for Synthesis (Toluene-4-Sulphonic Acid) M. W.: 190.22 Assay (acidimetric) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
661605 $CH_3.C_6H_4.SO_3H.H_2O$ (6192-52-5)	p-**Toluene Sulphonic Acid AR** Monohydrate M. W.: 190.22 Assay (acidimetric) 99.0%	**500 gm** **25 kg**
245575 $CH_3C_6H_4SO_3Na$ (657-84-1)	p-**Toluene Sulfonic Acid Sodium Salt** for Synthesis M. W.: 194.18 Assay 95.0%	**500 gm**
030461 $CH_3C_6H_4.SO_2Cl$ (98-59-9)	p-**Toluene Sulphonyl Chloride** M. W.: 190.65 Assay (Acidimetric) 98.0%	**500 gm**

Product Code	Product Name	Packing
024257 $C_8H_8O_2$ (99-04-7)	m-**Toluic Acid** M. W.: 136.15 Assay (GLC) 99.0%	**500 gm**
024258 $C_8H_8O_2$ (118-90-1)	o-**Toluic Acid** M. W.: 136.15 Assay (GC) 98.0%	**500 gm**
024256 $C_8H_8O_2$ (99-94-5)	p-**Toluic Acid** M. W.: 136.15 Assay (GLC) 98.0%	**500 gm**
245675 $C_9H_{10}O_2$ (99-75-2)	p-**Toluic Acid Methyl Ester** (Methyl p-toluate) M.W. 150.17 Assay 99.0%	**100 gm** **500 gm**
245245 C_7H_9N (108-44-1)	m-**Toluidine** for Synthesis (m-Aminotoluene) M. W.: 107.16	**500 ml** **2.5 lit**
030467 $CH_3.C_6H_4.NH_2$ (95-53-4)	o-**Toluidine** for Synthesis For colorimetric determination of glucose M. W.: 107.16 Assay (GC) 99.0%	**500 ml**
661665 C_7H_9N (95-53-4)	o-**Toluidine AR** for determination of blood sugar M. W.: 107.16 Assay(GC) 99.5%	**500 ml**
030469 C_7H_9N (106-49-0)	p-**Toluidine** M. W.: 107.16 Assay (GC) 98.0%	**500 gm**
661695 C_7H_9N (106-49-0)	p-**Toluidine AR** M. W.: 107.16	**100 gm**
034077 $C_{15}H_{16}ClN_3S$ (92-31-9)	▲**Toluidine Blue** for Microscopy C.I. No. 52040 M. W.: 305.83 Dye content (Titanometric on dried Subs.) Abt. 85.0%	**25 gm** **100 gm** **1 kg**
024266 C_7H_9NHCl (540-23-8)	p-**Touidine Hydrochloride** for Synthesis M. W.: 143.62 Assay (argentometric) 99.0%	**100 gm** **500 gm**
	Tolylene Red See Neutral Red	
PCT1410 PTC	**Tomato Powder** Plant Culture Tested Store below 30°C	**250 gm**
898140	**Topfer's** Reagent Determination of HCl in Gastric Juice	**125 ml**
PCT1827 PTC $C_{12}H_{10}N_5OH$ (75737-38-1)	▲meta-**Topolin** Plant Culture Tested M. W.: 241.25 Store at 2-8°C	**25 mg** **100 mg**
PCT2410 PTC	▲meta-**Topolin Solution** w/ 1 mg/ml meta-Topolin in sterile distilled water Sterile filtered Plant Culture Tested	**20 ml** **5X20 ml**

Storage : ❄ 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
	Tosyl Chloride See p-Toluenesulfonyl Chloride	
898190	**Total Hardness Indicator Powder**	**25 gm**
055036	**Towex** 50x8 20-50 mesh standard grade	**500 gm**
	Tragacanth Powder See Gum Tragacanth	
038063 $C_{12}H_{22}O_{11}.2H_2O$ (6138-23-4)	D (+) **Trehalose** M. W.: 378.33	**5 gm** **10 gm** **25 gm**
PCT1610 PTC $C_{12}H_{22}O_{11}.2H_2O$ (6138-23-4)	D(+)-**Trehalose** Dihydrate Plant Culture Tested M. W.: 378.33 Assay 99% Store below 30°C	**5 gm** **10 gm** **25 gm** **1 kg**
TC1177 ATC $C_{12}H_{22}O_{11}.2H_2O$ (6138-23-4)	D(+)-**Trehalose** Dihydrate Cell Culture Tested M. W.: 378.33 Assay : ≥98% Store below 30°C	**10 gm** **25 gm** **100 gm**
TC1177M ATC $C_{12}H_{22}O_{11}\cdot 2H_2O$ (6138-23-4)	D-(+)-**Trehalose** Dihydrate Mycose, Tremalose Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 378.33 Store below 30°C	**10 gm** **25 gm** **100 gm**
	Triacetin See Glycerol Triacetate	
245625 $C_{30}H_{62}O$ (593-50-0)	▲n-**Triacontanol** (15% Active Matter) (Plant Growth Promoter) M.W. 438.81	**100 gm** **1 kg**
024287 $C_2H_3N_3$ (288-88-0)	1,2,4-**Triazole** for Synthesis M. W.: 69.07 Assay (GC) 98.0%	**100 gm** **500 gm**
245725 $C_2H_2N_3Na$ (41253-21-8)	1,2,4-**Triazole Sodium Salt** Technical Grade M. W.: 91.05 Assay 90.0%	**25 gm** **100 gm**
245935 $C_6H_3Br_3$ (626-39-1)	1,3,5-**Tribromobenzene** M. W.: 314.80	**25 gm** **100 gm**
	Tribromomethane See Bromoform	
246045 $Br_3C_6H_2OH$ (118-79-6)	2,4,6-**Tribromophenol** for Synthesis M. W.: 330.80 Assay 99.0%	**100 gm** **500 gm**
024255 $C_{12}H_{27}N$ (102-82-9)	**Tri-n-Butylamine** M. W.: 185.35 Assay (acidimetric) 99.0%	**500 ml** **2.5 lit**
662615 $[CH_3(CH_2)_3]N$ (102-82-9)	**Tri-n-Butylamine AR** M. W.: 185.35	**500 ml** **2.5 lit**

Product Code	Product Name	Packing
246215 $C_{12}H_{27}BO_3$ (688-74-4)	**Tributyl Borate** M.W. 230.15 Assay 98%	**100 ml** **500 ml**
246235 $C_{18}H_{32}O_7$ (77-94-1)	**Tributyl Citrate** for Synthesis M. W.: 360.44 Assay 97.0%	**100 ml** **500 ml**
030488 $C_{12}H_{27}PO_4$ (126-73-8)	**Tri-n-Butyl Phosphate** for Synthesis M. W.: 266.32 Assay (GC) 97.0%	**500 ml** **2.5 lit**
662905 $C_{12}H_{27}O_4P$ (126-73-8)	**Tri-n-butyl Phosphate AR** for Extraction Analysis M.W.: 266.31	**500 ml**
246155 $C_{12}H_{27}ClSn$ (1461-22-9)	**Tributyltin Chloride** for Synthesis M. W.: 325.50 Assay 96.0%	**500 ml**
	Tributyrin See Glycerol Tributyrate	
	Tri-Calcium Citrate See Calcium Citrate Tetrahydrate	
	Tri-Calcium Phosphate See tri-Calcium Phosphate	
	Tricaprylylmethylammonium Chloride See Aliquat 336	
030489 $CCl_3.COOH$ (76-03-9)	**Trichloroacetic Acid** for Synthesis M. W.: 163.39 Assay (Acidimetric) 99.0%	**100 gm** **500 gm** **25 kg**
662965 $CCl_3.COOH$ (76-03-9)	**Trichloro Acetic Acid AR/ACS** for determination of Serum-Iron Protein M. W.: 163.39 Assay (Acidimetric) 99.5%	**100 gm** **500 gm**
898330	**Trichloro Acetic Acid** 20% W/V **AR**	**500 ml**
246475 $C_8H_5Cl_3O$ (4252-78-2)	2',2',4'-**Trichloro Acetophenone** M. W.: 223.48 Assay 97.0%	**25 gm** **100 gm**
246590 $C_6H_3Cl_3$ (87-61-6)	1,2,3-**Trichloro Benzene** M. W.: 181.45 Assay 99.0%	**500 gm**
246695 $C_6H_3Cl_3$ (120-82-1)	1,2,4-**Trichlorobenzene** for Synthesis M. W.: 181.45	**500 ml** **2.5 lit**
246865 Cl_3CCH_3 (71-55-6)	1,1,1-**Trichloro Ethane** for Synthesis M. W.: 133.40 Assay 97.0%	**5 ml**
896620 (71-55-6)	1,1,1-**Trichloro Ethane 5000 ug/mL** in methanol	**1 ml**
246885 $C_3H_2Cl_4O_2$ (17341-93-4)	2,2,2-**Trichloroethyl Chloroformate** M.W. 211.86 Assay 97.0%	**25 gm** **100 gm**
030497 $CHCl:CCl_2$ (79-01-6)	**Trichloroethylene** M. W.:131.39 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
663415 $CHCl.CCl_2$ (79-01-6)	**Trichloroethylene AR/ACS** M. W.:131.39	**500 ml** **2.5 lit**
775788 $CHCl:CCl_2$ (79-01-6)	**Trichloro Ethylene** EL grade M. W.: 131.39 Assay (GC) 99.7%	**2.5 lit**
775790 $CHCl:CCl_2$ (79-01-6)	**Trichloro Ethylene** For HPLC & Spectroscopy M. W.: 131.39 Assay (GC) 99.5%	**500 ml** **1 lit**
	Trichloromethyl Benzene See Benzotrichloride	
	Trichoromethane See Chloroform	
024254 $C_6H_3Cl_3O$ (88-06-2)	2,4,6-**Trichloro Phenol** for Synthesis M. W.: 197.45 Assay (GC) 97.0%	**100 gm** **500 gm**
PCT1839 PTC $C_8H_5Cl_3O_3$ (93-76-5)	▲2,4,5-**Trichloro Phenoxyacetic Acid** Plant Culture Tested M. W.: 255.48 Assay 98%	**25 gm** **100 gm**
044110 $(CH_2OH)_3C.NH.CH_2COOH$ (5704-04-1)	**Tricine** Biological Buffer M. W.: 179.17 Assay (Potentiometric) 99.0%	**25 gm** **100 gm**
989300 MB $C_6H_{13}NO_5$ (5704-04-1)	**Tricine** For Molecular Biology M. W. : 179.17 Assay : ≥ 99% Store Below 30°C	**100 gm**
TC1069 ATC $C_6H_{13}NO_5$ (5704-04-1)	**Tricine** [N-Tris[Hydroxymethyl]-methyl-Glycine); (N-[2-Hydroxy-1,1-bis-(Hydroxymethyl)ethylglycine) Cell Culture Tested M. W.: 179.17 Assay : ≥99% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
024265 $C_{12}H_7Cl_3O_2$ (3380-34-5)	**Triclosan** M. W.: 289.54 Assay (GLC) 98.0%	**100 gm** **1 kg**
026214 $(CH_3.C_6H_4)_3PO_4$ (1330-78-5)	**Tricresyl Phosphate** (Tritolyl Phosphate) M. W.: 368.37	**500 ml** **2.5 lit**
247015 $C_{13}H_{28}$ (629-50-5)	n-**Tridecane** M. W.: 184.36	**250 ml** **5 lit**
024267 $C_6H_{15}NO_3$ (102-71-6)	**Triethanolamine** Pract M. W.: 149.19 Assay (ex Total bases) 95.0%	**500 ml** **2.5 lit**
247145 $C_6H_{15}NO_3$ (102-71-6)	**Triethanolamine** for Synthesis M. W.: 149.19 Assay (Acidimetric) 98.0%	**500 ml** **2.5 lit** **25 lit** **50 lit**

Product Code	Product Name	Packing
663435 $C_6H_{15}NO_3$ (102-71-6)	**Triethanolamine AR** Suitable for Metal Titration M. W.: 149.19 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **50 lit**
663445 $C_6H_{15}NO_3.HCl$ (637-39-8)	**Triethanolamine Hydrochloride AR** Buffer Component M. W.: 185.65 Assay(dried) 99.5%	**100 gm** **500 gm**
247165 $C_{12}H_{26}O_4SC_6H_{15}NO_3$ (139-96-8)	**Triethanolamine Lauryl Sulphate** M. W.: 415.58	**1 lit** **5 lit**
030502 $(C_2H_5)_3N$ (121-44-8)	**Triethylamine** for Synthesis M. W.: 101.19 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
663505 $(C_2H_5)_3N$ (121-44-8)	**Triethylamine AR** M. W.: 101.19 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit**
776040 $(C_2H_5)_3N$ (121-44-8)	**Triethylamine** for HPLC & Spectroscopy M. W.: 101.19 Assay (GC) 99.5%	**500 ml** **1 lit**
775950 $(C_2H_5)_3N$ (121-44-8)	▲**Triethylamine** for DNA & Peptide Synthesis M. W.: 101.19	**500 ml**
247345 $C_6H_{15}N.HBr$ (636-70-4)	**Triethylamine Hydrobromide** M.W. 182.1 Assay 99.0%	**100 gm** **500 gm**
247355 $(C_2H_5)_3N.HCl$ (554-68-7)	**Triethylamine Hydrochloride** for Synthesis M. W.: 137.65 Assay 99.0%	**100 gm** **500 gm**
247465 $C_{12}H_{20}O_7$ (77-93-0)	**Triethyl Citrate** for Synthesis (Ethyl Citrate, Citric Acid Triethyl Ester) M. W.: 276.28 Assay 98.0%	**250 ml**
030511 $C_6H_{14}O_4$ (112-27-6)	**Triethylene Glycol** (Trigol) M. W.: 150.17 Assay (GC) 95.0%	**500 ml** **2.5 lit**
026212 $C_6H_{18}N_4$ (112-24-3)	**Triethylene Tetramine** M. W.: 146.24 Assay(GC) 97.0%	**500 ml** **2.5 lit**
247595 $C_7H_{18}N.Br$ (2700-16-5)	**Triethyl Methyl Ammonium Bromide** M.W. 196.13 Assay 99.0%	**100 gm** **1 kg**
247665 $CH(OC_2H_5)_3$ (122-51-0)	**Triethyl Orthoformate** (Ethyl Orthoformate, Orthoformic Acid, tri-Ethyl Ester, Triethoxy Methane) M. W.: 148.20	**500 ml** **2.5 lit**
247775 $C_6H_{15}O_4P$ (78-40-0)	**Triethyl Phosphate** for Synthesis M. W.: 182.15 Assay 99.5%	**500 ml** **2.5 lit**

Storage : · ❄0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
247805 $C_6H_{15}O_3P$ (122-52-1)	**Triethyl Phosphite** for Synthesis M. W.: 166.162 Assay 98.0%	**500 ml** **2.5 lit**
247925 $C_6H_{16}Si$ (617-86-7)	**Triethylsilane** for Synthesis M. W.: 116.28	**100 ml** **500 ml**
248045 $C_2H_2F_3NO$ (354-38-1)	2,2,4-**Trifluoroacetamide** M. W.: 113.04 Assay 97.0%	**25 gm** **100 gm** **500 gm**
898360	**Trifluoroacetic Acid** 25% Solution in Water For Protein Sequence Analysis	**500 ml**
030508 $C_2F_3HO_2$ (76-05-1)	**Trifluoro Acetic Acid** for Synthesis M. W.: 114.02 Assay (Acidimetric) 98.0%	**100 ml** **500 ml** **2.5 lit**
664225 $C_2F_3HO_2$ (76-05-1)	**Trifluro acetic Acid AR** M. W.: 114.02	**100 ml**
776140 $C_2F_3HO_2$ (76-05-1)	**Trifluoro Acetic Acid** for HPLC Spectroscopy M. W.: 114.02	**500 ml**
D99900 $C_2DF_3O_2$ (599-00-8)	**Trifluoroacetic acid**-d (for NMR Spectroscopy) M.W.: 115.03 Assay Min. 99.5 atom% D	**10 ml**
248195 $C_4F_6O_3$ (407-25-0)	**Trifluoro Acetic Anhydride** for Sequential Analysis M. W.: 210.03 Assay 99.0%	**100 ml** **500 ml**
248245 ⁂ $C_6H_4F_3N$ (3862-73-5)	2,3,4-**Trifluoro Aniline** M. W.: 147.10 Assay 98.0%	**5 gm** **25 gm**
248325 $C_6H_3F_3$ (1489-53-8)	1,3,5-**Trifluoro Benzene** M. W.: 132.08 Assay 99.0%	**5 gm**
248415 $C_2H_3F_3O$ (75-89-8)	2,2,2-**Trifluoroethanol** for Synthesis (ß,ß,ß-Trifluoroethyl Alcohol) M. W.: 100.04	**100 ml** **500 ml**
248545 CHF_3O_3S (1493-13-6)	**Trifluoro Methane Sulphonic Acid** for Synthesis M. W.: 150.08 Assay 97.5-102.5%	**100 gm** **500 gm**
PCT2536 PTC $C_{13}H_{16}F_3N_3O_4$ (1582-09-8)	**Trifluralin** Plant Culture Tested M. W.: 335.28 Assay 97% Store below 30°C	**100 mg**
029469 ⁂ $C_7H_6BF_3O_3$ (139301-27-2)	4-**(Trifluromethoxy) Phenyl Boronic Acid** M. W.: 205.93 Assay 95.0%	**5 gm**
	Triglycol See Triethylene Glycol	

Product Code	Product Name	Price	Packing
	Trigol See Triethylene Glycol		
	1,3,5-**Trihydroxybenzene** See Phloroglucinol		
	1,2,3-**Trihydroxy Benzene** See Pyrogallol		
	3,4,5-**Trihydroxybenzoic Acid** See Gallic Acid		
	2,4,6-**Trihydroxypyrimidine** See Barbituric Acid		
664295 $C_7H_3I_3O_2$ (88-82-4)	▲2,3,5-**Tri Iodo Benzoic Acid AR** (TIBA) Plant Growth Regulator M. W.: 499.81 Assay(HPLC) 99.0%		**5 gm** **10 gm**
PCT1823 PTC $C_7H_3I_3O_2$ (88-82-4)	▲2,3,5-**Triiodobenzoic Acid** (TIBA) Plant Culture Tested M. W.: 499.81 Assay 98%		**5 gm**
024259 $C_{14}H_{18}N_4O_3$ (738-70-5)	▲**Trimethoprim** for Lab Use M. W.: 290.32		**5 gm** **25 gm**
PCT2137 PTC $C_{14}H_{18}N_4O_3$ (738-70-5)	▲**Trimethoprim** Plant Culture Tested M. W.: 290.32 Assay 98%		**5 gm** **25 gm**
248955 $C_{10}H_{12}O_4$ (86-81-7)	3,4,5-**Trimethoxy Benzaldehyde** for Synthesis M. W.: 196.20		**25 gm** **100 gm**
024250 C_3H_9N (75-50-3)	**Trimethylamine** Solution for Synthesis M. W.: 59.11 Assay (acidimetric) Abt. 30.0%		**500 ml** **2.5 lit**
249125 $C_3H_9N.HCl$ (593 81-7)	**Trimethylamine Hydrochloride** for Synthesis M. W.: 95.57		**500 gm**
	1,3,5-**Trimethylbenzene** See Mesitylene		
	Trimethyl Chloro Silane SEE Chloro trimethyl Silane		
	3,5,5-**Trimethyl**-2-**Cyclohexen**-1-**One** See Isophorone		
	Trimethylene dibromide See 1,3-Dibromopropane		
249335 $C_4H_{10}O_3$ (149-73-5)	**Trimethyl Orthoformate** for Synthesis M. W.: 106.12		**500 ml** **2.5 lit**
249405 $C_8H_{18}O_3$ (13820-09-2)	**Trimethyl Orthovalerate** for Synthesis M. W.: 162.23 Assay 97.0%		**25 gm** **500 gm**
	2,2,4-**Trimethyl Pentane** See Iso Octane		
249465 $C_3H_9O_4P$ (512-56-1)	**Trimethyl Phosphate** M.W. 140.08		**500 ml** **10 lit**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ·#0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
249575 $C_3H_9O_3P$ (121-45-9)	**Trimethyl Phosphite** M. W.: 124.08 Assay 99.0%	**500 ml** **2.5 lit**
664775 ⁂ $C_5H_{11}O_5P$ (5927-18-4)	**Trimethyl Phosphono Acetate AR** M. W.: 182.11 Assay 98.0%	**25 gm** **100 gm**
249875 $(CH_3)_3SiCN$ (7677-24-9)	**Trimethylsilyl Cyanide** For Synthesis (Trimethylsilanecarbonitrile, Cyanotrimethylsilane, TMSCN) M.W. 99.21 Assay 98.0%	**25 ml** **100 ml**
664875 $C_4H_9F_3O_3SSi$ (27607-77-8)	**Trimethyl Silyl Triflate** (TMSOF, Trimethylsilyl Trifluoro-Methane sulphonate) **AR** M. W.: 222.26 Assay 98.5-101.5%	**25 gm** **100 gm** **500 gm**
249725 $C_3H_9IO_3$ (1774-47-6)	▲**Trimethyl Sulphoxonium Iodide** for Synthesis M. W.: 220.07	**100 gm** **500 gm**
249865 $C_6H_{14}O_3$ (77-99-6)	**Trimethylol Propane** (2-Ethyl-2-Hydroxymethyl-1, 3 Propanediol) M. W.: 134.18 Assay 98.0%	**500 gm**
249915 $C_{15}H_{20}O_6$ (15625-89-5)	**Trimethylolpropane Triacrylate** Technical Grade M. W.: 296.32 Assay 70.0%	**100 gm** **500 gm**
	2,4,6-**Trinitrophenol** See Picric Acid	
250025 $C_{24}H_{51}N$ (1116-76-3)	**Trioctylamine** for Synthesis M. W.: 353.67 Assay 98.0%	**100 ml** **500 ml**
	Trioctylmethylammonium Chloride See Aliquat 336	
664935 $C_{24}H_{51}OP$ (78-50-2)	**Tri-n-Octyl Phosphinoxide AR** for Extraction analysis M. W.: 386.64 Assay (GLC) 99.0%	**10 gm** **100 gm**
250165 $C_{57}H_{104}O_6$ (122-32-7)	· **Triolein** for Biochemistry M. W.: 885.44	**1 gm**
250225 $C_3H_6O_3$ (110-88-3)	1,3,5-**Trioxane** for Synthesis (Sym-Trioxane) M. W.: 90.08 Assay 99.0%	**100 gm** **500 gm**
250315 $C_{51}H_{98}O_6$ (555-44-2)	**Tripalmitin** for Synthesis M. W.: 807.33 Assay 99.0%	**25 gm**
250415 $C_{18}H_{15}N$ (603-34-9)	**Triphenyl Amine** for Synthesis M. W.: 245.32 Assay 98.0%	**5 gm** **25 gm**
250500 ⁂ $C_{19}H_{16}O$ (76-84-6)	**Triphenyl Carbinol** M. W.: 260.33 Assay 97.0%	**25 gm** **1 kg**

Product Code	Product Name	Packing
	Triphenyl Chloro Methane See Trityl Chloride	
250615 $C_{20}H_{20}BrP$ (1530-32-1)	**Triphenylethyl phosphonium Bromide** for Synthesis M. W.: 371.25	**25 gm** **100 gm**
024249 $(C_6H_5)_3CH$ (519-73-3)	**Triphenyl Methane** M. W.: 244.33 Assay 99.0%	**100 gm** **500 gm**
030536 $(C_6H_5)_3PO_4$ (115-86-6)	**Triphenyl Phosphate** M. W.: 326.29 Assay (GLC) 99.0%	**500 gm** **25 kg**
030537 $C_{18}H_{15}P$ (603-35-0)	**Triphenyl Phosphine** M. W.: 262.29 Assay (GC) 98.0%	**100 gm** **500 gm** **1 kg**
250735 $(C_6H_5O)_3P$ (101-02-0)	**Triphenyl Phosphite** for Synthesis M. W.: 310.28 Assay 97.0%	**500 ml** **2.5 lit**
665275 $C_{19}H_{15}BrN_4$ (1096-80-6)	2,3,5-**Triphenyl Tetrazolium Bromide AR** M. W.: 379.26 Assay (ex Br) 98.0%	**1 gm**
665335 $C_{19}H_{15}ClN_4$ (298-96-4)	· 2,3,5-**Triphenyl Tetrazolium Chloride AR** (TTC) M. W.: 334.81 Assay(ex N) min. 99.0%	**10 gm** **25 gm**
989490 MB $C_{19}H_{15}N_4Cl$ (298-96-4)	· 2,3,5-**Triphenyl Tetrazolium Chloride** For Molecular Biology M. W. : 334.8 Assay : ≥ 99%	**10 gm** **25 gm**
PCT2309 PTC $C_{19}H_{15}N_4Cl$ (298-96-4)	· 2,3,5-**Triphenyl Tetrazolium Chloride** Tetrazolium Salt (TTC) Plant Culture Tested M. W.: 334.8 Assay 99%	**10 gm** **25 gm**
250975 $C_3Cl_6O_3$ (32315-10-9)	**Triphosgene** for Synthesis M. W.: 296.75	**100 gm** **500 gm** **25 kg**
	Triphospho Pyridine Nucleotide (TPN) See b-Nicotinamide Adenine Dinucleotide Phosphate Mono Sodium Salt	
251115 $C_9H_{21}N$ (102-69-2)	**Tripropylamine** for Synthesis M. W.: 143.27 Asasy 98.0%	**100 ml** **500 ml**
665025 $C_{18}H_{12}N_6$ (3682-35-7)	▲2,4,6-**Tri-(2-Pyridyl)** 1,3,5-**Triazine AR** M. W.: 312.33	**1 gm** **5 gm**
251215 $C_{51}H_{42}O_3Pd_2$ (51364-51-3)	**Tris** (**Dibenzylideneacetone**) **Di Palladium** (0) for Synthesis M.W : 915.72	**1 gm** **5 gm** **25 gm**
027119 $C_4H_{11}NO_3$ (77-86-1)	**Tris (Hydroxy Methyl) Amino Methane** M. W.: 121.14 Assay (Acidimetric; on dried material) 99.0%	**100 gm** **500 gm** **1 kg** **5 kg** **25 kg**

Storage : · #0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
665425 $C_4H_{11}NO_3$ (77-86-1)	**Tris (Hydroxy Methyl) Amino Methane AR** (Tris Hydroxy Methyl Amino Methane) biological Buffer PKA=8.07 at 25°C M. W.: 121.14 Assay (Acidimetric after drying) 99.8%	**100 gm** **500 gm** **5 kg** **25 kg**
998660 MB $C_4H_{11}NO_3$ (77-86-1)	**Tris (Hydroxymethyl) Aminomethane** for Molecular Biology A 40% at 290 nm.....max 0.03 (Tris Buffer, Tris Base) DNase, RNase, protease not detected M. W.: 121.14 Assay (Acidimetric; on dried meterial) 99.8%	**100 gm** **500 gm** **5 kg**
776280 $C_4H_{11}NO_3$ (77-86-1)	**Tris(Hydroxymethyl) Aminomethane** for HPLC M. W.: 121.14	**500 gm**
TC1072 ATC $C_4H_{11}NO_3$ (77-86-1)	**Tris (Hydroxymethyl) Aminomethane** Cell Culture Tested [Tris Base] M. W.: 121.14 Assay : ≥99% Store below 30°C	**100 gm** **500 gm** **1 kg**
TC1072M ATC $NH_2C(CH_2OH)_3$ (77-86-1)	**Tris (Hydroxymethyl) Aminomethane** Trometamol ; Tromethamine Tris Base (Trizma®) Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications M. W.: 121.14 Store below 30°C	**100 gm** **500 gm** **1 kg**
046032 $C_4H_{11}NO_3C_2H_4O_2$ (6850-28-8)	**Tris (Hydroxymethyl) Aminomethane Acetate** (Tris Acetate Buffer) M. W.: 181.2 Assay (Non-aqueous) 99.0%	**100 gm** **500 gm**
989600 MB $C_6H_{15}NO_5$ (6850-28-8)	**Tris (Hydroxymethyl) Aminomethane Acetate** For Molecular Biology M. W. : 181.19 Assay : ≥ 99% Store Below 30°C	**100 gm**
665440 $C_4H_{11}NO_3.HCl$ (1185-53-1)	**Tris(Hydroxymethyl) Aminomethane Hydrochloride AR** (Tris HCl) M. W.: 157.60 Assay (ex Cl) 99.5%	**100 gm** **500 gm** **25 kg**
998780 MB $C_4H_{11}NO_3.HCl$ (1185-53-1)	**Tris (Hydroxymethyl) Aminomethane Hydrochloride** for Molecular Biology (Tris HCl) DNase, RNase, protease not detected M. W.: 157.60	**100 gm** **500 gm**
TC1073 ATC $C_4H_{11}NO_3.HCl$ (1185-53-1)	**Tris Hydrochloride** [Tris(hydroxymethyl) aminomethane] Hydrochloride] Cell Culture Tested M. W.: 157.60 Assay : ≥98% Store below 30°C	**100 gm** **500 gm**
251245 (72200-76-1)	**Tris(Hydroxymethyl) Aminomethane Maleate** (Tris-Maleate, Mono [Tris (Hydroxymethyl)-Aminomethane]Maleate)	**100 gm**
251275 $C_4H_{11}NO_3.HNO_3$. (41521-38-4)	**Tris(Hydroxymethyl) Aminomethane Nitrate** (tris-nitrate) M. W.: 184.15	**100 gm**
251295 (108321-13-7)	**Tris(Hydroxymethyl) Aminomethane Oxalate** (Tris-Oxalate, Di[tris(Hydroxy Methyl)-Aminomethane]Oxalate) Assay (Non aqueous) 97.0%	**100 gm**
251315 $(C_4H_{11}NO_3)_2.H_3PO_4$ (108321-11-5)	**Tris(Hydroxymethyl) Aminomethane Phosphate Dibasic** (Tris-phosphate Dibasic, Di[tris-(Hydroxymethyl) Aminomethane]Phosphate) M. W.: 340.27	**100 gm**
251335 $NH_2C(CH_2OH)_3.H_3PO_4$ (6992-39-8)	**Tris(Hydroxymethyl) Aminomethane Phosphate Monobasic** (Tris-Phosphate Monobasic, Mono[tris-(Hydroxymethyl) Aminomethane]Phosphate) M. W.: 219.13	**100 gm**
251495 (85169-32-0)	**Tris(Hydroxymethyl) Aminomethane Succinate** (Tris-Succinate, Di[tris(Hydroxy Methyl)-Aminomethane]Succinate)	**100 gm**
251525 $NH_2C(CH_2OH)_3.OSH_2SO_4$ (6992-38-7)	**Tris(Hydroxymethyl) Aminomethane Sulphate** (Tris-Sulphate, Di[tris(Hydroxy Methyl)-Aminomethane]Sulphate) M. W.: 170.17	**100 gm**
	Tri-Sodium Orthophosphate See tri-Sodium Orthophosphate	
251615 $C_{57}H_{110}O_6$ (555-43-1)	▲**Tristearin** for Synthesis M. W.: 891.49 Assay 99.0%	**25 gm**
	Triton B See Benzyl Trimethyl Ammonium Hydroxide	
	Tritolyl Phosphate See Tricresyl Phosphate	
	Triton B 40% See Benzyltrimethyl Ammonium Hydroxide 40% in Methanol	
	Triton x 100 See Criton X100	
	Tromethamine See Tris Buffer	
	Tromethamine Hydrochloride See Tris Hydrochloride	
251725 $C_{19}H_{15}Cl$ (76-83-5)	**Trityl Chloride** (Chloro triphenyl methane) M.W.: 278.78 Assay 96.5-103.5%	**100 gm** **500 gm**
251945 $C_{12}H_9N_2O_5S.Na$ (547-57-9)	**Tropaeolin O** (pH Indicator) (Resorcin Yellow) C.I. 14270 M. W.: 316.26	**25 gm** **100 gm**
251965 $C_{18}H_{14}N_3NaO_3S$ (554-73-4)	**Tropeolin OO** Indicator C.I. 13080 M. W.: 375.38	**25 gm** **100 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
251985 $C_{16}H_{11}N_2NaO_4S$ (633-96-5)	**Tropaeolin OOO** (pH Indicator) (Orange II) C.I. 15510 M. W.: 350.32	**25 gm** **100 gm**
665595 $C_6H_5CH(CH_2OH)CO_2H$ (529-64-6)	DL-**Tropic Acid AR** for Biochemistry M.W. : 166.17 Assay 98.0%	**25 gm**
899795	**Trypan Blue** 0.4% Solution	**125 ml**
034078 $C_{34}H_{24}N_6Na_4O_{14}S_4$ (72-57-1)	**Trypan Blue** for Microscopy C.I. No. 23850 M. W.: 960.82 Dye content (Titanometric) Abt. 60.0%	**25 gm** **100 gm**
024260 (9002-07-7)	▲**Trypsin** 1:250 for Biochemistry *Porcine Gastric Mucosa*	**25 gm** **100 gm**
TC1245 ATC (9002-07-7)	▲**Trypsin** 1:250 Powder Porcine Source : *Porcine Pancreas* Cell Culture Tested Activity : 1000-1500 BAEE units/mg	**25 gm** **250 gm** **500 gm**
TC1245G ATC (9002-07-7)	▲**Trypsin** 1:250 Powder Porcine Gamma irradiated Source : *Porcine Pancreas* Cell Culture Tested Activity : 1000-1500 BAEE units/mg	**100 gm**
039041 (9002-07-7)	▲**Trypsin** 2000 u/g 0.2 Anson Unit/g *Porcine Gastric Mucosa*	**100 gm** **1 kg**
039042 (9002-07-7)	▲**Trypsin** exbovine Pancrease 3 x Cryst Activity 2500 NFU/mg (7500 BAEE Units mg)	**250 mgm** **1 gm** **5 gm**
TC1598 ATC (9002-07-7)	▲**Trypsin** Source : *Bovine Pancreas* Cell Culture Tested	**25 gm** **250 gm** **500 gm**
TC1485 ATC (9002-07-7)	▲**Trypsin Recombinant, Porcine** Source : E,coli Cell Culture Tested	**25 mg** **100 mg** **1 gm**
TC1251 ATC (9035-81-8)	▲**Trypsin Inhibitor, Powder** Source : Soyabean Cell Culture Tested Activity : ≥7000 BAEE units of Inhibition/mg	**25 mg** **100 mg** **500 mg** **1 gm**
TC1318 ATC (9035-81-8)	▲**Trypsin inhibitor from Lima bean** Cell Culture Tested Source Lima Bean	**50 mg** **100 mg**
252185 $C_{10}H_{12}N_2.HCl$ (343-94-2)	**Tryptamine Hydrochloride Extra** Pure for Biochemistry M. W.: 196.68 Assay 98.5-101.5%	**1 gm** **5 gm**
024293	**Trypticase**	**500 gm**
024290 (91079-40-2)	**Tryptone** for Bacteriology	**500 gm**

Product Code	Product Name	Packing
037154 $C_{11}H_{12}N_2O_2$ (54-12-6)	DL-**Tryptophan** for Biochemistry M. W.: 204.23 Assay (Non-aqueous) 99.0%	**5 gm** **25 gm**
037153 $C_{11}H_{12}N_2O_2$ (73-22-3)	L-**Tryptophan** M. W.: 204.23 Assay 99.0%	**5 gm** **25 gm** **500 gm**
PCT1320 PTC $C_{11}H_{12}N_2O_2$ (73-22-3)	L-**Tryptophan** Plant Culture Tested M. W.: 204.23 Assay 98% Store below 30°C	**5 gm** **25 gm** **500 gm**
TC1121 ATC $C_{11}H_{12}N_2O_2$ (73-22-3)	L-**Tryptophan** (From non-animal source) Cell Culture Tested M. W.: 204.23 Assay : ≥99% Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
TC1121M ATC $C_{11}H_{12}N_2O_2$ (73-22-3)	L-**Tryptophan** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 204.23 Store below 30°C	**25 gm** **100 gm** **500 gm** **1 kg**
	TS Solution According to USP See Complete List Reagents & Solution According to USP	
TC1697 ATC (9027-67-2)	**TUNEL Enzyme (Terminal eoxynucleotidyl transferase)** Cell Culture Tested M. W.: 60 kDa Activity : NLT 5000Units/mg Store at -20°C	**1000 units**
900080	**Tungsten** (W) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	**100 ml** **500 ml**
900180	**Tungsten** (W) CRISTAR® 1000 ppm Single Element Standard Soln. for ICP in 1% HNO_3, 2% HF in accordance with NIST	**50 ml** **100 ml**
030541 W (7440-33-7)	**Tungsten** (Metal) Powder 325 mesh At.:183.85 Assay (Complexometric) 99.0%	**100 gm** **500 gm**
N75497 W (7440-33-7)	**Tungsten Nanoparticles/ Nanopowder** (40-60nm) At.:183.85 Assay 99.7%	**5 gm** **25 gm**
N75519 WC (12070-12-1)	**Tungsten Carbide Nanopowder** (APS 150-200 nm) M. W.: 195.85 Assay 99.0%	**25 gm** **100 gm**
665965 H_2WO_4 (7783-03-1)	**Tungstic Acid AR** M. W.: 249.85	**100 gm** **500 gm**

Storage : · #0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
024277 WO_3 (1314-35-8)	**Tungstic Oxide** (Tungsten (VI) oxide) M. W.: 231.84 Assay (Purity based on trace metal analysis) 99.0%	100 gm 500 gm
	Tungsto Phosphoric Acid See Phosphotungstic Acid	
	Tungsto Silicic Acid See Silicotungstic Acid	
	Turk's See W.B.C Diluting Fluid	
PA1980	**Turmeric** Paper	200 lvs
191855 (8006-64-2)	**Turpentine Oil** Pure (Pine oil)	500 ml 2.5 lit
	Tween 20, 40, 60, 80 See Cween 20, 40, 60, 80	
TC1205 ATC	▲**Tylosin Tartrate** Cell Culture Tested Potency : ≥900 U/mg	1 gm 5 gm 10 gm
252515 $C_8H_{11}NO.HCl$ (60-19-5)	**Tyramine Hydrochloride** for Biochemistry M. W.: 173.64 Assay 98.0%	1 gm 5 gm
666245 $C_9H_{11}NO_3$ (556-02-5)	D-**Tyrosine AR** M. W.: 181.19 Assay 98.5%	1 gm 5 gm
252575 $C_9H_{11}NO_3$ (556-03-6)	DL-**Tyrosine** for Biochemistry M. W.: 181.19 Assay 98.5-101.5%	5 gm 25 gm
037156 $C_9H_{11}NO_3$ (60-18-4)	L-**Tyrosine** for Biochemistry M. W.: 181.19 Assay (Non-aqueous) 98.5%	25 gm 100 gm 500 gm

Product Code	Product Name	Packing
PCT1321 PTC $C_9H_{11}NO_3$ (60-18-4)	L-**Tyrosine** Plant Culture Tested M. W.: 181.19 Assay 99% Store below 30°C	25 gm 100 gm 500 gm
TC1122 ATC $C_9H_{11}NO_3$ (60-18-4)	L-**Tyrosine** (From non-animal source) Cell Culture Tested M. W.: 181.19 Assay : ≥95% Store below 30°C	25 gm 100 gm 500 gm 1 kg
TC1122M ATC 4-$(HO)C_6H_4CH_2CH(NH_2)CO_2H$ (60-18-4)	L-**Tyrosine** (From animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 181.19 Store below 30°C	25 gm 100 gm 500 gm 1 kg
TC1477 ATC $C_9H_9NO_3$•2Na•$2H_2O$ (122666-87-9)	L-**Tyrosine Disodium Salt** Dihydrate L-3-(4-Hydroxyphenyl) alanine disodium salt (From non-animal source) Cell Culture Tested M. W.: 261.19 Assay : ≥95% Store below 30°C	25 gm 100 gm 500 gm
TC1461 ATC $C_9H_9NO_3$•2Na•XH_2O (69847-45-6)	L-**Tyrosine Disodium Salt** Hydrate L-3-(4-Hydroxyphenyl) alanine disodium salt (From non-animal source) Cell Culture Tested M. W.: 225.15 Assay : ≥98%	25 gm 100 gm 500 gm

GC - HS SOLVENTS

GC-HS solvents have been developed for more sensitive GC-headspace analysis of volatile organic impurities.

Exclusively designed for analysis of residual solvents described in the European Pharmacopoeia (Ph. Eur.), United States Pharmacopoeia (USP) and Q3C guidelines of International Conference on Harmonization (ICH)

Features:

- Highly pure solvents, especially tested for headspace application
- Ensure high sensitivity
- Long life - time packaged under Nitrogen gas
- Microfiltration (0.2 μm)

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ▪ 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
256840 $C_{11}H_{24}$ (1120-21-4)	N-**Undecane** for Synthesis M. W.: 156.31	**500 ml**
671225 $C_{11}H_{24}$ (1120-21-4)	N-**Undecane AR** M. W.: 156.31	**250 ml**
256865 $C_{11}H_{24}O$ (112-42-5)	1-**Undecanol** for Synthesis M. W.: 172.31	**100 ml**
257015 $C_{11}H_{20}O_2$ (112-38-9)	▲**Undecylenic Acid** for Synthesis M. W.: 184.28	**500 gm**
	Universal Indicator paper pH 1-10 See Indicator pH Papers Universal	
901000	**Universal Indicator** Solution pH 4-11	**125 ml** **500 ml**
044103 $C_4H_4N_2O_2$ (66-22-8)	▲**Uracil** for Biochemistry M. W.: 112.09 Assay (Potentiometric) 98.0%	**25 gm** **1 kg**
TC1178 ATC $C_4H_4N_2O_2$ (66-22-8)	▲**Uracil** Cell Culture Tested M. W.: 112.09 Assay : ≥99% Store below 30°C	**25 gm** **100 gm** **500 gm**
	Uranin See Fluorescein Sodium	
671605 $UO_2(CH_3COO)_2.2H_2O$ (6159-44-0)	**Uranyl Acetate AR** (Only Enduser) M. W.: 424.19 Assay (ex U) 98.0%	**5 gm** **10 gm** **25 gm** **100 gm**
030558 CH_4N_2O (57-13-6)	**Urea** Cryst. Pure for Biochemistry M. W.: 60.06 Assay (Kjeldahl) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
671815 CH_4N_2O (57-13-6)	**Urea AR** Special Quality for Biochemical Purpose Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 60.06 Assay (Calulated with respect to dried substance kjeldahl's method) 99.0-101.0%	**500 gm** **25 kg** **50 kg**
990000 MB CH_4N_2O (57-13-6)	**Urea** for Molecular Biology M. W.: 60.06 Assay 99.5%	**500 gm** **1 kg** **5 kg**
045204 CH_4N_2O (57-13-6)	**Urea** Specially Purified for enzyme work M. W.: 60.06 Assay (ex N) 99.5%	**500 gm** **5 kg**

Product Code	Product Name	Packing
TC1180 ATC CH_4N_2O (57-13-6)	**Urea** (Carbamide) M. W.: 60.06 Assay : ≥99.5% Store below 30°C	**500 gm** **1 kg** **5 kg**
TC1180M ATC NH_2CONH_2 (57-13-6)	**Urea** (Carbamide) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 60.06 Store below 30°C	**500 gm** **1 kg** **5 kg**
901160	**Urea** Stock Standard 0.25% w/v Assay 0.249-0.251% w/v	**125 ml**
024195 $CH_4N_2O.H_3PO_4$ (4861-19-2)	**Urea Phosphate** M. W.: 158.05 Assay (Acidimetric) 98.0%	**500 gm** **25 kg**
TC1691 ATC (9002-13-5)	**Urease** Cell Culture Tested Av M. W.: 90.77 kDa Store at -20°C	**25 gm**
039045	· **Urease Active Meal**	**10 gm**
671855 $C_5H_4N_4O_3$ (69-93-2)	▲**Uric Acid AR** Used as substrate in determination of Uricase M. W.: 168.11 Assay(ex N) 99.0%	**25 gm** **100 gm**
901210	**Uric Acid** Reagent	**125 ml**
901215	**Uric Acid** Reagent Folin/Newton	**100 ml**
901230	**Uric Acid** Stock Standard 0.1% w/v Assay 0.099-0.101% w/v	**125 ml**
042053 $C_9H_{12}N_2O_6$ (58-96-8)	▲**Uridine** for Biochemistry M.W.: 244.20 Assay (ex N HPLC) 98.0%	**1 gm** **5 gm** **25 gm**
TC1181 ATC $C_9H_{12}N_2O_6$ (58-96-8)	▲**Uridine** Cell Culture Tested M. W.: 244.2 Assay : ≥99%	**5 gm** **25 gm** **50 gm**
042055 $C_9H_{11}N_2Na_2O_9P$ (3387-36-8)	· **Uridine**-5-**Monophosphate Disodium** **Salt** Dihydrate for Biochemistry M.W.: 368.15 Assay (ex N, on dried subs.) 96.0%	**1 gm** **5 gm**
257715 $C_{18}H_{16}O_7$ (7562-61-0)	▲**Usnic Acid** for Synthesis M. W.: 344.32 Assay 98.0%	**5 gm**
	Vacuum Grease Silicon High See High Vacuum Silicon grease	

HISURE®

These are high purity chemicals specially manufactured and tested for research and synthesis. As required heavy metal content is carefully monitored and reduced to minimum possible levels.

Storage : · ❄0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
259745 $C_5H_{10}O_2$ (109-52-4)	n-**Valeric Acid** (Pentanoic Acid, 1-Butane-Carboxylic Acid) for Synthesis M. W.: 102.13	500 ml 2.5 lit
259935 C_5H_9N (110-59-8)	**Valeronitrile** (Butyl Cyanide) M. W.: 83.13	100 ml 500 ml
260045 $C_{11}H_{14}O$ (1009-14-9)	**Valerophenone** for Synthesis M. W.: 162.23	100 ml 500 ml
260135 C_5H_9ClO (638-29-9)	**Valeroyl Chloride** for Synthesis M. W.: 120.58	100 ml 500 ml
260315 $C_5H_{11}NO_2$ (640-68-6)	D-**Valine for Biochemistry** M. W.: 117.15	5 gm 25 gm
037161 $C_5H_{11}NO_2$ (516-06-3)	DL-**Valine** for Biochemistry M. W.: 117.15 Assay (Non-aqueous) 98.5%	25 gm 100 gm
037160 $C_5H_{11}NO_2$ (72-18-4)	L-**Valine** for Biochemistry M. W.: 117.15 Assay (Non-aqueous) 99.0%	25 gm 500 gm
PCT1322 PTC $C_5H_{11}NO_2$ (72-18-4)	L-**Valine** (L-2-Amino-3-methylbutanoic acid) Plant Culture Tested M. W.: 117.15 Assay 99% Store below 30°C	25 gm 100 gm 1 kg
TC1132 ATC $C_5H_{11}NO_2$ (72-18-4)	**L-Valine** (From non-animal source) L-2-Amino-3-methylbutanoic acid Cell Culture Tested M. W.: 117.15 Assay : ≥99% Store below 30°C	25 gm 100 gm 500 gm 1 kg
TC1132M ATC $C_5H_{11}NO_2$ (72-18-4)	**L-Valine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 117.15 Store below 30°C	25 gm 100 gm 500 gm 1 kg
260335 $C_6H_{13}NO_2.HCl$ (6306-52-1)	L-**Valine Methyl Ester Hydrochloride** M.W. 167.64 Assay 99.0%	5 gm 25 gm 100 gm
PCT2114 PTC $C_{66}H_{75}Cl_2N_9O_{24}.HCl$ (1404-93-9)	▲**Vancomycin Hydrochloride** Plant Culture Tested M. W.: 1485.71 Potency 950 µg/mg	500 mg 1 gm 5 gm 25 gm
TC1202 ATC $C_{66}H_{75}Cl_2N_9O_{24}.HCl$ (1404-93-9)	▲**Vancomycin Hydrochloride** Cell Culture Tested M. W.: 1485.71 Assay : ≥80% Potency : ≥900 µg/mg	500 mg 1 gm 5 gm
902500	**Van Gieson** II Solution for Microscopy Differential Stain for Collagen	100 ml
902590	**Vanadium** (V) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	100 ml 250 ml 500 ml
902592	**Vanadium** (V) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	100 ml 250 ml 500 ml
902610	**Vanadium** (V) CRISTAR® 1000 ppm Single Element Standard for ICP in HNO_3 In accordance with NIST	100 ml 500 ml
902630	**Vanadium** (V) CRISTAR® 10000 ppm Single Element Standard for ICP in HNO_3 in accordance with NIST	100 ml 500 ml
260455 V (7440-62-2)	**Vanadium** (Metal) 100 Mesh M. W.: 50.94 Assay (trace metal basis) 99.9%	5 gm 25 gm
030565 V_2O_5 (1314-62-1)	**Vanadium Pentoxide** M. W.: 181.88 Assay 98.5%	100 gm 500 gm 5 kg 25 kg
671915 V_2O_5 (1314-62-1)	**Vanadium Pentoxide AR** M. W.: 181.88 Assay (manganometric) 99.5%	100 gm 500 gm
676725 $C_{10}H_{14}O_5V$ (3153-26-2)	▲**Vanadyl Acetyl Acetonate AR** M. W.: 265.16 Assay 97.0%	25 gm 100 gm 500 gm
030568 $VOSO_4.xH_2O$ (123334-20-3 / 12439-96-2)	▲**Vanadyl Sulphate** M. W.: 163.00 (Anhy.) Assay (anhydrous; oxidimetric) 96.0%	100 gm 500 gm
030570 $C_8H_8O_4$ (121-34-6)	**Vanillic Acid** M. W.: 168.15 Assay (HPLC) 97.0%	25 gm 100 gm
030569 $C_8H_8O_3$ (121-33-5)	**Vanillin** for synthesis M. W.: 152.15 Assay(By GC) 98.0%	100 gm 500 gm
676815 $C_8H_8O_3$ (121-33-5)	**Vanillin AR** M. W.: 152.15	25 gm 100 gm
260915 $C_9H_{10}O_5$ (2349-20-9)	**Vanillyl Mandelic Acid (VMA)** for Biochemistry (DI-4-Hydroxy-3-Methoxy Mandelicacid) Assay 98.0%	250 mg 1 gm 5 gm
	Veegum See Magnesium Aluminium Silicate	
261010 $C_9H_{10}O_4$ (93-07-2)	**Veratric Acid (3,4-Dimethoxybenzoic Acid)** for Synthesis M. W.: 182.17	100 gm
261105 $C_8H_{10}O_2$ (91-16-7)	**Veratrole** for Synthesis M. W.: 138.16 Assay 99.0%	100 ml 500 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code		Product Name	Packing
		Veseline See Petroleum Jelly White	
		Vesuvin See Bismark Brown	
034079 $C_{33}H_{32}ClN_3$ (2580-56-5)		**Victoria Blue** B for Microscopy C.I. 44045 M. W.: 506.1 Dye content Abt. 85.0%	**25 gm** **100 gm**
024160 $C_4H_6O_2$ (108-05-4)		**Vinyl Acetate** Monomer M. W.: 86.09 Assay (GC) 99.0%	**500 ml** **2.5 lit**
261545 $C_6H_9CHCH_2$ (100-40-3)	⁂	4-**Vinyl**-1-**Cyclohexene** for Synthesis M. W.: 108.18 Assay 99.5%	**100 ml**
261725 $C_{10}H_7CHCH_2$ (827-54-3)	⁂	2-**Vinyl Naphthalene OPTICAL GRADE** M. W.: 154.21	**5 gm**
261905 C_7H_7N (100-69-6)		2-**Vinyl Pyridine for Synthesis** M. W.: 105.14	**25 ml** **500 ml**
024148 $C_{22}H_{32}O_2$ (127-47-9)		•**Vitamin A Acetate** for Biochemistry (Retinol acetate) M. W.: 328. 50 Assay (Potency) 500,000 IU/gm	**25 gm** **100 gm**
		Vitamin B1 See Thiamine Hydrochloride	
		Vitamin B2 See Riboflavin	
		Vitamin B3 See Nicotinic Acid	
		Vitamin B6 Hcl See Pyridoxine Hydrochloride	
		Vitamin B9 See Folic Acid	
		Vitamin H See D-Biotin	
		Vitamin P See Rutin Trihydrate	
		Vitamin B_6 Hydrochloride See Pyridoxine Hydrochloride	
		Vitamin B_{12} See Cyanocobalamin	
		Vitamin C See L-Ascorbic Acid	
024159 $C_{27}H_{44}O$ (67-97-0)		**Vitamin D_3** M. W.: 384.64 Assay 97.0%	**1 gm**
		Vitamin-E-Acetate See DL-a-Tocopherol Acetate	
		Vitamin K_3 Sodium Bisulphite See Menadion Sodium Bisulphite	

Plant Tissue Culture

Tested Chemicals

CDH introducing the comprehensive range of plant tissue culture tested chemicals on customer demand. Plant tissue culture tested chemicals are assessed and analysed for chemical parameters along with specific plant tissue culture tests in order to verify their suitability in specific applications.

PTC products are analysed with stringent quality control required to maintain consistency and quality. We have developed complete in-house testing facilities for all our products and deliver the best to our customers. Our range include wide range of chemicals including macroelements, microelements, amino acids, carbohydrates, vitamins and organic supplements.

Storage : · #0-4°C ▲ 2-8°C
⁂ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
902550	**W.B.C. Diluting Fluid** (Truck's)	125 ml 500 ml
902600	**Wagner's** Reagent for the detection of alkaloids	125 ml 500 ml
902690	**Wanklyn's** Solution	500 ml 2.5 lit
	Water Blue See Aniline Blue (Water Soluble)	
	Water DM See DM Water	
902760 H_2O (7732-18-5)	**Water** Deionized M.W. : 18.015	5 lit
902740 H_2O (7732-18-5)	**Water** Distilled M. W.: 18.015	5 lit
679825 H_2O (7732-18-5)	**Water AR** M. W.: 18.015	1 lit
779595 H_2O (7732-18-5)	**Water** EL M.W. : 18.015	1 lit
779600 H_2O (7732-18-5)	**Water** for HPLC & Spectroscopy M. W.: 18.015	1 lit
779650 H_2O (7732-18-5)	**Water** Gradient Grade for Chromatography, HPLC M. W.: 18.015	1 lit
779645 H_2O (7732-18-5)	**Water** GC-HS For GC-Headspace Analysis M.W. : 18.015	1 lit 2.5 lit
994000 MB H_2O (7732-18-5)	**Water** for Molecular Biology Grade M. W.: 18.015	5 lit
779630 H_2O (7732-18-5)	**Water** for Pesticide Residue Trace Analysis M. W.: 18.015	1 lit
902790	**Water** With 0.1% Acetic Acid for LCMS	2.5 lit
902820	**Water** With 0.1% Formic Acid for LCMS	2.5 lit
902910	**Water**/2-Propanol 50/50 (V/V)	1 lit
779700	**Water** Nuclease free	100 ml
902940	**Water** With 0.1% Trifluoro Acetic Acid for LCMS	2.5 lit
902950	**Water testing kit** (For the estimation of Total hardness)	200 te
902952	**Water testing kit** (For the estimation of Calcium hardness)	100 te
902954	**Water testing kit** (for the estimation of Fluoride, Chloride and Residual chlorine)	3X200 te
902958	**Water testing kit** (Residual chlorine)	200 te
902960	**Water testing kit** (For the estimation of total alkalinity and pH)	2x200 te
902962	**Water testing kit** (for the estimation of arsenic)	25 te
902964	**Water testing kit** refill pack (Reagents only)(for the estimation of arsenic)	25 te
902966	**Water testing kit** (for the estimation of phosphate & iron)	2x200 te
902968	**Water testing kit** (for the estimation of Nitrate Nitrite and Ammonium in water)	3x200 te
902970	**Water testing kit** (Microbiological testing)	10 te
902972	**Water testing kit** (For the estimation of dissolved oxygen)	25 te
902974	**Water testing kit** refill pack (For the estimation of dissolved oxygen)	25 te
902976	**Water testing kit** (For the estimation of Sulphite/ Residual sulphite in water)	1x100 te
902990	**Wij's & Iodine** Solution	500 ml
679915 (76093-98-6)	**Wood's** (Metal) **AR**	100 gm 250 gm
	Wright Eosin Methylene Blue See Wright's Stain	
034080 (68988-92-1)	▲**Wright's** Stain for Microscopy (Wright's eosin Methylene Blue)	25 gm 100 gm
903010	**Wright's** Staining Solution for Microscopy	125 ml 250 ml

PESTICIDE RESIDUE ANALYSIS SOLVENTS

These solvents are developed especially for the applications in residual pesticides analysis and analysis of other low-volatile, environmentally relevant substances by using GC/ECD or GC/PND or GC/MSD instrumentation. These solvents are also suitable for analysis of polychlorinated biphenyles (PCBs) class of substance.

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
998905 MB $C_{14}H_{15}BrClNO_6$ (7240-90-6)	· **X-Gal** (5-Bromo-4-Chloro-3-Indolyl-ß-D-Galactopyranoside) For Molecular Biology M. W. : 408.63 Assay : ≥ 98%	**100 mg** **500 mg** **1 gm**
	▲**X-Gal** See 5-Bromo-4-Chloro-3-Indolyl-B-D-Galactopyranoside	
PCT2204 PTC $C_{14}H_{15}BrClNO_6$ (15548-60-4)	· **X-Glucoside** **(5-Bromo-4-chloro-3-indolyl-b-D-glucopyranoside)** Plant Culture Tested M. W.: 408.63 Assay 97%	**25 mg** **100 mg**
PCT2205 PTC $C_{20}H_{26}BrClN_2O_7$ (114162-64-0)	· **X-Glucuronide CHA salt** **(5-Bromo-4-chloro-3indolyl-b-D-glucuronideCyclohexyl ammonium salt)** Plant Culture Tested M. W.: 521.79 Assay 98%	**100 mg** **500 mg** **1 gm**
PCT2206 PTC $C_{14}H_{12}BrClNNaO_7$ (129541-41-9)	· **X-Glucuronide sodium salt** **(5-Bromo-4-chloro-3-indolyl-b-D-glucuronide sodium salt)** Plant Culture Tested M. W.: 444.59 Assay 98%	**500 mg** **1 gm**
PCT2208 PTC $C_{14}H_{15}BrClNO_6$ (107021-38-5)	· **X-a-Gal** **(5-Bromo-4-chloro-3-indolyla-D-galactopyranoside)** Plant Culture Tested M. W.: 408.63 Assay 98%	**100 mg**
PCT2202 PTC $C_{14}H_{15}BrClNO_6$ (7240-90-6)	· **X-Gal** **(5-Bromo-4-chloro-3-indolyl-b-D-galactopyranoside)** Plant Culture Tested M. W.: 408.63 Assay 98%	**100 mg** **500 mg**
998907 MB $C_{14}H_{12}BrClNNaO_7$ (129541-41-9)	**X-Glucurono Sodium Salt** 5-Bromo-4-Chloro-3-Indolyl-ß-D-Glucuronide Sodium Salt For Molecular Biology M. W. : 444.59 Assay : ≥ 98% Store at 20°C	**100 mg** **500 mg** **1 gm**
998908 MB $C_{14}H_{12}BrClNO_6$ (15548-60-4)	· **X-Glucoside** 5-Bromo-4-Chloro-3-Indolyl-ß-D-Glucpyranoside For Molecular Biology M. W. : 408.63 Assay : ≥ 97%	**1 mg** **5 mg** **10 mg**
TC1476 ATC $C_8H_4BrClNO_4P$. 2Na (102185-33-1)	· **X-phosphate disodium salt ,BCIP®** 5-Bromo-4-Chloro 3-Indolyl Phosphate, Disodium Salt, Cell Culture Tested M. W.: 370.43	**25 mg** **100 mg** **1 gm**

Product Code	Product Name	Packing
268835 (11138-66-2)	**Xanthan Gum** Pure (Food Grade)	**1 kg**
042057 $C_5H_4N_4O_2$ (69-89-6)	**Xanthine** for Biochemistry M. W.: 152.11 Assay (Spectophotometric 275 nm pH 10) 98.0%	**5 gm** **25 gm**
TC1690 ATC (9002-17-9)	· **Xanthine Oxidase** Cell Culture Tested Activity : ~15U/mg	**5 units** **250 units**
TC1239 ATC $C_{22}H_{16}N_7NaO_{13}S_2$ (111072-31-2)	· **XTT Sodium Salt** Cell Culture Tested M. W.: 673.52 Store at -20°	**100 mg** **500 mg**
998918 MB (9014-63-5)	**Xylan** From Beechwood For Molecular Biology Store Below 30°C	**10 gm**
030575 C_8H_{10} (1330-20-7)	**Xylene** Sulphur Free M. W.: 106.17	**500 ml** **2.5 lit** **25 lit**
269050 C_8H_{10} (1330-20-7)	**Xylene** Rectified M. W.: 106.17	**500 ml** **1 lit** **2.5 lit** **25 lit** **200 lit**
686715 C_8H_{10} (1330-20-7)	**Xylene AR** M. W.: 106.17	**500 ml** **2.5 lit** **25 lit** **200 lit**
014628 C_8H_{10} (1330-20-7)	**Xylene** Scintillation Grade M. W.: 106.17 Assay (GC) 99.0%	**500 ml** **2.5 lit**
269135 C_8H_{10} (1330-20-7)	**Xylene** Special (Mixtures of Isomers) M. W.: 106.17	**500 ml** **2.5 lit**
686725 C_8H_{10} (1330-20-7)	**Xylene** Special **AR** (Mixtures of Isomers) (Ethyl Benzene <0.1%) M. W.: 106.17	**500 ml** **2.5 lit**
030577 C_8H_{10} (108-38-3 / 108-33-3)	m-**Xylene** for Synthesis M. W.: 106.17 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
686915 (108-38-3 / 108-33-3)	m-**Xylene AR**	**500 ml**
030576 C_8H_{10} (95-47-6)	o-**Xylene** for Synthesis M. W.: 106.17 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
686935 C_8H_{10} (95-47-6)	o-**Xylene AR** M. W.: 106.17	**500 ml**

Storage : · ❄0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
030574 C_8H_{10} (106-42-3)	p-**Xylene** for Synthesis M. W.: 106.17 Assay (GC) 98.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
686945 C_8H_{10} (106-42-3)	p-**Xylene AR** M. W.: 106.17 Assay (GC) 99.0%	**500 ml**
779200 C_8H_{10} (106-42-3)	p-**Xylene** for HPLC M. W.: 106.17 Assay (GC) 99.0%	**1 lit**
998923 MB C_8H_{10} (1330-20-7)	**Xylene Mixture of Isomers** For Molecular Biology M. W. : 106.17 Store Below 30°C	**500 ml** **2.5 lit**
903510	**Xylene Cyanol** Indicator Solution (Color Change -Green to Orange)	**100 ml**
044306 $C_{25}H_{27}N_2NaO_6S_2$ (2650-17-1)	**Xylene Cyanol** FF C.I. 43535 M. W.: 538.61	**5 gm** **25 gm**
687035 $C_{23}H_{22}O_5S$ (125-31-5)	p-**Xylenol Blue** Indicator **AR** M. W.: 410.49	**1 gm** **5 gm**
903520	**Xylenol Orange** Indicator Solution for EDTA Titration (Reagent for Cd, Pb, Mg, Zn, Bi)	**100 ml**
687125 $C_{31}H_{28}N_2O_{13}SNa_4$ (3618-43-7)	•**Xylenol Orange AR** Suitable for use in EDTA Zinc Titration M. W.: 760.6	**5 gm** **10 gm**

Product Code	Product Name	Packing
269285 $C_8H_{11}N$ (95-68-1)	2,4-**Xylidine** Pure M. W.: 121.18	**250 ml** **2.5 lit** **10 lit**
269305 $C_8H_{11}N$ (87-62-7)	2,6-**Xylidine** Pure M. W.: 121.18 Assay 98.5%	**250 ml** **2.5 lit**
269265 ✲ $(CH_3)_2C_6H_3NH_2$ (108-69-0)	3,5-**Xylidine** M. W.: 121.18	**100 ml** **500 ml** **10 lit**
034081 $C_{20}H_{11}N_2Na_3O_{10}S_3$ (3761-53-3)	**Xylidine Ponceau** for Microscopy M. W.: 604.48 Dye content (on dried subs., titanometry) Abt. 75.0%	**25 gm**
687175 $C_{25}H_{20}N_3NaO_6S$ (14936-97-1)	**Xylidyl Blue I AR** M. W.: 513.50	**1 gm**
038101 $C_5H_{12}O_5$ (87-99-0)	**Xylitol** for Biochemistry M.W. : 152.15	**25 gm** **100 gm** **500 gm**
030590 $C_5H_{10}O_5$ (58-86-6)	D (+)-**Xylose** M. W.: 150.13	**25 gm** **100 gm** **500 gm**
PCT1615 PTC $C_5H_{10}O_5$ (58-86-6)	D-**Xylose** Plant Culture Tested M. W.: 150.1 Store below 30°C	**25 gm** **100 gm** **500 gm**
269475 $C_5H_{10}O_5$ (609-06-3)	L **(-)Xylose** for Biochemistry M. W.: 150.13	**5 gm**

STAINS AND INDICATOR

Congo Red

Alcian Blue

Cresyl Violet

Fast Blue



Oil Red O

Prussian Blue



Ziehl-Neelsen

Auramine O



Gram's Stain

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ·#0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
271875 (8013-01-2)	**Yeast Autolysate** Bacteriological Grade	**500 gm**
271900 (8013-01-2)	**Yeast Extract Paste** For Bacteriology	**500 gm**
023799	**Yeast Extract** Powder	**500 gm** **5 kg**
271895	**Yeast Extract Special** for Bacteriology	**500 gm**
	Yellow Ammonium Sulphide Solution See Ammonium Sulphide Solution yellow	
PCT2315 PTC	**Yellow Colour** Plant Culture Tested Store below 30°C	**250 gm**
226605 $C_{10}H_{10}N_2Na_2O_7S_2$ (2783-94-0)	**Yellowish Orange S** (C.I. 15985) M. W.: 452.37	**25 gm**
272115 (8006-81-3)	**Ylang Ylang Oil** for Synthesis	**500 gm**
272205 $C_{21}H_{26}N_2O_3.HCl$ (65-19-0)	**Yohimbine Hydrochloride** M. W.: 390.90	**1 gm** **5 gm**
RE3225 Yb (7440-64-4)	**Ytterbium** Metal Ingot M. W.: 173.04 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE3230 Yb (7440-64-4)	**Ytterbium** Metal Lump M. W.: 173.04 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE3235 Yb (7440-64-4)	**Ytterbium** Metal Powder 325 mesh M. W.: 173.04 Assay (Trace metal basis) 99.9%	**2 gm** **25 gm**
RE3270 $Yb(CH_3CO_2)_3.4H_2O$ (15280-58-7)	**Ytterbium Acetate** M. W.: 422.23 Assay (Trace metal basis) 99.9%	**10 gm** **50 gm**
RE3275 $Yb(CH_3CO_2)_3.4H_2O$ (15280-58-7)	**Ytterbium Acetate** M. W.: 422.23 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE3280 $Yb(CH_3CO_2)_3.4H_2O$ (15280-58-7)	**Ytterbium Acetate** M. W.: 422.23 Assay (Trace metal basis) 99.999%	**2 gm** **100 gm**
RE3285 $Yb(CH_3CO_2)_3.4H_2O$ (15280-58-7)	**Ytterbium Acetate** M. W.: 422.23 Assay (Trace metal basis) 99.9999%	**2 gm** **100 gm**
RE3295 $Yb_2(CO_3)_3.XH_2O$ (64360-98-1)	**Ytterbium Carbonate** M. W.: 526.11 (Anhy.) Assay (Trace metal basis) 99.9%	**10 gm** **50 gm**
RE3300 $Yb_2(CO_3)_3.XH_2O$ (64360-98-1)	**Ytterbium Carbonate** M. W.: 526.11 (Anhy.) Assay (Trace metal basis) 99.99%	**10 gm** **50 gm**
RE3305 $Yb_2(CO_3)_3.XH_2O$ (64360-98-1)	**Ytterbium Carbonate** M. W.: 526.11 (Anhy.) Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE3310 $Yb_2(CO_3)_3.XH_2O$ (64360-98-1)	**Ytterbium Carbonate** M. W.: 526.11 (Anhy.) Assay (Trace metal basis) 99.9999%	**5 gm** **25 gm**

Product Code	Product Name	Packing
RE3320 $YbCl_3.6H_2O$ (10035-01-5)	**Ytterbium Chloride** M. W.: 387.49 Assay (Trace metal basis) 99.9%	**25 gm** **100 gm**
RE3325 $YbCl_3.6H_2O$ (10035-01-5)	**Ytterbium Chloride** M. W.: 387.49 Assay (Trace metal basis) 99.99%	**10 gm** **50 gm**
RE3330 $YbCl_3.6H_2O$ (10035-01-5)	**Ytterbium Chloride** M. W.: 387.49 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE3335 $YbCl_3.6H_2O$ (10035-01-5)	**Ytterbium Chloride** M. W.: 387.49 Assay (Trace metal basis) 99.9999%	**5 gm** **25 gm**
RE3345 YbF_3 (13760-80-0)	**Ytterbium (III) Fluoride** Anhydrous M. W.: 230.04	**10 gm**
RE3355 YbI_3	**Ytterbium Iodide** M. W.: 533.74 Assay (Trace metal basis) 99.95%	**1 gm** **5 gm**
RE3365 $Yb(NO)_3.XH_2O$	**Ytterbium Nitrate** M. W.: 359.05 (Anhy.) Assay (Trace metal basis) 99.9%	**10 gm** **50 gm** **100 gm**
RE3370 $Yb(NO)_3.XH_2O$	**Ytterbium Nitrate** M. W.: 359.05 (Anhy.) Assay (Trace metal basis) 99.99%	**10 gm** **50 gm**
RE3375 $Yb(NO)_3.XH_2O$	**Ytterbium Nitrate** M. W.: 359.05 (Anhy.) Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE3380 $Yb(NO)_3.XH_2O$	**Ytterbium Nitrate** M. W.: 359.05 (Anhy.) Assay (Trace metal basis) 99.9999%	**2 gm** **25 gm**
RE3390 Yb_2O_3 (1314-37-0)	**Ytterbium Oxide** M. W.: 394.08 Assay (Trace metal basis) 99.9%	**25 gm** **100 gm** **1 kg**
RE3395 Yb_2O_3 (1314-37-0)	**Ytterbium Oxide** M. W.: 394.08 Assay (Trace metal basis) 99.99%	**10 gm** **50 gm**
RE3400 Yb_2O_3 (1314-37-0)	**Ytterbium Oxide** M. W.: 394.08 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE3405 Yb_2O_3 (1314-37-0)	**Ytterbium Oxide** M. W.: 394.08 Assay (Trace metal basis) 99.9999%	**2 gm** **25 gm**
905750	**Yttrium** (V) CRISTAR® 1000 ppm Single Element Standard Soln. for ICP in 2% HNO_3, In accordance with NIST	**50 ml** **100 ml**
RE3435 Y (7440-65-5)	**Yttrium** Metal Ingot M. W.: 88.90 Assay (Trace metal basis) 99.99%	**10 gm** **50 gm**
RE3440 Y (7440-65-5)	**Yttrium** Metal Lump M. W.: 88.90 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE3445 Y (7440-65-5)	**Yttrium** Metal Powder 325 mesh M. W.: 88.90 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
RE3485 $Y(CH_3CO_2)_3.xH_2O$ (304675-69-2)	Yttrium Acetate M. W.: 266.03 (Anhy.) Assay (Trace metal basis) 99.9%	50 gm 250 gm
RE3490 $Y(CH_3CO_2)_3.xH_2O$ (304675-69-2)	Yttrium Acetate M. W.: 266.03 (Anhy.) Assay (Trace metal basis) 99.99%	25 gm 100 gm
RE3495 $Y(CH_3CO_2)_3.xH_2O$ (304675-69-2)	Yttrium Acetate M. W.: 266.03 (Anhy.) Assay (Trace metal basis) 99.999%	10 gm 100 gm
RE3510 $Y_2(CO_3)_3.xH_2O$ (38245-39-5)	Yttrium Carbonate M. W.: 357.84 (Anhy.) Assay (Trace metal basis) 99.9%	50 gm 250 gm
RE3515 $Y_2(CO_3)_3.xH_2O$ (38245-39-5)	Yttrium Carbonate M. W.: 357.84 (Anhy.) Assay (Trace metal basis) 99.99%	25 gm 100 gm
RE3520 $Y_2(CO_3)_3.xH_2O$ (38245-39-5)	Yttrium Carbonate M. W.: 357.84 (Anhy.) Assay (Trace metal basis) 99.999%	5 gm 100 gm
RE3535 $YCl_3.6H_2O$ (10025-94-2)	Yttrium Chloride M. W.: 303.36 Assay (Trace metal basis) 99.9%	10 gm 50 gm 250 gm
RE3540 $YCl_3.6H_2O$ (10025-94-2)	Yttrium Chloride M. W.: 303.36 Assay (Trace metal basis) 99.99%	5 gm 25 gm 100 gm
RE3545 $YCl_3.6H_2O$ (10025-94-2)	Yttrium Chloride M. W.: 303.36 Assay (Trace metal basis) 99.999%	10 gm 50 gm
RE3550 $YCl_3.6H_2O$ (10025-94-2)	Yttrium Chloride M. W.: 303.36 Assay (Trace metal basis) 99.9999%	2 gm 25 gm
RE3560 YF_3 (13709-49-4)	Yttrium Fluoride M. W.: 145.9 Assay (Trace metal basis) 99%	25 gm 100 gm
RE3565 YF_3 (13709-49-4)	Yttrium Fluoride M. W.: 145.9 Assay (Trace metal basis) 99.9%	25 gm 100 gm 500 gm
RE3570 YF_3 (13709-49-4)	Yttrium Fluoride M. W.: 145.9 Assay (Trace metal basis) 99.99%	25 gm 100 gm 500 gm
RE3575 Yf_3 (13709-49-4)	Yttrium Fluoride M. W.: 145.9 Assay (Trace metal basis) 99.999%	5 gm 25 gm
RE3590 $Y(OH)_3.xH_2O$	Yttrium Hydroxide M. W.: 139.93 (Anhy.) Assay (Trace metal basis) 99.9%	50 gm 250 gm
RE3595 $Y(OH)_3.xH_2O$	Yttrium Hydroxide M. W.: 139.93 (Anhy.) Assay (Trace metal basis) 99.99%	5 gm 25 gm

Product Code	Product Name	Packing
RE3600 $Y(OH)_3.xH_2O$	Yttrium Hydroxide M. W.: 139.93 (Anhy.) Assay (Trace metal basis) 99.999%	5 gm 25 gm
RE3615 $Y(NO_3)_3.xH_2O$	Yttrium Nitrate M. W.: 274.92 (Anhy.) Assay (Trace metal basis) 99.9%	25 gm 100 gm
RE3620 $Y(NO_3)_3.xH_2O$	Yttrium Nitrate M. W.: 274.92 (Anhy.) Assay (Trace metal basis) 99.99%	5 gm 25 gm 100 gm
RE3625 $Y(NO_3)_3.xH_2O$	Yttrium Nitrate M. W.: 274.92 (Anhy.) Assay (Trace metal basis) 99.999%	25 gm 100 gm
RE3640 $Y(C_8H_{15}O_2)_2$	Yttrium Octoate M. W.: 374.91 Assay (Trace metal basis) 99.9%	50 gm 250 gm
RE3660 $Y_2(C_2O_4)_3.10H_2O$ (13266-82-5)	Yttrium Oxalate M. W.: 622.02 Assay (Trace metal basis) 99.9%	50 gm 250 gm
RE3665 $Y_2(C_2O_4)_3.10H_2O$ (13266-82-5)	Yttrium Oxalate M. W.: 622.02 Assay (Trace metal basis) 99.99%	25 gm
RE3670 $Y_2(C_2O_4)_3.10H_2O$ (13266-82-5)	Yttrium Oxalate M. W.: 622.02 Assay (Trace metal basis) 99.999%	5 gm 25 gm
RE3685 Y_2O_3 (1314-36-9)	Yttrium Oxide M. W.: 225.81 Assay (Trace metal basis) 99.9%	10 gm 25 gm 250 gm 1 kg
RE3690 Y_2O_3 (1314-36-9)	Yttrium Oxide M. W.: 225.81 Assay (Trace metal basis) 99.99%	25 gm 250 gm 1 kg
RE3695 Y_2O_3 (1314-36-9)	Yttrium Oxide M. W.: 225.81 Assay (Trace metal basis) 99.999%	25 gm 100 gm 1 kg
RE3700 Y_2O_3 (1314-36-9)	Yttrium Oxide M. W.: 225.81 Assay (Trace metal basis) 99.9999%	10 gm 50 gm 250 gm
RE3715 $Y_2(SO_4)_3.6H_2O$	Yttrium Sulphate M. W.: 574.27 Assay (Trace metal basis) 99.9%	50 gm 250 gm
RE3720 $Y_2(SO_4)_3.6H_2O$	Yttrium Sulphate M. W.: 574.27 Assay (Trace metal basis) 99.99%	25 gm 250 gm
RE3725 $Y_2(SO_4)_3.6H_2O$	Yttrium Sulphate M. W.: 574.27 Assay (Trace metal basis) 99.999%	5 gm 25 gm

HPLC SOLVENTS

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
Z00120 $C_{11}H_{13}NO_3$ (2304-94-1)	•Z-B-Alanine M. W.: 223.21 Assay 99.0%	1 gm 5 gm 25 gm
Z00140 $C_{11}H_{13}NO_4$ (26607-51-2)	•Z-D-Alanine M.W. : 223.21 Assay 99.0%	1 gm 5 gm 25 gm
Z00180 $C_{11}H_{13}NO_4$ (4132-86-9)	•Z-DL-Alanine M.W. : 223.21 Assay 99.0%	1 gm 5 gm 25 gm
Z00220 $C_{11}H_{13}NO_4$ (1142-20-7)	•Z-L-Alanine M. W.: 223.21 Assay 99.0%	5 gm 25 gm 100 gm
Z00260 $C_{12}H_{20}NO_4$ (42918-86-5)	•Z-2-Aminobutyric Acid M.W. : 237.30 Assay 99.0%	1 gm 5 gm 25 gm
Z00300 $C_{14}H_{20}N_4O_4$ (6382-93-0)	•Z-D-Arginine M.W. : 308.30 Assay 99.0%	1 gm 5 gm 25 gm
Z00340 $C_{14}H_{20}N_4O_4.HCl$ (56672-63-0)	•Z-L-Arginine HCl M. W.: 344.79 Assay 99.0%	25 gm 100 gm
Z00380 $C_{12}H_{14}N_2O_5$ (4474-86-6)	•Z-D-Asparagine M.W. : 266.25 Assay 99.0%	1 gm 5 gm 25 gm
Z00420 $C_{12}H_{14}N_2O_5$ (29880-22-6)	•Z-DL-Asparagine M.W. : 266.25 Assay 99.0%	1 gm 5 gm 25 gm
Z00460 $C_{12}H_{14}N_2O_5$ (2304-96-3)	•Z-L-Asparagine M. W.: 266.25 Assay 99.0%	1 gm 5 gm 25 gm
Z00500 $C_{12}H_{13}NO_6$ (78663-07-7)	•Z-D-Aspartic Acid M. W.: 267.23 Assay 99.0%	1 gm 5 gm 25 gm
Z00540 $C_{12}H_{13}NO_6$ (4515-21-3)	•Z-DL-Aspartic Acid M.W. : 267.23 Assay 99.0%	1 gm 5 gm 25 gm
Z00580 $C_{12}H_{13}NO_6$ (1152-61-0)	•Z-L-Aspartic Acid M. W.: 267.23 Assay 99.0%	5 gm 10 gm 25 gm
Z00620 $C_{13}H_{15}NO_6$ (63648-73-7)	•Z-D-Glutamic Acid M. W.: 281.27 Assay 99.0%	1 gm 5 gm 25 gm
Z00660 $C_{13}H_{15}NO_6$	•Z-DL-Glutamic Acid M. W.: 281.27 Assay 99.0%	1 gm 5 gm
Z00700 $C_{13}H_{15}NO_6$ (1155-62-0)	•Z-L-Glutamic Acid M. W.: 281.27 Assay 99.0%	5 gm 25 gm 100 gm
Z00740 $C_{20}H_{21}NO_6$ (5680-86-4)	Z-L-Glutamic Acid-4- Benzyl Ester for Biochemistry M. W.: 371.39 Assay 98.0%	10 gm 25 gm
Z00780 $C_{13}H_{16}N_2O_5$ (13139-52-1)	•Z-D-Glutamine M. W.: 280.28 Assay 99.0%	1 gm 5 gm 25 gm

Product Code	Product Name	Packing
Z00820 $C_{13}H_{16}N_2O_5$ (2650-64-8)	•Z-L-Glutamine M. W.: 280.28 Assay 99.0%	5 gm 25 gm 100 gm
Z00860 $C_{10}H_{11}NO_4$ (1138-80-3)	•Z-Glycine M. W.: 209.20 Assay 99.0%	5 gm 25 gm 100 gm
Z00940 $C_{14}H_{15}N_3O_4$ (19728-57-5)	•Z-DL-Histidine M. W.: 289.30 Assay 99.0%	1 gm 5 gm
Z00980 $C_{14}H_{15}N_3O_4$ (14997-58-1)	•Z-L-Histidine M. W.: 289.30 Assay 99.0%	1 gm 5 gm 25 gm
Z01020 $C_{13}H_{15}NO_5$ (13504-85-3)	•Z-L-Hydroxyproline M. W.: 265.30 Assay 99.0%	1 gm 5 gm 25 gm
Z01100 $C_{14}H_{19}NO_4$ (3160-59-6)	•Z-L-Isoleucine M. W.: 265.30 Assay 99.0%	5 gm 25 gm 100 gm
Z00100 $C_{14}H_{17}NO_4$ (10314-98-4)	Z-Isonipecotic Acid for Biochemistry M.W. : 263.00 Assay 98.0%	10 gm 25 gm
Z01140 $C_{14}H_{19}NO_4$ (28862-79-5)	•Z-D-Leucine M. W.: 265.30 Assay 99.0%	1 gm 5 gm 25 gm
Z01180 $C_{14}H_{19}NO_4$ (3588-60-1)	•Z-DL-Leucine M. W.: 265.30 Assay 99.0%	5 gm 25 gm
Z01240 $C_{14}H_{19}NO_4$ (2018-66-8)	•Z-L-Leucine M. W.: 265.30 Assay 99.0%	5 gm 25 gm 100 gm
Z01280 $C_{14}H_{20}N_2O_4$ (70671-54-4)	•Z-D-Lysine M. W.: 280.32 Assay 99.0%	1 gm 5 gm
Z01320 $C_{14}H_{20}N_2O_4$ (2212-75-1)	•Z-L-Lysine M. W.: 280.32 Assay 99.0%	1 gm 5 gm 25 gm
Z01360 $C_{13}H_{17}NO_4S$ (28862-80-8)	•Z-D-Methionine M. W.: 280.40 Assay 99.0%	1 gm 5 gm 25 gm
Z01400 $C_{13}H_{17}NO_4S$ (4434-61-1)	•Z-DL-Methionine M. W.: 283.40 Assay 99.0%	1 gm 5 gm 25 gm
Z01440 $C_{13}H_{17}NO_4S$ (1152-62-1)	•Z-L-Methionine M. W.: 283.40 Assay 99.0%	1 gm 5 gm 25 gm
Z01480 $C_{14}H_{19}NO_4$ (15027-14-2)	•Z-D-Norleucine M. W.: 265.30 Assay 99.0%	500 mg 5 gm
Z01520 $C_{14}H_{19}NO_4$ (15027-13-1)	•Z-DL-Norleucine M. W.: 265.30 Assay 99.0%	1 gm 5 gm
Z01560 $C_{14}H_{19}NO_4$ (39608-30-5)	•Z-L-Norleucine M. W.: 265.30 Assay 99.0%	1 gm 5 gm

Storage : · ❄0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
Z01600 $C_{13}H_{17}NO_4$	•**Z-D-Norvaline** M. W.: 251.30 Assay 99.0%	1 gm 5 gm
Z01640 $C_{13}H_{17}NO_4$ (21691-43-0)	•**Z-DL-Norvaline** M. W.: 251.30 Assay 99.0%	1 gm 5 gm
Z01680 $C_{13}H_{17}NO_4$ (21691-44-1)	•**Z-L-Norvaline** M. W.: 251.30 Assay 99.0%	1 gm 5 gm
Z01720 $C_{13}H_{18}N_2O_4$ (3304-51-6)	•**Z-L-Ornithine** M. W.: 266.30 Assay 99.0%	1 gm 5 gm
Z01760 $C_{17}H_{17}NO_4$ (2448-45-5)	•**Z-D-Phenylalanine** M. W.: 299.32 Assay 99.0%	1 gm 5 gm 25 gm
Z01800 $C_{16}H_{15}NO_4$ (17609-52-8)	**Z-D-Phenylglycine** for Biochemistry M. W.: 285.29 Assay 98.0%	10 gm 25 gm
Z01840 $C_{17}H_{17}NO_4$ (3588-57-6)	•**Z-DL-Phenylalanine** M. W.: 299.32 Assay 99.0%	5 gm 25 gm
Z01880 $C_{17}H_{17}NO_4$ (1161-13-3)	•**Z-L-Phenylalanine** M. W.: 299.32 Assay 99.0%	25 gm 100 gm
Z01920 $C_{18}H_{19}NO_4$ (35909-92-3)	**Z-L-Phenylalanine Methyl Ester** for Biochemistry M. W.: 313.35 Assay 98.0%	10 gm 25 gm
Z01960 $C_{23}H_{20}N_2O_6$ (2578-84-9)	**Z-L-Phenylalanine 4-Nitrophenyl Ester** for Biochemistry M. W.: 420.41 Assay 98.0%	10 gm 25 gm
Z02000 $C_{16}H_{15}NO_4$ (53990-33-3)	**Z-L-Phenylglycine** for Biochemistry M. W.: 285.29 Assay 99.0%	10 gm 25 gm
Z02040 $C_{13}H_{15}NO_4$ (6404-31-5)	•**Z-D-Proline** M. W.: 249.26 Assay 99.0%	500 mg 1 gm 5 gm 25 gm
Z02080 $C_{13}H_{15}NO_4$ (1148-11-4)	•**Z-L-Proline** M. W.: 249.26	5 gm 25 gm
Z02120 $C_{11}H_{13}NO_5$ (6081-61-4)	•**Z-D-Serine** M. W.: 239.20 Assay 99.0%	500 mg 1 gm 5 gm 25 gm
Z02160 $C_{11}H_{13}NO_5$ (1145-80-8)	•**Z-L-Serine** M. W.: 239.22 Assay 99.0%	1 gm 5 gm 25 gm
Z02200 $C_{12}H_{15}NO_5$ (80384-27-6)	•**Z-D-Threonine** M. W.: 253.30 Assay 99.0%	1 gm 5 gm 25 gm
Z02240 $C_{12}H_{15}NO_5$ (19728-63-3)	•**Z-L-Threonine** M. W.: 253.25 Assay 99.0%	5 gm 25 gm 100 gm

Product Code	Product Name	Packing
Z02300 $C_{19}H_{18}N_2O_4$ (2279-15-4)	•**Z-D-Tryptophan** M. W.: 338.40 Assay 99.0%	1 gm 5 gm 25 gm
Z02340 $C_{19}H_{18}N_2O_4$ (7432-21-5)	•**Z-L-Tryptophan** M. W.: 338.40 Assay 99.0%	5 gm 25 gm
Z02380 $C_{17}H_{17}NO_5$ (64205-12-5)	•**Z-D-Tyrosine** M. W.: 315.32 Assay 99.0%	1 gm 5 gm 25 gm
Z02420 $C_{17}H_{17}NO_5$ (1164-16-5)	•**Z-L-Tyrosine** M. W.: 315.32 Assay 99.0%	1 gm 5 gm 25 gm
Z02460 $C_{13}H_{17}NO_4$ (1685-33-2)	•**Z-D-Valine** M. W.: 251.30 Assay 99.0%	1 gm 5 gm 25 gm
Z02500 $C_{13}H_{17}NO_4$ (3588-63-4)	•**Z-DL-Valine** M. W.: 251.30 Assay 99.0%	5 gm 25 gm
Z02540 $C_{13}H_{17}NO_4$ (1149-26-4)	•**Z-L-Valine** M. W.: 251.28 Assay 99.0%	25 gm 100 gm
Z02600 $C_{19}H_{28}N_2O_6.C_{12}H_{23}N$ (2212-76-2)	·**Z-N-e-Lysine Dicyclohexyl Ammonium Salt** for Biochemistry M. W.: 561.75 Assay 98.0%	5 gm 25 gm
Z02640 (78190-11-1)	·**Z-Nipecotic Acid** for Biochemistry Assay 99.0%	5 gm 25 gm
Z02680 $C_{24}H_{23}NO_5$ (16677-29-5)	·**Z-O-Benzyl-L-Tyrosine** for Biochemistry M. W.: 405.44 Assay 98.0%	5 gm 25 gm
PCT1813 PTC $C_{10}H_{13}N_5O$ (1637-39-4)	▲**Zeatin** Plant Culture Tested M. W.: 219.24 Assay 99%	50 mg 100 mg 250 mg 500 mg 1 gm
PCT1814 PTC $C_{15}H_{21}N_5O_5$ (6025-53-2)	▲trans-**Zeatin riboside** Plant Culture Tested M. W.: 351.36 Assay 98%	10 mg 25 mg
PCT2411 PTC	▲**Zeatin Solution** w/ 1 mg/ml Zeatin in sterile distilled water Sterile filtered Plant Culture Tested	20 ml 5X20 ml
907480	**Zenker's Fixing** for Microscopy Fixing System For Animal Tissue	100 ml
	Zeocarbe (Pemutit) See Dermutit	
	Zerolite See Seralites	
907490	**Ziehl Neelsen Acid** Fast Stains Kit	1 kit
907500	**Zinc** (Zn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	100 ml 250 ml 500 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : · #0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Packing
907502	**Zinc** (Zn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	**100 ml** **250 ml** **500 ml**
907540	**Zinc** (Zn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	**100 ml** **500 ml**
907560	**Zinc** CRISTAR® 10000 ppm Single Element Std. Soln.for ICP-MS in HNO_3 In accordance with NIST	**100 ml** **500 ml**
907520	**Zinc** (Zn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	**100 ml** **500 ml**
030596 Zn (7440-66-6)	**Zinc** Metal Dust At. W.: 65.37 Assay (Zn Complexometric) 98.0%	**500 gm** **25 kg** **50 kg**
695305 Zn (7440-66-6)	**Zinc** Metal Dust **AR** At. W.: 65.37 Assay (Complexometric) 99.5%	**500 gm** **25 kg** **50 kg**
030598 Zn (7440-66-6)	**Zinc** (Metal) Granular At. W.: 65.37 Assay (Complexometric) 99.0%	**500 gm** **25 kg** **50 kg**
695315 Zn (7440-66-6)	**Zinc** (Metal) Granular **AR** At. W.: 65.37 Assay (Complexometric) 99.7%	**500 gm** **25 kg** **50 kg**
023797 Zn (7440-66-6)	**Zinc** Foil At.W. 65.38	**100 gm** **500 gm**
N96516 Zn (7440-66-6)	**Zinc Nanopowder** (100nm) At. W.: 65.37 Assay Zn 99.9+%	**5 gm** **25 gm**
	Zinc Metal Powder See Zinc (Metal) Dust	
274725 Zn (7440-66-6)	**Zinc Wire,** Dia (2mm) M. W.: 65.39	**100 gm**
695325 Zn (7440-66-6)	**Zinc Wire,** Dia (2mm) **AR** M. W.: 65.39	**100 gm**
030601 $C_4H_6O_4Zn.2H_2O$ (5970-45-6)	**Zinc Acetate** Pure M. W.: 219.50 Assay (ex Zn Complexometric) 98-102%	**500 gm** **25 kg** **50 kg**
695415 $C_4H_6O_4Zn.2H_2O$ (5970-45-6)	**Zinc Acetate AR** M. W.: 219.50 Assay (ex Zn Complexometric) 99.5%	**500 gm**
023795 (10361-94-1)	**Zinc Borate**	**500 gm** **1 kg**
030603 $ZnBr_2$ (7699-45-8)	**Zinc Bromide** M. W.: 225.20 Assay 98.0%	**500 gm**

Product Code	Product Name	Packing
030604 $[ZnCO_3]_2$ $[Zn(OH)_2]_3$ (5263-02-5/12539-71-8)	**Zinc Carbonate** Basic M.W.: 549.02 Assay (Acidimetric Zn) 58.0%	**500 gm** **25 kg** **50 kg**
907580	**Zinc Chloride** CPECTROSOL® 0.1M Volumetric Solution In accordance with NIST	**1 lit**
907590	**Zinc Chloride** 0.5M Solution In Tetrahydrofuran	**100 ml** **500 ml**
907592	**Zinc Chloride** CPECTROSOL® 0.5M Standardized Solution In accordance with NIST	**1 lit**
030605 $ZnCl_2$ (7646-85-7)	**Zinc Chloride** (Dry) Purified M. W.: 136.29 Assay (ex Zn Complexometric) 97.0%	**500 gm** **1 kg** **25 kg** **50 kg**
695505 $ZnCl_2$ (7646-85-7)	**Zinc Chloride** (Dry) **AR/ACS** M. W.: 136.29 Assay (by complexometry) 98.0%	**500 gm** **25 kg** **50 kg**
999000 $ZnCl_2$ (7646-85-7)	**Zinc Chloride** for Molecular Biology M. W.: 136.29	**500 gm**
TC1184 ATC $ZnCl_2$ (7646-85-7)	**Zinc Chloride** Anhydrous Cell Culture Tested M. W.: 136.3 Assay : ≥97% Store below 30°C	**100 gm** **500 gm** **1 kg**
TC1184M ATC $ZnCl_2$ (7646-85-7)	**Zinc Chloride** Anhydrous Zinc(II) chloride, Zinc dichloride Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 136.29 Store below 30°C	**100 gm** **500 gm** **1 kg**
023794 CrH_2O_4Zn (13530-65-9)	**Zinc Chromate** M. W.: 181.38	**500 gm**
274915 $Zn(CN)_2$ (557-21-1)	**Zinc Cyanide** M. W.: 117.42	**500 gm**
	Zinc Dithiol See Toluene 3,4 Dithiol Zinc Derivative	
275005 ZnF_2 (7783-49-5)	**Zinc Fluoride** Purified M. W.: 103.39 Assay 99.0%	**500 gm**
	Zinc Foil See Zinc Foil	
907630	**Zinc Iodide** Starch Solution	**100 ml**
275095 ZnI_2 (10139-47-6)	**Zinc Iodide** for Synthesis M. W.: 319.20 Assay 98.0%	**50 gm** **100 gm**
030614 $Zn(NO_3)_2.6H_2O$ (10196-18-6)	**Zinc Nitrate** Hexahydrate M. W.: 297.49 Assay (ex Zn) 96.0-103.0%	**500 gm** **25 kg** **50 kg**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Packing
695595 $Zn(NO_3)_2.6H_2O$ (10196-18-6)	**Zinc Nitrate** Hexahydrate **AR** M. W.: 297.49 Assay (Complexometric) 99.0%	**500 gm**
	Zinc Ortho Phosphate See Zinc Phosphate	
023796 $ZnC_2O_4.2H_2O$	**Zinc Oxalate** M. W.: 189.41 Assay 98.0%	**250 gm**
030617 ZnO (1314-13-2)	**Zinc Oxide** Pure M. W.: 81.39 Assay (Complexometric; calc. on ignited basis) 99.0%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
695605 ZnO (1314-13-2)	**Zinc Oxide AR** M. W.: 81.39 Assay (Complexometric; calc. on the ignited basis) 99.0-100.5%	**500 gm**
N96850 ZnO (1314-13-2)	**Zinc Oxide Nanoparticles/ Nanopowder** (10-30nm) M. W.: 81.39 Assay 99.8%	**25 gm** **100 gm** **500 gm**
N96872 ZnO (1314-13-2)	**Zinc Oxide Nanopowder** (90-200nm) M. W.: 81.39 Assay ZnO 99.9+%	**5 gm** **25 gm** **100 gm** **500 gm**
275225 $C_{10}H_8N_2O_2S_2ZN$ (13463-41-7)	**Zinc Pyrithione** M. W.: 317.7 Assay 97.0%	**25 gm** **100 gm** **500 gm**
695695 ⚛ $Zn(ClO_4)_26H_2O$ (10025-64-6)	**Zinc Perchlorate AR** M. W.: 372.36 Assay 99.0-101.0%	**100 gm** **500 gm**
030615 $Zn_3(PO_4)_2$ (7779-90-0)	**Zinc Phosphate** Puram M. W.: 386.11 Assay 98.0%	**500 gm**
275265 ZnSe (1315-09-9)	**Zinc Selenide Electronic Grade** M. W.: 144.35 Assay (trace metal basis) 99.9%	**10 gm**
695735 $ZnSeO_3$ (13597-46-1)	**Zinc Selenite AR** M. W.: 192.35	**100 gm** **1 kg**
275445	**Zinc Silicofluoride** for Synthesis	**500 gm**
275510 $(C_{17}H_{35}COO)_2Zn$ (557-05-1)	**Zinc Stearate** M. W.: 632.34 Assay (as Zn) 10.0-12.0%	**500 gm**
908500	**Zinc Sulphate** CPECTROSOL® 0.05M Standard Solution HNO_3 In accordance with NIST	**1 lit**
908510	**Zinc Sulphate** CPECTROSOL® 0.1M Standard Solution HNO_3 In accordance with NIST	**1 lit**
908505	**Zinc Sulphate** 0.05 mol/L Volumetric Solution	**500 ml** **1 lit** **2.5 li**
908508	**Zinc Sulphate** CPECTROSOL® 0.05M Standardized Solution In accordance with NIST	**1 lit**

Product Code	Product Name	Packing
908515	**Zinc Sulphate** 0.1 mol/L Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
908518	**Zinc Sulphate** CPECTROSOL® 0.1M Standardized Solution In accordance with NIST	**1 lit**
908520	**Zinc Sulphate** 0.1 mol/L (0.1M) For 500 ml Solution (Ampoule Packing)	**1 Amp** **3 Amp** **6 Amp**
908530	**Zinc Sulphate** Solution 0.05M acc. to USP	**500 ml**
030621 $ZnSO_4.7H_2O$ (7446-20-0)	**Zinc Sulphate** Heptahydrate Purified (Zinc sulphate-7-hydrate) M. W.: 287. 54 Assay (Complexometric) 99.0%	**500 gm** **1 kg** **5 kg** **25 kg**
695835 $ZnSO_4.7H_2O$ (7446-20-0)	**Zinc Sulphate AR/ACS** (Zinc sulphate-7-hydrate) Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 287. 54 Assay (Complexometric) 99.5%	**500 gm** **5 kg** **25 kg** **50 kg**
999050 MB $ZnSO_4.7H_2O$ (7446-20-0)	**Zinc Sulphate** Heptahydrate For Molecular Biology M. W. : 287.56 Assay : ≥ 99.5% Store Below 30°C	**500 gm**
PCT1118 PTC $ZnSO_4.7H_2O$ (7446-20-0)	**Zinc Sulphate** Heptahydrate Plant Culture Tested M. W.: 287.56 Assay 99% Store below 30°C	**500 gm** **1 kg**
TC1131 ATC $ZnSO_4.7H_2O$ (7446-20-0)	**Zinc Sulphate** Heptahydrate Cell Culture Tested M. W.: 287.56 Assay : ≥99.5% Store below 30°C	**100 gm** **500 gm**
TC1131M ATC $ZnSO_47H_2O$ (7446-20-0)	**Zinc Sulphate** Heptahydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 287.56 Store below 30°C	**100 gm** **500 gm**
030622 $ZnSO_4.H_2O$ (7446-19-7)	**Zinc Sulphate** (Dried) Monohydrate M. W.: 179.45 Assay (complexometric) 99-100.5%	**500 gm** **25 kg** **50 kg**
030623 ZnS (1314-98-3)	**Zinc Sulphide** M. W.: 97.46 Assay (ex Zn) 98.0%	**500 gm**
369935 ZnS (1314-98-3)	**Zinc Sulphide** Special Grade M. W.: 97.46 Assay (Trace metal basis) 99.99%	**500 gm**
275725 H_2O_3SZn (13597-44-9)	**Zinc Sulphite** M. W.: 145.45	**500 gm**
275785 $C_4H_6O_6Zn$ (551-64-4)	**Zinc Tartrate** M. W.: 213.45	**500 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Packing
695925 $C_{20}H_{15}N_4O_6SNa$ (62625-22-3)	**Zincon AR** M. W.: 462.41	**1 gm** **5 gm**
275015 Zr (7440-67-7)	**Zirconium** Metal 100 mesh M. W.: 91.22	**25 gm** **100 gm** **500 gm**
276015 $CH_2O_7Zr_2$ (57219-64-4)	**Zirconium (IV) Carbonate Basic** M. W.: 308.46	**100 gm** **500 gm**
030627 ZrO_2 (1314-23-4)	**Zirconium Dioxide** Calcined M. W.: 123.22 Assay (Gravimetric) (ZrO_2 + HFO_2) 98.5%	**500 gm**
696305 ZrO_2 (1314-23-4)	**Zirconium Dioxide AR** M. W.: 123.22 Assay (Gravimetric) (ZrO_2 + HFO_2) 98.5%	**500 gm**
N97083 ZrO_2 (1314-23-4)	**Zirconium Oxide Nanopowder (20nm)** M. W.: 123.22 Assay ZrO_2 99.5+%	**25 gm** **100 gm** **500 gm**

Product Code	Product Name	Packing
	Zirconium (IV) Oxynitrate See Zirconyl Nitrate	
030630 $ZrOCl_2.8H_2O$ (13520-92-8)	**Zirconium Oxychloride** (Zirconyl Chloride) M. W.: 322.25 Assay (ex Cl, Argentometric) 96.0%	**100 gm** **500 gm**
696365 $ZrOCl_2.8H_2O$ (13520-92-8)	**Zirconium Oxychloride AR** **Octahydrate** for Fluorine Determination M. W.: 322.25 Assay 99.5%	**100 gm**
276105 $ZrSiO_4$ (10101-52-7)	**Zirconium Silicate** Extra Pure M. W.: 183.30	**250 gm** **1 kg**
	Zirconyl Chloride See Zirconium Oxychioride	
026222 $ZrO(NO_3)_2.XH_2O$ (14985-18-3)	**Zirconyl Nitrate** tech. M. W.: 231.23+xH_2O Assay (Comlexometric) about 27.0-32.0%	**100 gm** **500 gm**
909810	**ZN Acid** Fast Stains Kit	**Kit**

Bioshell
DISINFACTANTS

Hand Wash
HWS09

Gentle on Skin

BIOSHELL HAND WASH is formulated with antimicrobial agents ensuring highest level of cleansing, using it everyday protects hands from germs and helps keep them hygienically clean and refreshed. Wash hand properly with Bioshell and help keep your family healthy.

SILROX - 10™
ED009

Advanced Hydrogen Peroxide Silver Stablized Solution

Salient Features

- Eco-friendly as the breakdown products are water and oxygen
- Remains active and stable for longer periods
- Causes no irritation to skin or eyes
- Non pollutant and biodegradable

Ethyl Alcohol Hand Sanitizer
Kills 99.99% of Germs

microshell HAND SANITIZER
HWG09

Packing
50 ml / 500 ml
5 Lit

Storage : · ❄0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

microgen

CE Certified
ISO 13485:2016

microgen culture media products are made of high quality ingredients so as to produce maximum good results as expected by our customers. It is of great significance to know the functions and reactions of a particular ingredient and its interaction with other ingredients in a media. Here arises the necessity of strict evaluation of the ingredients.

In microgen each and every ingredient undergoes thorough testing prior to manufacturing by our well-equiped and highly efficient quality control department. Maximum quality control measures are taken throughout the manufacturing process to give the desired results. It will be our greatest effort to provide products of maximum attainable quality to our customers.

We serve a wide range of culture media products to meet the various requirements of Dairy, Pharmaceuticals, Veterinary, Cosmetics, Water Treatment, Public Health and Medical Microbiology departments.

dehydrated culture media

media bases & supplements

MICROBIOLOGY

Microbiology Products Comprehensive range of dehydrated culture media and ready prepared media in standard pack size & customized for bulk supply.

Product	Prefix	Page
Ready Prepared Media	PM	273-281
Dehydrated Culture Media	DM	282-318
Media Supplements	MS	321-332
Culture Media Bases	BC/BA	333-337
Antimicrobial Susceptibility Systems Bacteriological Differentiation Aids		338-383

READY PREPARED MEDIA

MICROBIOLOGY PRODUCTS

Ready Prepared Media can meet your quality control and research needs, to enable right detection of microorganisms.

Product	Prefix	Page
• Prepared Media Plates	PM	273
• Scored Petri Plates	PS	278
• Prepared Petri Plates w/β lactamase	PM/PS	281

READY PREPARED MEDIA

MICROBIOLOGY PRODUCTS

- Highest level of quality performance
- Consistent qualtiy
- Time and Cost saving
- Economical

PREPARED PLATES
• Assured sterility by γ-irradiation sterilization process
• Sterile gamma irradiated, triple wrapped, water impermeable packaging
• Primary packing impermeable to H_2O_2
FACILITIES
• State-of-the-Art manufacturing facility

label specimen



PRODUCT DOCUMENTATION

Certificate of Analysis :

For any given product and its batch number, a COA can be requested for.

Material Safety Data Sheet :

To ensure proper handling and storage of the product, MSDS is also available for each Microgen media product.

Specification Sheet :

Product specifications may vary from those printed on the specification manual. To obtain the latest updated information for any product that you wish to purchase, kindly request a specification sheet or simply log on to our website and download copy.

Product Code	Product Name	Packing
PM 1491	**Anaerobic Agar (Brewer) Plate** for the isolation and sensitivity testing of anaerobic and microaerophilic organisms and study of colonial morphology.	50 plts
PM 1975A	✳**#Anaerobic Blood Agar Plate** for cultivation of anaerobic microorganisms including very fastidious organisms from clinical Specimens.	20 plts 50 plts
PM 2345	✳**#Anaerobic Blood Agar Plate w / Neomycin** For isolation and cultivation of group A and group B *Streptococci* from throat cultures and other clinical.	10 plts 50 plts
PM 1043	✳**Baird Parker Agar Plate** for the isolation and enumeration of coagulase positive *Staphylococci* from food and clinical Sample.	20 plts 50 plts
PM 1043L	✳**Baird Parker Agar Plate** (150 mm Plate) for usage refer PM 1043	20 plts
PM 1813I	✳**BCYE Agar Plate** For selective isolation and cultivation of *Legionella* species from cooling towers, clinical and other materials. The composition and performace criteria of this medium are as per the specifications laid down in ISO 11731:2017	50 plts
PM 6383	✳**BCYE Selective Agar Plate** for selevtive isolation and cultivation of *Legionella*.	10 plts 50 plts
PM 1972	**Bile Esculin Agar Plate** for differential isolation and presumptive identification of group D *Streptococci* in food and pharmaceutical products.	10 plts 50 plts
PM 1493	**Bile Esculin Azide Agar Plate** selective medium used for isolation and presumptive identification of faecal *Streptococci*.	50 plts
PM 1217	**Bi.G.G.Y. Agar Plate (Nickerson Agar Plate)** For detection, selective isolation, differentiation and presumptive identification of *Candida albicans* and *Candida tropicalis*.	20 plts 50 plts
PM 6304	✳**#Blood Agar Plate w/ Gentamicin (5mcg/plate)** for selective isolation of *Streptococcus Pneumoniae*	20 plts 50 plts
PM 1211	**BHI Agar Plate** for cultivation of fastidious pathogenic bacteria, yeasts and moulds	20 plts 50 plts
PM 6380	✳**#BHI Agar Plate w/Blood** for cultivation of fastidious pathogenic bacteria requiring to blood for growth.	10 plts 50 plts
PM 6381	✳**BHI Agar Plate w/Vancomycin** for selective isolation of vancomycin resistant *enterococci*.	10 plts 50 plts
PM 6382	✳**#BHI Blood Agar Plate w/Vancomycin** for selective isolation of fastidious Vancomycin resistant Enterococcus (VRE) species.	10 plts 50 plts
PM 1175SB	✳**# Bordet Gengou Agar Plate w/ 25% Sheep Blood** for detection and isolation of *Bordetella pertussis* and *Bordetella parapertussis*.	10 plts 50 plts
PM 1016	✳**Brilliant Green Agar Modified Plate** for selective isolation of *Salmonellae* other than *Salmonella* Typhi from faeces, food dairy products.	10 plts 50 plts

Product Code	Product Name	Packing
PM 1074	✳**Brucella Agar Plate** for selective isolation and cultivation of *Brucella* or *Campylobacter* species from clinical and non clinical specimens.	10 plts 50 plts
PM 2039	✳**#Brucella Agar Plate with Hemin & Vitamin K1** used for the isolation and cultivation of *Brucella* Species.	20 plts 50 plts
PM 2640	✳**Burkholderia Cepacia Agar Plate** for selective isolation of *Burkholderia cepacia* from clinical sample	20 plts 50 plts
PM 1792	**C.L.E.D. Agar w/ Bromothymol Blue Plate** for isolation and differentiation of urinary pathogens on the basis of lactose fermentation.	20 plts 50 plts
PM 6208	✳**# CNA Agar Plate with 5% Sheep Blood** for selective isolation of pathogenic gram positive cocci from clinical and non clinical Specimens	50 plts
PM 1994	✳**#Campylobacter Agar Plate** for selective isolation of *Campylobacter* species from faecal specimens, food and environmental Specimens.	20 plts 50 plts
PM 1024	**Cetrimide Agar Plate** for selective isolation of *Pseudomonas aeruginosa* from clinical specimens.	20 plts 50 plts
PM 1024H	**Cetrimide Agar Plate** for the selection and subculture of *Pseudomonas aeruginosa* in accordance with the harmonized method of USP/EP/BP/JP/IP.	20 plts 50 plts
PM 1024HT	**Cetrimide Agar Plate (Triple Pack)** for usage refer PM1024H	10 plts
PM 1024GT	**Cetrimide Agar Plate (γ irradiated) (Triple pack)** for usage refer PM1024H	20 plts 50 plts
PM 1103	✳**Chocolate Agar Plate** for isolation of *Neisseria gonorrhoeae* from chronic and acute cases of gonococcal infections.	20 plts 50 plts
PM 6333	✳**Chocolate Agar Plate w/ Bacitracin** for selective isolation of *Neisseria gonorrhoeae* from chronic and acute cases of gonococcal Infections	50 plts
PM 1144H	**Columbia Agar Plate** for the selection and subculture of *Clostridium sporogenes* in accordance with the harmonized method of USP/EP/BP/JP/IP.	20 plts 50 plts
PM 1144HGT	**Columbia Agar Plate (γ irradiated) (Triple pack)** for usage refer PM 1144H	20 plts 50 plts
PM 1144	✳**#Columbia 5% Sheep Blood Agar Plate** for isolation and cultivation of fastidious Organisms.	20 plts 50 plts
PM 1160	**D.C.L.S. Agar** a selective medium used to detect and isolate *Salmonella* and Shigella species. Also useful for isolation of *Vibrio cholerae*.	10 plts 50 plts
PM 2419	✳**DNase Test Agar Plate w/Methyl Green** for detecion of deoxyribonuclease activity of bacteria and fungi and especially for identification of pathogenic Staphylococci.	10 plts

On receipt all the above products to be stored between 20-30°C.
✳ On receipt all the above products to be stored between 2-8°C.
Due to short shelf life this product will be supplied to the customer.

Product Code	Product Name	Packing
PM 2041	✳**DNase Test Agar Plate w/Toluidine Blue** for detecion of deoxyribonuclease activity of Microorganisms.	10 plts
PM 1188	✳**D.T.M Agar Plate** for selective isolation of dermatophytes.	10 plts 50 plts
PM 1065	**Deoxycholate Citrate Agar Plate** selective medium for the isolation of enteric pathogens particularly *Salmonella* and *Shigella* Species.	10 plts 50 plts
PM 1186	**Dey Engley Neutralizing Agar Plate** in disinfectant testing where neutralization of the chemical is important for determining its bactericidal activity	50 plts
PM 1186GT	**Dey Engley Neutralizing Agar Plate (γ-irradiated) (Triple Pack)** for usage refer PM 1186	50 plts
PM 1317	**EMB Agar Plate** for differential isolation of Gram-negative enteric bacilli from clinical and non clinical specimens.	20 plts 50 plts
PM 1022	**EMB Agar, Levine Plate** for isolation, enumeration and differentiation of members of Enterobacteriaceae.	20 plts 50 plts
PM 1029	***Endo Agar Plate** for the confirmation of the presumptive test for members of the coliform group	20 plts
PM 6384	✳**#GBS Agar Plate** for rapid detection of group B Streptococci from clinical specimens.	10 plts 50 plts
PM 2057	✳**G. Vaginalis Selective Agar Plate** for the qualitative isolation and differentiation of *Gardnerella vaginalis* from clinical specimens.	10 plts 50 plts
PM 2259	✳**#Haemophilus Test Agar Plate** for the susceptibility testing of *Haemophilus Influenzae.*	10 plts
PM 1467	**Hektoen Enteric Agar Plate** for differential and selective isolation of *Salmonella* and *Shigella* species from enteric pathological specimens.	10 plts 50 plts
PM 6390	✳**#Helicobacter pylori Selective Agar Plate** for setection of *Helicobacter pylori* in clinical Specimens.	10 plts 50 plts
PM 2651	✳**Microme Bacillus Agar Plate** for isolation and differentiation between various species of *Bacillus* from a mixed culture	20 plts 50 plts
PM 2297A	✳**Microme Candida Differential Agar Plate** for rapid isolation and identification of Candida species from mixed cultures	20 plts 50 plts
PM 2991I	✳**Microme Chromogenic Coliform Agar Plate (CCA Plate)** for detection of *Escherichia coli* and coliforms in water samples. The composition and performance criteria of this medium are as per the specifications laid down in ISO 9308-1:2014.	20 plts 50 plts
PM 2832	✳**Microme Coliform Agar Plate, Modified** it is a selective agar recommended for the simultaneous detection of *Escherichia coli* and total coliforms in water and food samples	20 plts 50 plts

Product Code	Product Name	Packing
PM 2295	✳**Microme E.coli Agar Plate** for the detection and enumeration of *Escherichia coli* in foods without further confirmation on membrane filtration or by indole reagent	20 plts 50 plts
PM 2575A	✳**Microme EC0157 : H7 Selective Agar Plate** for selective isolation and easy detection of *Eschrichia coli* 0157 : H7 from food samples	10 plts 50 plts
PM 2829	✳**Microme ESBL Agar Plate** for detection of Extended Spectrum β-Lactamase-producing organisms from clinical & environmental samples.	10 plts 50 plts
PM 2831	✳**Microme KPC Agar Plate** for detection of Gram-negative bacteria with a reduced susceptibilityto carbapenem agents. from clinical samples	20 plts 50 plts
PM 2417F	✳**Microme Listeria Agar Plate** for rapid and direct identification of Listeria species in accordance with FDA BAM, 1998.	50 plts
PM 2938	✳**Microme MDR Acinetobacter Agar Plate** for selective isolation of *Acinetobacter* species from enviromental and clinical samples	50 plts
PM 2674	✳**Microme MeReSa Agar Plate** for isolation and selective identification of Methicillin Resistant *Staphylococcus aureus* (MRSA) from clinical specimens	20 plts 50 plts
PM 2974	✳**Microme Rapid MRSA Agar Plate** for rapid isolation and identification of Methicillin Resistant *Staphylococcus aureus* (MRSA) from clinical specimens.	20 plts 50 plts
PM 2296	✳**Microme Salmonella Agar Plate** for the isolation and differentiation of *Salmonella* species from coliforms by chromogenic method.	10 plts 50 plts
PM 2837	✳**Microme Staph Agar Plate, Modified** selective medium for the isolation and enumeration of *Staphylococcus aureus*	20 plts 50 plts
PM 2966	✳**Microme Strep B Selective Agar Plate** for selective isolation of Group B streptococci from clinical sample.	10 plts 50 plts
PM 2353	✳**Microme UTI Agar Plate** for presumptive identification of microorganisms mainly causing urinary tract infections	20 plts 50 plts
PM 2600	✳**Microme Universal Agar Plate** for presumptive identification of microorganisms from clinical & non clinical specimens.	20 plts
PM 2925	✳**Microme VRE Agar Plate** for selective isolation and differentiation of Vancomycin Resistant *Enterococcus faecalis* and *Enterococcus faecium* from clinical samples.	10 plts 50 plts
PM 1015	✳**Hoyles Media Plate with supplements** for selective isolation and differentiation of *Corynebacterium diphtheria* types	50 plts
PM 1180	**Lead Acetate Agar Plate** for detection of hydrogen sulphide producing enteric bacteria.	20 plts
PM 2151	**Luria Bertani Agar Plate** for the cultivation and maintenance of recombinant strains of *E.coli* for genetic and molecular studies; may be used for routine isolation, cultivation of not particularly fastidious Microorganisms	20 plts 50 plts

On receipt all the above products to be stored between 20-30°C.
✳ On receipt all the above products to be stored between 2-8°C.
Due to short shelf life this product will be supplied to the customer.

Product Code	Product Name	Packing
PM 2151A	✳**Luria Bertani Agar Plate w/100µg/ml Ampicillin** or the cultivation and maintenance of recombinant strains of *E.coli* for genetic and molecular biology studies	**20 plts 50 plts**
PM 2151CH	**Luria Bertani Agar Plate w/50µg/ml Chloramphenicol** for the cultivation and maintenance of recombinant strains of *E.coli* for genetic and molecular biology studies	**20 plts 50 plts**
PM 2151I	**Luria Bertani Agar Plate w/ IPTG** for the cultivation and maintenance of recombinant strains of *E.coli* for genetic and molecular biology studies	**20 plts 50 plts**
PM 2151K	✳**Luria Bertani Agar Plate w/100µg/ml** for the cultivation and maintenance of recombinant strains of *E.coli* for genetic and molecular biology studies	**20 plts 50 plts**
PM 2151KI	✳**Luria Bertani Agar Plate w/100µg/ml Kanamycin Kanamycin & IPTG** for the cultivation and maintenance of recombinant strains of *E.coli* for genetic and molecular biology studies	**20 plts 50 plts**
PM 2106	✳**M-Endo Agar Plate** for enumeration of coliforms in water using a two step membrane filtration technique.	**20 plts**
PM 1081H	**MacConkey Agar Plate** for selective isolation and differentiation of *E.coli* and other enteric bacteria from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP.	**20 plts 50 plts**
PM 1081HT	**MacConkey Agar Plate (Triple Pack)** for usage refer PM 1081H	**10 plts**
PM 1081	**MacConkey Agar w/ 0.15% Bile Salts, CV and NaCl Plate** for selective isolation and differentiation of coliform organisms and other enteric pathogens.	**20 plts 50 plts**
PM 1082	**MacConkey Agar w/o CV, NaCl w/ 0.5% Sodium Taurocholate Plate** for cultivation and differentiation of enteric bacteria, restricting swarming of *Proteus* species from specimens such as urine which may contain large number of *Proteus* species as well as potentially pathogenic Gram-positive Organisms.	**20 plts 50 plts**
PM 2702	**MacConkey Agar RS Plate** for isolation and differentiating Gram negative enteric bacilli from specimens containing swarming strains of *proteus* species.	**10 plts 50 plts**
PM 1298	**MacConkey Sorbitol Agar Plate** for isolation and identification of enteropathogenic *Escherichia coli* strains associated with infant diarrhoea.	**20 plts 50 plts**
PM 1118H	**Mannitol Salt Agar Plate** for selection and subculture of *Staphylococcus aureus* in accordance with the harmonized method of USP/EP/BP/JP/IP.	**20 plts 50 plts**
PM 1118HT	**Mannitol Salt Agar Plate (Triple Pack)** for usage refer PM 1118H	**10 plts**

Product Code	Product Name	Packing
PM 1118	**Mannitol Salt Agar Plate** for selective isolation of pathogenic *Staphylococci*.	**20 plts 50 plts**
PM 3085	✳**Martin Lewis Agar Plate** for the isolation and cultivation of *Neisseria* species from clinical specimens.	**10 plts 50 plts**
PM 1137	**Malt Extract Agar Plate** for detection, isolation and enumeration of yeasts and moulds.	**20 plts 50 plts**
PM 2594	✳**MeReSa Agar Plate** for the selection, isolation and identification of Methicillin Resistant *Staphylococcus aureus* from clinical specimens.	**10 plts**
PM 1887I	✳**Modified Charcoal Cefoperazone Deoxycholate Agar Plate** recommended for selective detection and enumeration of *Campylobacter* species from food chain. The composition and performance criteria of this medium are as per the specification laid down in ISO 10272-2:2017	**10 plts 50 plts**
PM 1163	**Modified Plate Count Agar Plate** for enumeration of bacteria in milk and milk products, rinse water, icecreams etc.	**10 plts 50 plts**
PM 1173	**Mueller Hinton Agar Plate** for determination of susceptibility of microorganisms to antimicrobial agents.	**20 plts 50 plts**
PM 1173C	**Mueller Hinton Agar Plate (100 mm Plate)** for usage refer PM 1173	**50 plts**
PM 1173M	**Mueller Hinton Agar Plate (120mm plate)** for usage refer PM 1173	**20 plts**
PM 1173L	**Mueller Hinton Agar Plate (150mm plate)** for usage refer PM 1173	**20 plts 50 plts**
PM 1173XL	**Mueller Hinton Agar Plate (200mm plate)** for usage refer PM 1173	**20 plts**
PM 2084	**Mueller Hinton Agar No. 2 Plate** for testing susceptibility of common and rapidly growing bacteria using antimicrobial discs by the Bauer-Kirby Method.	**20 plts 50 plts**
PM 6389	**Mueller Hinton Agar Plate w/ 2% NaCl** for testing susceptibility to methicillin & oxacillin of *Streptococci*.	**10 plts 50 plts**
PM 2806	✳#**Mueller Hinton Agar Plate w/ 5% Sheep Blood** for determination of susceptibility of *Streptococcus* species to antimicrobial agents.	**20 plts 50 plts**
PM 1001	**Nutrient Agar Plate** a general purpose medium used for cultivation of wide variety of microorganisms.	**20 plts 50 plts**
PM 1001GT	**Nutrient Agar (gamma irradiated) (Triple pack)** for usage refer PM 1001	**20 plts 50 plts**
PM 1001CL	**Nutrient Agar Plate (150mm plate)** for usage refer PM 1001	**20 plts**
PM 1639	✳**Oxytetracycline Glucose Yeast Agar Plate** for selective isolation and enumeration of yeast and moulds in food.	**50 plts**
PM 1579	✳**Perfringens Agar Plate** for selective isolation and enumeration of *Clostridium perfringens* in food.	**50 plts**

On receipt all the above products to be stored between 20-30°C.
✳ On receipt all the above products to be stored between 2-8°C.
Due to short shelf life this product will be supplied to the customer.

Product Code	Product Name	Packing
PM 1540	✳#**Phenyl Blood Agar Plate** used for cultivation of fastidious anaerobic Bacteria.	**20 plts** **50 plts**
PM 1091	**Plate Count Agar Plate** for determination of plate counts of microorganisms in foods, water and waste water.	**20 plts** **50 plts**
PM 1091GT	**Plate Count Agar Plate (γ irradiated) (Triple pack)** or usage refer PM 1091	**20 plts** **50 plts**
PM 1096H	**Potato Dextrose Agar Plate** for the subculture of fungi in accordance with the harmonized method of USP/EP/BP/JP.	**20 plts** **50 plts**
PM 1096	**Potato Dextrose Agar Plate** for isolation and enumeration of yeasts and moulds from dairy and other food products.	**20 plts** **50 plts**
PM 1120	**Pseudomonas Fluorescein Agar Plate** for detection of fluorescein production by *Pseudomonas* species.	**20 plts** **50 plts**
PM 1406	**Pseudomonas Isolation Agar Plate** for seletive isolation and identification of *Pseudomonas aeruginosa* from clinical and non clinical specimens.	**10 plts** **50 plts**
PM 1119	**Pseudomonas Pyocyanin Agar Plate** for detection of pyocyanin production by *Pseudomonas* species.	**50 plts**
PM 1962	**R-2A Agar Plate** for heterotrophic plate count of treated potable water, using longer incubation period.	**20 plts** **50 plts**
PM 1962GT	**R-2A Agar Plate (γ - irradiated) (Triple Pack)** for usage refer PM 1962	**20 plts** **50 plts**
PM 1640	**Rose Bengal Chloramphenicol Agar Plate** for selective isolation and enumeration of yeasts and moulds from foods and environmental materials.	**20 plts** **50 plts**
PM 6319GT	**SCDA w/ 0.5% Polysorbate 80 & 1% Glycerol** a general purpose medium used for cultivation of a wide variety of microorganisms.	**50 plts**
PM 1108	**SS Agar (Salmonella Shigella Agar) Plate** for differential and selective isolation of *Salmonella* and *Shigella* species from pathological specimens,suspected foodstuffs etc.	**20 plts** **50 plts**
PM 2067	**Sabouraud Chloramphenicol Agar Plate** for selective cultivation of yeasts and moulds.	**20 plts** **50 plts**
PM 2067GT	**Sabouraud Chloramphenicol Agar Plate (γ - irradiated) (Triple Pack)** for usage refer PM 2067	**20 plts** **50 plts**
PM 2946GT	**Sabouraud Chloramphenicol Agar Plate w/ 1% Glycerol (γ irradiated) (Triple Pack)** for selective isolation and cultivation of pathogenic fungi.	**20 plts**
PM 1063H	**Sabouraud Dextrose Agar Plate** for the subculture of *Candida albicans* in accordance with the harmonized method of USP/EP/BP/JP.	**20 plts** **50 plts**
PM 1063GTH	**Sabouraud Dextrose Agar Plate (γ irradiated) (Triple pack)** for usage refer PM1063H.	**20 plts** **50 plts**

Product Code	Product Name	Packing
PM 1063GT	**Sabouraud Dextrose Agar Plate (γ irradiated) (Triple Pack)** for usage refer PM 1063G	**50 plts**
PM 1063AGT	**Sabouraud Dextrose Agar Plate w/1% Glycerol (γ irradiated) (TriplePack)** for cultivation of yeasts, moulds and aciduric Microorganisms.	**50 plts**
PM 1664	✳**Sabouraud Dextrose Agar Platew/Chloramphenicol (50mg/L) and Cycloheximide (500mg/L)** for selective isolation and cultivation of pathogenic fungi.	**50 plts**
PM 6332	✳**Sabouraud Dextrose Agar Plate w/ Chloramphenicol & Gentamicin** for selective cultivation of yeasts and moulds.	**50 plts**
PM 6387	✳**Sabouraud Dextrose Agar Plate w/ Cycloheximide** for selective isolation of fungi.	**10 plts** **50 plts**
PM 6386	✳**Sabouraud Dextrose Agar Plate w/ Gentamicin** for selective isolation of fungi.	**10 plts** **50 plts**
PM 6334	✳**Sabouraud Dextrose Agar Plate w/Penicillin & Streptomycin** for selective cultivation of yeasts, moulds and aciduric microorganisms.	**50 plts**
PM 1291	✳**Schaedler Agar Plate** for isolation and enumeration of anaerobic Bacteria.	**20 plts**
PM 2301	✳**# Sheep Blood Agar Plate** used for cultivation of fastidious organisms and studying haemolytic reactions. It provides improved and enhanced haemolysis.	**20 plts** **50 plts**
PM 2956	✳**# Sheep Blood Agar, Modified Plate** used for cultivation and studying haemolytic Reactions of *Bacillus* cereus. The composition and performance of this media are as per the specification laid down in ISO 21871 :2006	**20 plts** **50 plts**
PM 1290H	**Soybean Casein Digest Agar Plate** for the subculture of aerobic organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	**20 plts** **50 plts**
PM 1290HGT	**Soybean Casein Digest Agar Plate (γ irradiated) (Triple pack)** for usage refer PM 1290H	**20 plts**
PM 1290HV	**Soybean Casein Digest Agar Plate (High Fill volume)** for usage refer PM 1290H	**50 plts**
PM 1290	**Soyabean Casein Digest Agar Plate (Tryptone Soya Agar Plate)** a general purpose medium used for cultivation of a wide variety of microorganisms.	**20 plts** **50 plts**
PM 1290GT	**Soyabean Casein Digest Agar Plate (Tryptone Soya Agar Plate) (γ- irradiated) (Triple Pack)** for usage refer PM 1290	**20 plts** **50 plts**
PM 1290AGT	**Soyabean Casein Digest Agar Plate w/ 1% Glycerol (γ irradiated) (Triple Pack)** **50 plts** a general purpose medium used for cultivation of a wide variety of microorganisms.	**20 plts**

On receipt all the above products to be stored between 20-30°C.
✳ On receipt all the above products to be stored between 2-8°C.
Due to short shelf life this product will be supplied to the customer.

Product Code	Product Name	Packing
PM 6326GT	**Soyabean Casein Digest Agar Plate w/ 1% Glycerol, 0.5% Lecithin & 4%Polysorbate 80(γ irradiated) (Triple Pack)** for determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	50 plts
PM 6281GT	**Soybean Casein Digest Agar Plate w/2% Glycerol (γ irradiated) (Triple pack)** used for cultivation of wide variety of Microrganisms	20 plts 50 plts
PM 6317GT	**Soyabean Casein Digest Agar Plate w/ 1% Glycerol & 4% Polysorbate 80 (γ irradiated) (Triple pack)** for determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	50 plts
PM 2691	**Soyabean Casein Digest Agar Plate w/ LTHTh** for determining the efficiency of sanitization of containers , equipment surfaces, water miscible cosmetics,etc. It can also be used to enumerate the organisms from water insoluble products and fatty products containing preservatives or antimicrobials.	20 plts
PM 2691GT	**Soyabean Casein Digest Agar Plate w/ LTHTh (γ irradiated) (Triple Pack)** for usage refer PM 2691	20 plts 50 plts
PM 6311GT	**Soyabean Casein Digest Agar Plate w/ 0.1% Polysorbate 80 (γ irradiated) (Triple pack)** for cultivation of wide variety of microorganisms.	20 plts 50 plts
PM 6282GT	**Soybean Casein Digest Agar Plate w/0.05% Tween 80 (γ irradiated) (Triple pack)** used for cultivation of wide variety of Microrganisms	20 plts 50 plts
PM 1449	**Soyabean Casein Digest Agar Plate w/ Lecithin and Polysorbate 80 (Tryptone SoyaAgar Plate w/ Lecithin & Polysorbate 80)** for determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	50 plts
PM 1449GT	**Soyabean Casein Digest Agar Plate w/ Lecithin and Polysorbate 80 (Tryptone Soya Agar Plate w/ Lecithin & Polysorbate 80) (γ- irradiated) (Triple Pack)** for usage refer PM 1449	20 plts 50 plts
PM 1449VGT	**Soyabean Casein Digest MiVeg Agar Plate w/ Lecithin & Polysorbate 80 (Tryptone Soya MiVeg Agar Plate w/ Lecithin & Polysorbate 80 (γ - irradiated) (Triple Pack)** for usage refer PM 1449	50 plts
PM 2943	**Soyabean Casein Digest Agar Plate w/ 0.5% Lecithin and 4% Polysorbate 80** for determining efficiency of sanitization of containers , equipments, surfaces, water miscible cosmetics etc.	50 plts
PM 6297GT	**Soyabean Casein Digest Agar w/0.5% lecithin and 2% Polysorbate 80 & 1% Glycerol (γ-irradiated) (Triple pack)** for determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	50 plts

Product Code	Product Name	Packing
PM 6270	**Soyabean Casein Digest Agar Plate w/ 1% Polysorbate 80 & 1% Glycerine** for determining efficiency of sanitization of containers , equipments, surfaces, water miscible cosmetics etc.	50 plts
PM 6211	✳# **Soyabean Casein Digest Agar Plate w/ 5% Sheep blood** general purpose medium used for the cultivation of wide variety of microorganisms and to study the haemolytic reactions.	20 plts 50 plts
PM 1870	**TCBS Agar Plate** for the selective isolation of *Vibrio cholerae* and other enteropathogenic Vibrios .	50 plts
PM 2260	✳#**Tellurite Blood Agar Plate** for the selective isolation and cultivation of *Corynebacterium* species.	20 plts
PM 1616	**Tergitol-7 Agar Plate** for the selective enumeration and identification of coliform organisms.	20 plts 50 plts
PM 1413	✳**Thayer Martin Agar Plate w/VCNT** for selective isolation of Gonococci from pathological specimens.	20 plts 50 plts
PM 2948	✳**Tryptone Soya Serum Bacitracin Vancomycin Agar (TSBV) Plate** for isolation and presumptive identification of *Actinobacillus actinomycetemcomitans.*	50 plts
PM 2763	✳**Vancomycin Resistant Enterococci (VRE) Agar Plate** for selective isolation of vancomycin resistant Enterococci.	10 plts 50 plts
PM 1581H	**Violet Red Bile Glucose Agar Plate** for the selection and subculture of bile tolerant organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	20 plts 50 plts
PM 1049	**Violet Red Bile Agar Plate** for selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk and other dairy, food products.	20 plts 50 plts
PM 1023	**Vogel Johnson Agar Plate (V.J. Agar Plate)** for selective isolation of coagulase positive mannitol fermenting *Staphylococcus aureus* from heavily contaminated food and clinical Specimens.	20 plts 50 plts
PM 1031H	**Xylose Lysine Deoxycholate Agar Plate** for the selection and subculture of *Salmonella* in accordance with the harmonized method of USP/EP/BP/JP/IP.	20 plts 50 plts
PM 1031	**Xylose Lysine Deoxycholate Agar (XLD Agar)** for selective isolation and enumeration of *Salmonella Typhi* and other *Salmonella* species.	20 plts 50 plts
PM 1843	✳**Yersinia Selective Agar Plate** for selective isolation and enumeration of *Yersinia enterocolitica* from clinical specimens and food samples.	10 plts 50 plts

On receipt all the above products to be stored between 20-30°C.
✳ On receipt all the above products to be stored between 2-8°C.
Due to short shelf life this product will be supplied to the customer.

Ready Prepared Media in 55 mm Scored Polystyrene Plates 55mm equivalent to RODAC Plate

For Environmental Sampling (Triple Pack) (γ- irradiated)
Scored Prepared Plates Also available Triple Pack, γ- irradiated

- **55 mm Scored Polystyrene petri Plate equivalent to RODAC Plates.**
- **Scored Polystyrene Petri Plates (Triple Pack) (γ-irradiated).**
- **For Environmental Sampling, sterility testing etc.,**
- **Grid molded for easy colony counting.**

Product Code	Product Name	Packing
PS 1024HG	**Cetrimide Agar Plate (γ-irradiated)** for the selection and subculture of *Pseudomonas aeruginosa* in accordance with the harmonized method of USP/EP/BP/JP/IP.	100 plts
PS 1144H	**Columbia Agar Plate** for the selection and subculture of *Clostridium sporogenes* in accordance with the harmonized method of USP/EP/BP/JP/IP.	100 plts
PS 1186	**Dey-Engley Neutralizing Agar Plate** in disinfectant testing where neutralization of the chemical is important for determining its bactericidal activity.	100 plts
PS 1186GT	**Dey-Engley Neutralizing Agar Plate** (γ-irradiated) (Triple Pack) for usage refer PS 1186	100 plts
PS 2991I	✳**Microme Chromogenic Coliform Agar Plate** for detection of *Escherichia coli* and coliforms in water samples. The composition and performance criteria of this medium are as per the specifications laid down in ISO 9308-1:2014.	100 plts
PS 2569	✳**Microme M-Lauryl Sulphate Agar Plate** for differentiation and enumeration of *Escherichia coli* and other coliforms by single membrane filteration	100 plts
PS 1081H	**MacConkey Agar Plate** for the selection and subculture of *Escherichia coli* in accordance with the harmonized method of USP/EP/BP/JP.	100 plts
PS 1118H	**Mannitol Salt Agar Plate** for the selection and subculture of *Staphylococcus aureus* in accordance with the harmonized method of USP/EP/BP/JP/IP.	100 plts
PS 1091G	**Plate Count Agar Plate (γ -irradiated)** for determination of plate counts of microorganisms in food, water and waste water.	100 plts
PS 1096HG	**Potato Dextrose Agar Plate (γ -irradiated)** for the subculture of fungi in accordance with the harmonized method of USP/EP/BP/JP.	100 plts
PS 2067G	**Sabouraud Chloramphenicol Agar Plate (γ -irradiated)** for selective cultivation of yeasts and moulds.	100 plts
PS 1063GT	**Sabouraud Dextrose Agar Plate (γ-irradiated) (Triple Pack)** for usage refer PS 1063	100 plts
PS 1063HG	**Sabouraud Dextrose Agar Plate (γ-irradiated)** for the subculture of *Candida albicans* in accordance with the harmonized method of USP/EP/BP/JP.	100 plts
PS 2659G	**Sabouraud Dextrose Agar Plate w/ Lecithin & Polysorbate 80 (γ-irradiated)** for determining the efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics, etc. It can also be used to enumerate the organisms from water insoluble products and fatty products containing preservatives or antimicrobials.	100 plts
PS 2995GT	**Sabouraud Dextrose Agar Plate w/ LTHTh (γ-irradiated) (Triple Pack)** for determining the efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics,etc. It can also be used to enumerate the organisms from water insoluble products and fatty products containing preservatives or antimicrobials.	100 plts
PS 6319GT	**SCDA w/ 0.5% Polysorbate 80 & 1% Glycerol** a general purpose medium for cultivation of a wide variety of microorganisms.	100 plts
PS 1290HGT	**Soybean Casein Digest Agar Plate (γ-irradiated) (Triple Pack)** for usage refer PS 1290HG	100 plts
PS 1290HGG	**Soyabean Casein Digest Agar Plate w/ 1% Glycerol (γ-irradiated)** for the subculture of aerobic organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	100 plts
PS 1290GT	**Soyabean Casein Digest Agar Plate (Tryptone Soya Agar Plate) (γ-irradiated) (Triple Pack)** a general purpose medium for cultivation of a wide variety of microorganisms.	100 plts
PS 2691GT	**Soyabean Casein Digest Agar Plate w/ LTHTh (Trytpone Soya Agar plate W/LTHTh) (γ-irradiated)(Triple Pack)** for determining the efficiency of sanitization of containers , equipment surfaces, water miscible Cosmetics,etc. It can also be used to enumerate the organisms from water insoluble products and fatty products containing preservatives or antimicrobials.	100 plts
PS 1449GT	**Soyabean Casein Digest Agar Plate w/ Lecithin & Polysorbate 80 (Tryptone Soya Agar Plate w/Lecithin & Polysorbate 80) (γ-irradiated) (Triple Pack)** for usage refer PS 1449G	100 plts
PS 1449VGT	**Soyabean Casein Digest MiVeg Agar Plate w/ Lecithin & Polysorbate 80 (Tryptone Soya MiVeg Agar Plate w/ Lecithin & Polysorbate) (γ-irradiated) (Triple Pack)** for usage refer PS 1449	100 plts
PS 2943GT	**Soyabean Casein Digest Agar Plate w/0.5% Lecithin and 4% Polysorbate 80 (Tryptone Soya Agar plate w/0.5% Lecithin and 4% Polysorbate 80) (γ-irradiated) (Triple Pack)** for usage refer PS 2943	100 plts

On receipt all the above products to be stored between 20-30°C.
✳ On receipt all the above products to be stored between 2-8°C.
Due to short shelf life this product will be supplied to the customer.

Product Code	Product Name	Packing
PS 6279GT	**Soyabean Casein Digest Agar Plate W/Lecithin, Tween 80 & 1% Glycerol Plate (γ-Irradiated) (Triple pack)** for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	100 plts
PS 6297GT	**Soyabean Casein Digest Agar Plate w/0.5% Lecithin, 2% Polysorbate 80 and 1% Glycerol (γ-irradiated) (Triple pack)** sterility test medium also used for cultivation of wide variety of microrganisms and for determining efficiency of sanitization of Containers,equipment surfaces, water miscible cosmetics etc.	100 plts
PS 6270	**Soyabean Casein Digest Agar Plate w/ 1% Polysorbate 80 & 1% Glycerine** for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	100 plts
PS 6282GT	**Soyabean Casein Digest Agar Plate w/0.05 % Tween 80 (γ-irradiated) (Triple pack)** Sterility test medium also used for cultivation of wide variety of microrganisms.	100 plts
PS 6318GT	**Soyabean Casein Digest Agar Plate w/ 1% Lecithin & 4% Polysorbate 80 (γ-irradiated) (Triple pack)** for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	100 plts
PS 6317GT	**Soyabean Casein Digest Agar Plate w/ 1% Glycerol & 4% Polysorbate 80 (γ-irradiated) (Triple pack)** for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc.	50 plts
PS 6311GT	**Soyabean Casein Digest Agar Plate w/ 0.1% Polysorbate 80 (γ-irradiated) (Triple pack)** for cultivation of wide variety of microorganisms	20 plts 50 plts
PS 1581H	**Violet Red Bile Glucose Agar Plate** for the selection and subculture of bile tolerant organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	100 plts
PS 1031H	**Xylose Lysine Deoxycholate Agar Plate** for the selection and subculture of *Salmonella* in accordance with the harmonized method of USP/EP/BP/JP/IP.	100 plts

Ready Prepared Media in Scored Polystyrene Petri Plate (For Environmental Sampling)

Product Code	Product Name	Packing
PS 1063	**Sabouraud Dextrose Agar Plate (in 55mm scored Petri plate)** for the cultivation of yeast moulds and aciduric bacteria.	100 plts
PS 1290	**Soyabean Casein Digest Agar Plate (Tryptone Soya Agar Plate) (in 55mm scored Petri plate)** a general purpose medium for cultivation of a wide variety of microorganisms.	100 plts
PS 1290A	**Soyabean Casein Digest Agar Plate (Tryptone Soya Agar Plate) (75mm scored Petri plate)** for usage refer PS 1290	100 plts
PS 1290GT	**Soyabean Casein Digest Agar Plate, (Tryptone Soya Agar Plate) (in 55mm scored Petri plate)(γ-irradiated) (Triple pack)** for usage refer PS 1290	100 plts

Ready Prepared Media in Polystyrene Plates with β Lactamase

- Sterile Ready to use agar plates w/ β Lactamase available in 90mm Plates & 55mm Scored plates
- The beta lactamases can efficiently inactivate a range of antibiotics as per their activity, thus finding application such as

1. Inactivation of penicillin, Cephalosporin of first, second, third & fourth generation and give true bioburden count during environmental studies.
2. Environmental studies in facilities where presence of beta lactam antibiotics is suspected.

90 mm Ready Prepared Plates with β-Lactamase

Product Code	Product Name	Packing
PM 6201	**Potato Dextrose Agar Plate w/ β-Lactamase** a general purpose media for isolation of yeasts and moulds and for inactivation of β-lactam antibiotics.	20 plts 50 plts
PM 6201GT	**Potato Dextrose Agar Plate w/ β- Lactamase (γ-irradiated) (Triple Pack)** for usage refer PM 6201	20 plts 50 plts
PM 6202	**Potato Dextrose Agar Plate w/ β-Lactamase II** a general purpose media for isolation of yeasts and moulds and for inactivation of cephalosporins of first, second, third and fourth Generation	20 plts 50 plts
PM 6202GT	**Potato Dextrose Agar Plate w/ β-Lactamase II (γ-irradiated) (Triple Pack)** for usage refer PM 6202	20 plts 50 plts
PM 6203	**Potato Dextrose Agar Plate w/ β-Lactamase mixture** a general purpose media for isolation of yeasts and moulds and for inactivation of penicillins cephalosporins of first, second, third and fourthgeneration and penems	20 plts 50 plts
PM 6203GT	**Potato Dextrose Agar Plate w/ β-Lactamase mixture (γ-irradiated) (Triple Pack)** for usage refer PM 6203	20 plts 50 plts
PM 6308GT	**Sabouraud Chloramphenicol Agar Plate w/ β-lactamase mixture (25IU/plate) (γ-irradiated) (Triple pack)** a general purpose media for isolation of yeasts and moulds and for inactivation of penicillins cephalosporins of first, second, third and fourth generation and penems	50 plts

On receipt all the above products to be stored between 20-30°C.
✳ On receipt all the above products to be stored between 2-8°C.
Due to short shelf life this product will be supplied to the customer.

Product Code	Product Name	Packing
PM 6225GT	**Sabouraud Dextrose Agar Plate w/ Lecithin, Polysorbate 80 & β-Lactamase I (γ-irradiated) (Triple Pack)** recommended as a general purpose medium for isolation of yeast and moulds, for determining efficiency of containers, equipment surfaces, water miscible cosmetics and inactivation of β-lactam antibiotics.	**50 plts**
PM 2765	**Soyabean Casein Digest Agar Plate w/ β Lactamase (Tryptone Soya Agar Plate w/ β-Lactamase)** a general purpose medium for cultivation of wide variety of organisms and for inactivation of β lactam antibiotics.	**20 plts 50 plts**
PM 2765GT	**Soyabean Casein Digest Agar Plate w/ β-Lactamase (Tryptone Soya Agar Plate w/ β-Lactamase) (β- irradiated) (Triple Pack)** for usage refer PM 2765	**20 plts 50 plts**
PM 2804	**Soyabean Casein Digest Agar Plate w/ β-Lactamase mixture (Tryptone Soya Agar Plate w/ β Lactamase mixture)** a general purpose medium for cultivation of wide variety of organisms and for inactivation of penicillins, cephalosporins of first, second , third and fourth generation and Penems.	**20 plts 50 plts**
PM 2804GT	**Soyabean Casein Digest Agar Plate w/ β-Lactamase mixture (Tryptone Soya Agar Plate w/ β Lactamase mixture) (γ - irradiated) (Triple Pack)** for usage refer PM 2804	**20 plts 50 plts**
PM 6309GT	**Soyabean Casein Digest Agar Plate w/ β-lactamase mixture (25IU/ plate) (γ-irradiated) (Triple pack)** a general purpose medium for cultivation of wide variety of organisms and for inactivation of penicillins, cephalosporins of first, second , third and fourth generation and penems.	**50 plts**
PM 2805	**Soyabean Casein Digest Agar Plate w/ β-Lactamase II (Tryptone Soya Agar Plate w/ β-Lactamase II)** a general purpose medium for cultivation of wide variety of organisms and for inactivation of cephalosporins of first, second , third and fourth generation.	**20 plts 50 plts**
PM 2805GT	**Soyabean Casein Digest Agar Plate w/ β-Lactamase II (Tryptone Soya Agar Plate w/ β-Lactamase II) (γ - irradiated) (Triple Pack)** for usage refer PM 2805	**20 plts 50 plts**
PM 2807	**Soyabean Casein Digest Agar Plate w/ Lecithin and Tween 80 w/ β-Lactamase mixture (Tryptone Soya Agar Plate w/ Lecithin and Tween 80 w/ β-Lactamase mixture)** recommended for determining efficiency of containers , equipment surfaces, water miscible cosmetics and for inactivation of penicillins, cephalosporins of first, second , third and fourth generation and penems.	**20 plts 50 plts**
PM 2807GT	**Soyabean Casein Digest Agar Plate w/ Lecithin and Tween 80 w/ β-Lactamase mixture (Tryptone Soya Agar Plate w/ Lecithin and Tween 80 w/ β-Lactamase mixture) (γ-irradiated) (Triple Pack)** for usage refer PM 2807	**20 plts 50 plts**
PM 2808	**Soyabean Casein Digest Agar Plate w/ Lecithin and Tween 80, w/ β-Lactamase II (Tryptone Soya Agar Plate w/ Lecithin and Tween 80 w/ β-Lactamase II)** for determining efficiency of containers , equipment surfaces, water miscible cosmetics and for inactivation of cephalosporins of first, second , third and fourth generation.	**20 plts 50 plts**
PM 2808GT	**Soyabean Casein Digest Agar Plate w/ Lecithin and Tween 80, w/ β-Lactamase II (Tryptone Soya Agar Plate w/ Lecithin and Tween 80 w/β-Lactamase II) (γ-irradiated) (Triple Pack)** for usage refer PM 2808	**20 plts 50 plts**
PM 2809	**Soyabean Casein Digest Agar Plate w/ Lecithin and Tween 80, w/ β-Lactamase (Tryptone Soya Agar Plate w/ Lecithin and Tween 80 w/ β-Lactamase)** for determining efficiency of containers ,equipment surfaces, water miscible cosmetics and inactivation of β lactam antibiotics	**20 plts 50 plts**
PM 2809GT	**Soyabean Casein Digest Agar Plate w/Lecithin and Tween 80, w/ β-Lactamase (Tryptone Soya Agar w/Lecithin and Tween 80, w/ β-Lactamase) (γ-irradiated) (Triple Pack)** for usage refer PM 2809	**20 plts 50 plts**
PM 6280GT	**Soyabean Casein Digest Agar Plate w/1% Glycerol, 0.5% Polysorbate 80, 0.07% Soya Lecithin and 5IU/plate β-lactamase mixture (γ-irradiated) (Triple pack)** for cultivation of wide variety of aerobes and fungi and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems	**50 plts**
PM 2810	**Total Plate Count Agar Plate w/ β-Lactamase** for determination of plate counts of microorganisms in foods,water and waste water and inactivation of β lactam antibiotics	**20 plts 50 plts**
PM 2810GT	**Total Plate Count Agar Plate w/ β-Lactamase (γ-irradiated) (Triple Pack)** for usage refer PM 2810	**20 plts 50 plts**

55 mm Ready Prepared Scored Plates with β-Lactamase

PS 6330GT	**Dey Engley Neutralizing Agar Plate w/ Penase** in disinfectant testing where neutralization of the chemical is important for determining its bactericidal activity.	**100 plts**
PS 6201GT	**Potato Dextrose Agar Plate Plate w/ β-Lactamase I (4.5 IU/plate) (γ-irradiated) (Triple Pack)** a general purpose medium for isolation of yeasts and moulds for inactivation of ß-lactam antibiotics.	**100 plts**

On receipt all the above products to be stored between 20-30°C.
✳ On receipt all the above products to be stored between 2-8°C.
Due to short shelf life this product will be supplied to the customer.

Product Code	Product Name	Packing
PS 2765GT	**Soyabean Casein Digest Agar Plate w/ β-Lactamase (Tryptone Soya Agar Plate w/ β-Lactamase) (γ-irradiated) (Triple Pack)** for usage refer PS 2765	100 plts
PS 2804GT	**Soyabean Casein Digest Agar Plate w/ β-Lactamase mixture (Tryptone Soya Agar Plate w/ β-Lactamase mixture) (γ-irradiated) (Triple Pack)** a general purpose medium for cultivation of wide variety of organisms and for inactivation of penicillins, cephalosporins of first, second , third and fourth generation and penems.	100 plts
PS 2805GT	**Soyabean Casein Digest Agar Plate β-Lactamase-II (Tryptone Soya Agar Plate w/ β-Lactamase-II) (γ-irradiated) (Triple Pack)** a general purpose medium for cultivation of wide variety of organisms and for inactivation of cephalosporins of first, second , third and fourth generation.	100 plts
PS 2807GT	**Soyabean Casein Digest Agar Plate w/ Tween 80 and Soya Lecithin and β-Lactamase Mixture (Tryptone Soya Agar Plate w/ Tween 80 and Soya Lecithin and β-Lactamase Mixture) (γ-irradiated) (Triple Pack)** for determining efficiency of containers , equipment surfaces, water miscible cosmetics and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and Penems.	100 plts
PS 2808GT	**Soyabean Casein Digest Agar Plate w/Lecithin and Tween 80 w/ β-Lactamase II (Tryptone Soya Agar w/ lecithin and Tween 80 w/ β-Lactamase II) (γ-irradiated) (Triple Pack)** for determining efficiency of containers , equipment surfaces, water miscible cosmetics and for inactivation of cephalosporins of first, second, third and fourth generation.	100 plts
PS 2809GT	**Soyabean Casein Digest Agar Plate W/Lecithin and Tween 80 w/ β-Lactamase (Tryptone Soya Agar w/ lecithin and Tween 80 w/ β-Lactamase) (γ-irradiated) (Triple Pack)** for determining efficiency of containers , equipment surfaces, water miscible cosmetics and inactivation of β lactam antibiotics.	100 plts
PS 6280GT	**Soyabean Casein Digest Agar Plate W/1% Glycerol, 0.5% Polysorbate 80, 0.07% Soya Lecithin & 5IU/plate β-lactamase mixture (γ-irradiated) (Triple pack)** for cultivation of wide variety of aerobes and fungi and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems.	100 plts
PS 6222GT	**Soyabean Casein Digest Agar Plate w/ Polysorbate 80 & Glycerol w/ 5IU of β-Lactamase II & 50IU of β-Lactamase I/100 ml (Tryptone Soya Agar Plate w/ Polysorbate 80 & Glycerol w/ 5IU of β-Lactamase II & 50IU of β-Lactamase I/100 ml) (γ-irradiated) (Triple Pack)** for determining efficiency of containers, equipment surfaces, water miscible cosmetics and inactivation penicillins, cephalosporins of first, second, third and fourth generation and penems.	100 plts
PS 2810GT	**Total Plate Count Agar Plate w/ β-Lactamase (γ-irradiated) (Triple Pack)** for determination of plate counts of microorganisms in foods, water and waste water and inactivation of β lactam antibiotics	100 plts

On receipt all the above products to be stored between 20-30°C.
✳ On receipt all the above products to be stored between 2-8°C.
Due to short shelf life this product will be supplied to the customer.

Product Code	Product Name	Packing
DM 1874	**A-1 Broth** for determining the presence of faecal coliforms in water samples and foods by MPN Technique. **31.50 gms/litre**	**100 gm** **500 gm**
DM 1231	**AATCC Bacteriostasis Agar** for the detection of antibacterial activity of Fabrics. **35.00 gms/litre**	**500 gm**
DM 1221	**AATCC Bacteriostasis Broth (FDA Broth)** for routine antibacterial testing of antiseptics and disinfectants. **20.00 gms/litre**	**500 gm**
DM 1232	**AATCC Mineral Salts Agar** for evaluation of fungicides for use on textiles and the resistance of textiles to mildew and rot. **27.80 gms/litre**	**500 gm**
DM 1337	**AC Agar** for cultivation of a wide variety of microorganisms particularly for sterility Testing. **35.20 gms/litre**	**500 gm**
DM 1875	**AC Broth** for cultivation of common aerobes and sterility testing of solutions and biological products without mercurial preservatives. **34.20 gms/litre**	**500 gm**
DM 1234	**AK Agar No.2 (Sporulating Agar) (Arret and Kirshbaum Medium)** for production of spores of *Bacillus subtilis* ATCC 6633 which are used as inoculum in detection of Pencillin and other antibiotics residues in milk and dairy Products. **30.80 gms/litre 123**	**500 gm**
DM 1226	**APT Agar** for cultivation of *heterofermentative Lactobacilli* and other organisms requiring a high thiamine content. **61.18 gms/litre**	**500 gm**
DM 1227	**APT Broth** for the cultivation of heterofermentative lactic acid bacteria requiring high thiamine content. **46.20 gms/litre**	**500 gm**
DM 1904	**ASLA Agar Base** for selective isolation and cultivation of *Propionibacterium* species from foods **16.19 gms/litre**	**500 gm**
MS 2097	***Propionibacteria Growth Supplement**	**5 vl**
DM 2033	**Acetamide Agar (Twin Pack)** for confirmation of *Pseudomonas aeruginosa* in water samples. **10** of Part A **+ 22.63** of Part B	**500 gm**
DM 1148	**Acetamide Broth (Twin Pack)** for confirmation of *Pseudomonas aeruginosa* in water samples. **10** of Part A **+ 7.63** of Part B	**100 gm** **500 gm**
DM 2370	**Acetamide Nutrient Broth (Twin Pack)** For detection of microbial utilization of Acetamide. **0.56** of Part A **+ 2.0** of Part B	**100 gm** **500 gm**

Product Code	Product Name	Packing
DM 2225	***Acetate Agar** for the isolation and cultivation of *Leuconostoc* and *Pediococcus species*. **61.90 gms/litre**	**500 gm**
DM 1339	**Acetate Differential Agar** for the differentiation of *Shigella* species from *Escherichia coli*. **29.18 gms/litre**	**500 gm**
DM 1238	**Acetobacter Agar (Glucose)** for maintenance of glucose positive *Acetobacter* species. **38.00 gms/litre**	**500 gm**
DM 1370	**Acetobacter Agar (Mannitol)** for maintenance of mannitol positive *Acetobacter* species. **48.00 gms/litre**	**500 gm**
DM 1346	**Acetobacter Agar w/HL Extract** for maintenance of glucose positive Acetobacter species. **57.00 gms/litre**	**500 gm**
DM 2208	**Acid Broth** for the cultivation of acid tolerant microorganisms from canned food. **27.50 gms/litre**	**500 gm**
DM 1341	**Actinomyces Agar** for cultivation and maintenance of the anaerobic *Actinomyces* species. **77.22 gms/litre**	**500 gm**
DM 1233	**Actinomyces Broth** for cultivation and maintenance of the anaerobic *Actinomyces* species. **57.22 gms/litre**	**500 gm**
DM 1855	**Adams Agar** for examination of sporulation in yeasts. **22.70 gms/liter**	**500 gm**
DM 1884	**Aeromonas Isolation Medium Base** for selective, differential isolation of *Aeromonas hydrophila* from clinical and environmental Specimens. **56.30 gms/litre**	**500 gm**
MS 2039	***Aeromonas Selective Supplement**	**5 vl**
DM 1343	**Algae Culture Agar** for isolation and cultivation of algae from soil, water and sewage. Also for carrying stock cultures of algae used in the bioassay of algicidal chemicals. **16.87 gms/litre**	**500 gm**
DM 1342	**Algae Culture Broth** for cultivation of algae from soil, water and sewage. Also for preparing the inoculum for the bioassay of algicidal chemicals. **1.87 gms/litre**	**100 gm** **500 gm**
DM 1618	**Alkaline Peptone Water** for enrichment of *Vibrio* species. **20.00 gms/litre**	**100 gm** **500 gm**
DM 1618I	**Alkaline Peptone Water** for detection of *Vibrio parahaemolyticus*. The composition and *performance criteria* of this medium are in accordance with ISO 1990, ISO/DIS 8914. **50.00 gms/litre**	**500 gm**

❋ To be added but not provided.
✲ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Packing
DM 1618S	**Alkaline Peptone Water** for enrichment of *Vibrio* species. It is recommended by BIS committee under the specifications IS:5887 Part IV)-1976. **15.00 gms/litre**	**100 gm** **500 gm**
DM 1010	**Alternative Thioglycollate Medium (NIH Thioglycollate Broth)** for sterility testing of turbid or viscous biological products. **29.00 gms/litre**	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1651	**Amies Transport Medium w/Charcoal** for transportation and preservation of microbiological specimens. **19.75 gms/litre**	**100 gm** **500 gm**
DM 1235	**Ammonium Phosphate Agar** for detecting the ability of microorganisms to utilize ammonium phosphate as a source of Nitrogen. **26.45 gms/litre**	**500 gm**
DM 1228	**Anaerobic Agar** a general purpose medium for the cultivation of anaerobic bacteria, especially, *Clostridium* Species. **58.00 gms/litre**	**100 gm** **500 gm**
DM 1491	**Anaerobic Agar (Brewer)** for the isolation and sensitivity testing of anaerobic and microaerophilic organisms and study of colonial morphology. **53.00 gms/litre**	**500 gm**
DM 1230	**Anaerobic Agar w/o Dextrose** for carbohydrate fermentation studies and for studies of hemolytic activity of *clostridia, streptococci* and other organisms. **38.00 gms/litre**	**500 gm**
DM 1229	**Anaerobic Agar w/o Dextrose and Eh Indicator** for the isolation and identification of anaerobic pathogens and for the studies of haemolytic activity of *Clostridia, Streptococci* and other anaerobic organisms. **43.00 gms/litre**	**500 gm**
DM 2345	**Anaerobic Blood Agar Base** recommended for isolation and cultivation of Group A & Group B Streptococci from throat cultures and other clinical samples. **40.00 gms/litre**	**500 gm**
MS 2149	***Neomycine Supplement**	**5 vl**
DM 1978	**Anaerobic Fermentation Medium Base** for the detection of fermentation reactions of anaerobic microorganisms. **40.00 gms/litre**	**500 gm**
DM 2034	***Anaerobic CNA Agar Base** for the selective isolation of anaerobic Streptococci. **44.14 gms/litre**	**100 gm**
DM 1902	**Anaerobic Egg Agar Base** for detection of *Clostridium perfringens* in food Samples. **55.00 gms/litre**	**500 gm**
MS 2045F	***Egg Yolk Emulsion (50ml / 100 ml per vial)**	**5 vl**

Product Code	Product Name	Packing
DM 1885S	**Andrade Peptone Water** as a basal medium,which with carbohydrate addition is used to study fermentation Reactions. **15.10 gms/litre**	**100 gm** **500 gm**
DM 1885	**Andrade Peptone Water** A basel medium, which with Carbohydrate addition is used to study Fermantation reactions. **15.10 gms/litre**	**100 gm** **500 gm**
DM 1909	**Andrade Peptone Water w/Meat Extract** As a basel medium for studying Fermantation reactions, particularly of Members of the *Enterobacteriaceae*. **18.10 gms/litre**	**500 gm**
DM 2346	**Antibiotic Assay Medium B** For microbiological assay of colistumethate Sulphate and polymyxin b sulphate using *Bordetella bronchiseptica.* **45.00 gms/liter 10 gms/liter Polysorbate 80**	**500 gm**
DM 1555	**Antibiotic Assay Medium C** As the broth medium in turbidimetric Assay of a wide variety of antibiotics. **20.00 gms/litre**	**500 gm**
DM 1556	**Antibiotic Assay Medium D** for microbiological assay of Erythromycin and Neomycin using *Klebsiella pneumoniae.* **19.40 gms/litre**	**500 gm**
DM 2347	**Antibiotic Assay Medium E** for microbiological assay of Neomycin sulphate and Framycetin sulphate using *Bacillus subtilis* and *Bacillus pumilus.* **28.67 gms/litre**	**500 gm**
DM 1923	**Antibiotic Assay Medium F** for microbiological assay of Amphotericin B and Nystatin using *Saccharomyces cerevisiae* & Candida tropicalis respectively. **60.00 gms/litre**	**500 gm**
DM 1991	**Antibiotic Assay Medium L-AOAC** for microbiological assay of Monensin using *Bacillus subtilis* as test organism. **28.64 gms/litre**	**500 gm**
DM 1992	**Antibiotic Assay Medium M-AOAC** for microbiological assay of Lasalocid using *Bacillus subtilis* as a test organism. **33.64 gms/litre**	**500 gm**
DM 1003	**Antibiotic Assay Medium No. 1 (Seed Agar) (Antibiotic Assay Medium-A)** for microbiological assay of ß-lactam and other Antibiotics. **30.50 gms/litre**	**100 gm** **500 gm**
DM 1005	**Antibiotic Assay medium No. 2 (Base Agar)** for microbiological assay of Antibiotics. **25.50 gms/litre**	**500 gm**
DM 1042	**Antibiotic Assay Medium No. 3** for microbiological assay of antibiotics. **17.50 gms/litre**	**500 gm**

❋ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Packing
DM 1140	**Antibiotic Assay Medium No. 4 (Yeast MB Agar)** for detection of Penicillin-G in milk samples using *Bacillus Stearothermophilus.* **26.50 gms/litre**	**500 gm**
DM 1006	**Antibiotic Assay Medium No. 5 (Streptomycin Assay Agar w/Yeast Extract)** for microbiological assay of Dihydrostreptomycin, Framycetine and Kanamycin B using *Bacillus Subtilis.* **25.50 gms/litre**	**500 gm**
DM 1223	**Antibiotic Assay Medium No. 6** for induction of spore production in *Bacillus subtilis* strains used in antibiotic assay. **30.03 gms/litre**	**500 gm**
DM 1041	**Antibiotic Assay Medium No. 8 (Base Agar w/low pH)** for microbiological assay of Oxytetracycline, tetracycline and Vancomycin. **25.50 gms/litre**	**500 gm**
DM 1147	**Antibiotic Assay Medium No. 9 (Polymyxin Base Agar)** as a base layer medium for assaying the products containing Polymyxin-B**.** **50.00 gms/litre**	**500 gm**
DM 1225	**Antibiotic Assay Medium No. 10 (Polymyxin Seed Agar)** as a seed layer medium for assaying the products containing Polymyxin-B, also for assaying Carbenicillin, Colistin and Colistimethate sodium. **42.00 gms/liter + 10 ml of Polysorbate 80**	**500 gm**
DM 1004	**Antibiotic Assay Medium No. 11 (Neomycin, Erythromycin Assay Agar) (Erythromycin Seed Agar)** for microbiological assay of antibiotics. (Note : pH of the Medium is 8.3 : ± 0.2) **30.50 gms/litre**	**100 gm** **500 gm**
DM 1280	**Antibiotic Assay Medium No. 12 (Nystatin Assay Agar)** for microbiological assay of Amphotericin B and Nystatin using *Saccharomyces. cerevisiae* ATCC 2601. **62.50 gms/litre**	**500 gm**
DM 1101	**Antibiotic Assay Medium No. 19** for microbiological assay of Amphotericin B, Natamycin and Nystatin using *Saccharomyces Cerevisiae*. **60.00 gms/litre**	**500 gm**
DM 1167	**Antibiotics Assay Medium No. 20 (Yeast MB Broth)** for microbiological assay of Amphotericin B using *Candida tropicalis.* **42.50 gms/litre**	**500 gm**
DM 2667	**Antibiotic Assay Medium No. 37 (Tryptone Soya Broth)** for cultivation of wide variety of microrganisms and sterility testing of pharmaceutical preparations. **30.00 gms/litre**	**100 gm** **500 gm**
DM 1799	**Antibiotic Assay Medium No. 38** for microbiological assay of Ticarcillin using *Pseudomonas aeruginosa*. **45.40 gms/litre**	**500 gm**
DM 2142	**Antibiotic Assay Medium No. 39** for microbiological assay of Neomycin and Streptomycin using *Klebsiella pneumoniae as the test organism.* **17.50 gms/litre**	**500 gm**
DM 2143	**Antibiotic Assay Medium No. 40** for the microbiological assay of Thiostrepton using *Enterococcus hirae* (*Streptococcus faecalis*) as the test organism. **47.10 gms/litre**	**500 gm**
DM 2144	**Antibiotic Assay Medium No. 41** for the microbiological assay of Thiostrepton using *Enterococcus hirae* as the test organism. **46.00 gms/litre**	**500 gm**
DM 1164	**Antifungal Assay Agar** for assaying antifungal activity of pharmaceutical products and other materials by the cylinder plate or disc method. **75.76 gms/litre**	**500 gm**
DM 1619	**Arginine Dihydrolase Broth** for detection of arginine dihydrolase producing Microorganisms. **19.31 gms/litre**	**500 gm**
DM 1234	**Arret & Kirshbaum Medium (Sporulating Agar)** see **AK Agar No. 2**	**500 gm**
DM 1804	**Ascospore Agar** for detection of ascosporogenous yeasts. **43.50 gms/litre**	**500 gm**
DM 1713	**Ashby's Glucose Agar** for cultivation of *Azotobacter* species from soil that can use glucose and atmospheric nitrogen as source of carbon and nitrogen Respectively. **40.70 gms/litre**	**500 gm**
DM 1706	**Ashby's Mannitol Agar** for isolation of *Azotobacter* species from soil that can use mannitol and atmospheric nitrogen as source of carbon and nitrogen respectively. **40.70 gms/litre**	**500 gm**
DM 1725	**Asparagine Gelatin Lactate Medium Base** for isolation of sulphur bacteria. **152.50 gms/litre**	**100 gm**
DM 1724	**Asparagine Nitrate Medium** for the isolation and cultivation of denitrifying bacteria from soil samples. **27.70 gms/litre**	**100 gm**
DM 1182	**Ayers and Johnson Agar (Stock Culture Agar)** for maintenance of cultures of *Streptococci* and other Microorganisms. **50.00 gms/litre**	**500 gm**
DM 1158	**Azide Blood Agar Base** for selective isolation and cultivation of *Staphylococcus* and *Streptococcus* species from mixed bacterial flora. **33.20 gms/litre**	**500 gm**
DM 1345	**Azide Dextrose Broth** a selective medium for detection of *Streptococci* in water, sewage, food and other materials suspected of sewage contamination. **34.70 gms/litre**	**500 gm**

❉ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Packing
DM 2271	**Azide Dextrose Broth w/BCP** recommended for cultivation of faecal *Streptococci*. **34.70 gms/litre**	**500 gm**
DM 1220	**B.A.G.G. Broth Base** **(Buffered Azide Glucose Glycerol Broth Base)** for detection of faecal *Streptococci* (group D) from clinical specimens and other materials of sanitary significance. **36.01 gms/litre**	**500 gm**
DM 1861	**B.T.B. Lactose Agar** for isolation of pathogenic *Staphylococci* **33.17 gms/litre**	**100 gm** **500 gm**
DM 1036	***B12 Assay Medium** **(Vitamin B_{12} Assay Medium)** **(Using L. Leichmannii)** for microbiological assay of Vitamin B_{12} using *Lactobacillus leichmannii* ATCC 7830 as the test organism. **84.53 gms/litre**	**100 gm**
DM 1185	***B12 Culture Agar** **(E. coli Maintenance Medium)** **(E. coli Mutant Culture Agar)** for propagation, cultivation and maintenance of *Escherichia coli* mutant used in microbiological assay of Vitamin B_{12}. **37.85 gms/litre**	**100 gm**
DM 1035	***B12 Culture Agar** **(L.leichmannii Maintance Medium)** for propagation cultivation and maintenance of *Lactobacillus leichmannii* ATCC 7830 **42.10 gms/litre**	**100 gm**
DM 1206	***B12 Inoculum Broth** for preparing the inoculum of *Lactobacillus leichmannii* ATCC 7830 for the microbiological assay of Vitamin B_{12}. **32.10 gms/litre**	**100 gm**
DM 1906	**B.C. Motility Test Medium** for testing motility of *Bacillus cereus*. **23.00 gms/litre**	**500 gm**
DM 1106	**B.C.G. - Dextrose Agar** **(Snyder Test Agar)** for the estimation of *Lactobacilli*, an indication of caries activity. **65.02 gms/litre**	**500 gm**
DM 1205	**B.D.G. - Broth, Hajna** for presumptive detection of enteric bacilli present in treated drinking waters. **35.60 gms/litre**	**500 gm**
DM 1492	**B.G. Sulpha Agar** See **Brilliant Green Sulpha Agar**	**100 gm** **500 gm**
DM 2020	**BPL Agar** for isolation and identification of *Salmonellae* except *Salmonella serotype* typhi in faeces, urine, milk and other materials. **40.04 gms/litre**	**500 gm**
DM 1470	**BYE Agar** for cultivation and routine studies of distribution of Mycoplasmas or Pleuropneumonia Like organisms (PPLOs) and L- forms of bacteria. **52.00 gms/litre**	**500 gm**
DM 1833	**Bacillus Cereus Agar Base** a selective medium for isolation detection and enumeration of *Bacillus cereus*. **40.97 gms/litre**	**100 gm** **500 gm**
MS 2003	***Polymyxin B Selective Supplement**	**5 vl**
DM 2394	**Bacillus Differentiation Agar** for differentiation between *Bacillus cereus* and *Bacillus subtilis* based on mannitol Fermentation. **22.00 gms/litre**	**500 gm**
DM 1043	**Baird Parker Agar Base** for isolation and enumeration of coagulase positive *Staphylococci* from food and other Materials. **63.00 gms/litre**	**100 gm** **500 gm**
MS 2046	***Egg Yolk Tellurite Emulsion (100ml per vial)** #	**5 vl**
MS 2047	***Potassium Tellurite 3.5% (1ml per vial)**	**5 vl**
MS 2069	***B. P Sulpha Supplement** #	**5 vl**
DM 1043S	**Baird Parker Agar Base** for isolation and enumeration of bacteria responsible for food poisoning **65.00 gms/litre**	**100 gm** **500 gm**
MS 2045F	***Egg Yolk Emulsion 50% 100ml per vial** #	**5 vl**
MS 2046	***Egg Yolk Tellurite Emulsion (100ml per vial)** #	**5 vl**
MS 2047	*** Potassium Tellurite 3.5% (1ml per vial)**	**5 vl**
MS 2195	***Fibrinogen Plasma trypsin Inhibitor (100ml per vial)**	**5 vl**
DM 1043M	**Baird Parker Agar Base** for isolation and enumeration of coagulase positive *Staphylococci* from food and other materials in accordance with IP	**100 gm** **500 gm**
MS 2045F	***Egg Yolk Emulsion 50% (100ml per vial)**	**5 vl**
MS 2052	*** Potassium Tellurite 1.0% (1ml per vial)**	**5 vl**
DM 2140	**Baird Parker Agar Base w/ Sulpha** recommended for isolation and enumeration of coagulase positive *Staphylococci* from food and other materials. **63.05 gms/litre**	**500 gm**
MS 2045F	***Egg Yolk Emulsion 50% 100ml per vial** #	**5 vl**
MS 2046	***Egg Yolk Tellurite Emulsion (100ml per vial)** #	**5 vl**
MS 2047	*** Potassium Tellurite 3.5% (1ml per vial)**	**5 vl**
DM 1005	**Base Agar** See **Antibiotic Assay Medium No. 2**	**500 gm**
DM 1041	**Base Agar w/low pH** See **Antibiotic Assay Medium No.8**	**500 gm**
BA 2274	**Meat Extract Paste**	**500 gm**
BA 2002	**Meat Extract Powder** refined for use in microbial culture media	**500 gm** **2.5 kg**
BC 2002	**Meat Extract Powder, Certified** for the maximum recovery and growth of a wide variety of microorganisms.	**500 gm**
BA 2669	**Meat Extract Powder Type 1** used in media for routine cultivation and diagnostic purposes.	**500 gm** **5 kg**
DM 1806	**Meat Extract Agar** for routine cultivation of non fastidious bacteria **33.00 gms/litre**	**100 gm** **500 gm**

❋ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name		Packing
DM 1807	**Meat Extract Broth** for routine cultivation of non fastidious bacteria **18.00 gms/litre**		**500 gm**
DM 1217	**Bi.G.G.Y. Agar** **(Nickerson Medium)** for detection, selective isolation, differentiation and presumptive identification of *Candida albicans* and *Candida tropicalis*. **45.00 gms/litre**		**500 gm**
DM 1071	**Bile Broth Base** for cultivation of members of the *Enterobacteriaceae* and in culture of blood clots from patients with suspected enteric fever **30.00 gms/litre**		**100 gm** **500 gm**
DM 1972	**Bile Esculin Agar** for differential isolation and Presumptive identification of group D *Streptococci* in food and pharmaceutical products. **64.50 gms/litre**		**100 gm** **500 gm**
DM 1972I	**Bile Esculin Agar** recommended for isolation and identification of *Yersinia enterocolitica* from food and animal feeding stuffs. **64.50 gms/litre** *** Meat Equivalent to Beef**		**500 gm**
DM 2035	**Bile Esculin Agar w/Kanamycin** for selective isolation and presumptive identification of bacteria of the *Bacteroides fragilis* group from mixed flora. **44.60 gms/litre**		**100 gm** **500 gm**
DM 1340	**Bile Esculin Agar Base** for differential isolation and presumptive identification of group D *Streptococci* in food and pharmaceutical products. **63.50 gms/litre**		**500 gm**
MS 2050	**Aesculin (Esculin) 0.5 gm per vial**	#	**5 vl**
DM 1493	**Bile Esculin Azide Agar** for selective isolation and presumptive identification of faecal *Streptococci.* **56.65 gms/litre**		**500 gm**
DM 1493I	**Bile Esculin Azide Agar** recommended for isolation and presumptive identification of faecal *Streptococci*. **56.65 gms/litre**		**500 gm**
DM 1481	**Bile Peptone Transport Medium** for safe collection, transport and presentation of cholera organisms. **25.00 gms/litre**		**500 gm**
BA 2008	**Bile Salt** for Bacteriology		**500 gm**
BC 2008	**Bile Salts, Certified** a specially manufactured extract of bile salts, is recommended as a selective inhibitory agent in microbiological culture media.		**500 gm**
BA 2009	**Bile Salts Mixture** equivalent to Bile Salt No.3 for use in bacteriology culture media as selective inhibitory agent.		**100 gm**
BC 2009	**Bile Salts Mixture, Certified** recommended for use in microbiological culture media for selective isolation and cultivation of bile tolerant enteric bacteria.		**100 gm**

Product Code	Product Name		Packing
DM 1739	**Bile Salt Agar** for isolation and enumeration of bile tolerant enteric bacilli. **43.00 gms/litre**		**100 gm** **500 gm**
DM 1739S	**Bile Salt Agar** for isolation and enumeration of bile tolerant enteric bacteria responsible for food poisoning. **40.00 gms/litre**		**100 gm** **500 gm**
DM 2157	**Bile Salts Brilliant Green Starch Agar** for selective isolation and identfication of *Aeromonas hydrophila* from food and environmental specimens. **45.00 gms/litre**		**500 gm**
BA 2021	**Bio Peptone** mixture of Casein and Meat Peptones employed in media used for cultivation of microorganisms.		**500 gm**
BC 2021	**Bio Peptone, Certified** Provide a broad spectrum of peptides and amino acids which supports better microbiological growth characteristics to a large variety of organisms.		**500 gm**
DM 1027U	**Bismuth Sulphite Agar Medium** for selective isolation of Salmonellae from faeces, urine, sewage and other materials in accordance with USP. **52.32 gms/litre**		**100 gm** **500 gm**
DM 1027	**Bismuth Sulphite Agar** for selective isolation of *Salmonellae* from faeces, urine, sewage and other materials. **52.33 gms/litre**		**100 gm** **500 gm**
DM 2004	**Bismuth Sulphite Agar, Modified** for isolation and preliminary identification of *Salmonella* Typhi and other *Salmonellae* from pathological materials, sewage, water supplies, food etc. **40.00 gms/litre**		**100 gm** **500 gm**
DM 1073	**Blood Agar Base (Infusion Agar)** for isolation and cultivation of many fastidious pathogenic microorganisms after addition of blood. **40.00 gms/litre**		**100 gm** **500 gm**
DM 1089	**Blood Agar Base w/low pH** an infusion medium, for isolation and cultivation of fastidious organisms, after addition of blood. **40.00 gms/litre**		**100 gm** **500 gm**
DM 1834	**Blood Agar Base No. 2** after addition of blood, medium permits maximum recovery of *Streptococci*, *Pneumococci* and other fastidious pathogenic microorganisms without interfering with their haemolytic reactions. **42.50 gms/litre**		**100 gm** **500 gm**
MS 2005	***Brucella Selective Supplement**	#	**5 vl**
MS 2006	***Campylobacter Supplement-I (Blaser-Wang)**	#	**5 vl**
MS 2007	***Campylobacter Supplement-II (Butzler)**	#	**5 vl**
MS 2008	***Campylobacter Supplement-III (Skirrow)**	#	**5 vl**
MS 2009	***Campylobacter Growth Supplement**	#	**5 vl**
MS 2031	***Strepto Supplement**		**5 vl**

❉ To be added but not provided.
✲ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name		Packing
DM 1834A	**Blood Agar Base No. 2 w/1.2% Agar** especially devised to permit the maximum recovery fo fastidious pathogenic microorganisms without interfering with their haemolytic reactions. **39.50 gms/litre**		**500 gm**
MS 2005	***Brucella Selective Supplement**		**5 vl**
MS 2006	***Campylobacter Supplement-I (Blaser-Wang)**	#	**5 vl**
MS 2007	***Campylobacter Supplement-II#(Butzler)**	#	**5 vl**
MS 2008	***Campylobacter Supplement-III (Skirrow)**	#	**5 vl**
MS 2009	***Campylobacter Growth Supplement**	#	**5 vl**
MS 2031	***Strepto Supplement**		**5 vl**
DM 1887F	**Blood Free Campylobacter Selectivity Agar Base W/Yeast extract** recommended for elective isolation and differentiation of *Campylobacter species* inaccordance with FDA BAM.1998		**500 gm**
MS 2135F	***CCDA Supplement**	#	**5 vl**
DM 1175	**Bordet Gengou Agar Base** for detection and isolation of *Bordetella pertussis* and *Bordetella parapertussis*. **40.00 gms/litre**		**500 gm**
MS 2004	***Bordetella Selective Supplement**	#	**5 vl**
DM 1175A	**Bordet Gengou Agar Base w/1.6% Agar** for detection and isolation of *Bordetella pertussis* and *Bordetella parapertussis*. **36.00 gms/litre**		**500 gm**
MS 2004	***Bordetella Selective Supplement**	#	**5 vl**
DM 1216	**Boric Acid Broth** for the detection and presumptive identification of *Escherichia coli*, on the basis of the ability of these organisms to grow at 43°C and form gas from lactose in the presence of boric acid. **34.55 gms/litre**		**500 gm**
DM 1211	**Brain Heart Infusion Agar (Special Infusion Agar)** for cultivation of fastidious pathogenic bacteria, yeast and moulds. **52.00 gms/litre**		**100 gm 500 gm**
DM 1211A	**Brain Heart Infusion Agar w/ 1% Agar** for cultivation of fastidious pathogenic bacteria, yeasts and moulds **47.00 gms/litre**		**500 gm**
DM 2036	**Brain Heart Infusion w/0.1% Agar** for propagation of fastidious pathogenic cocci and other organisms associated blood culture work and allied pathological investigations. **38.00 gms/litre**		**500 gm**
DM 2037	**Brain Heart Infusion w/6.5% NaCl** for selective cultivation of salt tolerant Microorganisms. **97.00 gms/litre**		**500 gm**
DM 2069	**Brain Heart Infusion Agar w/ 3.0% Agar** for cultivation of microorganisms when 3.0% Agar gel is desired. **67.00 gms/litre**		**500 gm**
DM 1210	**Brain Heart Infusion Broth** for propagation of pathogenic cocci and other fastidious organisms associated with blood culture work and allied pathological investigations. **37.00 gms/litre**		**100 gm 500 gm**

Product Code	Product Name	Packing
DM 1210I	**Brain Heart Infusion Broth** for propagation of pathogenic cocci and other fastidious organisms associated with blood culture work. The composition and performance criteria of this medium are as per the specifications laid down in ISO 6880:1983. **37.00 gms/litre**	**500 gm**
DM 1212	**Brain Heart Infusion w/PABA** for examination of blood from patients under Sulphonamide therapy. **37.05 gms/litre**	**500 gm**
DM 1213	**Brain Heart Infusion w/PABA and Agar** for improved growth of pathogens from blood from patients undergoing Sulphonamide Treatment. **38.05 gms/litre**	**500 gm**
DM 1019	**Brewer Thioglycollate Medium** for testing sterility of biological products and for isolation of aerobic and anaerobic organisms **40.05 gms/litre**	**100 gm 500 gm**
DM 1195	**Brewer Thioglycollate Medium, Modified (Linden Thioglycollate Medium)** for testing sterility of biological products and for the isolation of aerobic and anaerobic Organisms. **38.50 gms/litre**	**100 gm 500 gm**
DM 1195A	**Brewer Thioglycollate Medium, Modified** for testing sterility of biological products and for isolation of aerobic and anaerobic organisms. **20.60 gms/litre**	**100 gm 500 gm**
DM 1016	**Brilliant Green Agar, Modified** for selective isolation of *Salmonellae* other than *Salmonella Serotype Typhi* from faeces, foods, dairy products. **58.09 gms/litre**	**100 gm 500 gm**
MS 2068	***Sulpha Supplement**	**5 vl**
DM 1016U	**Brilliant Green Agar, Modified** for selective isolation of *Salmonellae* other than *Salmonella Serotype* Typhi from faeces, foods, dairy products etc. In accordance with USP. **58.09 gms/litre**	**100 gm 500 gm**
DM 1016A	**Brilliant Green Agar w/ 1.2% Agar** recommended as enrichment medium for isolation of *Salmonellae* from faeces, urine and other pathological materials. **50.09 gms/litre**	**100 gm 500 gm**
MS 2068	***Sulpha Supplement**	**5 vl**
DM 1971	**Brilliant Green Agar Base w/Phosphates** recommended for selective isolation of *Salmonellae* while inhibiting *Escherichia coli, Proteus* and *Pseudomonas species.* **51.69 gms/litre**	**500 gm**
MS 2068	***Sulpha Supplement**	**5 vl**
DM 1971I	**Brilliant Green Agar w/ Phosphates** recommended for detection and enumeration of *Salmonellae*. **54.69 gms/litre**	**500 gm**

❈ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Packing
DM 1971S	**Brilliant Green Agar Base w/ Phosphates** for selective isolation of bacteria responsible for food poisoning. **52.00 gms/litre**	100 gm 500 gm
MS 2068	***Sulpha Supplement**	5 vl
DM 1059	**Brilliant Green Bile Agar** for enumeration of coliform bacteria in water, sewage and foods. **20.70 gms/litre**	100 gm 500 gm
DM 1121	**Brilliant Green Bile Broth 2%** for detection and confirmation of coliform bacteria in water, waste water, foods, milk and dairy products. **40.01 gms/litre**	100 gm 500 gm 1 kg
DM 1492	**Brilliant Green Sulpha Agar** See **BG Sulpha Agar** a highly selective medium for isolation and detection of *Salmonella* species in food, especially eggs and egg products. **59.09 gms/litre**	100 gm 500 gm
DM 2212	**Bromo Cresol Purple Azide Broth** for the confirmation of the presence of faecal Streptococci in Water and waste water. **35.93 gms/litre**	500 gm
DM 1676	**Bromo Cresol Purple Broth Base (Yeast Fermentation Broth Base)** for studying fermentation of carbohydrates by pure cultures. **18.04 gms/litre** ❉ Desired Carbohydrate - 0.5 - 1.0%	500 gm
DM 2265	**Bromo Cresol Purple Broth w/Lactose** for identification of *Escherichia coli* and coliform bacteria from water samples. **28.02 gms/litre**	500 gm
DM 1074	**Brucella Agar Base** for selective isolation and cultivation of *Brucella* or *Campylobacter* species from clinical and nonclinical specimens. **43.10 gms/litre**	100 gm 500 gm
MS 2005	***Brucella Selective Supplement**	5 vl
MS 2006	***Campylobacter Supplement I (Blaser - Wang)**	5 vl
MS 2007	***Campylobacter Supplement II (Butzler)**	5 vl
MS 2008	***Campylobacter Supplement III (Skirrow)**	5 vl
MS 2009	***Campylobacter Growth Supplement**	5 vl
DM 1074A	**Brucella Agar Base, Modified** for cultivation of *Campylobacter* species **44.10 gms/liter**	500 gm
MS 2009	***Campylobacter Growth Supplement**	5 vl
MS 2008	***Campylobacter Supplement III (Skirrow)**	5 vl
DM 2039	**Brucella Agar w/Hemin and Vitamin K** for cultivation of *Brucella* species, for isolation and subculture of anaerobes with addition of blood. **43.12 gms/litre**	500 gm
DM 1348	**Brucella Broth Base** for enrichment and cultivation of *Brucella* or *Campylobacter* species from clinical and nonclinical specimens. **28.10 gms/litre**	100 gm 500 gm
MS 2009	***Campylobacter Growth Supplement**	5 vl

Product Code	Product Name	Packing
DM 1813	**Buffered Charcoal Yeast Extract Agar Base** for selective isolation and cultivation of *Legionella* species from clinical and other materials. **40.00 gms/litre**	500 gm
MS 2017	***Legionella Selective Supplement**	5 vl
MS 2037	***Legionella Selective Supplement II**	5 vl
MS 2038	***Legionella Selective Supplement III**	5 vl
MS 2040	***Legionella Selective Supplement IV (MWY)**	5 vl
MS 2041A	***Legionella Supplement (Twin Pack)**	5 vl
DM 1204	**Buffered Glycerol Saline Base** for collection and transportation of faecal Specimens. **8.30+300 ml glycerol**	100 gm 500 gm
DM 1614	**Buffered Peptone Water** for pre-enrichment of injured *Salmonella* species from foods prior to selective enrichment and isolation. **20.00 gms/litre**	100 gm 500 gm
DM 1951	**Buffered Tryptone Glucose Yeast Extract Broth** for cultivation and characterization of *Clostridia* isolated from food specimens. **85.00 gms/litre**	500 gm
DM 1585	**Buffered Yeast Agar** for cultivation of yeasts and moulds and for the controlling of bottle washing operations in the soft-drinks and releated industries. **41.00 gms/lire**	500 gm
DM 1707	**Burk's Medium** for isolation and cultivation of nitrogen fixing bacteria such as *Azotobacter* species. **21.33 gms/litre**	500 gm
DM 1349	**Bushnell Haas Agar** for examination of fuels for microbial contamination and for studying Hydrocarbon deterioration by microorganisms. **23.27 gms/litre**	500 gm
DM 1350	**Bushnell Haas Broth** for examining fuels for microbial contamination and for studying hydrocarbon deterioration by microorganisms. **3.27 gms/litre**	100 gm 500 gm
DM 1893	**CAL Agar (Cellobiose Arginine Lysine Agar)** for isolation and biochemical characterization of *Yersinia enterocolitica*. **46.03 gms/litre**	100 gm
DM 1894	**CAL Broth (Cellobiose Arginine Lysine Broth)** for isolation and biochemical characterization of *Yersinia enterocolitica*. **26.03 gms/litre**	100 gm
DM 1351	**CHO Medium Base** is a basal medium to which carbohydrates may be added for use in fermentation studies of anaerobic bacteria. **26.11 gms/litre**	500 gm
DM 1352	**C.L.E.D. Agar w/ Andrade Indicator** for isolation, and differentiation of urinary pathogens on the basis of lactose fermentation. **36.25 gms/litre**	100 gm 500 gm

❉ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Packing
DM 2146	**C.L.E.D. Agar Base w/o Indicator** for isolation, enumeration and presumptive identification of bacterial flora in urinary tract. **36.13 gms/litre**	**100 gm** **500 gm**
MS 2091	***Bromo Thymol Blue Supplement** (20 mgm per vial)	**5 vl**
DM 1792	**C.L.E.D. Agar w/Bromo Thymol Blue** for isolation and differentiation of urinary pathogens on the basis of lactose fermentation. **36.15 gms/litre**	**100 gm** **500 gm**
DM 2240	**Campylobacter Nitrate Broth** for identification of *Campylobacter* species on the basis of nitrate reduction. **27.00 gms/litre**	**500 gm**
DM 1363	**Carbon Utilization Agar** for characterization of streptomyces on the basis of carbon utilization source. **24.83 gms/litre**	**100 gm** **500 gm**
DM 1202	**Cary-Blair Medium Base (Transport Medium w/o Charcoal)** for collection and shipment of *cinical* Specimens. **12.60 gms/litre**	**100 gm** **500 gm**
BA 2189	**Casein Acid Hydrolysate,** Certified, Sodium chloride less than 3%	**500 gm**
BA 2498	**Casein Acid Hydrolysate** special for Pertussis Vaccine production.	**500 gm**
BA 2013	**Casein Acid Hydrolysate,** Technical, used in antibiotic sensitivity test media, vaccine preparation media etc.	**500 gm**
BC 2013	**Casein Acid Hydrolysate,** Certified, recommended for use in culture media where microbiological growth is measured optically for example Antibiotic Assay Media.	**500 gm**
BA 2190	**Casein Acid Hydrolysate,** Vitamin Free	**500 gm**
BA 2014	**Casein Enzyme Hydrolysate,** Type-I Tryptone, used in sterility testing, diagnostic media Preparations	**500 gm** **2.5 kg**
BC 2014	**Casein Enzyme Hydrolysate,** Certified Tryptone, recommended in a number of media such as sterility testing media diagnostic media for biochemical Characterization, etc.	**500 gm**
BA 2028	**Casein Enzyme Hydrolysate,** Type-II	**500 gm** **5 kg**
BA 2714	**Casein Peptone,** enzymic digest of casein	**500 gm** **2.5 kg**
DM 1201	**Casman Agar** for isolation of fastidious microorganisms from clinical specimens under reduced oxygen tension. **43.60 gms/lire**	**500 gm**
DM 1766	**Casman Broth Base** for isolation of fastidious microorganisms from clinical specimens under reduced oxygen tension. **29.60 gms/litre**	**500 gm**
DM 1024	**Cetrimide Agar Base** for selective isolation of *Pseudomonas aeruginosa* from clinical specimen. **46.70 gms/litre +10ml glycerol**	**100 gm** **500 gm**
MS 2130	***Nalidixic Selective Supplement**	**5 vl**
DM 1024H	**Cetrimide Agar** Recommended as a selective medium used for the isolation of *Pseudomonas aeruginosa* from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP. **45.30 gms/litre + 10ml glycerol**	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1862	**Cetrimide Broth** for selective cultivation of *Pseudomonas aeruginosa* **25.30 gms/litre**	**100 gm** **500 gm**
DM 1862A	**Cetrimide Broth Base** recommended for cultivation of *Pseudomonas aeruginosa* from water samples using membrane filter technique. **31.90 gms/litre**	**500 gm**
DM 1215	**Chapman Stone Agar** for selective isolation of *Staphylococci* causing food poisoning. **202.50 gms/litre**	**500 gm**
DM 1344	**Charcoal Agar Base** for cultivation of *Bordetella pertussis,* for vaccine Production and also for stock culture maintenance. **62.50 gms/litre**	**500 gm**
MS 2004	***Bordetella Selective Supplement**	**5 vl**
DM 1646	**Charcoal Blood Agar Base** for cultivation of *Bordetella pertussis*, for vaccine production and also for the maintenance of stock cultures. **54.50 gms/lire**	**500 gm**
DM 2053	**Charcoal Agar Base w/Niacin** for cultivation and isolation of *Bordetella pertussis* and *Haemophilus influenzae*. **51.00 gms/litre**	**500 gm**
MS 2004	***Bordetella Selective Supplement**	**5 vl**
DM 1113	**Chlamydospore Agar** for differentiation of *Candida albicans* from other *Candida* species on the basis of chlamydospore formation. **37.10 gms/litre**	**100 gm** **500 gm**
DM 1580	**China Blue Lactose Agar** for defferentiation and enumeration of bacteria in milk. **38.30 gms/litre**	**500 gm**
DM 2008	***Chloramphenicol Yeast Glucose Agar** recommended for selective enumeration of yeasts and moulds in milk and milk products. **40.00 gms/litre**	**100 gm** **500 gm**
DM 1103	**Chocolate Agar Base** for isolation of *Neisseria gonorrhoeae* from chronic and acute cases of gonococcal infections. **45.50 gms/litre**	**500 gm**
MS 2022	***Haemoglobin Powder**	**100 gm**
MS 2025	***Vitamino Growth Supplement** # **(Vitamins and Amino Acids Mixture)**	**5 vl**
MS 2027	***Yeast Autolysate Supplement** #	**5 vl**
DM 1728	**Citrate Agar** for cultivation of iron bacteria from soil samples. **27.20 gms/litre**	**100 gm** **500 gm**
DM 1552	**Clausen Medium** for sterility testing, in accordance with Nordic Pharmacopoeia Board. **40.00 gms/litre**	**500 gm**

❋ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name		Packing
DM 1836	**Clostridium Difficile Agar Base** for selective isolation of *Clostridium Difficile* from faeces, food and certain pathological specimens. **69.10 gms/litre**		**500 gm**
MS 2010	***Clostridium Difficile Supplement#####**	#	**5 vl**
DM 2211	**Coliform Broth** for isolation and cultivation of coliform organisms from cream, yogurt and raw milk. **57.14 gms/litre**		**500 gm**
DM 1144	**Columbia Blood Agar Base** an efficient base for preparation of blood agar, Chocolate agar and for various selective and identification media. **44.00 gms/litre**		**100 gm** **500 gm**
MS 2005	***Brucella Selective Supplement**	#	**5 vl**
MS 2006	***Campylobacter Supplement-I (Blaser-Wang)#**	#	**5 vl**
MS 2007	***Campylobacter Supplement-II (Butzler)**	#	**5 vl**
MS 2008	***Campylobacter Supplement-III (Skirrow)**	#	**5 vl**
MS 2009	***Campylobacter Growth Supplement**		**5 vl**
MS 2030	***Staph-Strepto Supplement####**	#	**5 vl**
MS 2031	***Strepto Supplement**	#	**5 vl**
MS 2056	***G.Vaginalis Selective Supplement**	#	**5 vl**
MS 2090	***Campylobacter Selective Supplement**	#	**5 vl**
MS 2106	***Campylobacter Supplement VI (Butzler)**	#	**5 vl**
DM 1144A	**Columbia Blood Agar Base w/ 1% Agar** a basal medium used with or without blood for isolation and cultivation of fastidious Bacteria. **39.00 gms/litre**		**500 gm**
MS 2005	***Brucella Selective Supplement**	#	**5 vl**
MS 2006	***Campylobacter Supplement-I (Blaser-Wang)**	#	**5 vl**
MS 2007	***Campylobacter Supplement-II (Butzler)**	#	**5 vl**
MS 2008	***Campylobacter Supplement III (Skirrow)**	#	**5 vl**
MS 2009	***Campylobacter Growth Supplement**	#	**5 vl**
MS 2031	***Strepto Supplement**	#	**5 vl**
MS 2056	***G Vaginalis Selective Supplement**	#	**5 vl**
MS 2090	***Campylobacter Selective Supplement**		**5 vl**
MS 2106	***Campylobacter Supplement VI (Butzlea)**	#	**5 vl**
MS 2119	***Streptococcus Selective Supplement**	#	**5 vl**
DM 2133	**Columbia Blood Agar Base w/Hemin** an efficient and enriched base for preparation of chocolate and blood agar and for various selective and identification media. **44.01 gms/litre**		**500 gm**
DM 1145	**Columbia Broth Base** for cultivation of fastidious organisms from clinical specimens. **35.01 gms/litre**		**500 gm**
DM 1560	***Columbia C.N.A. Agar Base** for selective isolation of pathogenic gram-positive cocci from clinical and nonclinical specimens. **44.02 gms/litre**		**500 gm**
DM 1560A	***Columbia C.N.A. Agar Base w/1% Agar** for selective isolation of pathogenic gram-positive cocci from clinical and nonclinical specimens. **39.02 gms/litre**		**500 gm**
DM 1499	**Cooke Rose Bengal Agar Base** for selective isolation and cultivation of fungi. **36.54 gms/litre**		**500 gm**

Product Code	Product Name	Packing
DM 1149	**Cooked Meat Medium (R.C. Medium)** for cultivation of aerobes and anaerobes, especially pathogenic *Clostridia* and also for the maintenance of stock cultures. **125.00 gms/litre**	**100 gm** **500 gm**
DM 1149S	**Cooked Meat Medium (R.C. Medium)** for cultivation of aerobes and anaerobes, especially pathogenic *Clostridia* and also for the maintenance of stock cultures. **115.40 gms/litre**	**100 gm** **500 gm**
DM 1146	**Corn Meal Agar** for production of chlamydospores by *Candida albicans* and the maintenance of fungal stock cultures. **17.00 gms/litre**	**100 gm** **500 gm**
DM 1897	**Crystal Violet Lactose Agar** for differentiation of pure cultures of pathogenic and nonpathogenic *Staphylococci*. **33.00 gms/litre**	**500 gm**
DM 1831	**Crystal Violet Lactose Broth** for detection of coliforms in water filteration control works. **16.00 gms/litre**	**500 gm**
DM 1500	**Culture Medium for RWC (Disinfactant Test Broth)** for determination of phenol coefficients of disinfectants using *Salmonella* typhi as a test organisms. **50.00 gms/litre**	**100 gm** **500 gm**
DM 1172	**Cystine Heart Agar Base** supports excellent growth of gram-negative cocci and other pathogenic organisms. With added haemoglobin it is used for cultivation of *Francisella tularensis*. **51.00 gms/litre**	**500 gm**
DM 1159	**Cystine Tryptone Agar** for maintenance, subculturing, detection of motility and fermentation studies with the addition of various carbohydrates. **28.51 gms/litre**	**100 gm** **500 gm**
DM 1732	**Czapek Malt Agar** for isolation, detection and cultivation of saprophytic fungi. **94.01 gms/litre**	**100 gm** **500 gm**
DM 2335	**Czapek Yeast Extract Agar** for the cultivation and maintenance of *Aspergillus niger*. **51.40 gms/litre**	**500 gm**
DM 1482	**Dnase Test Agar Base** for detection of deoxyribonuclease activity of bacteria and fungi, and especially for identification of pathogenic Staphylococci. **42.00 gms/litre**	**100 gm**
MS 2051	**Toluidine Blue (0.1 gm per vial)**	**5 vl**
DM 2419	**DNase Test Agar w/ Methyl green** for detection of deoxyribonuclease activity of bacteria and fungi, and especially for identification of pathogenic *Staphylococci*. **42.05 gms/litre**	**100 gm**
DM 2041	**DNase Test Agar w/ Toluidine Blue** for detection of deoxyribonuclease activity of Microorganisms. **42.10 gms/litre**	**100 gm**

❉ To be added but not provided.
❆ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Packing
DM 1741	**DNase Test Agar w/o DNA** with the addition of DNA it is used for detection of deoxyribonuclease activity of bacteria and fungi. DNA-2gms Bromothymol blue - 0.025 gm ❋ Mannitol-10 gms **40.00 gms/litre**	**100 gm 500 gm**
DM 1160	**D.C.L.S. Agar** a selective medium used to detect and isolate *Salmonella* and *Shigella* species also useful for isolation of *Virbio cholerae*. **49.53 gms/litre**	**100 gm 500 gm**
DM 1178	**D.C.L.S. Agar, Hajna** for the isolation of gram-negative enteric bacilli. **73.52 gms/litre**	**100 gm 500 gm**
DM 1501	**Decarboxylase Agar Base** for differentiation of bacteria on the basis of their ability to decarboxylate the amino acid added to the medium. **24.02 gms/litre**	**500 gm**
DM 1393	**Decarboxylase Broth Base, Moeller (Moeller Decorboxylase Broth Base)** to differentiate bacteria on the basis of their ability to decarboxylate the amino acid. **10.52 gms/litre**	**100 gm 500 gm**
DM 1912S	**Decarboxylase Test Medium Base (Falkow)** for testing amino acid decarboxylase activity. **9.02 gms/litre**	**100 gm 500 gm**
DM 1912	**Decarboxylase Test Medium Base (Falkow)** for testing amino acid decarboxylase activity. **9.02 gms/litre**	**100 gm 500 gm**
DM 1030	**Deoxycholate Agar** for the direct differential count of coliforms in dairy products and for isolation of enteric pathogens from rectal swabs, faeces and other pathological specimens **45.03 gms/litre**	**100 gm 500 gm**
DM 1065	**Deoxycholate Citrate Agar** selective medium for the isolation of enteric pathogens particularly *Salmonella* and *Shigella* species **70.52 gms/litre**	**100 gm 500 gm**
DM 1065B	**Deoxycholate Citrate Agar Medium (Agar Medium J)** for selective isolation of enteric pathogens in accordance with BP. **69.02 gms/litre**	**500 gm**
DM 1065M	**Deoxycholate Citrate Agar** for selective isolation and identification of *Salmonellae* in accordance with IP. **69.02 gms/litre**	**100 gm 500 gm 2.5 kg 5 kg**
DM 2074	**Deoxycholate Citrate Agar, Modified** (Heynes) selective medium for the isolation of *Salmonella* and *Shigella* species. **51.92 gms/litre**	**500 gm**
DM 1222	**Deoxycholate Citrate Agar w/o Sucrose** for differentiation and identification of enteric Pathogens. **45.03 gms/litre**	**100 gm 500 gm**

Product Code	Product Name	Packing
DM 1066	**Deoxycholate Lactose Agar** for isolation and enumeration of coliforms in water, waste-water, milk and dairy products. **42.53 gms/litre**	**100 gm 500 gm**
DM1084	**Dextrose Agar** for cultivation of a wide variety of microorganisms. **43.00 gms/litre**	**100 gm 500 gm**
DM 1286	**Dextrose Agar Base, Emmons (Sabouraud Dextrose Agar Base, Modified)** for selective cultivation of pathogenic fungi. **47.00 gms/litre**	**100 gm 500 gm**
MS 2035	***CC Supplement** #	**5 vl**
DM 1044	**Dextrose Broth** used for cultivation of wide variety of Microorganisms. **23.00 gms/litre**	**100 gm 500 gm**
DM 1241	**Dextrose Mannitol Agar (Gillies Agar No 1)** for detection of urease production, dextrose and mannitol fermentation for primary isolation of *Salmonella* and *Shigella* species **46.05 gms/litre**	**500 gm**
DM 1649	**Dextrose Peptone Agar** for general cultivation of organisms. **50.00 gms/litre**	**500 gm**
DM 1650	**Dextrose Peptone Broth** for the cultivation of fastidious organisms, enumeration of thermophilic bacteria from canned foods and for routine sterility testing **35.00 gms/litre**	**500 gm**
DM 1102	**Dextrose Salt Agar** enumeration of yeasts and moulds in butter and other dairy products. **35.00 gms/litre**	**500 gm**
DM 1980	**Dextrose Salt Broth** enumeration of yeasts and moulds in butter and other dairy products. **20.00 gms/litre**	**500 gm**
DM 1183	**Dextrose Starch Agar** for propagation of pure cultures of *Neisseria gonorrhoeae* and other fastidious organisms. **65.00 gms/litre**	**500 gm**
DM 1092	**Dextrose Tryptone Agar** for detection and enumeration of mesophilic and thermophilic aerobic organisms in foods. **30.04 gms/litre**	**500 gm**
DM 1913	**Dextrose Tryptone Agar, Modified** for isolation and cultivation of aciduric and thermophilic, aerobic flat-sour sporeformers from canned foods, sugar etc. **32.29 gms/litre**	**500 gm**
DM 1122	**Dextrose Tryptone Broth** for enrichment and cultivationof mesophilic and thermophilic organisms in foods. **15.04 gms/litre**	**500 gm**
DM 1914	**Dextrose Tryptone Broth, Modified** for detection and enumeration of mesophilic and thermophilic aerobic microorganisms in food **17.29 gms/litre**	**500 gm**
DM 2062	**Dey-Engley Neutralizing Broth** for neutralizing and testing antiseptics and disinfectants. **39.02 gms/litre**	**500 gm**

❋ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Packing
DM 1187	**Dey-Engley Neutralizing Broth Base** for neutralizing and determining bactericidal activity of quaternary ammonium compounds. **17.52 gms/litre**	500 gm
DM 1111	**Diagnostic Stuart's Urea Broth Base (Urea Broth Base)** for the identification of bacteria on the basis of urea utilization, specially for the differentiation of *Proteus, Salmonella* and *Shigella species.* **18.71 gms/litre**	100 gm 500 gm
MS 2048	***Urea 40% (5ml per vial)**	5 vl
DM 1191	**Diagnostic Thioglycollate Medium (Thioglycollate Medium w/o Indicator)** for enrichment of blood cultures. **30.05 gms/litre**	500 gm
DM 1549	**Differential Reinforced Clostridial Broth Base** for the cultivation of *Clostridia* from water. **29.00 gms/litre**	100 gm 500 gm
DM 1549I	**Differential Reinforced Clostridial Broth Base** for cultivation of Clostridia from water. The composition and performance criteria of this medium are as per the specifications laid down in ISO 6461-1:1986. **29.00 gms/litre**	500 gm
DM 1915	**Dihydrolase Broth Base** for studying dihydrolase reaction of *Vibrio Parahaemolyticus.* **43.03 gms/litre**	500 gm
DM 1500	**Disinfectant Test Broth** see **Culture Medium for RWC**	100 gm 500 gm
DM 1354	**Disinfectant Test Broth, AOAC** for testing disinfectants in accordance with AOAC. **20.00 gms/litre**	500 gm
DM 1057	**Double Sugar Agar, Russell (Russell Double Sugar Agar)** for differentiation of gram-negative enteric bacilli on the basis of their ability to ferment dextrose and lactose with or without gas formation. **44.02 gms/litre**	500 gm
DM 1067	**Dubos Broth Base** for preparation of liquid medium for rapid cultivation of pure cultures of *Mycobacterium tuberculosis* and related Microorganisms **6.5 gms/litre**	100 gm 500 gm
DM 1179	**Dubos Oleic Agar Base** for cultivation of *Mycobacteria.* **20.06 gms/litre**	100 gm 500 gm
MS 2020	***Oleic Albumin Supplement**	5 vl
DM 1839	**Dubos Oleic Broth Base** for cultivation of *Mycobacteria.* **5.06 gms/liter**	100 gm 500 gm
MS 2020	***Oleic Albumin Supplement** #	5 vl
DM 1185	**E. coli Mutant Culture Agar (E. coli Maintenance Medium)** See ***B12 Culture Agar**	100 gm
DM 1127	**EC Broth** for selective enumeration of presumptive *Escherichia coli* by MPN technique. **37.00 gms/litre**	100 gm 500 gm
DM 1127I	**EC Broth** for selective enumeration of presumptive *Escherichia coli* by MPN technique. The composition and performance criteria of this medium are as per the specifications laid down in ISO/DIS 7251:1993. **37.00 gms/litre**	500 gm
DM 1748	**Edward's Medium Base, Modified** for selective and rapid isolation of *Streptococcus agalactiae* and other *Streptococci associated* with bovine mastitis. **41.33 gms/litre**	100 gm
DM 1287	**EE Broth, Mossel** for selective enrichment of Enterobacteriaceae in the bacteriological examination of foods. **43.46 gms/litre**	100 gm 500 gm
DM 1287A	**EE Broth Modified** for selective enrichment of *Enterobacteriaceae* in the bacteriological examination of foods and animal feed stuffs. **42.93 gms/litre**	500 gm
DM 1287D	**EE Broth, Mossel** for selective enrichment of *Enterobacteriaceae* in the bacteriological examination of foods. **45.01 gms/litre**	500 gm
DM 1287I	**EE Broth, Mossel** recommended for selective enrichment of *Enterobactericeae* in bacteriological examination of foods. **43.46 gms/litre**	500 gm
DM 1287H	**EE Broth, Mossel** Enterobacteria Enrichment Broth, Mossel is used for selective enrichment of *Enterobacteriaceae* from pharmaceuticalproducts in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP **42.93 gms/litre**	100 gm 500 gm 2.5 kg 5 kg
DM 1317	**EMB Agar** for differential isolation of gram-negative enteric bacilli from clinical and nonclinical specimens **35.96 gms/litre**	100 gm 500 gm
DM 1301	**EMB Agar Base** a basal medium to which different carbohydrates and other test substances may be added for differentiation and study of various enteric bacteria. **27.46 gms/litre**	100 gm 500 gm
DM 1022S	**EMB Agar, Levine** for isolation, enumeration and differentiation of members of *Enterobacteriaceae.* **37.50 gms/litre**	100 gm 500 gm
DM 1022M	**EMB Agar, (Levine-Eosiue methylene Blue Agar Medium) (in accordance with IP 2007)** for isolation, enumeration and differentiation of members of *Enterobacteriaceae* in accordance with IP. **37.46 gms/litre**	100 gm 500 gm
DM 1022	**EMB Agar, Levine** for isolation, enumeration and differentiation of members of *Enterobacteriaceae.* **37.46 gms/litre**	100 gm 500 gm
DM 1503	**EMB Broth** for differentiation of gram-negative enteric bacteria from clinical & non-clinical specimens. **22.46 gms/litre**	100 gm 500 gm

❉ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Packing
DM 1808	**Egg Yolk Agar Base** for isolation and identification of *Clostridia* and certain other anaerobes. **75.10 gms/litre**	**500 gm**
MS 2045F	*__Egg Yolk Emulsion (100 ml per vial)__ #	**5 vl**
DM 1086	**Eijkman Lactose Broth** for detection and differentiation of *Escherichia coli* from other coliforms on the basis of their ability to grow and liberate gas from lactose. **28.50 gms/litre**	**500 gm**
DM 1368	**Elliker Broth (Lactobacilli Broth)** for cultivation of *Lactobacilli* and *Streptococci* of importance in dairy industry. **48.50 gms/litre**	**500 gm**
DM 1466	**Ellners Broth** for induction of spore formation in *Clostridium perfringens* **67.60 gms/litre**	**500 gm**
DM 1325	**Emerson Agar** for isolation and cultivation of *Actinomycetaceae, Streptomycetaceae* and moulds. **41.50 gms/litre**	**500 gm**
DM 1773	**Emerson YSS Agar** for the isolation of *Actinomycetes* and other Fungi. **40.50 gms/litre**	**500 gm**
DM 1029	**Endo Agar** for the confirmation of the presumptive test for members of the coliform group. **41.50 gms/litre**	**100 gm** **500 gm**
DM 2077	**Endo Agar Base** for preparing Endo Agar to confirm presumptive test for lactose fermenting coliforms. **38.00 gms/litre**	**100 gm** **500 gm**
MS 2059A	**Basic Fuchsin** (0.17gm per vial)	**5 vl**
DM 2258	**Endo Agar w/NaCl** for detection and isolation of pathogenic enteric bacilli. **37.70 gms/litre**	**500 gm**
DM 2075	**Endo Agar, Modified** for detection and isolation of coliform and other enteric organisms. **38.60 gms/litre**	**500 gm**
DM 1738	**Enriched Thioglycollate Broth** for isolation, cultivation and identification of a wide variety of obligate anaerobic bacteria. **31.06 gms/litre**	**500 gm**
DM 1392	**Enterococcus Confirmatory Agar** for confirming the presence of *Enterococci* in water supplies and other sources. **30.41 gms/litre**	**500 gm**
DM 1394	**Enterococcus Confirmatory Broth** for confirming the presence of *Enterococci* in water supplies and other sources. **80.41 gms/litre**	**500 gm**
DM 1419	**Enterococcus Presumptive Broth** for detection of *Enterococci* in water and other materials of sanitary importance. **15.43 gms/litre**	**500 gm**
DM 1004	**Erythromycin Seed Agar (Neomycin Erythromycin Assay Agar)** See **Antibiotic Assay Medium No.11**	**100 gm** **500 gm**
DM 2386	**Esculin Agar** for cultivation and differentiation of bacteria that can hydrolyze esculin and produce H_2S. **41.50 gms/litre**	**500 gm**
DM 1749	**Esculin Azide Broth** for selective cultivation and identification of Streptococci. **37.75 gms/litre**	**500 gm**
DM 2382	**Esculin Fermentation Broth** for cultivation and differentiation of bacteria which hydrolyze esculin. **34.50 gms/litre** ferric citrate 0.1 gm/l	**500 gm**
DM 2044	**Esculin Iron Agar** for verifying enterococcal colonies on membrane filters through which water samples have been filtered and which have been incubated on *M-Enterococcus* Agar, Modified. **16.50 gms/litre**	**100 gm**
DM 1426	**Ethyl Violet Azide Broth (E.V.A. Broth)** for selective, confirmatory detection of *Enterococci* as an indicator of faecal pollution in water and other specimens. **35.80 gms/litre**	**500 gm**
DM 1428	**Eugonic Agar** for cultivation of fastidious microorganisms like *Haemophilus, Neisserria, Pasteurella, Brucella* and *Lactobacillus* species. **44.40 gms/litre**	**500 gm**
DM 1429	**Eugonic Broth** for cultivation of fastidious microorganisms like *Haemophilus, Neisserria, Pasteurella, Brucella* and *Lactobacillus* species. **29.40 gms/litre**	**500 gm**
DM 1221	**FDA Broth** See **AATCC Bacteriostasis Broth**	**500 gm**
DM 1565	**FNA Medium (Fluorescein Denitrification Agar)** for differentiation of *Pseudomonas* from other bacilli by their ability to reduce nitrates or nitrites to nitrogen gas (denitrification) and detection of fluorescein pigment. **30.50 gms/litre**	**500 gm**
DM 1919	**Fermentation Medium Base for C. Perfringens** for studying fermentation reaction of *Clostridium perfringens* with added carbohydrate **22.25 gms/liter** ❉ 1% sterile salicin, 1% sterile raffinose - 1 ml/tube	**500 gm**
DM 1827	**Fermentation Medium for Staphylococcus and Micrococcus** for studying fermentation by *Staphylococcus* and *Micrococcus* species. **23.24 gms/litre**	**500 gm**
DM 1239	**Fletcher Leptospira Medium Base (Leptospira Medium Base, Fletcher)** for isolation, cultivation and maintenance of *Leptospira* species. **2.5 gms/litre**	**100 gm** **500 gm**
DM 1117	**Fluid Casein Digest Soya Lecithin Medium (Twin Pack)** for sanitary examination of surfaces. **25.00gms** of Part A **+40 ml** of Part B	**100 gm** **500 gm**

❉ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name		Packing
DM 1026	**Fluid Lactose Medium** as a pre enrichment medium for detection of coliform bacteria in water, dairy products and food samples. **13.00 gms/litre**		**100 gm** **500 gm**
DM 1013	**Fluid Sabouraud Medium (Sabouraud Medium, Cluid)** sterility test medium for moulds and lower bacteria in pharmaceutical preparations. **30.00 gms/litre**		**100 gm** **500 gm**
DM 1025	**Fluid Selenite Cystine Medium (Selenite Cystine Medium) (Twin Pack)** enrichment medium for isolation of *Salmonellae* in foods, dairy products and materials of sanitary importance and clinical Specimens. **19.01 gms** Part of A **+4 gms** Part of B		**100 gm** **500 gm**
DM 2533I	**Fluid Selenite Cystine Broth (Twin Pack)** recommended as an enrichment medium for isolation of *Salmonellae* from faeces, urine or other pathological materials. **19.01 gms** Part of A **+4 gms** Part of B		**500 gm**
DM 1032	**Fluid Tetrathionate Medium w/o Iodine and BG (Tetrathionate Broth Base w/o Iodine and BG**) selective enrichment medium for isolating of *Salmonellae* from foods and other *pathological* Materials. **46.00 gms/litre** Iodine solution - 20 ml/lit ❈ 0.1% Brilliant green solution - 10 ml/lit		**100 gm** **500 gm**
DM 1009	**Fluid Thioglycollate Medium** for sterility testing of biologicals and for cultivation of aerobes, anaerobes and microaerophiles. **29.75 gms/litre**		**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1380	**Fluid Thioglycollate Medium w/ Meat Extract** for cultivation of anaerobic, microaerophilic and aerobic microorganisms and for sterility testing. **34.75 gms/litre**		**500 gm**
DM 1431	**Forget Fredette Agar** for selective isolation of anaerobes from a mixture of aerobic and anaerobic flora. **40.50 gms/litre**		**500 gm**
DM 1079	**Fuchsin Lactose Broth** for determination of `coliform' titre in the bacteriological examination of water and other materials. **13.01 gms/litre**		**500 gm**
DM 1094	**Fungal Agar (Mycological Agar)** for cultivation and maintenance of fungi **35.00 gms/litre**		**500 gm**
MS 2095	***10% Lactic Acid Solution (10 ml per vial)**	#	**5 vl**
DM 1095	**Fungal Agar w/low pH (Mycological Agar w/low pH)** for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria. **35.00 gms/litre**		**500 gm**
MS 2095	***10% Lactic Acid Solution (10 ml per vial)**		**5 vl**
DM 1264	**Fungal Broth (Mycological Broth)** for cultivation of fungi. **50.00 gms/litre**		**500 gm**
MS 2095	***10% Lactic Acid Solution (10 ml per vial)**	#	**5 vl**
DM 1265	**Fungal Broth w/low pH (Mycological Broth w/low pH)** for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria. **50.00 gms/litre**		**500 gm**
DM 2010	**Fungi Kimmig Agar Base** for cultivation, isolation, identification and preservation of fungal strains. **50.00 gms/litre** 40,000 IU penicillin 40 mcg streptomycin ❈ 80 mg colistin & 100mg novobiocin		**500 gm**
DM 1475	***Fungobiotic Agar (Mycobio Agar)** for isolation of dermatophytes and other pathogenic fungi. **35.55 gms/litre**		**100 gm**
DM 1432	**Furunculosis Agar** for detection of *Aeromonas salmonicida* by means of its brownish Red pigment production. **33.50 gms/litre**		**100 gm** **500 gm**
DM 2073	**GBS Medium Base** for rapid detection of group B *Streptococci* in clinical specimens. **110.25 gms/litre**		**500 gm**
MS 2054	***GBS Supplement**	#	**5 vl**
DM 1434	**GC Agar Base** with added blood or haemoglobin and other supplements, it is recommended for selective isolation and cultivation of *Gonococci.* **72.00 gms/litre**		**100 gm** **500 gm**
MS 2021	***GC Supplement w/ Antibiotics**	#	**5 vl**
DM 1242	**GN Broth, Hajna** for selective enrichment of gram-negative organisms of the enteric group. **39.00 gms/litre**		**100 gm** **500 gm**
DM 1920	**Gelatin Agar** for cultivation and identification of *Vibrio* Species. **65.00 gms/litre**		**500 gm**
DM 1686	**Gelatin Iron Agar** for detecting gelatin liquefaction and hydrogen sulphide production. **159.00 gms/litre**		**500 gm**
DM 1521	**Gelatin Mannitol Salt Agar (Staphylococcus Agar No. 110)** for selective isolation and differentiation of pathogenic *Staphylococci* **149.50 gms/litre**		**100 gm** **500 gm**
BA 2020	**Gelatin Peptone, enzymic digestion of gelatin** antibiotic assay media and various used, for fermentation media. **149.50 gms/litre**		**500 gm** **2.5 kg**
DM 1921	**Gelatin Phosphate Salt Agar (GPS Agar)** for cultivation and characterization of *Vibrio cholerae* from food. **40.00 gms/litre**		**500 gm**
DM 2148	**Gelatin Salt Agar** for cultivation and differentiation of *Vibrio* species from foods. **65.00 gms/litre**		**500 gm**
DM 1241	**Gillies Agar No. 1** See **Dextrose Mannitol Agar**		**500 gm**

❈ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Packing
DM 1240	**Gillies Agar No. 2 (Sucrose Salicin Agar)** for detection of motility, hydrogen sulphide and indole production, fermentation of sucrose and salicin during identification of *Salmonella* and *Shigella* species. **48.28 gms/litre**	**100 gm**
DM 1584	**Giolitti-Cantoni Broth Base** for selective enrichment of *Staphylococcus aureus* from suspected foods stuffs. **54.20 gms/litre**	**500 gm**
MS 2047	***Potassium Tellurite 3.5% (1 ml per vial)** #	**5 vl**
DM 1483	**Gluconate Test Medium** for detection of gluconate oxidizing microorganisms. **43.50 gms/litre**	**500 gm**
DM 1982	**Glucose Azide Broth** for the enumeration of faecal *Streptococci* by MPN technique From water and sewage. **30.28 gms/litre**	**500 gm**
DM 1860	**Glucose Broth** for study of dextrose fermentation where pH indicator is not desired. **20.00 gms/litre**	**100 gm** **500 gm**
DM 1433	**Glucose Cysteine Agar Base w/ Thiamine** with added blood or haemoglobin or hemin, it is used for cultivation and enumeration of *Pasteurella tularensis*. **58.00 gms/litre**	**100 gm** **500 gm**
DM 1621	**Glucose Salt Teepol Broth (Twin Pack)** for enrichment of *Vibrio parahaemolyticus* and marine isolates from food. **48 gms Part of A+4 ml of Part B**	**100 gm** **500 gm**
DM 1621S	**Glucose Salt Teepol Broth (Twin Pack)** for enrichment of Vibrio parahaemolyticus and marine isolates. **48 gms Part of A+4 ml of Part B**	**100 gm** **500 gm**
DM 1989	**Glucose Starch Agar** for detection of Clostridium perfringens with addition of salicin, raffinose and phenol red **68.00 gms/litre**	**500 gm**
DM 1963	**Glucose Yeast Extract Agar** for enumeration and cultivation of *Lactobacilli* in pharmaceutical preparations. **28.32 gms/litre**	**100 gm** **500 gm**
DM 1757	**Glucose Yeast Peptone Agar** for isolation of yeasts from soil specimens. **50.00 gms/litre**	**500 gm**
DM 2089	**Glutamate Starch Phenol Red Agar Base** for detection of *Pseudomonas* and *Aeromonas* species in foodstuffs waste water and equipments in food industry. **44.86 gms/litre** 100 IU/ml penicillin G, sodium salt ❋ 10 mcg/ml pimariun	**500 gm**
DM 1360	**Glycerol Asparagine Agar Base (ISP Medium No. 5)** See **ISP Medium No. 5** for cultivation of *Streptomyces* species as per International Streptomyces Project. **22.00 gms/litre** **+ 10 ml glycerol**	**100 gm** **500 gm**

Product Code	Product Name	Packing
DM 1243	**H Broth** for preparation of "H" antigen, used in the identification and differentiation of *Salmonella* species. **21.50 gms/litre**	**500 gm**
DM 1590	**Halophilic Agar** for isolation and cultivation of extremely halophilic bacteria. **325.00 gms/litre**	**500 gm**
DM 1591	**Halophilic Broth** for isolation and cultivation of extremely halophilic bacteria. **305.00 gms/litre**	**500 gm**
DM 2252	**Hanahan's Broth (SOB Medium)** for use in cultivation of recombinant strains of *Escherichia coli*. **28.08 gms/litre**	**500 gm**
BA 2191	**Heart Infusion Powder,** a rich nutritive component used in media employed for cultivation of fastidious organisms and antibiotic sensitivity.	**500 gm**
DM 1169	**Heart Infusion Agar** for isolation and cultivation of a wide variety of fastidious organisms. **40.00 gms/litre**	**100 gm** **500 gm**
DM 1170	**Heart Infusion Broth** for isolation and cultivation of a wide variety of fastidious organisms. **25.00 gms/litre**	**100 gm** **500 gm**
DM 1467	**Hektoen Enteric Agar** for differential and selective isolation of *Salmonella* and *Shigella* species from enteric pathological specimens. **76.67 gms/litre**	**100 gm** **500 gm**
DM 1775	**Hemmes Medium Base** for biochemical differentiation of *Salmonella* and *Shigella* species based on dextrose, lactose, sucrose fermentation, motility, hydrogen sulphide, indole and urease production. **42.95 gms/litre**	**500 gm**
MS 2048	***Urea 40% (5 ml per vial)**	**5 vl**
DM 2158	**Hemorrhagic Coli (HC) Agar** for isolation and enumeration with an enzyme labeled monoclonal antibody of *Escherichia coli*. **61.13 gms/litre**	**500 gm**
DM 1505	**Herellea Agar** for the selective isolation and differentiation of gram-negative, fermentative and nonfermentative organisms especially for differentiation of organisms of Mima and Herellea group. **62.27 gms/litre**	**500 gm**
DM 2097	**High Plate Count Agar** for obtaining higher colony counts by spread plate or pour plate or membrane filter technique **18.75 gms/litre**	**500 gm**
DM 2218	**High Salt Nutrient Agar** recommended for isolation and cultivation of salt tolerant *Vibrio* species. **55.00 gms/litre**	**500 gm**
DM 2219	**High Salt Peptone Yeast Extract Agar** recommended for confirmation of *Vibrio* species. **65.30 gms/litre**	**500 gm**
DM 1717	**Hofer's Alkaline Medium** for selective isolation of *Agrobacterium* species while inhibiting *Rhizobium* species from soil samples. **26.82 gms/litre**	**100 gm**

❋ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Packing
DM 2425	**Hottinger Broth** for the cultivation of less fastidious microorganisms and determination of indole in accordance with USSR State Pharmacopoeia. **23.00 gms/litre**	**100 gm**
DM 1015	**Hoyle Medium Base** a highly selective medium used for the isolation and differentiation of *Corynebacterium diptheriae* types. **40.00 gms/litre**	**100 gm** **500 gm**
MS 2047	***Potassium Tellurite 3.5% (1 ml per vial)**	**5 vl**
DM 1871	**Hugh Leifson Glucose Medium** for differentiation of *Staphylococci* from *Micrococci* on the basis of anaerobic fermentation of glucose. **45.52 gms/litre**	**100 gm** **500 gm**
DM 1826	**Hugh Leifson Medium** for detecting aerobic and anaerobic breakdown of glucose. **19.35 gms/litre**	**100 gm** **500 gm**
DM 1826S	**Hugh Leifson Medium** for detecting aerobic and anaerobic breakdown of glucose. **20.33 gms/litre**	**100 gm** **500 gm**
DM 1356	**ISP Medium No. 1** **(Tryptone Yeast Extract Broth)** a general purpose medium for not particularly fastidious Microorganisms **8.00 gms/litre**	**100 gm** **500 gm**
DM 1424	**ISP Medium No. 2 (Yeast Malt Agar)** **(Y M Agar)** for the isolation and cultivation of yeasts, moulds and other aciduric Microorganisms. **41.00 gms/litre**	**100 gm** **500 gm**
MS 2095	***10% Lactic Acid Solution (10 ml per vial)**	**5 vl**
DM 1358	**ISP Medium No. 3** for cultivation and characterization of *Streptomyces* species as per International Streptomyces Project. **38.00 gms/litre**	**100 gm** **500 gm**
DM 1359	**ISP Medium No. 4 (Inorganic Salt Starch Agar)** for cultivation and characterization of *Streptomyces* species as per International Streptomyces Project. **36.50 gms/litre**	**100 gm** **500 gm**
DM 1360	**ISP Medium No. 5** See **Glycerol Asparagine Agar Base**	**100 gm** **500 gm**
DM 1361	**ISP Medium No. 6** **(Peptone Yeast Extract Iron Agar)** for use as per International Streptomyces Project. **37.58 gms/litre**	**100 gm** **500 gm**
DM 1362	**ISP Medium No. 7 (Tyrosine Agar)** for isolation and characterization of *Streptomyces* species as per International Streptomyces project. **23.74 gms/litre**	**100 gm** **500 gm**
DM 1247	**IUT Medium Base** for cultivation of *Mycobacterium tuberculosis*. **12.71+** **12 ml Glycerol** Sterile Whole Egg Emulsion	**100 gm** **500 gm**

Product Code	Product Name	Packing
DM 1364	**Indole Nitrate Medium** **(Tryptone Nitrate Medium)** for identification of microorganisms by means of nitrate reduction and indole Production. **25.00 gms/litre**	**100 gm** **500 gm**
DM 1246	**Inhibitory Mould Agar, Ulrich** **(Mould Inhibitory Agar, Ulrich)** for selective isolation of pathogenic fungi. **36.17 gms/litre**	**500 gm**
DM 1723	**Inorganic Salt Medium** **(Modified Raggios Medium)** for studying soil microorganisms such as *Rhizobium* species. **4.14 gms/litre**	**100 gm** **500 gm**
DM 1359	**Inorganic Salt Starch Agar** See **ISP Medium No 4**	**100 gm** **500 gm**
DM 1574	**Inositol Brilliant Green Bile Agar** **(Plesiomonas Differential Agar)** for selective isolation of *Plesiomonas Shigelloides* , and *Aeromonas* species from faeces and food stuffs. **52.02 gms/litre**	**500 gm**
DM 2161	**Inositol Gelatin Medium** for the cultivation of *Plesiomonas shigelloides* from foods as per APHA **140.05 gms/litre**	**500 gm**
DM 1615	**Iron Oxidizing Medium (Twin Pack)** for the isolation, cultivation and enrichment of *Thiobacillus ferrooxidans*. **3.85** gms of Part A + **44.22** gms of Part B ❉ 10 N Sulphuric acid	**100 gm** **500 gm**
DM 1868	**Iron Sulphite Agar** for detection of thermophilic anaerobic organisms causing sulphide spoilage in foods. **26.00 gms/litre**	**100 gm** **500 gm**
DM 1622	**Isolation Medium For Iron Bacteria** for the isolation of iron bacteria, especially those belonging to *Sphaerotilus-Leptothrix* Group. **10.91 gms/litre**	**100 gm** **500 gm**
DM 1583	**K.R.A.N.E.P. Agar Base** for selective enumeration of total *Staphylococci* from Foodstuffs. **71.99 gms/litre**	**100 gm**
MS 2045F	***Egg Yolk Emulsion 50% (100 ml per vial)**#####	**5 vl**
DM 1248	**KF Streptococcal Agar Base** for selective isolation and enumeration of faecal *Streptococci* in surface water by direct plating or by membrane filter method. **76.40 gms/litre**	**100 gm** **500 gm**
MS 2057	***TTC Solution 1% (10 ml per vial)**	**5 vl**
MS 2093	***Bromo Cresol Purple (15 mg per vial)** #	**5 vl**
DM 1249	**KF Streptococcal Broth Base** for detection and enumeration of faecal *Streptococci* in waters and examination of faeces and other materials. **57.05 gms/litre**	**100 gm** **500 gm**
MS 2057	***TTC Solution 1% (10 ml per vial)** # ## #	**5 vl**

❉ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Packing
DM 2007	**KF Streptococcus Agar w/BCP** for detection and enumeration of faecal *Streptococci*. **76.41 gms/litre**	**100 gm** **500 gm**
MS 2057	***TTC Solution 1% (10 ml per vial)** #	**5 vl**
DM 2021	**KF Streptococcus Broth Base w/BCP** for detection and enumeration of faecal *Streptococci*. **56.41 gms/litre**	**500 gm**
MS 2057	***TTC Solution 1% (10 ml per vial)**	**5 vl**
DM 1658	**KG Agar Base** for promoting fast and free sporulation to distinguish between *Bacillus cereus* and *Bacillus thuringiensis*. **19.53 gms/litre**	**500 gm**
MS 2045F	***Egg Yolk Emulsion (100 ml per vial)**	**5 vl**
MS 2003	***Polymyxin B Selective Supplement**	**5 vl**
DM 1510	**Kanamycin Esculin Azide Agar** for selective isolation and identification of group D *Streptococci* in foodstuffs. **44.67 gms/litre**	**100 gm**
DM 1776	**Kanamycin Esculin Azide Broth** for selective isolation and identification of group D *Streptococci* in foodstuffs. **32.67 gms/litre**	**100 gm**
DM 2169	**Kaper's Medium** for the enumeration and identification of *Aeromonas hydrophilia* from foods, as per APHA. **37.92 gms/litre**	**500 gm**
DM 2235	**King's OF Medium Base** for studying oxidation-fermentation of carbohydrates by *Campylobacter* species. **0.50 gms/litre**	**100 gm** **500 gm**
DM 1078	**Kligler Iron Agar** for differential identification of gram-negative enteric bacilli on the basis of the fermentation of dextrose, lactose and H_2S production. **57.52 gms/litre**	**100 gm** **500 gm**
DM 1078A	**Kligler Iron Agar, Modified** recommended for identification of *Yersinia enterocolitica*. Also used for differential identification of gram-negative enteric bacilli on the basis of the fermentation lactose and H_2S production. **57.41 gms/litre of dextrose,**	**500 gm**
DM 1078I	**Kligler Iron Agar** for identification of *Pseudomonas species*. Also used for differential identification of Gram-negative enteric bacilli. The composition and performance criteria of this medium are as per the specifications laid down in ISO 1995, ISO/DIS 13720. **57.70 gms/litre**	**500 gm**
DM 1142	**Kohn Two Tube Medium No. 1 Base** for identification of Enterobacteriaceae on the basis of dextrose and mannitol fermentation and urease production. **46.05 gms/litre**	**100 gm** **500 gm**
MS 2048	***Urea 40% (5 ml per vial)**	**5 vl**
DM 1802	**Kohn Two Tube Medium No. 2** for identification of *Enterobacteriaceae* on the basis of sucrose and salicin fermentation,motility ,hydrogen sulphide and indole production. **48.12 gms/litre**	**100 gm**
DM 1069	**Koser Citrate Medium** to differentiate *Escherichia coli* and *Enterobacter aerogenes* on the basis of citrate utilization. **5.70 gms/litre**	**100 gm** **500 gm**
DM 1742	**L.D. Agar** for cultivation and identification of fastidious anaerobic bacteria. **33.22 gms/litre**	**100 gm** **500 gm**
DM 1743	**L.D. Esculin Agar** for identification of anaerobic bacteria especially *Bacteroides* species on the basis of esculin Hydrolysis. **34.62 gms/litre**	**100 gm** **500 gm**
DM 1582	**L.S. Differential Medium Base *(Lactobacillus Streptococcus* Differential Medium Base)** for differentiation of *Lactobacilli* and *Streptococci* on the basis of colonial morphology, TTC reduction and casein reaction. **65.30 gms/litre**	**500 gm**
MS 2057	***TTC Solution 1% (10 ml per vial)**	**5 vl**
DM 1599	**Lactic Agar** for enumeration and identification of lactic *Streptococci* and *Lactobacilli* by pour plate method. **63.50 gms/litre**	**100 gm**
DM 2087	**Lactic Bacteria Differential Agar** for differentiation of homofermentative and heterofermentative lactic acid bacteria. **35.55 gms/litre** ❉ Polysorbate 80-1gm/lit	**500 gm**
DM 2086	**Lactic Bacteria Differential Broth** for differentiation of homofermentative and heterofermentative lactic acid bacteria. **20.55 gms/litre** Polysorbate 80-1gm/lit	**500 gm**
DM 1366	**Lactobacilli Agar, AOAC** for carrying the stock cultures used in the microbiological assays of the B vitamins. **48.00 gms/litre**	**100 gm**
DM 1368	**Lactobacilli Broth** See **Elliker Broth**	**500 gm**
DM 1367	**Lactobacilli Broth, AOAC** for preparation of inocula of test bacteria used in microbiological assays of B vitamins. **38.00 gms/litre**	**500 gm**
DM 1927	***Lactobacillus Bulgaricus Agar Base** with acetate buffer for isolation and identification of *Lactobacillus bulgaricus*. **70.00 gms/litre** ❉ Acetate Buffer -80ml/lit	**500 gm**
DM 2164	***Lactobacillus Heteroferm Screen Broth** See **MRS Broth Modified**	**500 gm**
DM 1035	**Lactobacillus Leichmannii Maintenance Medium** See **B12 Culture Agar**	**100 gm**

❉ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Packing
DM 1641	❋**Lactobacillus MRS Agar (MRS Agar)** for isolation and cultivation of *Lactobacilli*. **67.15 gms/litre**	**500 gm**
DM 1641I	**Lactobacillus MRS Agar (MRS Agar)** for the isolation and enumeration of lactic acid bacteria from meat and meat products. The composition and performance criteria of this medium are as per the specifications laid down in ISO 1995, Draft ISO/DIS 13720. **65.13 gms/litre**	**500 gm**
DM 2180	❋**Lactobacillus Selection Agar Base** for isolation and enumeration of *Lactobacilli* from foods. **84.73 gms/litre** ❉ Glacial acetate acid - 1.32 ml/lit	**500 gm**
DM 2165	❋**Lactobacillus Selection bile Agar Base (LBS bile Agar)** for the selective isolation, cultivation and enumeration of Lactobacilli. **86.23 gms/litre** ❉ Glacial acetate acid - 1.32 ml/lit	**500 gm**
DM 2166	❋**Lactobacillus Selection Broth Base** for the selective isolation, cultivation and enumeration of Lactobacilli from foods. **69.73 gms/litre** ❉ Glacial acetate acid - 1.32 ml/lit	**500 gm**
DM 2081	**Lactose Blue Agar** See **BTB Lactose Agar,Modified**	**500 gm**
DM 2003	**Lactose Broth** for the detection of coliform bacteria in water, foods, dairy products as per Standard Methods. **13.00 gms/litre**	**100 gm** **500 gm**
DM 2003S	**Lactose Broth** for the detection of coliform bacteria in water, foods, dairy products. **13.00 gms/litre** ❉ Bromocresol purple solution - 3 ml/lit	**100 gm** **500 gm**
DM 2003E	**Lactose Monohydrate Broth (Broth Medium D)** for detection of coliform bacteria in water, foods, dairy products in accordance with E.P. **12.75 gms/litre**	**100 gm** **500 gm**
DM 1628	**Lactose Gelatin Medium** for the detection of Clostridium species from food samples. **135.00 gms/litre**	**500 gm**
DM 1987	**Lactose Gelatin Medium, Modified** for detection and presumptive identification of *Clostridium perfringens* from foods,as per AOAC. **160.05 gms/litre**	**500 gm**
DM 1987I	**Lactose Gelatin Medium, Modified** recommended for detection and enumeration of *Clostridium perfringens* from foods samples. **15.50 gms/litre**	**500 gm**
DM 1080	**Lauryl Sulphate Broth (Lauryl Tryptose Broth)** for detection and enumeration of coliform bacteria in water, wastewater, dairy products and other foods samples. **35.60 gms/litre**	**100 gm** **500 gm** **1 kg** **2.5 kg**
DM 2070	**Lauryl Tryptose Mannitol Broth w/Tryptophan** a single tube medium used for confirmation of Escherichia coli in drinking water. **35.80 gms/litre**	**500 gm**

Product Code	Product Name		Packing
DM 1180	**Lead Acetate Agar** for detection of hydrogen sulphide producing enteric bacteria. **36.28 gms/litre**		**500 gm**
DM 1602	**Lee's Agar** for differential enumeration of yogurt starter bacteria (Lactobacillus bulgaricus, Streptococcus thermophilus). **51.52 gms/litre**		**500 gm**
DM 1809	**Legionella Agar Base** with addition of supplements it is used for cultivation of *Legionella* species. **37.00 gms/litre**		**100 gm**
MS 2016A	*Legionella Growth Supplement (Twin Pack)###		5 vl
MS 2017	*Legionella Selective Supplement	#	5 vl
MS 2041A	*Legionella Supplement (Twin Pack)		5 vl
DM 1809A	**Legionella Agar Base** with addition supplements it is used for cultivation of Legionella species. **25.00 gms/litre**		**500 gm**
MS 2142	*Legionella Growth Supplement (BCYE)	#	5 vl
MS 2143	*Legionella (GVPC) Selective Supplement		5 vl
MS 2144	*Legionella (BMPA) Selective Supplement		5 vl
MS 2206	*Legionella Growth w/o L-Cysteine		5 vl
MS 2242	*Legionella Selective Supplement (GVPN)		5 vl
DM 2399	**Legionella Enrichment Broth Base** with addition of supplements it is used for cultivation of *Legionella* species. **27.50 gms/litre**		**100 gm**
MS 2016A	❋Legionella Growth Supplement (Twin Pack)		5 vl
DM 2009	**Leptospira Medium Base** for cultivation and maintenance of *Leptospira* species. **2.56 gms/litre**		**100 gm** **500 gm**
MS 2066	❋Leptospira Enrichment Supplement	#	5 vl
DM 1239	**Leptospira Medium Base, Fletcher** See **Fletcher Leptospira Medium Base**		**100 gm** **500 gm**
DM 1414	❋**Letheen Agar** to determine the phenol coefficient of quaternary ammonium compounds using *Escherichia coli or Staphylococcus aureus* ATCC 6538. **32.00 gms/litre**		**500 gm**
DM 1946	❋**Letheen Agar, Modified (Modified Letheen Agar)** for screening cosmetic products for microbial Contamination. **54.10 gms/litre**		**500 gm**
DM 1165	❋**Letheen Broth, AOAC** for determination of bacterial activity of quaternary ammonium compounds using *Escherichia coli* or *Staphylococcus aureus* ATCC 6538. **25.70 gms/litre**		**500 gm**
DM 1976	❋**Letheen Broth, Modified (Modified Letheen Broth)** for screening cosmetic products for microbial contamination. **42.80 gms/litre**		**500 gm**

❉ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Packing
DM 1472	**Levinthal's Medium Base** for cultivation of *Haemophilus* species. **45.00 gms/litre**	**500 gm**
DM 1569	**Listeria Enrichment Broth (Twin Pack)** for selective enrichment of Listeria monocytogenes from clinical specimens. **26.00** gms Part of A + **37.50** gms Part of B	**500 gm**
DM 1888	❊**Listeria Enrichment Broth, Modified** for selective enrichment of Listeria species. **51.98 gms/litre**	**100 gm** **500 gm**
DM 1890A	❊**Listeria Enrichment Medium Base (UVM)** for selective isolation and cultivation of *Listeria monocytogenes* from clinical specimens. **54.35 gms/litre**	**100 gm** **500 gm**
MS 2136	*Listeria UVM Supplement I	5 vl
MS 2137	*Listeria UVM Supplement II	5 vl
DM 2215	**Listeria Motility Medium** recommended for testing motility of *Listeria monocytogenes.* **29.60 gms/litre**	**500 gm**
DM 1114	**Litmus Lactose Agar** for differentiation of lactose fermenting and lactose nonfermenting microorganisms. **29.00 gms/litre**	**500 gm**
DM 1609	**Litmus SM Broth** for maintenance of Lactobacilli and for determining the action of bacteria on milk **101.00 gms/litre**	**100 gm** **500 gm**
DM 1373	**Littman Oxgall Agar Base** for primary isolation of pathogenic fungi. **55.01 gms/litre** ❊ Sterile streptomycin - 30 mcg/ml	**500 gm**
DM 1663	**Littman Oxgall Broth Base** for selective enrichment and cultivation of pathogenic fungi. **35.01 gms/litre**	**500 gm**
BA 2326	**Liver Extract Powder** for cultivation of fastidious anaerobic bacteria. Also for bulk production of vaccines, Steroids,enzymes etc.	**500 gm**
BA 2023	**Liver Hydrolysate,** an ideal ingredient of culture media used for the cultivation of fastidious Anaerobic bacteria.	**500 gm**
DM 1162	**Lowenstein Jensen Medium Base** (L.J. Medium) for isolation and cultivation of *Mycobacterium* species. **37.24 gms/litre** ❊ Egg emulsion base - 1000 ml ➤ Glycerol - 12 ml/lit	**100 gm** **500 gm**
MS 2053	*Gruft Mycobacterial Supplement	5 vl
DM 1557	**Luria Agar** for routine cultivation and estimation of not particularly fastidious microorganisms. **35.00 gms/litre**	**500 gm**
DM 2151	**Luria Bertani Agar, Miller** for the cultivation and maintenance of recombinant strains of *Escherichia coli* for genetic and molecular studies, may be used for routine isolation and cultivation of not particularly fastidious microorganisms. **40.00 gms/litre**	**500 gm** **1 kg** **2.5 kg**
DM 2245	**Luria Bertani Broth, Miller** for the cultivation and maintenance of recombinant strains of *Escherichia coli* for genetic and molecular biology studies; may be used for routine cultivation and estimation of not particularly fastidious Microorganisms. **25.00 gms/litre**	**500 gm** **1 kg**
DM 1575	**Luria Broth** for the cultivation and maintenance of recombinant strains of *Escherichia coli* **20.00 gms/litre**	**500 gm**
DM 2230	**Lysine Arginine Iron (LAI) Agar** for the isolation and presumptiveidentification of *Yersinia* species from milk and milk products. **44.56 gms/litre**	**100 gm**
DM 1376	**Lysine Decarboxylase Broth** for differentiating *Salmonella arizonae* from the Bethesda Ballerup group of *Enterobacteriaceae.* **14.02 gms/litre** ❊ Sterile mineral oil	**100 gm** **500 gm**
DM 1376I	**Lysine Decarboxylase Broth w/o Peptone** recommended for distinguishing the *Salmonella arizonae* from the Bethesda Ballerup group of *Enterobacteriaceae.* **9.01 gms/litre** ❊ Sterile mineral oil	**100 gm** **500 gm**
DM 1377	**Lysine Iron Agar** for differentiation of enteric organisms espeically *Salmonella arizonae*, based on their ability to decarboxylate or deaminate lysine and to form Hydrogen sulphide (H_2S). **34.56 gms/litre**	**100 gm** **500 gm**
DM 1845	**Lysine Iron Cystine Broth Base** for rapid presumptive detection of *Salmonellae* in foods, food ingredients and feed materials. **25.72 gms/litre**	**100 gm** **500 gm**
MS 2101	*Novobiocin Selective Supplement	5 vl
DM 1330	**Lysine Lactose Broth** for determination of lysine decarboxylase activity of lactose nonfermenting members of *Enterobacteriaceae* especially *Salmonellae.* **24.02 gms/litre**	**500 gm**
DM 1642	**Lysine Medium Base** for isolation and enumeration of wild yeasts in pitching yeasts. **66.27 gms/litre**	**100 gm** **500 gm**
MS 2123	***50% Potassium Lactate (10 ml per vial)**	5 vl
DM 1846	❊**M-Broth** for detecting *Salmonellae* in foods and feeds by the accelerated enrichment Serology procedures. **36.23 gms/litre**	**100 gm**
DM 2119	**M-Azide Broth Base** for the cultivation and enumeration of *Enterococci* from water samples by membrane filter Technique. **156.40 gms/litre**	**500 gm**
MS 2057	*TTC Solution 1% (10 ml per vial)	5 vl
DM 2130	**M-BCG Yeast and Mould Broth** for the detection of fungi in routine analysis of beverages using membrane filter technique **73.23 gms/litre**	**500 gm**

❊ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C ➤ If required use

Product Code	Product Name	Packing
DM 2101	**M-Bismuth Sulphite Broth** for selective detection of *Salmonellae* by the membrane filter technique. **64.65 gms/litre**	**500 gm**
DM 2102	**M-Brilliant Green Broth** for selective differentiation for primary screening of *Salmonellae* in polluted water using membrane filter technique. **76.19 gms/litre**	**500 gm**
DM 2105	**M-EMB Broth** for the detection of members of the coliform group by the membrane filter technique. **84.33 gms/litre**	**500 gm**
DM 2106	**M-Endo Agar LES** for enumeration of coliforms in water using a two step membrane filter technique. **51.05 gms/litre**	**100 gm** **500 gm**
DM 2107	**M-Endo Broth** for estimation of coliforms in water samples using membrane filter technique. **61.50 gms/litre**	**100 gm** **500 gm**
DM 2103	**M-Endo Broth (MF Endo Medium)** **M-Coliform Broth** for the enumeration of coliform bacteria in water samples using one step membrane filter technique. **48.05 gms/litre**	**500 gm**
DM 2109	**M-Enrichment Broth** for enumeration of bacteria by membrane filter technique and preliminary enrichment of organisms on membrane filter prior to using selective media. **54.00 gms/litre**	**500 gm**
DM 2108	❄**M-Enterococcus Agar Base** for isolation and enumeration of Enterococci in water, sewage, food and other materials by membrane filter technique as well as direct plating of specimens. **41.50 gms/litre**	**500 gm**
DM 2048	❄**M-Enterococcus Agar Base, Modified** for recovery of Enterococci in water samples using membrane filter technique, along with Esculin Iron Agar for identification. **71.45 gms/litre**	**100 gm**
MS 2057	***TTC solution 1% (10 ml per vial)**	**5 vl**
DM 2123	**M-(HPC) Heterotrophic Plate Count Agar Base** for enumeration of heterotrophic microorganisms from water samples using membrane filter Technique. **60.00 gms/litre** ❈ Glycerol - 10ml/lit	**500 gm**
DM 2110	**M-HD Endo Broth** for detection of coliforms in water samples by membrane filter technique. **57.14 gms/litre**	**500 gm**
DM 2118	**M-HD Endo Broth w/BG** for detection of coliforms in highly polluted waters using membrane filter technique. **56.44 gms/litre**	**500 gm**

Product Code	Product Name	Packing
DM 2023	**M-Lauryl Sulphate Broth** for enumeration of *Escherichia coli* in water using membrane filter technique. **76.20 gms/litre**	**500 gm**
DM 2023I	**M-Lauryl Sulphate Broth** recommended for enumeration of *Escherichia coli* and coliforms in water using membrane filter technique. **77.20 gms/litre**	**500 gm**
DM 2126	**M-Nutrient Broth** for enumeration of bacteria using membrane filter technique. **46.00 gms/litre**	**500 gm**
DM 2121	**M-PA Agar Base** for detection and isolation of *Pseudomonas aeruginosa* by membrane filter technique. **39.68 gms/litre**	**500 gm**
MS 2202	***M-PA Selective Supplement**	**5 vl**
DM 2113	**M-Slanetz Enterococcus Broth Base** for isolation and detection of Enterococci using membrane filter technique. **156.40 gms/litre**	**500 gm**
MS 2057	***TTC Solution 1% (10 ml per vial)**	**5 vl**
DM 2114	**M-Standard Methods Broth** for enumeration of bacteria in milk and other samples of sanitary importance in dairy industries by membrane filter technique. **17.00 gms/litre**	**500 gm**
DM 2120	**M-Staphylococcus Broth** for detection and isolation of *Staphylococci* by membrane filter technique. **104.55 gms/litre**	**500 gm**
DM 2115	**M-Tetrathionate Broth Base** for selective enrichment of *Salmonellae* using membrane filter technique. **36.00 gms/litre**	**500 gm**
DM 2116	**M-Tryptone Glucose Extract Broth** for determination of bacterial count in milk and other samples in dairy sanitization by membrane filter technique. **18.00 gms/litre**	**500 gm**
DM 1929	**M17 Agar Base** for cultivation of lactic *Streptococci* and plaque assay of lactic bacteriophages. **33.25 gms/litre** ❈ Disodium ß-Glycerophosphate - 19 gm/Litre	**500 gm**
DM 2019	**M17 Agar w/o Lactose** on addition of lactose, this medium can be used for cultivation and isolation of lactic Streptococci. **48.25 gms/litre**	**500 gm**
DM 2029	**M17 Broth** for cultivation and isolation of lactic *Streptococci* and their bacteriophages. **42.25 gms/litre**	**100 gm** **500 gm**
DM 2063	**M17 Agar w/ Glycerophosphate** for cultivation of lactic *Streptococci* and plaque assay of lactic bacteriophages. **52.25 gms/litre**	**100 gm**

❈ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Packing
DM 1858	**M2 Agar** a semisynthetic culture medium used as a general purpose plate count Agar. **40.15 gms/litre** ❈ Glycerine - 13ml/lit	**500 gm**
DM 1378	**MIO Medium (Motility Indole Ornithine Medium)** for the identification of *Enterobacteriaceae* on the basis of motility, indole production and ornithine decarboxylase activity. **31.02 gms/litre**	**500 gm**
DM 2076	**MIU Medium Base** for detection of motility, urease and indole production. **18.00 gms/litre**	**500 gm**
MS 2048	*__Urea 40% (5 ml per vial)__	**5 vl**
DM 1379	**MOF Medium (Marine Oxidation Fermentation Medium)** for differentiation of marine bacteria on the basis of fermentative and oxidative Metabolism of carbohydrates. **22.14 gms/litre**	**500 gm**
DM 1070S	**MR-VP Medium (Buffered Glucose Broth)** for performance of Methyl Red and Voges Proskauer tests in differentiation of coli-aerogenes group. **15.00 gms/litre**	**100 gm** **500 gm**
DM 1641	❈**MRS Agar** See Lactobacillus MRS Agar	**500 gm**
DM 2163	❈**MRS Agar, Modified** (Lactobacilli Heteroferm Screen Agar) for isolation and cultivation of *Lactobacillus* species from salad dressings **62.19 gms/litre**	**500 gm**
DM 1594	**MY 40 Agar (Osmophilic Agar)** for detection and isolation of osmophilic microorganisms from food samples. **445.00 gms/litre**	**500 gm**
DM 2168	**MY 40G Agar (Osmophilic Glucose Agar)** for isolation and cultivation of osmotolerant microorganisms from foods. **427.00 gms/litre**	**500 gm**
DM 1082	**MacConkey Agar w/o CV, NaCl w/0.5% Sodium Taurocholate** for cultivation and differentiation of enteric bacteria, restricting swarming of *Proteus* species from specimens such as urine which may contain large number of *Proteus* species as well as potentially pathogenic gram-positive organisms. **55.04 gms/litre**	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1082A	**MacConkey Agar w/o CV, NaCl w/ 0.5% Bile Salts** for cultivation and differentiation of enteric bacteria, restricting swarming of *Proteus* species from specimens such as urine which may contain large number of *Proteus* species as well as potentially pathogenic gram-positive organisms. **47.00 gms/litre**	**500 gm**
DM 1081	**MacConkey Agar w/ 0.15% Bile Salts, CV and NaCl** for selective solation and differentiation of coliform organisms and other enteric pathogens. **51.53 gms/litre**	**100 gm** **500 gm**
DM 1081A	**MacConkey Agar w/ CV, NaCl and 0.15% Bile Salts** to identify *Enterobacteriaceae* in the presence of coliforms and lactose nonfermenters from water, sewage, food products etc. **51.55 gms/litre**	**500 gm**
DM 1081H	**MacConkey Agar (Agar Medium H)** MacConkey Agar is recommended for selective isolation and differentiation of coliforms from pharmaceutical products in accordance with the microbial limit testing by harmonised methodology of USP/EP/BP/JP. **49.53 gms/litre**	**100 gm** **500 gm**
DM 1008	**MacConkey Agar w/o CV w/ 0.15% Bile Salts** for selective isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria. **51.53 gms/litre**	**100 gm** **500 gm**
DM 1008B	**MacConkey Agar w/o CV, w/ 1.2% Agar** for selective isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria. **48.53 gms/litre**	**500 gm**
DM 1008A	**MacConkey Agar w/o CV, w/ 0.5% Bile Salts** for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria. **52.00 gms/litre**	**500 gm**
DM 1008E	**MacConkey Agar Medium** for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria and also isolation for faecal Streptococci. **55.37 gms/litre**	**500 gm**
DM 1008S	**MacConkey Agar** for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria. **55.07 gms/litre**	**100 gm** **500 gm**
DM 1061	**MacConkey Agar w/ Bromo Thymol Blue** for detection of lactose fermenting enteric bacteria. **51.53 gms/litre**	**100 gm** **500 gm**
DM 2024	**MacConkey Agar Base** for studying carbohydrate fermentation reactions of coliforms by adding carbohydrates either individually or in combination. **40.00 gms/litre**	**500 gm**
DM 1051	**MacConkey Agar, Modified** for isolation of *Klebsiella* species from water samples. **50.00 gms/litre**	**100 gm**
DM 1007	**MacConkey Broth w/Neutral Red** for selective enrichment and enumeration of coliforms. **40.07 gms/litre**	**100 gm** **500 gm**

❈ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Packing
DM 1007S	**MacConkey Broth w/ Neutral Red** for selective enrichment and enumeration of coliforms, **40.07 gms/litre**	**100 gm** **500 gm**
DM 1539	**MacConkey Broth (Double Strength) W/Neutral Red** for primary isolation of coliforms from large samples such as water or waste water. **80.15 gms/litre**	**100 gm** **500 gm**
DM 1539S	**MacConkey Broth (Double Strength) w/ Neutral Red** for primary isolation of coliforms from large samples such as water or waste water. **80.14 gms/litre**	**100 gm** **500 gm**
DM 1083	**MacConkey Broth Purple w/BCP)** for the presumptive identification of coliforms from variety of specimens such as water,milk, and food etc. **40.01 gms/litre**	**100 gm** **500 gm**
DM 1083I	**MacConkey Broth Purple w/BCP** recommended for presumptive identification of coliforms from water. **40.01 gms/litre**	**100 gm** **500 gm**
DM 1083S	**MacConkey Broth Purple w/ BCP** for presumptive identification of coliforms from variety of specimens such as water, milk and food etc. **40.02 gms/litre**	**100 gm** **500 gm**
DM 1796	**MacConkey Broth Purple (DoubleStrength) w/BCP** for the presumptive identification of coliforms from large samples. **80.00 gms/litre**	**100 gm** **500 gm**
DM 1298	**MacConkey Sorbitol Agar** See **Sorbitol Agar** for isolation and identification of enteropathogenic *Escherichia coli* strains associated with infant diarrhoea. **50.03 gms/litre**	**100 gm** **500 gm**
DM 1777	**Maintenance (SCY) Medium** for the maintenance of iron bacteria. **12.26 gms/litre** ❈ Cyanocobalamin - 0.01 mg/Litre	**500 gm**
DM 1418	**Maintenance Medium for B. subtilis ATCC 6633** for maintenance of *Bacillus subtilis* ATCC 6633, used as the test organism formicrobiological assay of antibiotics. **30.50 gms/litre**	**100 gm**
DM 2266	**Malachite green Broth** for selective enrichment of *Pseudomonas Aeruginosa*. **25.13 gms/litre**	**500 gm**
DM 1382	**Malonate Broth** for differentiation of *Enterobacter* and *Escherichia* on the basis of malonate utilization. **8.02 gms/litre**	**100 gm**
DM 1779	**Malonate Broth, Ewing Modified** for differentiation of members of *Enterobacteriaceae* on the basis of malonate Utilization. **9.27 gms/litre**	**100 gm**

Product Code	Product Name	Packing
DM 1253	**Malt Agar** for detection and isolation of yeasts and moulds from dairy products, foods and other materials. Also for carrying stock cultures of yeasts and Moulds. **45.00 gms/litre**	**100 gm** **500 gm**
BA 2004	**Malt Extract Powder** ideally suitable for use in media for cultivation of fungi.	**500 gm**
BC 2004	**Malt Extract Certified,** ideally suitable for use in media for cultivation of fungi.	**500 gm**
DM 1137	**Malt Extract Agar Base (Malt Extract Agar w/Mycological Peptone)** for detection, isolation and enumeration of yeasts and moulds. **50.00 gms/litre**	**500 gm**
MS 2095	***10% Lactic Acid Solution (10 ml per vial)**	**5 vl**
DM 1995	**Malt Extract Agar Base, Modified as per Thom and Church** for isolation and cultivation of yeasts and moulds. **31.28 gms/litre** ❈ Glycerol - 2.35 gm/Litre	**500 gm**
DM 1255	**Malt Extract Broth Base** for detection and enumeration of yeasts, moulds and aciduric microorganisms. **20.00 gms/litre**	**500 gm**
MS 2095	***10% Lactic Acid Solution (10 ml per vial)**	**5 vl**
DM 2128	**Malt Extract Broth, Modified as per Thom and Church** for cultivation and enumeration of yeasts and moulds and to check sterility to detect presence of these organisms. **15.00 gms/litre**	**500 gm**
BA 2569	**D(+) Maltose, Monohydrate,** Extra pure NRC grade, for vaccine production	**100 gm** **500 gm**
DM 2071	**Mannitol Lysine Agar** for selective isolation of *Salmonellae* other than *Salmonella serotype Typhi* and *Salmonella serotype Paratyphi* A. **49.02** gms/litre	**500 gm**
DM 1118	**Mannitol Salt Agar Base** for selective isolation of pathogenic *Staphylococci.* **111.02 gms/litre**	**100 gm** **500 gm** **2.5 kg** **5 kg**
MS 2045L	***Egg Yolk Emulsion (100 ml per vial)**	**5 vl**
DM 1383	**Mannitol Salt Broth** for selective isolation of presumptive pathogenic *Staphylococci.* **96.02** gms/litre	**100 gm** **500 gm**
DM 2534	**Mannitol Selenite Broth (Selenite Mannitol Broth) (Twin Pack)** for selective enrichment of *Salmonellae* from clinical materials. **19.00 gms** of Part A **+ 4 gms** of Part B	**500 gm**

❈ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Packing
DM 2537	**Mannitol Selenite Broth w/ Brilliant Green (Twin Pack)** for enrichment of Salmonellae from faeces, foodstuffs and other materials. **23.75** of Part A **+ 4** of Part B	**500 gm**
DM 1384	**Marine Agar 2216 (Zobell Marine Agar)** for isolation and enumeration of heterotrophic marine bacteria. **55.25** gms/litre	**100 gm** **500 gm**
DM 1385	**Marine Broth 2216 (Zobell Marine Broth)** for cultivation of heterotrophic marine bacteria. **40.25** gms/litre	**100 gm** **500 gm**
DM 1379	**Marine Oxidation Fermentation Medium** See MOF Medium for differentiation of marine bacteria on the basis of fermentative and oxidative metabolism of carbohydrates. **22.14** gms/litre	**500 gm**
DM 2030	**Maximum Recovery Diluent** a protective and isotonic diluent used for maximal recovery of microorganisms. **9.50** gms/litre	**500 gm**
BA 2274	**Meat Extract Paste** for use in microbial culture media.	**500 gm**
BA 2002	**Meat Extract Powder** refined for use in microbial culture media	**500 gm** **2.5 kg**
BC 2002	**Meat Extract, Certified** for the maximum recovery and growth of a wide variety of microorganisms.	**500 gm**
BA 2003	**Meat Extract Powder** used in general purpose and diagnostic media preparations	**500 gm**
BC 2003	**Meat Extract, Certified** replaces the meat peptone which yields earlier and/or heavier growth of microorganisms, bulk production of antibiotics, enzymes and other biological preparations.	**500 gm**
DM 1806	**Meat Extract Agar** for routine cultivation of non fastidious bacteria. **33.00 gms/liter**	**100 gm** **500 gm**
DM 1807	**Meat Extract Broth** for routine cultivation of non fastidious bacteria. **18.00 gms/liter**	**500 gm**
BA 2192	**Meat Infusion Powder** a highly nutritious ingredients, used in standard nutrient media and as an additive in vaccine preparation.	**500 gm**
BA 2635	**Meat Peptone** for routine and mass scale cultivation of organisms for antibiotics, enzymes etc. production.	**500 gm**
BA 3049	**Meat Peptone Type P** peptone from meat (peptic) is obtained by proteolytic digestion of meat with pepsin.	**500 gm**
BA 3050	**Meat Peptone Type T** peptone from meat (peptic) is obtained by proteolytic digestion of meat with trypsin.	**500 gm**

Product Code	Product Name	Packing
DM 1917	**Mehlman's Maintenance Medium** for maintenance of *Campylobacter* **38.02 gms/litre** ❉ Sodium sulphite solution - 2.5%	**500 gm**
DM 1132	**Micro Vitamin Test Culture Agar** for cultivation and maintenance of stock cultures of *Lactobacilli* used in microbiological assays of vitamins. **52.10** gms/litre	**100 gm**
DM 1133	**Micro Vitamin Test Inoculum Broth** for preparation of inocula of *Lactobacilli* used in microbiological assays of vitamins. **37.10 gms/litre**	**100 gm**
DM 1197	**Middlebrook 7H9 Agar Base A** for isolation, cultivation and sensitivity testing of *Mycobacterium tuberculosis*. **19.69** gms/litre	**500 gm**
MS 2018	***Middlebrook OADC Growth Supplement**	**5 vl**
DM 1198	**Middlebrook 7H9 Broth Base** for cultivation and sensitivity testing of *Mycobacterium tuberculosis*. **4.69 gms/litre**	**500 gm**
MS 2019	***Middlebrook ADC Growth Supplement**	**5 vl**
DM 1199	**Middlebrook 7H10 Agar Base** for isolation, cultivation and sensitivity testing of *Mycobacterium tuberculosis*. **19.47** gms/litre	**500 gm**
MS 2018	***Middlebrook OADC Growth Supplement**	**5 vl**
DM 1196	**Middlebrook 7H10 Agar Base, Special** for isolation, cultivation and sensitivity testing of *Mycobacterium tuberculosis*. **19.49** gms/litre	**500 gm**
MS 2018	***Middlebrook OADC Growth Supplement**	**5 vl**
DM 1511	**Middlebrook 7H11 Agar Base** for isolation, cultivation and sensitivity testing of *Mycobacteria*. **20.49** gms/litre	**500 gm**
MS 2018	***Middlebrook OADC Growth Supplement**	**5 vl**
DM 1511A	**Middlebrook 7H11 Agar Base w/o Malachite Green** for isolation, cultivation and determination of antimicrobial susceptibility of *Mycobacteria*. **20.50** gms/litre	**500 gm**
MS 2018	***Middlebrook OADC Growth Supplement**	**5 vl**
DM 2273	**Modified Pseudomonas selective w Cetrimide Agar (Twin Pack)** recommended for detection and enumeration of *Pseudomonas aeruginosa* in water. **26.4 gms Part B +133.33 gms of Part A**	**500 gm**
DM 2273S	**Modified Pseudomonas selective w Cetrimide Agar (Twin Pack)** for detection and enumeration of *Pseudomonas aeruginosa* in water. **19.80 gms** of Part B **+ 100** gms of Part A	**100 gm** **500 gm**
DM 1661	**Modified Salt Agar Base for *Strectococci*** for selective isolation and cultivation of *Staphylococci*. **88.00** gms/litre	**500 gm**
DM 2151	**Miller Luria Bertani Agar** See Luria Bertani Agar, Miller	**500 gm** **1 kg** **2.5 kg**

❉ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Packing
DM 2245	**Miller Luria Bertani Broth** See Luria Bertani Broth, Miller	**500 gm** **1 kg**
DM 1512	**Minimal Agar** for isolation and characterization of nutritional mutants of *Escherichia coli*. **26.60** gms/litre	**500 gm**
DM 1389	**Minimal Broth, Davis** for isolation and characterization of nutritional mutants of *Escherichia coli*. **11.60** gms/litre	**500 gm**
DM 1390	**Minimal Broth, Davis w/o Dextrose** for isolation and characterization of nutritional mutants of *Escherichia coli*. **10.60** gms/litre ❉ Dextrose solution - 10%	**500 gm**
DM 2254	**Minimum Salts w/ Casein Acid Hydrolysate** for the cultivation of *Escherichia coli* strains used for genetic and molecular studies. **19.54** gms/litre ❉ Glucose solution - 20% ❉ Magnesium sulphate - 0.1M ➤ Calcium chloride - 1.0 M	**500 gm**
DM 1259	**Mitis Salivarius Agar Base** for isolation of *Streptococci* from mixed cultures, especially *Streptococcus mitis*, *Streptococcus salivarius* and *Enterococcus faecalis*. **90.07** gms/litr	**500 gm**
MS 2052	***Potassium Tellurite 1% (1ml per vial)**	**5 vl**
DM 2236	**Modified AEA Sporulation Medium Base** for early sporulation of *Clostridium perfringens* from foods. **26.31** gms/litre Raffinose- 0.6 ml/litre, Sodium carbonate - 0.66 M, ❉ Cobalt chloride- 0.32 %, Sodium ascorbate- 1.5%	**500 gm**
DM 2150	**Modified Bile Esculin Azide Agar** for selective isolation and enumeration of group D *Streptococci*. **56.25** gms/litre	**500 gm**
DM 2085	**Modified Differential Clostridial Broth** for enumeration of *Clostridia* from food stuffs and other samples by the MPN technique. **27.50** gms/litre	**500 gm**
DM 2237	**Modified Duncan Strong (DS) Medium** for isolation and differentiation of *Clostridium perfringens* from other*Clostridia* from foods on the basis of raffinose fermentation. **34.00** gms/litre	**500 gm**
DM 2045	***Modified Fungal Agar Base** **(Modified Inhibitory Mold Agar Base)** for estimation of moulds in cosmetics and toileteries. **54.46** gms/litre ❉ Polysorbate 80 - 20 ml/litre	**500 gm**
DM 1946	***Modified Letheen Agar** See Letheen Agar, Modified	**500 gm**
DM 1976	***Modified Letheen Broth** See Letheen Broth, Modified	**500 gm**
DM 1723	**Modified Raggios Medium** See Inorganic Salt Medium	**100 gm** **500 gm**
DM 2137	**Modified Rappaport Vassiliadis Medium** for selective enrichment of *Salmonellae* from food and environmental specimens. **30.03** gms/liter	**500 gm**

Product Code	Product Name	Packing
DM 2137I	**Modified Rappaport Vassiliadis Medium** recommended for the isolation of *Salmonella* species from food and environmental specimens **30.07** gms/liter	**500 gm**
DM 1600	***Modified Rogosa Agar (M16 Agar)** for cultivation, enumeration of lactic *Streptococci* used in manufacturing of cheddar cheese. **36.00** gms/litre	**500 gm**
DM 2213	**Modified Skim Milk Agar** recommended for cultivation and enumeration of Microorganisms encountered in dairy industry. **24.50** gms/litre	**500 gm**
DM 1637	**Modified V.P. Broth** for performing VP test of *Bacillus* cereus from food samples. **17.00** gms/litre	**500 gm**
DM 1393	**Moeller Decarboxylase Broth Base** See Decarboxylase Broth Base, Moeller	**100 gm** **500 gm**
DM 1689	**Moeller Decarboxylase Broth w/Arginine HCl** for differentiation of bacteria on the basis of their ability to decarboxylate L-Arginine hydrochloride. **20.52** gms/litre	**100 gm**
DM 1687	**Moeller Decarboxylase Broth w/Lysine HCl** for differentiaton of bacteria on the basis of their ability to decarboxylate L-Lysine hydrochloride. **20.52** gms/litre	**100 gm**
DM 1688	**Moeller Decarboxylase Broth w/Ornithine HCl** for differentiation of bacteria on the basis of their ability to decarboxylate L-Orinithine hydrochloride **20.52** gms/litre.	**100 gm**
DM 1246	***Mould Inhibitory Agar, Ulrich** See I**nhibitory Mould Agar, Ulrich**	**500 gm**
DM 1474	**Monsur Medium Base** for selective isolation and differentiation of *Vibrio cholerae* and other *Vibrios* from pathological samples. **71.00** gms/litre	**100 gm** **500 gm**
MS 2052	***Potassium Tellurite 1% (1 ml per vial)**	**5 vl**
DM 1847	**Motility-Indole-Lysine Medium** **(MIL Medium)** for identification of members of Enterobacteriaceae on the basis of motility, lysinedecarboxylase, lysine deaminase and indole production. **36.52** gms/litre	**100 gm** **500 gm**
DM 1514	**Motility Medium S Base** for easy detection of bacterial motility by means of TTC reduction. **60.00** gms/litre	**500 gm**
MS 2057	***TTC Solution 1% (10ml per vial)**	**5 vl**
DM 1630	**Motility Nitrate Medium, Buffered** for isolation and detection of *Clostridium* perfringens on the basis of motility and nitrate test. **19.50** gms/litre ❉ Glycerol - 5 ml/litre	**500 gm**
DM 1630I	**Motility Nitrate Medium, Buffered** recommended for isolation and detection of *Clostridium perfringens* on the basis of motility and nitrate test. **19.50** gms/litre	**500 gm**

❉ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C ➤ If required use

Product Code	Product Name	Packing
DM 1515	**Motility Sulphide Medium** for detection of motility and hydrogen sulphide production by pure cultures. **104.40** gms/litre	**500 gm**
DM 1260	**Motility Test Medium** for detection of bacterial motility. **20.00** gms/litre	**500 gm**
DM 1930	**Motility Test Medium (Edwards and Ewing)** for testing motility of enteric bacteria. **22.00** gms/litre	**500 gm**
DM 1930S	**Motility Test Medium (Edwards and Ewing)** for testing motility of enteric bacteria. **22.00** gms/litre	**100 gm** **500 gm**
DM 1173	**Mueller Hinton Agar** for determination of susceptibility of microorganisms to antimicrobial agents. **38.00** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1391	**Mueller Hinton Broth** to determine the susceptibility of bacteria to *Sulphonamides* by the tube dilution method. **21.00** gms/litre	**100 gm** **500 gm**
DM 1876	**Mueller Kauffman Tetrathionate Broth Base** for improved enrichment and isolation of *Salmonellae*. **82.05** gms/litre	**100 gm** **500 gm**
DM 1977	**Mutans-Sanguis Agar** for differentiation of *Streptococcus mutans* and *Streptococcus sanguinis* associated with oral microflora. **98.10** gms/litre	**500 gm**
DM 1475	❊**Mycobio Agar** See **Fungobiotic Agar**	**100 gm**
DM 1094	**Mycological Agar** See **Fungal Agar**	**500 gm**
DM 2422	**Mycological Agar, Modified** for cultivation of fungi. **36.00** gms/litre	**500 gm**
DM 1095	**Mycological Agar w/low pH** See **Fungal Agar w/low pH**	**500 gm**
BA 2006	**Mycological Peptone** See **Peptone M**	**500 gm**
BC 2006	**Mycological Peptone, Certified** nutritious source for the isolation, cultivation and identification of saprophytic and dermatophytic fungi-yeast and moulds.	**500 gm**
DM 1264	**Mycological Broth** See **Fungal Broth**	**500 gm**
DM 1266	**Mycoplasma Agar Base (PPLO Agar Base)** with the addition of enrichment, it is used for isolation and cultivation of *Mycoplasma* species (Pleuropneumonia-like organisms-PPLO). **36.00** gms/litre	**100 gm** **500 gm**
MS 2075	***Mycoplasma Enrichment Supplement**	**5 vl**
DM 1268	**Mycoplasma Broth Base w/CV (PPLO Broth Base w/CV)** with the addition of enrichment it is used for isolating *Mycoplasma* species (PPLO) from clinical specimens and mixed cultures. **21.00** gms/litre	**500 gm**
MS 2052	***Potassium Tellurite 1% (1 ml per vial)**	**5 vl**
MS 2075	***Mycoplasma Enrichment Supplement**	**5 vl**
DM 1267	**Mycoplasma Broth Base w/o CV (PPLO Broth Base w/o CV)** with the addition of enrichment it is recommended for enrichment of Mycoplasmas species (Pleuro-pneumonia-like organisms) **21.00** gms/litre	**500 gm**
MS 2075	***Mycoplasma Enrichment Supplement**	**5 vl**
DM 1194	**NIH Agar** for sterility testing and for cultivation and maintenance of isolates from sterility testing of biological products. **43.05** gms/litre ❊ 0.05% Sodium Thioglycollate ❊ or 0.03% Thioglycollate acid	**100 gm** **500 gm**
DM 1004	**Neomycin, Erythromycin Assay Agar (Erythromycin Seed Agar)** See Antibiotic Assay medium No.11	**100 gm** **500 gm**
DM 1217	**Nickerson Medium** See **Bi. G.G.Y. Agar**	**500 gm**
DM 1072	**Nitrate Agar** for detection of nitrate reducing bacteria. **21.00** gms/litre	**500 gm**
DM 1439	**Nitrate Broth** for detection of nitrate reduction by bacteria. **9.00** gms/litre ❊ Sulphanilic acid ❊ α-naphthylamine solution	**100 gm** **500 gm**
DM 1439S	**Nitrate Broth** for detection of nitrate reduction by bacteria. **39.00** gms/litre	**100 gm** **500 gm**
DM 1001	**Nutrient Agar** for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids **28.00** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1012M	**Nutrient Agar (Medium)** a general culture medium which may be used as enriched medium by incorporating blood or other biological fluids in accordance with I.P. **37.00** gms/litre	**100 gm** **500 gm**
DM 1087	**Nutrient Agar 1.5%** for cultivation of bacteria not requiring a highly nutritious medium can be enriched with blood, ascitic fluid or other enriching fluids. **31.00** gms/litre	**100 gm** **500 gm**
DM 1087I	**Nutrient Agar, 1.5%** recommended as a general purpose nutrient medium which can be used for cultivation of fastidious microorganisms after appropriate enrichment. **28.00** gms/litre	**500 gm**
DM 2269	**Nutrient Agar No.2** for general purpose culture medium. **40.00** gms/litre	**500 gm**

❊ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Packing
DM 2269S	**Nutrient Agar No.2** for general purpose culture medium. **40.00** gms/litre	**100 gm** **500 gm**
DM 1561	**Nutrient Agar, pH 6.8** a general purpose nutrient medium for examination of water, sewage, faeces and other materials. **23.00** gms/litre	**100 gm** **500 gm**
DM 1561A	**Nutrient Agar, pH 7.0** recommended for cultivation of *Salmonella* species. **23.00** gms/litre	**100 gm** **500 gm**
DM 1931	**Nutrient Agar w/ Manganese** for promoting sporulation in *Bacillus* species. **23.03** gms/litre	**500 gm**
DM 1012	**Nutrient Agar w/1% Peptone** a general culture medium which may be used as enriched medium by Incorporating blood or other biological fluids. **35.00** gms/litre	**100 gm** **500 gm**
DM 1090	**Nutrient Agar, pH 6.0 w/0.8% NaCl** for cultivation of bacteria requiring slightly acidic pH. **31.00** gms/litre	**100 gm** **500 gm**
DM 2274	**Nutrient Agar for Oxidase** recommended for confirmation of presence of oxidase in microorganisms in water. **22.00** gms/litre	**500 gm**
DM 1002	**Nutrient Broth** for general cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids **13.00** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 2362	**Nutrient Broth No. 2** for cultivation and enrichment of less fastidious bacteria and as a base in the preparation of special media **15.00** gms/litre	**500 gm**
DM 1244	**Nutrient Broth w/ 1% Peptone** a sterility testing medium for aerobes. **25.00** gms/litre	**100 gm** **500 gm**
DM 1088	**Nutrient Broth, pH 6.9 w/o NaCl** as general purpose medium for the cultivation of microorganisms. **8.00** gms/litre	**100 gm** **500 gm**
DM 1244S	**Nutrient Broth w/ 1% Peptone** as a general purpose culture medium. **25.00** gms/litre	**100 gm** **500 gm**
DM 1060	**Nutrient Gelatin** for detection of gelatin liquefaction by proteolytic microorganisms. **128.00** gms/litre	**500 gm**
DM 1280	**Nystatin Assay Agar** See **Antibiotic Assay Medium No. 12**	**500 gm**
DM 1848	**Orchid Agar** for germination of orchid seeds. **30.03** gms/litre	**500 gm**

Product Code	Product Name	Packing
DM 2223	**Ornithine Decarboxylase Broth** for detection of the ability of microorganisms to decarboxylate ornithine. **9.01** gms/litre ❉ Mineral oil 2-3 ml	**100 gm**
DM 2186	**PA Broth** for the detection of presence and absence of coliform bacteria in water from treatment plants or distribution systems. **30.50** gms/litre	**500 gm**
DM 1611	**PE-2 Medium** for detection and cultivation of mesophilic anaerobic sporeformers in specimens collected from food processing plants **23.04** gms/litre.	**500 gm**
DM 2173	**PL Agar** for the isolation and cultivation of *Plesiomonas shigelloides* from foods. **43.58** gms/litre	**500 gm**
DM 1849	✻**PM Indicator Agar** **(Penicillin in Milk Indicator Agar)** for rapid detection of trace amounts of Penicillin in milk as per AOAC. **32.06** gms/litre	**500 gm**
DM 1266	**PPLO Agar Base** See **Mycoplasma Agar Base**	**100 gm** **500 gm**
DM 1268	**PPLO Broth Base w/ CV** See **Mycoplasma Broth Base w/ CV**	**500 gm**
DM 1267	**PPLO Broth Base w/o CV** See **Mycoplasma Broth Base w/o CV**	**500 gm**
DM 1941	**PSB Broth Base** for primary enrichment and enumeration of *Yersinia enterocolitica* from foods. **50.65** gms/litre	**500 gm**
DM 1941I	**PSB Broth, Modified** recommended for primary enrichment and enumeration of *Yersinia enterocolitica* from foods. **30.77** gms/litre	**500 gm**
DM 1940	**PSTA Enrichment Broth Base** for secondary enrichment of *Yersinia enterocolitica* from foods. **5.20** gms/litre ❉ Ampicillin - 0.005 gm/lit	**100 gm** **500 gm**
DM 1037	✻**Pantothenate Assay Medium** for microbiological assay of Pantothenic acid or its salts using *Lactobacillus plantarum* as the test organism **73.12** gms/litre.	**100 gm**
DM 1135	**Pantothenate Culture Agar** for culturing *Lactobacillus plantarum* ATCC 8014 used in the microbiological assay of Pantothenic acid or its salts. **45.00** gms/litre	**100 gm**
DM 1542	**Pantothenate Inoculum Broth** for preparation of inoculum used in microbiological assay of Pantothenic acid or its salts. **38.00** gms/litre	**100 gm**

❉ To be added but not provided.
✻ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Packing
DM 2185	**Park and Sanders Enrichment Broth Base** recommended for selective enumeration of thermotolerant *Campylobacter* species from foods. **28.35** gms/litre	**500 gm**
MS 2104	***Park and Sanders Selective Supplement I**	**5 vl**
MS 2105	***Park and Sanders Selective Supplement II**	**5 vl**
DM 2185I	**Park and Sanders Broth Base** recommended for selective enumeration of thermotolerant *Campylobacter* species in food and animal feed. **29.35** gms/litre	**500 gm**
MS 2104	***Park and Sanders Selective Supplement I**	**5 vl**
MS 2105	***Park and Sanders Selective Supplement II**	**5 vl**
DM 1867	**Peizer TB Medium Base** for cultivation of *Mycobacterium tuberculosis* **49.72** gms/litre ❈ Egg yolk emulsion ❈ Glycerol - 40 ml/lit	**500 gm**
DM 1440	**Peptone Iron Agar** for detection of hydrogen sulphide production by microorganisms. **36.58** gms/litre	**100 gm**
BA 2001	**Peptone, Bacteriological** contains high tryptophan content used as culture media ingredient invariety of media. Also useful for commercial production of enzymes, vaccines, antibiotics and Other products.	**500 gm** **1 kg** **2.5 kg**
BC 2001	**Peptone, Certified** recommended as a source of organic nitrogen and growth factors in culture media,fermentation processes and biological preparations.	**500 gm**
BA 2006	**Peptone M** equivalent to Mycological Peptone. Suitable for cultivation of yeasts and moulds.	**500 gm**
BA 2015	**Peptone Special** equivalent to Neopeptone. An enzymatic protein digest especially adapted for the preparation of media for culturing fastidious bacteria.	**500 gm**
BA 2667	**Peptone Type I, Bacteriological** used as culture media ingredient.	**500 gm** **5 kg**
DM 2231	**Peptone Sorbitol Bile Broth** for identification of *Yersinia enterocolitica* from dairy products. **30.93** gms/litre	**500 gm**
DM 1028	**Peptone Water** all purpose growth medium and as a base of carbohydrate fermentation media. **15.00** gms/litre	**100 gm** **500 gm**
DM 1028I	**Peptone Water w/ Phenol Red** recommended for studying fermentation ability of *Yersinia enterocolitica*. **15.02** gms/litre	**500 gm**
DM 1670	**Peptone Yeast Dextrose Agar (Cantino)** for cultivation of aquatic fungi like *Blastocladiella* species. **25.50** gms/litre	**100 gm**
DM 1671	**Peptone Yeast Dextrose Broth (Cantino)** for cultivation of aquatic fungi like *Blastocladiella* species. **5.50** gms/litre	**100 gm**
DM 1361	**Peptone Yeast Extract Iron Agar** See ISP Medium No 6	**100 gm** **500 gm**
DM 1442	**Peptonized Milk Agar** for cultivation of lactic acid bacteria and examination of dairy products. **27.00** gms/litre	**500 gm**
DM 1579	**Perfringens Agar Base (O.P.S.P.)** for selective isolation and enumeration of *Clostridium perfringens* from foods. **50.50** gms/litre	**500 gm**
MS 2011	***Perfringens Supplement-I**	**5 vl**
MS 2012	***Perfringens Supplement-II**	**5 vl**
DM 1837	**Perfringens Agar Base (T.S.C./S.F.P. Agar Base)** with the addition of selective supplement and enrichment, it is used for the presumptive identification and enumeration of *Clostridium perfringens*. **47.00** gms/litre	**500 gm**
MS 2013	***S.F.P. Supplement (Perfringens S.F.P. Supplement)**	**5 vl**
MS 2014	***T.S.C. Supplement (Perfringens T.S.C. Supplement)**	**5 vl**
MS 2045L	***Egg Yolk Emulsion (50ml/100 ml per vial)**	**50mlx5 vl**
MS 2243	***Clostridium Perfringens Supplement**	**5 vl**
DM 1787	**Pfizer Selective Enterococcus Agar** for selective isolation and cultivation of *Enterococci*. **57.75** gms/litre	**500 gm**
DM 1053	**Phenol Red Agar Base** a basal medium to which carbohydrates may be added for use in fermentation studies of microorganisms **31.02** gms/litre.	**100 gm** **500 gm**
DM 1055	**Phenol Red Dextrose Agar** for Dextrose fermentation studies of microorganisms. **41.02** gms/litre	**100 gm** **500 gm**
DM 1270	**Phenol Red Lactose Agar** for Lactose fermentation studies of microorganisms. **41.02** gms/litre	**100 gm** **500 gm**
DM 1271	**Phenol Red Maltose Agar** for Maltose fermentation studies of microorganisms. **41.02** gms/litre	**100 gm** **500 gm**
DM 1571	**Phenol Red Mannitol Agar** for Mannitol fermentation studies of microorganisms. **41.02** gms/litre	**100 gm** **500 gm**
DM 1273	**Phenol Red Sucrose Agar** for Sucrose fermentation studies of microorganisms. **41.02** gms/litre	**100 gm** **500 gm**

❈ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Packing
DM 1872	**Phenol Red Tartrate Agar** for identification and differentiation of *Salmonellae* on the basis of tartrate utilization. **40.02** gms/litre	**100 gm**
DM 1054	**Phenol Red Broth Base** a basal medium to which carbohydrates are added for determination of fermentation reactions of pure cultures of microorganisms. **16.00** gms/litre	**100 gm** **500 gm**
DM 1279	**Phenol Red Broth Base w/ Meat Extract** highly nutritive basal medium which can be used to study fermentation of carbohydrates. **16.02** gms/litre	**100 gm** **500 gm**
DM 2200	**Phenol Red Adonitol Broth** for Adonitol fermentation studies of microorganisms. **21.00** gms/litre	**100 gm**
DM 2014	**Phenol Red Arabinose Broth** for Arabinose fermentation studies of microorganisms. **21.00** gms/litre	**100 gm**
DM 1056	**Phenol Red Dextrose Broth** for Dextrose fermentation studies of microorganisms. **21.00** gms/litre	**100 gm** **500 gm**
DM 1617	**Phenol Red Dulcitol Broth** for Dulcitol fermentation studies of microorganisms. **21.00** gms/litre	**100 gm**
DM 2135	**Phenol Red Galactose Broth** for Galactose fermentation studies of microorganisms. **21.00** gms/litre	**100 gm**
DM 2017	**Phenol Red Inositol Broth** for Inositol fermentation studies of microorganisms. **21.00** gms/litre	**100 gm**
DM 1275	**Phenol Red Lactose Broth** for Lactose fermentation studies of microorganisms. **21.00** gms/litre	**100 gm** **500 gm**
DM 1275I	**Phenol Red Lactose Broth** recommended for Lactose fermentation studies of coliforms. **25.02** gms/litre	**100 gm** **500 gm**
DM 1276	**Phenol Red Maltose Broth** for Maltose fermentation studies of microorganisms. **21.00** gms/litre	**100 gm** **500 gm**
DM 1570	**Phenol Red Mannitol Broth** for Mannitol fermentation studies of microorganisms. **21.00** gms/litre	**100 gm** **500 gm**
DM 2013	**Phenol Red Raffinose Broth** for Raffinose fermentation studies of microorganisms. **21.00** gms/litre	**100 gm**
DM 2183	**Phenol Red Rhamnose Broth** for Rhamnose fermentation studies of microorganisms. **21.00** gms/litre	**100 gm**
DM 2011	**Phenol Red Salicin Broth** for Salicin fermentation studies of microorganisms. **21.00** gms/litre	**100 gm**
DM 2012	**Phenol Red Sorbitol Broth** for Sorbitol fermentation studies of microorganisms. **21.00** gms/litre	**100 gm**
DM 2016	**Phenol Red Starch Broth** for Starch fermentation studies of microorganisms. **21.00** gms/litre	**100 gm**
DM 1274	**Phenol Red Sucrose Broth** for Sucrose fermentation studies of microorganisms. **21.00** gms/litre	**100 gm** **500 gm**
DM 2201	**Phenol Red Trehalose Broth** for Trehalose fermentation studies of microorganisms. **21.00** gms/litre	**100 gm**
DM 2015	**Phenol Red Xylose Broth** for Xylose fermentation studies of microorganisms. **21.00** gms/litre	**100 gm**
DM 1652	**Phenolphthalein Phosphate Agar** for identification of phosphatase positive *Staphylococcus aureus*. **28.01** gms/litre	**100 gm** **500 gm**
DM 1281	**Phenylalanine Agar** for differentiation of *Proteus* and *Providencia* group of organisms from other members of Enterobacteriaceae on the basis of their ability to form phenyl pyruvic acid from phenylalanine. **26.00** gms/litre	**100 gm** **500 gm**
DM 1781	**Phenylalanine Malonate Broth (Shaw and Clarke Medium)** for differentiation of members of Enterobacteriaceae on the basis of their ability to utilize malonate and produce pyruvic acid from phenylalanine. **11.03** gms/litre	**100 gm**
DM 1461	**Phosphate Buffer, APHA, pH 7.2** for preparation of dilution, blanks for the examination of waters, dairy products, foods, eating utensils and other specimens. **34.00** gms/litre	**100 gm** **500 gm**
DM 1783	**Photobacterium Broth** for cultivation and demonstration of luminiscence of photobacteria. **65.61** gms/litre	**100 gm**

❈ To be added but not provided.
❋ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Packing
DM 1519	**Pike Streptococcal Broth Base** for selective enrichment and cultivation of Streptococci from throat swabs and other clinical specimens. **30.26** gms/litre	**100 gm** **500 gm**
DM 1520	**Pikovskaya's Agar** for detection of phosphate solubilizing soil microorganisms. **31.30** gms/litre	**100 gm** **500 gm**
DM 1091	**Plate Count Agar (Standard Methods Agar)** for determination of plate counts of microorganisms in foods, water and waste water and clinical sample. **23.50** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1091A	**Plate Count Agar** for determining plate counts of microorganisms in milk and dairy products by pour plate technique. **17.50** gms/litre	**100 gm** **500 gm**
DM 1091S	**Plate Count Agar** for determining plate counts of microorganisms in milk and dairy products by pour plate technique. **30.00** gms/litre	**100 gm** **500 gm**
DM 2025	**Plate Count Agar, Special** for estimation of microbial counts in raw milk and other dairy products as per Netherlands Dairy Association **40.52** gms/litre	**500 gm**
DM 2351	**Plate Count Agar w/BCP** for enumeration of *Lactobacilli* in cultured milk, yogurt and sour creams. **24.64** gms/litre	**500 gm**
DM 1574	**Plesiomonas Differential Agar** See **Inositol Brilliant Green Bile Agar**	**500 gm**
DM 1096H	**Potato Dextrose Agar** for the cultivation of yeasts and moulds from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP. **39.00** gms/litre ➤10% tartaric acid	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1937	**Potato Dextrose Agar w/3% Agar** for cultivation of yeasts and moulds from dairy and other food products. **54.00** gms/litre ➤ 10% tartaric acid	**500 gm**
GM 1403	**Potato Dextrose Broth, Granulated** for cultivation and enumeration of yeasts and moulds. **24.00** gms/liter **20.83** lit/500g ➤ 10% tartaric acid	**500 gm**
DM 1938	**Potato Dextrose Rose Bengal Agar** for promoting ascospore production. **39.00** gms/litre ➤ 10% tartaric acid	**500 gm**
DM 2174	**Potato Dextrose Sucrose Agar** for the isolation and cultivation of *Zygosaccharomyces rouxii* from chocolate syrup. **659.00** gms/litre	**500 gm**
DM 1174	**Potato Infusion Agar** for isolation of *Brucella* species. **49.00** gms/litre ❉ Glycerol - 20 ml/lit	**500 gm**
DM 2178	**Pre-Enrichment Broth Base** for isolation and enrichment of *Yersinia enterocolitica* from foods. **39.10** gms/litre ❉ 0.1% Magnesium sulphate - 10 ml/lit ❉ 0.1% Calcium Chloride - 10 ml/lit	**500 gm**
DM 1939	**Preston Agar Base** recommended for selective isolation of thermotolerant *Campylobacter* species. **37.00** gms/litre	**500 gm**
DM 1956	**Propionibacter Isolation Agar Base** for selective isolation of *Propionibacteria* **40.30** gms/litre ❉ Sodium Lactate - 10 gms/lit	**500 gm**
BA 2005	**Proteose Peptone** a highly nutritious ingredient employed in media used for bulk production of antibiotics, enzymes, bacterial toxins etc.	**500 gm** **5 kg**
BC 2005	**Proteose Peptone,** Certified a highly nutritious ingredient employed in media used for bulk production of antibiotics,enzymes, bacterial toxins etc.	**500 gm**
DM 1406	**Pseudomonas Isolation Agar Base** for selective isolation and identification of *Pseudomonas aeruginosa* from clinical and nonclinical specimens. **45.03** gms/litre ❉ Glycerol - 20 ml/lit	**100 gm** **500 gm**
DM 1120	**Pseudomonas Agar (For Fluorescein)** for detection of fluorescein production by *Pseudomonas* species. **38.00** gms/liter ❉ Glycerol - 10 ml/lit	**100 gm** **500 gm**
DM 1120U	**Pseudomonas Agar Medium** For Detection of Fluorescein for detection of fluorescein production by *Pseudomonas* species in accordance with U.S.P. **37.23** gms/liter ❉ Glycerin - 10 ml/lit	**100 gm** **500 gm**
DM 1119	**Pseudomonas Agar (For Pyocyanin)** for detection of pyocyanin production by *Pseudomonas* species. **46.40** gms/liter ❉ Glycerol - 10 ml/lit	**100 gm** **500 gm**
DM 1119M	**Pseudomonas Agar Medium (For Detection of Pyocyanin)** for detection of pyocyanin production by *Pseudomonas* species in accordance with I.P. **46.40** gms/liter ❉ Glycerin - 10 ml/lit	**100 gm** **500 gm**
DM 2096	**Pseudomonas Asparagine Broth** for presumptive determination of *Pseudomonas aeruginosa* from recreational or natural water as per A.P.H.A. **4.50** gms/liter	**100 gm** **500 gm**
DM 1098	**Purple Agar Base** for preparation of carbohydrate media used in fermentation studies for the cultural identification of pure cultures of enteric and other microorganisms. **31.02** gms/liter	**500 gm**

❉ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C ➤ If required use

Product Code	Product Name	Packing
DM 1284	**Purple Broth Base** for preparation of carbohydrate media used in fermentation studies for the cultural identification of pure cultures of enteric and other microorganisms. **15.02** gms/liter	**500 gm**
DM 1962	**R-2A Agar** for heterotrophic plate count of treated potable water using longer incubation periods **18.12** gms/liter	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 2052	**R-3A Agar** for subculturing microorganisms recovered on less nutritive R-2A Agar from potable water samples. **21.25** gms/liter	**500 gm**
DM 1149	**R.C. Medium** See **Cooked Meat Medium**	**100 gm** **500 gm**
DM 1576	**RS Medium Base** for selective isolation, cultivation and presumptive identification of *Aeromonas hydrophila*. **45.43** gms/liter	**500 gm**
MS 2096	***Novobiocin Supplement**	**5 vl**
DM 1500	**RWC Medium** See **Culture Medium for RWC/Disinfectant Test Broth**	**100 gm** **500 gm**
DM 1880	**Rappaport Vassiliadis Medium** for enrichment of *Salmonellae*, based on its ability to multiply selectively at high osmotic pressure,low pH and at 43°C, with modest nutritional requirements. **49.17** gms/liter	**100 gm** **500 gm**
DM 1154	**Reinforced Clostridial Agar** for the cultivation and enumeration of *Clostridia* and other anaerobes. **51.00** gms/liter	**100 gm** **500 gm**
DM 1443	**Reinforced Clostridial Broth** for cultivation and enumeration of *Clostridia* and other anaerobes. **38.00** gms/liter	**100 gm** **500 gm**
DM 1443A	**Reinforced Clostridial Broth w/o Agar** for the cultivation and enumeration of *Clostridia* when a semisolid medium is preferred. **37.50** gms/liter	**100 gm** **500 gm**
DM 1443H	**Reinforced Medium for Clostridial** for the enrichment of *Clostridia* from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP (Medium 14). **37.54** gms/liter	**100 gm** **500 gm**
DM 1408	**Rhizobium Medium** for cultivation and isolation of *Rhizobium* species. **31.80** gms/liter	**500 gm**
DM 2026	**Rice Extract Agar** for identification of *Candida albicans* by means of its chlamydospore production. **40.00** gms/liter ❉ Polysorbate 80 - 10 ml/Litre	**500 gm**

Product Code	Product Name	Packing
GM 1525	**Ringer Salt Solution, Granulated** an isotonic diluent for food milk and dairy products during microbiological examination. **8.91** gms/liter **11.22** lit/100g	**100 gm**
DM 1859	**Rippey-Cabelli Agar Base** for differential and selective isolation of *Aeromonas hydrophila* species from water samples using membrane filter technique. **32.34** gms/liter	**100 gm**
MS 2107	***Rippey Cabelli Selective Supplement**	**5 vl**
DM 1149	**Robertson's Cooked Meat Medium (R.C. Medium)** See **Cooked Meat Medium**	**100 gm** **500 gm**
DM 1130	***Rogosa SL Agar** for selective cultivation of oral and faecal Lactobacilli. **74.72** gms/liter	**500 gm**
DM 1407	***Rogosa SL Broth** for selective cultivation of all Lactobacilli including oral and faecal Lactobacilli. **59.72** gms/liter	**500 gm**
DM 2177	**SA Agar Base** for isolation, cultivation and differentiation of *Aeromonas hydrophila* from foods based on starch hydrolysis as per APHA. **31.01** gms/liter	**500 gm**
MS 2082	***Ampicillin Supplement**	**5 vl**
DM 2535	**SBG Enrichment Broth (Twin Pack)** for selective enrichment of *Salmonellae* from clinical specimens. **19.67**gms Part of A+ **4**gms Part of B ➤ Sodium sulfapyridine - 0.5 g/Lit	**100 gm**
DM 2371	**SD Agar** for the growth of yeasts for molecular biology purposes. **46.71** gms/liter	**500 gm**
DM 1297	**SF Broth** for selective cultivation, detection and differentiation of *Enterococci* from other cocci in diagnostic work. **36.03** gms/liter	**500 gm**
DM 2005	**S.F.P. Agar Base** for the presumptive identification and enumeration of *Clostridium perfringens* in foods. **47.00** gms/liter	**500 gm**
MS 2013	***S.F.P. Supplement (Perfringens S.F.P. Supplement)**	**5 vl**
MS 2045F	***Egg Yolk Emulsion (50ml/100 ml per vial)**	**5 vl**
DM 1181	**SIM Medium** for determination of hydrogen sulphide production, indole formation and motility of enteric bacilli. **36.23** gms/liter	**500 gm**
DM 1632	***SPS Agar** for detection of *Clostridium perfringens* in foods. **40.03** gms/liter	**500 gm**
DM 1898	***SPS Agar Modified** for selective isolation and enumeration of *Clostridium perfringens* from foodstuffs. **41.28** gms/liter	**500 gm**

❉ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C ➤ If required use

Product Code	Product Name	Packing
DM 1108	**SS Agar (Salmonella Shigella Agar)** for differential and selective isolation of Salmonella and Shigella species from pathological specimens, suspected foodstuffs etc. **63.02** gms/liter	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 2067	***Sabouraud Chloramphenicol Agar** for selective cultivation of yeasts and moulds. **65.05** gms/liter	**100 gm** **500 gm**
DM 1063H	**Sabouraud Dextrose Agar (Sabouraud Dextrose Agar Medium)** for the cultivation of yeasts, moulds and aciduric bacteria from pharmaceutical products in accordance with the microbial limit testing by harmonised methodology of USP/EP/BP/JP. **65.00** gms/liter	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 2313	**Sabouraud Dextrose Maltose Agar** for cultivation of moulds and yeasts and for testing antimycotic substances. 45.00 gms/liter	**500 gm**
DM 2460	**Sabouraud Dextrose Maltose Broth** for cultivation of moulds, yeasts and aciduric organisms as well as testing antimycotic substances. **30.00** gms/liter	**500 gm**
DM 1286	**Sabouraud Dextrose Agar Base**, Modified See Dextrose Agar Base, Emmons	**100 gm** **500 gm**
MS 2035	***CC Supplement**	**5 vl**
DM 1062	**Sabouraud Maltose Agar** for propagation of yeasts and moulds, particularly the parasitic fungi concerned with skin and scalp lesions. **65.00** gms/liter	**500 gm**
DM 1064	**Sabouraud Maltose Broth** for propagation of yeasts and moulds, particularly the parasitic fungi concerned with skin and scalp lesions. **50.00** gms/liter	**500 gm**
DM 1013	**Sabouraud Medium, Fluid** See **Fluid Sabouraud Medium.**	**100 gm** **500 gm**
DM 1573	**Salmonella Agar, ONOZ** for selective isolation and identification of *Salmonellae* from clinical specimens. **76.15** gms/liter	**500 gm**
DM 1821	**Salt Polymixin Broth Base** for detection and enumeration of *Vibrio* species. **33.00** gms/liter	**500 gm**
MS 2003	***Polymyxin-B Selective Supplement 1**	**5 vl**
DM 1821I	**Salt Polymixin Broth Base** recommended for detection and enumeration of *Vibrio* species. **29.70** gms/liter	**500 gm**
MS 2003	***Polymyxin-B Selective Supplement**	**5 vl**
DM 2276	**Sauton's Fluid Medium** for cultivation and enumeration of *Mycobacteria,* in accordance with I.P. **3.19** gms/liter ❋ Glycerol - 20 ml/Lit	**100 gm** **500 gm**

Product Code	Product Name	Packing
DM 1003	**Seed Agar** See **Antibiotic Assay Medium No. 1**	**100 gm** **500 gm**
DM 1052	**Selenite Broth (Selenite F Broth) (Twin Pack)** an enrichment medium for isolation of *Salmonella* species from faeces, urine or other pathological materials. **19.00** gms Part A + **4** gms of Part B	**100 gm** **500 gm**
DM 1052M	**Selenite F Broth (Twin Pack) (Twin Pack)** an enrichment medium for isolation of *Salmonella* from faeces, urine or other pathological materials, in accordance with I.P. **19.00** Part A + **4** of Part B	**100 gm** **500 gm**
DM 1970	**Selenite Broth Base w/o Biselenite** with addition of selenite, it is used for enrichment of *Salmonellae* species from food, dairy products and pathological materials. **19.00** gms/liter	**500 gm**
DM 1025	**Selenite Cystine Broth (Twin Pack)** See **Fluid Selenite Cystine Medium**	**100 gm** **500 gm**
DM 2079	**Selenite Cystine Broth Base w/o Biselenite** for selective enrichment of *Salmonella* and possibly *Shigella sonnei* from faeces, urine, water and foodstuffs. **19.01** gms/liter	**500 gm**
DM 2534	**Selenite Mannitol Broth (Twin Pack)** See **Mannitol Selenite Broth**	**500 gm**
DM 1293	**Sellers Differential Agar w/o Biselenite** for differentiation and identification of gram-negative nonfermentative bacilli especially *Pseudomonas aeruginosa* and *Acinetobacter calcoaceticus.* **44.89** gms/liter ❋Dextrose solution (50%) - 0.15 ml/Lit	**500 gm**
DM 2191	**Semisolid Nutrient Agar** recommended for detection of *Salmonella* species on the basis of motility and hydrogen sulphide (H_2S) production. **12.00** gms/liter	**500 gm**
DM 1645	**Shapton Medium** for enumeration of spores of *Bacillus stearothermophilus* which causes flat sour spoilage in canned foods with pH more than 4.5 **27.53** gms/liter	**500 gm**
DM 1411	**Simmons Agar Base** a synthetic medium recommended for differentiation between faecal coli and members of the aerogenes group on the basis of citrate utilization. **21.28** gms/liter ❋ Sodium citrate solution (0.2%) - 100 ml/Lit	**100 gm**
DM 1099	**Simmons Citrate Agar** for differentiating members of Enterobacteriaceae on the basis of citrate utilization. **24.28** gms/liter	**100 gm** **500 gm**

❋ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Packing
DM 1530	**SM Growth Powder** for cultivation of dairy organisms and differentiation of *Clostridium* species. **100.00** gms/liter	**500 gm**
DM 1763	**SM Agar** for cultivation and enumeration of microorganisms encountered in dairy industry. **51.50** gms/liter	**500 gm**
DM 1612	**Slanetz and Bartley Medium** for detection and enumeration of faecal *Streptococci* by membrane filter technique. **46.50** gms/liter	**100 gm** **500 gm**
DM 1612I	**Slanetz and Bartley Medium** recommended for detection and enumeration of faecal *Streptococci* by membrane filter technique. **46.50** gms/liter	**500 gm**
DM 1106	**Snyder Test Agar** See **BCG-Dextrose Agar**	**500 gm**
BA 2708	**Sodium Tauroglycocholate** for bacteriological culture media as a selective inhibitory agent.	**500 gm**
DM 1298	**Sorbitol Agar** See **(Sorbitol MacConkey Agar)**	**100 gm** **500 gm**
DM 1299	**Sorbitol Iron Agar** for cultural identification and differentiation of enteropathogenic *Escherichia coli* which do not ferment sorbitol. **46.03** gms/liter	**500 gm**
DM 1290	**Soyabean Casein Digest Agar (Tryptone Soya Agar) (Casein Soyabean Digest Agar)** a general purpose medium used for cultivation of a wide variety of microorganisms and for sterility testing in pharmaceutical procedures. **40.00** gms/liter	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1011	**Soyabean Casein Digest Medium (Tryptone Soya Broth)** a general purpose medium used for cultivation of a wide variety of microorganisms and sterility testing of moulds and lower bacteria as per various Pharmacopia. **30.00** gms/liter	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1011H	**Soyabean Casein Digest Medium (Casein Soyabean Digest Broth)** a general purpose medium used for cultivation of a wide variety of microorganisms and for sterility testing of moulds and lower bacteria in accordance with the harmonized method of USP/EP/BP/JP/IP.. **29.77** gms/liter	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1322	**Soyabean Casein Digest Medium (Tryptone Soya Broth w/o Dextrose.)** recommended for cultivation of anaerobic microorganisms when the presence of carbohydrate is not desired. **27.50** gms/liter	**500 gm**
DM 1323	**Soyabean Casein Digest Medium w/0.1% Agar (Tryptone Soya Broth w/0.1% Agar)** for cultivation of anaerobes from root canals, blood and other specimens. **31.00** gms/liter	**500 gm**

Product Code	Product Name	Packing
DM 1207	**Soyabean Casein Digest Medium w/Yeast Extract and Hemin w/o Dextrose (Tryptone Soya w/YeastExtract and Hemin w/o Dextrose)** a highly nutritious medium which supports luxuriant growth of fastidious bacteria. **32.52** gms/liter	**100 gm** **500 gm**
BA 2007	**Soya Peptone** papaic digest of soyabean meal, plant peptone	**500 gm** **5 kg**
BC 2007	**Soya Peptone, Certified** recommended in media that are required to support a short lag phase and smaller generation time to allow rapid luxuriant growth.	**500 gm** **5 kg**
BA 2015	**Special Peptone** See Peptone Special	**500 gm**
BC 2015	**Special Peptone, Certified** specially designed to maximize the growth of fastidious microorganisms.	**500 gm**
DM 1412	**Spirolate Broth, OMATA** for mass cultivation of *Treponema pallidum*, Reiter strain for antigen production and other studies. **29.00** gms/liter	**100 gm**
DM 1234	**Sporulating Agar** See **AK Agar No 2 (Arret & Krishbaum Medium)**	**500 gm**
DM 1302	***Standard Methods Agar w/Tween 80 and Lecithin** for sanitary examination of surfaces, that is, for counts before and after Application of disinfectants. **29.20** gms/liter	**100 gm** **500 gm**
DM 1588	**Standard Methods Caseinate Agar** for detection of proteolytic microorganisms. **40.13** gms/liter	**100 gm**
DM 1877	**Standard Nutrient Agar** a general utility medium for cultivation and enumeration of not particularly fastidious microorganisms. **45.00** gms/liter	**500 gm**
DM 2210	**Standard Nutrient Agar No. 1** for the cultivation of fastidious bacteria. **37.00** gms/liter	**500 gm**
DM 2224	**Standard Nutrient Broth No. 1** for the cultivation of fastidious bacteria. **25.00** gms/liter	**500 gm**
DM 1521	**Staphylococcus Agar No. 110** See Gelatin Mannitol Salt Agar	**100 gm** **500 gm**
DM 1156	**Staphylococcus Agar No. 110 w/Azide** for selective isolation and testing of pathogenic *Staphylococci*. **149.60** gms/liter	**500 gm**
DM 1107	**Starch Agar** for detection of starch hydrolyzing microorganisms. **30.00** gms/liter	**500 gm**
DM 1182	**Stock Culture Agar** See Ayers and Johnson Agar	**500 gm**

❋ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Packing
DM 1925	**Streptococcus Lactis Differential Agar Base** for differentiation of citrate utilizing lactic *Streptococci-Lactococcus* lactis (*Streptococcus lactis*) subspecies diacetylactis from citrate non-utilizing *Lactococcus lactis* (*Streptococcus lactis*) and *Lactococcus lactis* (*Streptococcus lactis*) subspecies cremoris. **32.50** gms/liter ❈ 10% Potassium ferricyanide -10ml/Lit ❈ Citrated solution -10ml/Lit	**500 gm**
DM 1304	**Streptococcus Selection Agar** for selective isolation and enumeration of all types of *Streptococci* including Group A beta Haemolytic strains. **45.60** gms/liter	**500 gm**
DM 1303	**Streptococcus Selection Broth** for selective isolation and cultivation of *streptococci* including group A beta Haemolytic strains. **30.60** gms/litre	**500 gm**
DM 1948	**Streptococcus Thermophilus Isolation Agar** for determining the ratio of *Streptococcus thermophilus* and *Lactobacillus bulgaricus* in yoghurt. **42.00** gms/litre	**500 gm**
DM 1006	**Streptomycin Assay Agar w/Yeast Extract (Antibiotic Assay Medium No. 5)** **25.50** gms/litre	**500 gm**
DM 1306	**Stuart Transport Medium (Transport Medium, Stuart)** for preservation and transportation of *Neisseria* species and other fastidious organisms from clinic to the laboratory. **14.10** gms/liter	**100 gm** **500 gm**
DM 2131	**Stuart Transport Medium w/o Methylene Blue** for routine transport of *gonococcal* species and other fastidious organisms. **14.00** gms/litre	**100 gm** **500 gm**
DM 1309	***Sulphate API Agar w/o Sodium Lactate** for detection and estimation of sulphate reducing bacteria. **25.41** gms/litre	**500 gm**
DM 1310	***Sulphate API Broth w/o Sodium lactate** for detection of sulphate reducing bacteria. **11.41** gms/litre ❈ Sodium Lactate - 4ml/Lit	**500 gm**
DM 1523	***Sulphate API Broth w/o NaCl** for detection, differentiation and estimation of sulphate reducing bacteria. **1.41** gms/litre ❈ Sodium Lactate - 4ml/Lit	**100 gm** **500 gm**
DM 1800	**Sulphate Reducing Medium (Twin Pack)** for cultivation and enumeration of sulphate reducing bacterium- *Thiobacillus thioparus* **2.32** gms of Part A+**10.00** gms of Part B	**100 gm** **500 gm**
DM 1803	**Sulphate Reducing Medium (Triple Pack)** for enumeration of sulphate reducing bacteria in water samples. **6.08** gms of Part A+**0.492** gms of Part B + **3.50** gms of Part C	**100 gm** **500 gm**

Product Code	Product Name	Packing
DM 1311	**Sulphite Agar** for detection of thermophilic sulphide producing anaerobes. **31.00** gms/liter ❈ 5% Ferric citrate solution - 10ml/Lit	**500 gm**
DM 1559	**Sulphur Medium (Twin Pack)** for cultivation of *Thiobacillus thiooxidans.* **3.74** gms/liter Part A +**10.0** gms Part B	**100 gm** **500 gm**
DM 1100	**TB Broth Base** for cultivation of *Mycobacterium tuberculosis.* **12.10** gms/liter ❈ Dextrose - 0.5% Glycerol - 5ml/Lit, ➤ Bovine serum albumin V	**500 gm**
DM 1034	**TB Broth Base w/o Tween 80** for cultivation of *Mycobacteria* when the presence of oelic acid is undesirable. **11.60** gms/liter ❈ Dextrose - 0.5% Glycerol - 5ml/Lit, ➤ Bovine serum albumin V	**500 gm**
DM 1189	**TCBS Agar** for selective isolation and cultivation of Vibrio cholerae and other enteropathogenic Vibrios causing food poisoning. **89.08** gms/liter	**100 gm** **500 gm**
DM 1870	**TCBS Agar (Selective)** for selective isolation of *Vibrio cholerae* and other enteropathogenic Vibrios. **89.08** gms/liter	**100 gm** **500 gm**
DM 1870A	**TCBS Agar, Modified** for selective isolation of *Vibrio cholerae* and other enteropathogenic Vibrios. **88.00** gms/liter	**100 gm** **500 gm**
DM 1870S	**TCBS Agar** for selective isolation of *Vibrio cholerae* and other enteropathogenic *Vibrios.* **89.08** gms/liter	**100 gm** **500 gm**
DM 1791	**TGB Agar (Tryptone Glucose Meat Extract Agar)** for enumeration of bacteria in water,air, milk and dairy products. **24.00** gms/liter	**100 gm** **500 gm**
DM 1950	**TN Agar** for isolation and cultivation of *Vibrios* from food samples. **35.00** gms/liter	**500 gm**
DM 1402	**TPEY Agar Base** with addition of supplement, it is recommended for selective isolation and enumeration of *Staphylococci* from foods. **60.00** gms/liter	**500 gm**
MS 2045F	***Egg Yolk Emulsion (50ml/100 ml per vial)**	**5 vl**
MS 2052	***Potassium Tellurite 1% (1 ml per vial)**	**5 vl**
DM 2250	**Tartoff- Hobbs Broth (Terrific Broth)** for the cultivation of recombinant strains of *Escherichia coli.* **47.60** gms/liter	**500 gm**
DM 1045	**Taurocholate Broth** for selective isolation of coliforms from water, milk and other food products. **40.03** gms/liter	**500 gm**

❈ To be added but not provided.
❈ On receipt store between 2 - 8°C
★ Store below 8°C ➤ If required use

T

Product Code	Product Name	Packing
DM 2260	**Tellurite Blood Agar Base** for the selective isolation and cultivation of *Corynebacterium* species. **31.00** gms/liter	**500 gm**
MS 2022	***Haemoglobin Powder**	**100 gm**
MS 2025	***Vitamino Growth Supplement**	**5 vl**
MS 2052	***Potassium Tellurite 1% (1 ml per vial)**	**5 vl**
DM 1616	**Tergitol-7 Agar Base** for selective enumeration and identification of coliform organisms. **33.13** gms/liter	**100 gm** **500 gm**
MS 2057	***TTC Solution 1% (10 ml per vial)**	**5 vl**
DM 1850	**Tergitol-7 Agar H** for selective isolation and differentiationof enteric bacteria from urine specimens. **34.13** gms/liter	**500 gm**
DM 1851	**Tergitol-7 Broth** selective and differential medium for detection and enumeration of coliforms. **18.13** gms/liter	**500 gm**
DM 2255	**Tetrathionate Brilliant Green Bile Broth** for isolation and identification of *Salmonellae*. **63.07** gms/liter	**500 gm**
DM 1032M	**Tetrathionate Broth Medium** an enrichment broth for isolation of *Salmonellae* from specimens suspected to be contaminated with *Salmonellae* in accordance with I.P. **77.40** gms/liter ❉ Iodine Solution - 20ml/Lit	**100 gm** **500 gm**
DM 1032	**Tetrathionate Broth Base** (w/o Iodine and BG) See Fluid Tetrathionate Medium w/o Iodine and BG	**100 gm** **500 gm**
DM 2256	**Tetrathionate CV Enrichment Broth** for the selective enrichment of *Salmonellae* from meat and foodstuffs. **35.00** gms/liter	**500 gm**
DM 1413	**Thayer Martin Medium Base** for selective isolation of *Gonococci* from pathological specimens. **42.00** gms/liter	**100 gm** **500 gm**
MS 2021	***GC Supplement w/ Antibiotics**	**5 vl**
MS 2022	***Haemoglobin Powder**	**100 gm**
MS 2023	***V.C.N. Supplement**	**5 vl**
MS 2024	***V.C.N.T. Supplement**	**5 vl**
MS 2025	***Vitamino Growth Supplement**	**5 vl**
DM 1125	**Thermoacidurans Agar** for isolation of *Bacillus thermoacidurans* from food products. **39.00** gms/liter	**500 gm**
DM 1788	**Thiobacillus Agar** for isolation and cultivation of *Thiobacillus* species. **22.66** gms/liter	**500 gm**
DM 1789	**Thiobacillus Broth** for cultivation of Thiobacillus species. **10.16** gms/liter	**500 gm**

Product Code	Product Name	Packing
DM 1608	**Thioglycollate Agar** for cultivation of anaerobic microorganisms. **49.00** gms/liter	**500 gm**
DM 1462	**Thioglycollate Broth w/ Liver Extract** See B.Q. Vaccine Medium Sterile glucose solution - 0.5%	**500 gm**
DM 1010	**Thioglycollate Broth, Alternative** See **Alternative Thioglycollate Medium (NIH Thioglycollate Medium)**	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1009	**Thioglycollate Medium Fluid** See **Fluid Thioglycollate Medium.**	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1979	**Thioglycollate Medium w/ Hemin and Vitamin K** for routine cultivation of fastidious anaerobic microorganisms. Also used for blood culturing and studying fermentation reactions. **29.65** gms/liter	**500 gm**
DM 1190	**Thioglycollate Medium w/o Dextrose** for cultivation of aerobes, microaerophiles, anaerobes and for fermentation studies with various carbohydrates. **25.70** gms/liter	**500 gm**
DM 1191	**Thioglycollate Medium w/o Indicator** See Diagnostic Thioglycollate Medium	**500 gm**
DM 1195	**Thioglycollate Medium Linden** See **Brewer Thioglycollate Medium Modified.**	**100 gm** **500 gm**
DM 1610	**Thiogel Medium** for cultivation of strictly anaerobic, aerobic as well as facultative microorganisms and for the identification of pure cultures on the basis of their ability to liquefy gelatin. **80.05** gms/liter	**100 gm** **500 gm**
DM 1314	**Tinsdale Agar Base** for selective isolation and differentiation of *Corynebacterium diphtheriae.* **40.67** gms/liter	**500 gm**
DM 1313	**Todd Hewitt Broth** for cultivation of group A haemolytic *Streptococci* used for serological studies. **37.00** gms/liter	**100 gm** **500 gm**
DM 1048	***Tomato Juice Agar** for cultivation and enumeration of *Lactobacilli.* **51.00** gms/liter	**500 gm**
DM 1879	***Tomato Juice Agar, Special** for cultivation and enumeration of *Lactobacilli* from saliva and of other acidophilic bacteria. **60.00** gms/liter	**500 gm**
DM 2027	***Tomato Juice Broth** for cultivation of yeasts and other aciduric microorganisms. **41.23** gms/liter	**500 gm**
DM 1315	**Transport Charcoal Medium** for transportation of clinical specimens. **24.00** gms/liter	**500 gm**

❉ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Packing
DM 1306	**Transport Medium (Stuart)** See **Stuart Transport Medium.**	**100 gm** **500 gm**
DM 1202	**Transport Medium w/o Charcoal** See **Cary-Blair Medium.**	**100 gm** **500 gm**
DM 1157	**Tributyrin Agar Base w/o Tributyrin** for detection of lipolytic microorganisms. **23.00** gms/liter	**100 gm** **500 gm**
MS 2081	***Tributyrin (10 ml per vial)**	**5 vl**
DM 1021	**Triple Sugar Iron Agar** for identification of gram-negative enteric bacilli on the basis of dextrose, Lactose and sucrose fermentation and hydrogen sulphide production. **64.52** gms/liter	**100 gm** **500 gm**
DM 1021S	**Triple Sugar Iron Agar** for identification of gram-negative enteric bacilli on the basis of dextrose,lactose and sucrose fermentation and hydrogen sulphide production. **64.32** gms/liter	**100 gm** **500 gm**
DM 1021I	**Triple Sugar Iron Agar** recommended for identification of members of *Enterobacteriaceae* especially *Salmonella* species. **64.62** gms/liter	**500 gm**
BA 2014	**Tryptone Type I** See **Casein Enzyme Hydrolysate used in sterility testing, diagnostic media preparations.**	**500 gm** **2.5 kg**
BC 2014	**Tryptone, Certified** See **Casein Enzyme Hydrolysate, Certified**	**500 gm**
BA 2029	**Tryptone T, Type-III** for tetanus toxin, culture media ingredient.	**500 gm**
DM 1319	**Tryptone Agar Base** for determination of motility and carbohydrate fermentation reactions of aerobes and anaerobes. **23.52** gms/liter ➤ Carbohydrate - 0.5%	**500 gm**
DM 1463	**Tryptone Broth (Tryptone Water)** for detection of indole producing microorganisms. **15.00** gms/litre	**100 gm** **500 gm**
DM 1961	**Tryptone Bile Agar** for rapid detection and enumeration of *Escherichia coli* in foods using amodified direct plating method. **36.50** gms/litre	**500 gm**
DM 1791	**Tryptone Glucose Beef Extract Agar** See **TGB Agar**	**100 gm** **500 gm**
DM 1014	**Tryptone Glucose Extract Agar** **(Tryptone Glucose Yeast Extract Agar)** for enumeration of bacteria in water, air,milk and dairy products. **24.00** gms/litre	**100 gm** **500 gm**
DM 1952	**Tryptone Glucose Yeast Extract Broth** for enumeration of microorganisms from foods by MPN technique. **17.25** gms/litre	**500 gm**
DM 1364	**Tryptone Nitrate Medium** See **Indole Nitrate Medium**	**100 gm** **500 gm**
DM 1953	**Tryptone Phosphate Broth** for enrichment and cultivation of enteropathogenic *Escherichia coli* from suspected food samples. **30.50** gms/litre	**500 gm**
DM 1290	**Tryptone Soya Agar** **(Casein Soyabean Digest Agar)** See **Soyabean Casein Digest Agar** a general purpose medium used for cultivation of a wide variety of microorganisms.	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1011	**Tryptone Soya Broth** See **Soyabean Casein Digest Medium**	**100 gm** **500 gm** **2.5 kg**
DM 1323	**Tryptone Soya Broth w/0.1% Agar** See Soyabean Casein Digest Medium w/ 0.1% Agar	**500 gm**
DM 1322	**Tryptone Soya Broth w/o Dextrose** See **Soyabean Casein Digest Medium w/o Dextrose**	**500 gm**
DM 2056	**Tryptone Tellurite Agar Base** for selective isolation of pathogens from clinical specimens, especially from nose, throat and vagina. **47.00** gms/litre	**500 gm**
MS 2052	***Potassium Tellurite 1% (1 ml per vial)**	**5 vl**
DM 1463I	**Tryptone Water** recommended for detection of indole production **25.00** gms/litre	**500 gm**
DM 1463S	**Tryptone Water w/o Sodium Chloride** for detection of Vibrio cholerae and Vibrio para-haemolyticus. **10.00** gms/litre	**100 gm** **500 gm**
DM 2198	**Tryptone Water Broth w/BCP** for the cultivation of *Salmonella* species from foods. **17.29** gms/litre	**500 gm**
DM 2272	**Tryptone Yeast Extract Agar** recommended for estimation of microbial counts in water. **21.00** gms/litre	**500 gm**
DM 2193	**Tryptone Yeast Extract Agar w/BCP** recommended for isolation and enumeration of *Enterobacteriaceae* and *Bacillus cereus*. **41.51** gms/litre	**500 gm**
DM 1356	**Tryptone Yeast Extract Broth** See **ISP Medium No. 1**	**100 gm** **500 gm**
BA 2030	**Tryptose** bacteriological grade enzymatic hydrolysate of protein that can replace meat infusion.	**500 gm** **2.5 kg**
BC 2030	**Tryptose, Certified** designed to promote luxuriant growth of highly fastidious microorganisms.	**500 gm**

❋ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C ➤ If required use

Product Code	Product Name	Packing
DM 1538	**Tryptose Agar** for isolation, cultivation and differentiation primarily of *Brucella,* but also of *Streptococci*, *Pneumococci, Meningococci* and other pathogenic microorganisms. **41.00** gms/litre	**500 gm**
DM 1996	**Tryptose Agar w/Thiamine HCl** for isolation, differentiation and cultivation of fastidious microorganisms in an infusion free medium. **41.00** gms/litre	**500 gm**
DM 1097	**Tryptose Blood Agar Base** for the isolation of fastidious organisms and determining the haemolytic reactions. **33.00** gms/litre	**100 gm** **500 gm**
DM 1450	**Tryptose Blood Agar Base** w/Yeast Extract with or without added blood it can be used for culturing fastidious microorganisms. **34.00** gms/litre	**500 gm**
DM 1177	**Tryptose Broth** for the cultivation primarily of .*Brucella* species **26.00** gms/litre	**500 gm**
DM 1997	**Tryptose Broth w/Thiamine HCl** for cultivation and differentiation of fastidious microorganisms in an infusion free medium. **26.00** gms/litre ➤ Agar - 0.5-1%	**500 gm**
DM 1093	**Tryptose Phosphate Broth** for cultivation of fastidious bacteria. **29.50** gms/litre	**100 gm** **500 gm**
DM 1634	***Tryptose Sulphite Neomycin Agar** for selective isolation and enumeration of *Clostridium perfringens* in foods or other specimens. **40.07** gms/litre ➤ Thioglycollate Solution - 20ml/Lit	**100 gm**
DM 1415	**Universal Beer Agar (UB Agar)** for culturing microorganisms of significance in the brewing industry. **62.16** gms/litre	**100 gm**
DM 1112	**Urea Agar Base (Christensen) (Autoclavable)** for detection of urease production, particularly by *Proteus vulgaris*, *Micrococci* and paracolon organisms. **24.01** gms/litre	**100 gm** **500 gm**
MS 2048	***Urea 40% (5 ml per vial)**	**5 vl**
DM 1112I	**Urea Agar Base, Christensen** for the detection of urease production, particularly by members of the genus Proteus. The composition and performance criteria are in accordance with ISO 1993, ISO DIS 6579. **24.01** gms/litre	**500 gm**
MS 2048	***Urea 40% (5 ml per vial)**	**5 vl**
GM 1112A	**Urea Agar Base Granulated (Filter Sterilizable) (w/o Agar)** with added agar it is used for detection of urea splitting microorganism. **29.00** gms/liter **17.24** lit/500g	**500 gm**

Product Code	Product Name	Packing
DM 1112S	***Urea Agar Base (Christensen)** for detection of urease production, particularly by *Proteus vulgaris*,*Micrococci* and paracolon organisms. **24.51** gms/litre	**100 gm** **500 gm**
MS 2048	***Urea 40% (5 ml per vial)**	**5 vl**
DM 1111	**Urea Broth Base** **See (Diagnostic Stuart's Urea Broth Base)**	**100 gm** **500 gm**
MS 2048	***Urea 40% (5 ml per vial)**	**5 vl**
GM 1111A	**Urea Broth Granulated (Filter Sterilizable)** for identification of bacteria on the basic of urea utilization, specifically for the differentiation of *proteus* species from *Salmonella* and *Shigella* species. **38.71** gms/liter **12.92** lit/500g	**500 gm**
DM 1416	**Veillonella Agar Base** for selective isolation of *Veillonella* . species **23.75** gms/litre ❋ Sodium Lactate - 21 ml/Lit ❋ Vancomycin - 7.5 mg/ml ➤ Cween 80 - 1gm/Lit	**500 gm**
DM 1820	**Vibrio Agar** for selective cultivation of *Vibrio* species. **79.92** gms/litre	**500 gm**
DM 2153	**Vibrio Parahaemolyticus Sucrose Agar** for isolation and enumeration of *Vibrio parahaemolyticus* from seafood samples as per APHA. **73.52** gms/litre	**500 gm**
DM 1049S	**Violet Red Bile Agar** recommended for selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk, other dairy and food products. **41.53** gms/litre	**100 gm** **500 gm**
DM 1049A	**Violet Red Bile Agar (1.2%)** recommended for selective isolation and enumeration of coli-aerogenes bacteria in water, milk, other dairy and food products. **38.53** gms/litre	**500 gm**
DM 1458	**Violet Red Bile Broth** for detection and enumeration of coliforms from water and food. **26.53** gms/litre	**500 gm**
DM 1581H	**Violet Red Bile Glucose Agar** recommended for detection and enumeration of *Enterobacteri aceae* from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP. **40.62** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1036	***Vitamin B12 Assay Medium** See **B12 Assay Medium**	**100 gm**
DM 1023	**Vogel-Johnson Agar Base w/o Tellurite (V.J. Agar)** for selective isolation of coagulase positive,mannitol fermenting *Staphylococcus aureus* from heavily contaminated foods and clinical specimens. **61.02** gms/litre	**100 gm** **500 gm**
MS 2052	***Potassium Tellurite 1% (1ml per vial)**	**5 vl**

❋ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C ➤ If required use

Product Code	Product Name	Packing
DM 2152	**Wesley Broth Base** used as a selective enrichment medium for isolation of *Campylobacter jejuni* from poultry products as per APHA. **39.25** gms/litre	**500 gm**
MS 2077	***Campylobacter Selective Supplement**	**5 vl**
DM 1832	**Wilkins Chalgren Anaerobic Agar Base** for selective isolation and cultivation of anaerobic bacteria and susceptibility testing of anaerobes by the agar dilution method. **43.01** gms/litre	**500 gm**
MS 2001	***Non Spore Anaerobic Supplement**	**5 vl**
MS 2002	***G.N. Spore Anaerobic Supplement**	**5 Vl**
DM 1863	**Wilkins Chalgren Anaerobic Broth** Base for cultivation and susceptibility testing of anaerobic bacteria. **33.01** gms/litre	**500 gm**
MS 2001	***Non Spore Anaerobic Supplement**	**5 vl**
MS 2002	***G.N. Spore Anaerobic Supplement**	**5 vl**
DM 1331	**Wilson Blair Agar Base** with the addition of selective reagent used for the isolation of *Salmonella serotype Typhi*. **60.00** gms/litre ❈ Brilliant green solution - 4 ml/Lit ❈ Selective reagent - 70 ml/Lit	**100 gm** **500 gm**
DM 1332	**Wilson Blair Agar w/BG** for isolation and preliminary identification of *Salmonella typhi* from clinical specimens. **52.32** gms/litre	**100 gm** **500 gm**
DM 1129	**Wort Agar** for the cultivation and enumeration of yeasts. **48.28** gms/litre	**100 gm** **500 gm**
DM 1333	**Wort Broth** for cultivation and enumeration of yeasts. **33.28** gms/litre ❈ Glycerol - 2.35 gm/Lit	**500 gm**
DM 1336	**Xylose Lysine Agar Base** for isolation and identification of pathogenic enteric bacilli. **45.08** gms/litre ❈ 34% Sodium thiosulphate - 20 ml/Lit ❈ 4% Ferric ammonium citrate - 20 ml/Lit	**500 gm**
DM 1031	**Xylose Lysine Deoxycholate Agar (XLD Agar)** for selective isolation and enumeration of *Salmonella serotype Typhi* and other *Salmonella* species. **56.68** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1031H	**XLD Agar** a selective medium recommended for the isolation and enumeration of *Salmonella* Typhi and other *Salmonella* species from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP **54.80** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 2251	**YT Broth (2XYT Broth)** for the cultivation of recombinant strains of *Escherichia coli*. **31.00** gms/litre	**500 gm**
BA 2194	**Yeast Autolysate** extract from autolysing yeast cells *(Saccharomyces) specially cultivated to obtain yeast autolysate.*	**500 gm**
DM 2413	**Yeast and Mould Broth** for isolation and cultivation of yeasts and moulds. **20.00** gms/litre	**500 gm**
DM 1140	**Yeast Meat Agar** See **Antibiotic Assay Medium No.4**	**500 gm**
BA 2025	**Yeast Extract** Paste suitable for culture media	**500 gm**
BA 2027	**Yeast Extract** Powder a low salt extract refined for use in microbial culture media, fermentation and other biological products. Also used with beef extract or in place of beef extract.	**500 gm** **2.5 kg**
BC 2027	**Yeast Extract** Powder, Certified rich in vitamins, especially those belonging to B-Complex and used particularly for cultivation of microorganisms encountered in milk or other dairy products.	**500 gm**
BA 2668	**Yeast Extract** Powder Type I specially developed for routine bacteriological work.	**500 gm** **5 kg**
DM 1456	**Yeast Extract Agar** highly nutritive medium recommended for plate count of microorganisms in water. **23.00** gms/litre	**100 gm** **500 gm**
DM 1955	**Yeast Extract Rose Bengal Broth Base** for the cold enrichment for the recovery of *Yersinia enterocolitica* and *Yersinia seudotuberculosis* from food sample. **26.30** gms/litre ❈ 4% Sorbose solution - 100 ml/Lit	**500 gm**
DM 1676	**Yeast Fermentation Broth Base** See **Bromo Cresol Purple Broth**	**500 gm**
DM 1720	**Yeast Lactose Agar** for cultivation of soil microorganisms such as *Rhizobium* species. **26.80** gms/litre	**100 gm**
DM 1424	**Yeast Malt Agar (YM Agar)** See **ISP Medium No. 2**	**100 gm** **500 gm**
DM 1425	**Yeast Malt Broth (YM Broth)** for isolation and cultivation of yeasts, moulds and aciduric microorganisms. **21.00** gms/litre	**100 gm** **500 gm**
MS 2095	***10% Lactic Acid Solution (10 ml per vial)**	**5 vl**
DM 1715	**Yeast Mannitol Agar w/1.5% Agar** for cultivation, isolation & enumeration of soil microorganisms like *Rhizobium* species. **27.80** gms/litre	**100 gm** **500 gm**
DM 1716	**Yeast Mannitol Broth** for cultivation of *Rhizobium* species. **12.80** gms/litre	**500 gm**
DM 1138	***Yeast Morphology Agar** for classification of yeasts on the basis of their colonial characteristics & cell morphology. **34.75** gms/litre	**100 gm**
DM 1139	***Yeast Nitrogen Base** for classification of yeasts on the basis of their ability to assimilate carbon compounds. **6.75** gms/litre	**100 gm**

❈ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C ➤ If required use

Product Code	Product Name	Packing
DM 1878	❋**Yeast Nitrogen Base w/o Amino Acids** for investigating carbon and nitrogen requirements of yeasts. **67.0** gms/litre	**100 gm**
DM 1151	❋**Yeast Nitrogen Base w/o Amino** Acids and Ammonium Sulphate for classification of yeasts on the basis of their ability to assimilate nitrogen and carbon compounds. **17.1** gms/litre	**100 gm**
DM 2061	**Yeast Phosphate Agar** for isolation of dimorphic pathogenic fungi from clinical specimens. **21.50** gms/litre ❋ Conc. ammonia	**500 gm**
DM 2367	**Yersinia Enrichment Broth Base** for the enrichment of Yersinia species, in particular *Yersinia enterocolitica* from human and animal intestinal contents. **13.01** gms/litre	**500 gm**

Product Code	Product Name	Packing
DM 2221	**Yersinia Identification Broth Base** recommended for identification of *Yersinia* species. **10.02** gms/litre	**500 gm**
MS 2048	***Urea 40% (5 ml per vial)**	**5 vl**
DM 1564	**Yersinia Isolation Agar** recommended for selective isolation of *Yersinia* species from foods. **79.02** gms/litre	**500 gm**
DM 1843	**Yersinia Selective Agar Base** recommended for selective isolation and enumeration of *Yersinia enterocolitica* from clinical specimens and foods samples. **58.04** gms/litre	**500 gm**
MS 2034	***Yersinia Selective Supplement**	**5 vl**
DM 1384	**Zobell Marine Agar 2216** See **Marine Broth 2216**	**100 gm** **500 gm**
DM 1385	**Zobell Marine Broth 2216** See **Marine Broth 2216**	**100 gm** **500 gm**

CE Certified
ISO 13485:2016

dehydrated culture media
media bases &
supplements

❋ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

MEDIA SUPPLEMENTS

MICROBIOLOGY PRODUCTS

Ready Prepared Media can meet your quality control and research needs, to enable right detection of microorganisms.

Product	Page
Media Supplements (MS)	**321-332**
• Enrichment Supplements	
· Selective Inhibitory Supplements	
· Selective Growth Supplements	
· Vitamin & Growth Factor Supplements	
· Antibiotic Mixtures	
· Supplements for Diagnostic Purpose	
· Supplements for identification and growth of	
- *Listeria, Campylobactera, Legionella, Neisseria, Leptospira, Mycoplasma, Lactobacilli, Bacillus anthracis, Mycobacteria, Pseudomonas, Haemophilus, Bacillus, Aeromonas, Bacteroides, Bifidobacteria, Burkholderia, Clostridia ets.*	
· Supplements for Selective Growth of Mycobacteria	
· Supplement for processing of sputum samples of Mycobacteria	
· Egg Yolk Supplements	
· Supplements with Tellurite formulations	
· Chromogenic & Fluorogenic Supplements	
· Supplements for detecting enzymatic activity	
· Sterile Enrichments	
· Serum and other derivatives of Biological origin such as	
- Horse serum	
- Rabbit serum	
- Coagulase Plasma	
- Haemoglobin Powder	
· Supplements for selective isolation of drug resistant strains like MRSA, VRE, ESBLs, Carbapenem Resistant, MDR strains etc.	

BETA-LACTAMASES

MEDIA SUPPLEMENTS

Environmental monitoring during aseptic production of Betalactam antibiotics can give deceptive results if the traces of the antibiotic are found in the environment. The air sampling thus should be conducted with agar medium containing a Beta-lactamase for neutralization of antibiotic to avoid any false negative results.

Microgen offers a range of products to aid the environmental monitoring in the antibiotic production area.
Beta-lactamase Supplements in Powder From are available as :

MS2267 : Beta-lactamase I Supplement (containing 3300 IU of Penicillinase enzyme)

MS2268 / MS2268G : Beta-lactamase Mixture Supplement (containing ³ 50 IU / vial of Cephalosporinase & ³ 500 IU / vial of Penicillinase enzyme)

Ms2289 : Beta-lactamase Mixture Supplement (containing ³ 2 KIU / vial of Cephalosporinase & ³ 20 KIU / vial of Penicillinase enzyme)

MS2267 : Can inactivate pecillin group of antibiotics whereas

Ms2268 / MS2268G / MS2289 : can inactivate a wide range of antibiotics like penicillins, Cephalosporins of first, second, third and fourth generations and Penems.

Product Code	Product Name	Packing
MS 2284	**Acrilavin-Cefsulodin-Vancomycin Supplement (ACV Supplement)** recommended for the isolation of Enterohemorrhagic *E. Coli.* (EHEC). One vial is sufficient for 500 ml medium	5vl
MS 2039	***Aeromonas* Selective Supplement** recommended for the isolation of *Aeromonas* species. One vial is sufficient for 500 ml medium	5vl
MS 2201	**Albumin Glucose Supplement** recommended for rapid cultivation of *Mycobacterium tuberculosis.* One vial is sufficient for 200 ml medium	5vl
MS 2107A	**Albumin Dextrin Selective Supplement** recommended for selective isolation and differentiation *of Aeromonas* species *from* water samples using membrane filter Technique. One vial is sufficient for 1000 ml medium	5vl 5x5vl
MS 2082	**Ampicillin Supplement** recommended for isolation of *Aeromonas hydrophila from foods.* One vial is sufficient for 1000 ml medium	5vl
MS 2185	**Anthracis Selective Supplement** recommended for the selective isolation of *Bacilllus anthracis.* *Aeromonas hydrophila from foods.* One vial is sufficient for 1000 ml medium	5vl
MS 2179	**Antibiotic Mixture for Borrelia (100 X) (5 ml per vial)** recommended for cultivation of *Borrelia burgdorferi.* One vial is sufficient for 500 ml medium	5vl
MS 2304	**Arcobacter Selective Supplement** a selective supplement for the isolation of *Arcobacter* species *from food samples* One vial is sufficient for 1000 ml medium	5vl
MS 2069	**B P Sulpha Supplement** recommended for suppression of *Proteus* species growing on Baird Parker Agar Base. One vial is sufficient for 1000 ml medium	5vl
MS 2180	✦ **BSK-H Supplement** selected for ability to support growth of Borrelia burgdorferi. One vial is sufficient for 1000 ml medium	1x100ml
MS 2324	**Bacillus Selective Supplement** recommended for selective isolation of *Bacillus* species One vial is sufficient for 1000 ml medium :	5vl
MS 2062	**Bacteroides Selective Supplement** recommended for the selective isolation of Bacteroides species. One vial is sufficient for 500 ml medium	5vl

Product Code	Product Name	Packing
MS 2059A	★ **Basic Fuchsin (0.17 gm per vial)** recommended for preparation of Endo Agar which is used for confirmation of the presumptive test for the members of the coliform group One vial is sufficient for 100 ml medium	5vl
MS 2059	★ **Basic Fuchsin (6.0 gm per vial)** recommended for preparation of Endo Agar which is used for confirmation of the presumptive test for the members of the coliform group	1vl
MS 2361	**BCSA Selective Supplement** An antibiotic supplement recommended for isolation of burkholderia cepacia from the respiratory secretions of patients with cystic fibrosis and other non-clinical specimens.	5vl
MS 2267	**Beta Lactamase I Supplement (w/ 3300 IU of Penicillinase)** A Beta lactamase enzyme recommended for inactivation of penicillin group of antibiotics.	1vl
MS 2316	**Beta Lactamase II non sterile powder Supplement** for inactivation wide range of antibiotics like Penicillins, Cephalosporins of first, second, third & fourth generations and Penems.	1vl
MS 2268	**Beta Lactamase Mixture Supplement w/ > 50IU of Cephalosporinase & > 500 IU of Penicillinase** A mixture of Beta Lactamase enzymes recommended for inactivation of a wide range of antibiotics like Penicillins, Cephalosporins of first, second, third and fourth generations and Penems.	1vl
MS 2268G	**Beta Lactamase Mixture Supplement (sterile) w/ > 50IU of Cephalosporinase & > 50IU of Penicillinase** use and media as specified in Ms1268	1vl
MS 2289	**Beta Lactamase Mixture Supplement w/ > 2KIU of Cephalosporinase & 20KIU of Penicillinase** use and media as specified in Ms1268	1vl
MS 2296	**Sterile Beta Lactamase Liquid Mixture (Ready to use)** (Each vial contains 10ml of >100IU of Cephalosporinase and >1KIU of Penase.) media as specified in Ms1268	5vl
MS 2297A	**Sterile Beta Lactamase I Concentrate** (Each vail contains 20 ml of 20,000 Levy units per ml of Penicillinase that can inactive 10,000,000 IU/ml of Penicillin-G) media as specified in Ms1268	5vl
MS 2314	**Sterile Beta Lactamase I Supplement (Ready to use)** (Each vail contains 20 ml solution. Activity : 2000 Levy units per ml per min which inactivates 1000,000 IU/ml of Penicillin-G)9)	6vl

★ Store between 10-30°C.
✦ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

Product Code	Product Name	Packing
MS 2285	**Bifidobacterin Selective Supplement** recommended for the selective isolation of *Bifidobacterium* species. One vial is sufficient for 1000 ml medium	5vl
MS 2250	**Bifido Selective Supplement A** A selective supplement recommended for the selective isolation of *Bifidobacterium* species by colony count method from milk products. One vial is sufficient for 500 ml medium	5vl
MS 2251	**Bifido Selective Supplement B** A selective supplement recommended for the selective isolation of *Bifidobacterium* species by colony count method from milk products. One vial is sufficient for 500 ml medium	5vl
MS 2231	**Bolton Selective Supplement** recommended for selective isolation of Campylobacter species One vial is sufficient for 500 ml medium	5vl
MS 2004	**Bordetella Selective Supplement** recommended for the selective isolation of *Bordetell*a pertussis. One vial is sufficient for 500ml or 1000ml medium	5vl
MS 2228	**Brettanomyces Selective Supplement** An antimicrobial supplement recommended for the selective isolatoin of *Brettanomyces* species. One vial is sufficient for 1000 ml medium	5vl
MS 2093	★ **Bromo Cresol Purple (15 mg per vial)** a dye supplement recommended for identification of faecal Streptococci. One vial is sufficient for 1000 ml medium	5vl
MS 2091	★ **Bromo Thymol Blue Supplement (20 mg per vial)** a dye supplement which helps to differentiate microflora in urinary tract. One vial is sufficient for 1000 ml medium	5vl
MS 2005	**Brucella Selective Supplement** recommended for the selective isolation of Brucella species from milk. One vial is sufficient for 500 ml medium	5vl 5x5 vl
MS 2232	**Burkholderia Cepacia Selective Supplement** recommended for the selective isolation *Burkholderia Cepacia* One vial is sufficient for 500 ml medium	5vl
MS 2049	**C.B.I. Supplement** recommended for the selective isolation of *Clostridum Botulinum.* One vial is sufficient for 450ml medium	5vl
MS 2009	**Campylobacter Growth Supplement** recommended for the enhanced growth and aerotolerance of Campylobacter fetus. One vial is sufficient for 500ml medium	5vl

Product Code	Product Name	Packing
MS 2077	**Campylobacter Selective Supplement** recommended for the selective isolation of *Campylobacter species.* One vial is sufficient for 1000ml medium	5vl
MS 2090	**Campylobacter Selective Supplement** recommended for the selective isolation of *Campylobacter pylori.* One vial is sufficient for 500ml medium	5vl
MS 2294	**Campylobacter Selective Supplement, Abeyta** recommended by FDA BAM for selective isolation of *Campylobacter species.* One vial is sufficient for 500ml medium	5vl
MS 2042	**Campylobacter Selective Supplement IV (Preston Selective Supplement)** recommended for the selective isolation of *Campylobacter species.* One vial is sufficient for 500ml medium	5vl
MS 2132	**Campylobacter Selective Supplement IV w/ Hemin (Karmali)** recommended for isolating thermotolerant *Campylobacter species.* One vial is sufficient for 500ml medium	5vl 5x5vl
MS 2078	**Campylobacter Selective Supplement Karmali** recommended for isolating thermotolerant *Campylobacter species.* One vial is sufficient for 500ml medium	5vl 5x5vl
MS 2006	**Campylobacter Supplement-I (Blaser-Wang)** recommended for the isolation of *Campylobacter species.* One vial is sufficient for 500ml medium	5vl
MS 2007	**Campylobacter Supplement-II (Butzler)** an antibiotic supplement for the isolation of *Campylobacter species.* One vial is sufficient for 500ml medium	5vl 5x5vl
MS 2008	**Campylobacter Supplement-III (Skirrow)** recommended for the isolation of *Campylobacter species.* One vial is sufficient for 500ml medium	5vl
MS 2067	**Campylobacter Supplement-V (BFCSA)** recommended for the selective isolation of *Campylobacter species.* One vial is sufficient for 500ml medium	5vl
MS 2106	**Campylobacter Supplement-VI (Butzler)** recommended by ISO for the selective isolation of thermotolarent *Campylobacter* species. One vial is sufficient for 470ml medium	5vl 5x5vl
MS 2357	**Carba Selective Supplement** for selective isolation of carbapenem resistant Enterobacteriaceae One vial is sufficient for 500ml medium	5vl

★ Store between 10-30°C.
✦ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

Product Code	Product Name	Packing
MS 2145	**CAT Selective Supplement** recommended for isolation of thermophilic *Campylobacter* species. One vial is sufficient for 500ml medium	5vl
MS 2235	**CATC Supplement** recommended for selective isolation and detection of Enterococcus faecalis by means ot TTC reduction. One vial is sufficient for 500ml medium	5vl
MS 2360	**C.auris Selective Supplement** A selective sullpement for the isolation of MDR C.auris One vial is sufficient for 500 ml medium	5vl
MS 2035	**CC Supplement** recommended for the selective isolation of pathogenic fungi. One vial is sufficient for 500ml medium	5vl
MS 2135F	**CCDA Supplement** An antibiotic supplement recommended for the selective cultivation of *Campylobacter.* One vial is sufficient for 1000 ml medium	5vl
MS 2135	**CCDA Selective Supplement** An antibiotic supplement recommended for the selective cultivation of *Campylobacter or Arcobacter species.* One vial is sufficient for 500 ml medium	5vl
MS 2246	**Cefixime Supplement** recommended for selective isolation of *E. coli* 0157:H7 One vial is sufficient for 500 ml medium	5vl
MS 2259	**Cefoxitin Supplement** recommended for selective isolation of Methicillin Resistant Staphlococcus aureus from clinical specimens.	5vl
MS 2029	**Cetrinix Supplement** Recommended for the selective isolation of *Pseudomonas species*. One vial is sufficient for 500ml medium	5vl 5x5vl
MS 2036	**CFC Supplement** recommended for selective isolation of *Pseudomonas* species. One vial is sufficient for 500 ml medium	5vl 5x5 vl
MS 2033	**Chloramphenicol Selective Supplement** recommended for the selective isolation of yeasts and moulds. One vial is sufficient for 500 ml medium :	5vl 5x5 vl
MS 2270	**Chromogenic Supplement** recommended for enumeration of faecal caliform by membrane filter technique. One vial is sufficient for 100 ml medium	5vl
MS 2120	**Chlortetracycline Selective Supplement** recommended for selective isolation of Penicillium viridicatum and related species from foods. One vial is sufficient for 1000 ml medium	5vl
MS 2120F	**Chlortetracycline Selective Supplement, Modified** for use, selective isolation of fungal cultures, in accordance with FDA BAM, 1998. One vial is sufficient for 1000 ml medium	5vl
MS 2346	**Ciprofloxacin-Clindamycin Selective Supplement** for the selective isolation of Lactobacillus from a mixed culture. One vial is sufficient for 1000ml medium	5vl
MS 2345	**Ciprofloxacin Supplement** for the selective isolation of Lactobacillus from a mixed culture. One vial is sufficient for 1000ml medium	5vl
MS 2010	**Clostridium Difficile Supplement** recommended for the selective isolation of *Clostridium difficile*. One vial is sufficient for 500ml medium	5vl 5x5vl
MS 2243	**Clostridium Perfringens Supplement** An antibiotic supplement recommended for selective isolation of Clostridium perfringens One vial is sufficient for 500ml medium	5vl
MS 2320	**Clostridium Difficile Selective Supplement** used for cultivation of *Clostridium difficile* from certain clinical specimens. One vial is sufficient for 1000ml medium	5vl
MS 2115	**CNA Supplement** recommended for selective isolation of anaerobic Gram-positive cocci. One vial is sufficient for 950ml medium	5vl
MS 2248	**Coagulase Plasma (0.1gm per vial)** recommended for studying coagulation reaction in diagnosis of Staphylococci.	5vl 2x5vl
MS 2248A	**Coagulase Plasma W/EDTA** Recomended for studying coagulase reaction in diagnosis of staphylococci	5vl 2x5vl
MS 2362	**Coagulase Supplement** Recommended for enumeration of coagulase positive staphylococci 10 vials are sufficient for 1000ml medium	5vl 5x5vl
MS 2298	**Colistin Selective Supplement** for use in cultivation and identification of Vibrio species from food samples, in accordance with FDA BAM, 1998. One vial is sufficient for 1000ml medium	5vl
MS 2110	**CPC Supplement** recommended for selective isolation and enumeration of *Vibrio* species from foods. One vial is sufficient for 500ml medium	5vl

★ Store between 10-30°C.
✦ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

Product Code	Product Name	Packing
MS 2015	**Dermato Supplement** recommended for selective isolation of pathogenic dermatophytes. One vial is sufficient for 500ml medium	5vl
MS 2073	**Diphtheria Virulence Supplement (Part A & B)** for isolation and presumptive identification of *Corynebacterium diphtheriae.* (1 Kit contains Part A : BA2239-100ML & Part B : MS1073-1VL) One vial is sufficient for 1000ml medium	1 kit
MS 2356	**Diphenyl Supplement (Part A & B)** for selective isolation and differentiation of *Cryptococcus neoformans.* One vial is sufficient for 1000ml medium	5vl
MS 2043	**Doyle's Antibiotic Supplement** recommended for the selective isolation of *Campylobacter* species. One vial is sufficient for 460ml medium	5vl 5x5vl
MS 2247	**EC0157:H7 Selective Supplement** An antibiotic supplement recommended for selective isolation of *E. Coli* 0157:H7 One vial is sufficient for 1000ml medium	5vl 5x5vl
MS 2344	**ECC Selective Supplement, Modified** recommended for detection of *E. Coli* 0157:H7 and other *Enterobacteriaceae* in water samples One vial is sufficient for 1000ml medium	5vl
MS 2045L	**Egg Yolk Emulsion, (50ml/100ml per vial)** recommended for use in following culture Media	50mlx5vl 100mlx5vl
MS 2046L	**Egg Yolk Tellurite Emulsion (50ml / 100ml per vial)** recommended for use in Baird Parker Medium for identification of *Staphylococci.*	50mlx5vl 100mlx5vl
MS 2045F	**Egg Yolk Emulsion, 50%** Use in various culture media, in accordance with FDA BAM, 1998.	100mlx5vl
MS 2226	**Enterococcus faecium Selective Supplement** recommended to differentiate *Enterococcus faecium* from *Enterococcus faecalis.* One vial is sufficient for 500ml medium	5vl
MS 2050	★ **Esculin (0.5 gms per vial)** recommended for detection of group D *Streptococci* by means of esculin hydrolysis.	5vl
MS 2303	**Exeter Camplyobacter Selective Supplement** a selective supplement for the isolation of *Campylobacter* species from food and environmental samples. One vial is sufficient for 1000 ml medium	5vl

Product Code	Product Name	Packing
MS 2195	**Fibrinogen Plasma Trypsin Inhibitor** recommended by ISO committee for enumeration of coagulase positive *Staphylococci* One vial is sufficient for 100 ml medium	5vl 5x5vl
MS 2065	**Fraser Enrichment Supplement** recommended for isolation and enrichment of *Listeria monocytogenes* from food and environmental specimens. One vial is sufficient for 1000 ml medium	5vl
MS 2125	**Fraser Selective Supplement** recommended for selective isolation and cultivation of *Listeria monocytogenes* from food and environmental specimens. One vial is sufficient for 1000 ml medium	5vl
MS 2125l	**Fraser Selective Supplement** recommended for selective isolation and enumeration of *Listeria monocytogenes* from food, animal feeds etc. One vial is sufficient for 500ml / 1000ml medium	5vl
MS 2141	★ **Fraser Supplement** recommended for selective isolation and enumeration of *Listeria monocytogenes* from food, animal feeds etc. One vial is sufficient for 500ml medium	5vl
MS 2317	**Friis Supplement** A selective supplement for detection of non-avian Mycoplasmas in Pharmaceutical products in accordance with European Pharmacopoeia One vial is sufficient for 1000ml medium	5vl
MS 2056	**G. Vaginalis Selective Supplement** for selective isolation of Gardnerella vaginalis: One vial is sufficient for 500 ml medium	5vl
MS 2002	**G.N. Spore Anaerobic Supplement** an enrichment and antibiotic supplement recommended for the selective isolation of Gramnegative anaerobes. One vial is sufficient for 500 ml medium	5vl 5x5vl
MS 2054	**GBS Supplement** for selective isolation and presumptive identification of group B Streptococci. One vial is sufficient for 450 ml medium	5vl
MS 2021	**GC Supplement w/ Antibiotics** recommended for the selective isolation and cultivation of pathogenic *Neisseria.* One vial is sufficient for 500 ml medium	5vl 5x5vl
MS 2252	**Gentamicin Supplement w/ Antibiotics** An antibiotic supplement used for detection of *Clostridium perfringens* from pharmaceutical products. One vial is sufficient for 1000 ml medium	5vl
MS 2131	**Genta-Oxy Selective Supplement** recommended for selective isolation and enumeration of yeasts and moulds from meat & meat products. One vial is sufficient for 500 ml medium	5vl 5x5vl

★ Store between 10-30°C.
✦ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

Product Code	Product Name	Packing
MS 2112	**George Kimming Selective Supplement** for selective isolation and cultivation of fungi. One vial is sufficient for 500 ml medium	5vl
MS 2302	**Group A Selective Supplement** for selective isolation of Group A *Streptococci* One vial is sufficient for 1000 ml medium	5vl
MS 2287	**Growth Supplement I for MSM** recommended for the enrichment of *Salmonella* species. One vial is sufficient for 1000 ml medium	5vl
MS 2288	**Growth Supplement II for MSM** recommended for the enrichment of *Salmonella* species. One vial is sufficient for 1000 ml medium	5vl
MS 2053	**Gruft Mycobacterial Supplement** recommended for the selective cultivation of *Mycoba*cteria. One vial is sufficient for 400 ml medium	5vl
MS 2117	**Haemophilus Growth Supplement** a growth supplement for cultivation of *Haemophilus influenzae.* One vial is sufficient for 500 ml medium	5vl
MS 2022	**Haemoglobin Powder** recommended for the isolation of *Neisseria.*	50gm 100gm
MS 2300	**Hayflick growth Supplement** recommended for detection of Mycoplasmas in pharmaceutical products, vaccines, cell banks and virus culture in accordance with European Pharmacopoeia. One vial is sufficient for 500 ml medium	5vl
BA 2239	✦ **Horse Serum (100 ml per vial)** used for isolation and cultivation of *Mycoplasma* or *Trichomonas* or *Streptococcus species.*	100ml
MS 2192	**Microme Candida Selective Supplement** recommended for rapid & direct isolation & identification of *Candida* species from mixed cultures. One vial is sufficient for 500 ml medium	5vl 5x5vl
MS 2283R	**Microme Candida Differential Selective Supplement** recommended for rapid & direct isolation and identification of *Candida* species from mixed cultures. One vial is sufficient for 500 ml medium	5vl
MS 2355	**Microme Colistin Resistant Selective Supplement** for selective isolation of colistin resistant gram negative bacteria. One vial is sufficient for 1000 ml medium	5vl
MS 2230	**Microme EC 0157:H7 Selective Supplement I** recommended for isolation and easy detection of *Escherichia coli* 0157:H7 from food and environmental samples. One vial is sufficient for 500 ml medium	5vl
MS 2187	**Microme EC 0157:H7 Selective Supplement** recommended for selective isolation and easy detection of *E. coli* 0157:H7 from food samples. One vial is sufficient for 1000 ml medium	5vl
MS 2295	**Microme EC 0157:H7 Selective Supplement, Modified** for presumptive enumeration of *Echerichia coli* 0157:H7 by membrane filteration technique. One vial is sufficient for 1000 ml medium	2vl 2x5vl
MS 2190	**Microme ECC Selective Supplement** recommended for direction of *E. coli* and coliforms in water and food samples. One vial is sufficient for 1000 ml medium	5vl
MS 2278	**Microme ESBL Agar Supplement** is used for the detection of Extended Spectrum β-Lactamase-producing organisms. One vial is sufficient for 500 ml medium	5vl
MS 2272	**Microme Fluorogenic Agar Supplement** recommended for selective detection and confirmation of *Escherichia coli* and total coliforms on the basis of enzyme substrate reaction from water samples. One vial is sufficient for 1000 ml medium	5vl
MS 2279	**Microme KPC Agar Supplement** for detection of Gram-negative bacteria with a reduced susceptibility to carbapenem agents. One vial is sufficient for 500 ml medium	5vl
MS 2181	**Microme Listeria Selective Supplement** recommended for rapid and direct identification of *Listeria* species. One vial is sufficient for 500 ml medium	5vl
MS 2245	**Microme Nickels & Leesment Selective Supplement** A selective supplement recommended for isolation of citrate-fermenting lactic acid bacteria. One vial is sufficient for 500 ml medium	5vl
MS 2273	**Microme Strep B Selective Supplement** recommended for selective isolation of Group B Streptococci from clinical samples. One vial is sufficient for 1000 ml medium	5vl
MS 2274	**Microme Selective Salmonelia Agar Supplement** for selective isolation & differentiation of *Salmonella* species from coliforms by chromogenic method. One vial is sufficient for 1000 ml medium	5vl 5x5vl

★ Store between 10-30°C.
✦ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

MEDIA SUPPLEMENTS

Product Code	Product Name	Packing
MS 2277	**Microme VRE Agar Supplement** recommended for selective isolation of Vancomycin Resistant Enterococci (VRE). One vial is sufficient for 500 ml medium	5vl
MS 2363	**HiMRSA Selective Supplement** Recomended for the selective isolation of methicillin resistant staphylococus aureus (MRSA) One vial is sufficient for 1000ml medium	5vl
MS 2193	**IMRV/RV Selective Supplement** recommended for isolation of *Salmonella* from food stuffs and other materials. One vial is sufficient for 1000 ml medium	5vl
MS 2237	**Iron Sulphate Supplement** recommended for preparation of Modified iron Sulphate Agar which is used for the detection and enumeration of *Clostridia*. One vial is sufficient for 500 ml medium	5vl 5x5vl
MS 2146	**Kanamycin Sulphate Selective Supplement** recommended for the selective isolation of *Enterococci*. One vial is sufficient for 500 ml medium	5vl
MS 2111	**Kimmin Selective Supplement (Twin Pack)** for selective isolation and cultivation of fungi. One vial is sufficient for 500 ml medium	5vl
MS 2072	**KL Virulence Enrichment (20 ml per vial)** recommended for cultivation and in-vitro toxicity testing of *Corynebacterium diphtheriae* One vial is sufficient for 100 ml medium	5vl 5x5vl
MS 2225	**Klebsiella Selective Supplement** for selective isolation and easy detection of *Klebsiella* species from water and other sources. One vial is sufficient for 500 ml medium	5vl
MS 2116	**KV Supplement** recommended for the selective isolation of Gram-negative anaerobes. One vial is sufficient for 950 ml medium	5vl
MS 2214	✦ **L.mono Enrichment Supplement I** recommended for the selective differentiation of *Listeria monocytogenes* from other *Listeria* species. One vial is sufficient for 500 ml medium	5vl
MS 2227	✦ **L.mono Enrichment Supplement II** recommended for the selective differentiation of *Listeria monocytogenes* from other *Listeria* species. One vial is sufficient for 500 ml medium	5vl
MS 2305	**L.mono Selective Supplement** for selective isolation of *Listeria monocytogenes* from food and environmental samples One vial is sufficient for 1000 ml medium	5vl

Product Code	Product Name	Packing
MS 2212	**L.mono Selective Supplement I** recommended by ISO for isolation of *Listeria* species. One vial is sufficient for 500 ml medium	5vl
MS 2213	**L.mono Selective Supplement II** recommended by ISO for isolation of *Listeria* species. One vial is sufficient for 500 ml medium	5vl
MS 2330	**LM Selective Supplement** recommended for presumptive enumeration of *Listeria* species One vial is sufficient for 1000 ml medium	5vl
MS 2209	**Lachica's Supplement** recommended for selective isolation of of *Aeromonas hydrophila*. One vial is sufficient for 1000 ml medium	1vl
MS 2095	**10% Lactic Acid Solution (10 ml per vial)** recommended for the adjustment of acidic pH. One vial is sufficient for 500 ml medium	5vl 5x5vl
MS 2055	**Lactic Supplement** for selective isolation of lactic acid bacteria in beer and brewing processes. One vial is sufficient for 500 ml medium	5vl
MS 2098	**Lactobacilli Supplement** recommended for selective isolation of Lactobacilli from wine. One vial is sufficient for 500 ml medium	5vl 5x5vl
MS 2338	**LCN Supplement** recommended for selective isolation of Mycobacterium from specimens containing mixed flora. One vial is sufficient for 500 ml medium	5vl 5x5vl
MS 2332	**Lecithin solution** for detection of PCPLC activity. One vial is sufficient for 500 ml medium	5vl
MS 2335	**Leeds Acinetobacter Selective Supplement** for selective isolation of *Acinetobacter species*. One vial is sufficient for 1000 ml medium	5vl
MS 2143	**Legionella (GVPC) Selective Supplement** recommended for isolation of *Legionella* species. One vial is sufficient for 500 ml medium	5vl 5x5vl
MS 2144	**Legionella BMPA Selective Supplement** recommended for selective isolation of *Legionella* species. One vial is sufficient for 450 ml medium	5vl 5x5vl
MS 2016A	**Legionella Growth Supplement (Twin Pack)** recommended for enhancing growth of *Legionella* species. One vial is sufficient for 500 ml medium	5vl

★ Store between 10-30°C.
✦ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

Product Code	Product Name	Packing
MS 2206	**Legionella Growth Supplement w/o L-Cysteine** recommended for enhancing growth of *Legionella* species. One vial is sufficient for 440 ml medium	5vl 5x5vl
MS 2142	**Legionella Growth Supplement (BCYE)** recommended for enhancing growth of *Legionella* species. One vial is sufficient for 440 ml medium	5vl
MS 2142X	**Legionella Growth Supplement** A chemical enrichment supplement recomended for enhancing growth of legionella species. One vial is sufficient for 100 ml medium	5vl 5x5vl
MS 2017	**Legionella Selective Supplement** recommended for the selective isolation of *Legionella* species. One vial is sufficient for 500 ml medium	5vl
MS 2037	**Legionella Selective Supplement II** recommended for the selective isolation of *Legionella* species from mixed cultures. One vial is sufficient for 500 ml medium	5vl
MS 2038	**Legionella Selective Supplement III** recommended for the selective isolation of *Legionella* species from mixed cultures. One vial is sufficient for 500 ml medium	5vl
MS 2040	**Legionella Selective Supplement IV (MWY)** recommended for the selective isolation of *Legionella* species. One vial is sufficient for 500 ml medium	5vl
MS 2242	**Legionella Selective Supplement (GVPN)** An antibiotic supplement recommended for the selective isolation of *Legionella* species. One vial is sufficient for 500 ml medium	5vl
MS 2041A	**Legionella Supplement (Twin Pack)** recommended for enhanced growth of *Legionella* species. One vial is sufficient for 500 ml medium	5vl
MS 2066	**Leptospira Enrichment** recommended for cultivation of *Leptospira* species. One vial is sufficient for 180 ml medium	5vl
MS 2026	**Linco T Supplement** recommended for the selective isolation and cultivation of *Neisseria* species. One vial is sufficient for 500 ml medium	5vl 5x5vl
MS 2126	**Listeria Moxalactam Supplement** recommended for the isolation of *Listeria monocytogenes from mixed flora.* One vial is sufficient for 500 ml medium	5vl
MS 2266	**Listeria Moxalactam Supplement Modified** recommended for the selective isolation of *Listeria* species. One vial is sufficient for 500 ml medium	5vl
MS 2061	**Listeria Selective Supplement (PALCAM)** recommended for the selective isolation and identification of *Listeria monocytogenes.* One vial is sufficient for 500 ml medium	5vl 5x5vl
MS 2063	**Listeria Selective Supplement II** recommended for the selective cultivation of *Listeria* species. One vial is sufficient for 1000 ml medium	5vl
MS 2063I	**Listeria Selective Supplement II** recommended for the selective cultivation of *Listeria* species. One vial is sufficient for 500 ml medium	5vl 5x5vl
MS 2136	**Listeria UVM Supplement I** for selective isolation and cultivation of *Listeria monocytogenes* species. One vial is sufficient for 500 ml medium	5vl
MS 2137	**Listeria UVM Supplement II** for selective isolation and cultivation of *Listeria monocytogenes* from clinical specimens One vial is sufficient for 500 ml medium	5vl
MS 2070	**McBride Listeria Supplement** recommended for the selective isolation of *Listeria* species. One vial is sufficient for 1000 ml medium	5vl
MS 2153	**M-CP Selective Supplement - I** recommended by the Directive of the Council of the European Union 98/83 EC for selective isolation of *Clostridium perfringens.* One vial is sufficient for 500 ml medium	5vl
MS 2154	**M-CP Selective Supplement - II** recommended by the Directive of the Council of the European Union 98/83 EC for selective isolation of *Clostridium perfringens.* One vial is sufficient for 500 ml medium	5vl
MS 2154A	**M-CP Selective Supplement, Modified** recommended for selective isolation of *Clostridium perfringens.* One vial is sufficient for 500 ml medium	5vl
MS 2271	**MDR Acinetobacter Selective Supplement** recommended for selective isolation of MDR strains of *Acinetobacter* One vial is sufficient for 1000 ml medium	5vl

★ Store between 10-30°C.
✦ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

Product Code	Product Name	Packing
MS 2229	**MeReSa Selective Supplement** recommended for selective isolation of Methicillin Resistant *Staphylococcus aureus* from clinical specimens. One vial is sufficient for 500 ml medium	5vl
MS 2262	**Meropenem Supplement** recommended for enrichment of *Enterococci.* One vial is sufficient for 500 ml medium	5vl
MS 2019	**Middlebrook ADC Growth Supplement** recommended for the cultivation of *Mycobacteria.* One vial is sufficient for 500 ml medium	5vl
MS 2018	**Middlebrook OADC Growth Supplement** recommended for the isolation and cultivation of *Mycobacteria.* One vial is sufficient for 500 ml medium	5vl
MS 2329	**Middlebrook OADC Enrichment Supplement** recommended for the cultivation of *Mycobacteria.* One vial is sufficient for 180 ml medium	5vl
MS 2203	**MKTT Novobiocin Supplement** recommended for the selective enrichment and isolation *Salmonellae* One vial is sufficient for 1000 ml medium	5vl
MS 2281	**Modified C.F.C. Selective Supplement** recommended for the selective isolation of *Pseudomonas* species. One vial is sufficient for 500 ml medium	5vl
MS 2110F	**Modified C.P.C. Supplement** For use in cultivation and identification of *Vibrio* species from food samples, in accordance with FDA BAM, 1998. One vial is sufficient for 1000 ml medium	5vl
MS 2333	**Modified L.mono Selective Supplement** for selective isolation and differentiation of *Listeria monocytogenes* and other *Listeria* species based on PCPLC activity. One vial is sufficient for 500 ml medium	5vl
MS 2126F	**Modified Listeria Moxalactam Supplement** For use in isolation of *Listeria* species from food samples, in accordance with FDA BAM, 1998. One vial is sufficient for 500 ml medium	5vl
MS 2306	**Modified Listeria Oxford Selective Supplement** Modified Listeria Oxford Selective Supplement One vial is sufficient for 1000 ml medium	5vl
MS 2309	**Monensin Selective Supplement** A selective supplement recommended for the detection of coliform bacteria using membrane filtration technique. One vial is sufficient for 1000 ml medium	2vl 2x5vl
MS 2151	**Moxalactam Supplement** recommended for isolation and cultivation *Listeria monocytogenes.* One vial is sufficient for 1000 ml medium	5vl
MS 2202	**M-PA Selective Supplement** recommended for selective isolation of *Pseudomonas aeruginosa.* One vial is sufficient for 1000 ml medium	5vl
MS 2319	**MRSA Selective Supplement** recommended for the selective isolation of Methicillin Resistant *Staphylococcus aureus.* One vial is sufficient for 1000 ml medium	5vl 5x5vl
MS 2118	**Mucasol** for dilution and digestion of sputm.	5vl
MS 2100	✦ **Mueller Tellurite Serum (25 ml per vial)** recommended for isolation, cultivation and differentiation of *Corynebacterium diphtheriae.* One vial is sufficient for 975 ml medium	5vl
MS 2092	**MUG Supplement (50 mg per vial)** a fluorogenic substrate for measuring B-glucuronidase activity, in rapid sensitive identification of *Escherichia coli.* One vial to be added in media as per recommendation	5vl
MS 2198	**Mycoplasma Cultivation Supplement** recommended for the isolation and cultivation of *Mycoplasma.* One vial is sufficient for 70 ml medium	5vl
MS 2075	**Mycoplasma Enrichment Supplement** recommended for the isolation of *Mycoplasma.* One vial is sufficient for 70 ml medium	5vl 5x5vl
MS 2334	**Mycoplasma Selective Supplement** selective supplement for the isolation of *Mycoplasma.* One vial is sufficient for 1000 ml medium	5vl
MS 2182	**Mycoplasma Supplement - P** a selective supplement for the isolation of *Mycoplasma pneumoniae.* One vial is sufficient for 500 ml medium	1vl

★ Store between 10-30°C.
✦ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

Product Code	Product Name	Packing
MS 2175	**Mycoplasma Urogenital Selective Supplement** recommended for selective cultivation of *Mycoplasma* associated with urogenital infections. One vial is sufficient for 500 ml medium	5vl 5x5vl
MS 2173	**Mycoprep (for 2 tests)** sputum liquefaction and decontamination mixture.	1 kit
MS 2173B	**Mycoprep (for 10 tests)** sputum liquefaction and decontamination mixture.	1 kit
MS 2327	**NAD Supplement** recommended for preparation of Mueller Hinton Agar F medium as per EUCAST guidelines. One vial is sufficient for 1000 ml medium	5vl
MS 2130	**Nalidixic Selective Supplement** recommended for selective isolation of Pseudomonas aeruginosa from clinical specimens. One vial is sufficient for 1000 ml medium	5vl
MS 2341	**NAMC Listeria Selective Supplement** An antibiotic supplement recommended for the selective enrichment of *Listeria* species from food. One vial is sufficient for 1000 ml medium	5vl
MS 2249	**Neo Enrichment Selective Supplement** An antimicrobial supplement recommended for selective isolation of *Listeria* species from samples in 24 hours. One vial is sufficient for 500 ml medium	5vl
MS 2149	**Neomycin Supplement** recommended for selective isolation of *Streptococcus* species. One vial is sufficient for 940 ml medium	5vl
MS 2174	**Neomycin Supplement** recommended for isolation and differentiation of *Candida* species. One vial is sufficient for 500 ml medium	5vl
MS 2001	**Non Spore Anaerobic Supplement** an enrichment Supplement recommended for the selective isolation or cultivation of nonsporing anaerobic bacteria. One vial is sufficient for 500 ml medium	5vl
MS 2101	**Novobiocin Selective Supplement** recommended for the rapid presumptive detection of *Salmonella* species in foods and feed materials. One vial is sufficient for 1000 ml medium	5vl
MS 2290	**Novobiocin Selective Supplement** recommended for the detection of *Escherichia coli 0157:H7* from food. One vial is sufficient for 1000 ml medium Also recommended for the detection of motile *Salmonella* species from food, faeces and environmental specimens.	5vl
MS 2096	**Novobiocin Supplement** an antibiotic supplement for presumptive identification of *Aeromonas hydrophila.* One vial is sufficient for 250/1000 ml medium :	5vl 5x5vl
MS 2150	**NYC Supplement** recommended for the isolation and cultivation of pathogenic *Neisseria* species. One vial is sufficient for 500 ml medium	5vl
MS 2348	**OADS Supplement** recommended for the isolation and cultivation of *Mycobacteria.* One vial is sufficient for 500 ml medium	5vl 5x5vl
MS 2212A	**OA Listeria Selective Supplement** A selective supplement recommended by ISO committee for the isolation of listeria Species One vial is sufficient for 500 ml medium	5vl
MS 2269	**OFPBL Selective Supplement** recommended for selective isolation of *Burkholderia cepacia* from clinical specimens as well as non-clinical samples. One vial is sufficient for 1000 ml medium	5vl
MS 2020	**Oleic Albumin Supplement** recommended for the cultivation of of *Mycobacterium tuberculosis* One vial is sufficient for 200 ml medium	5vl 5x5vl
MS 2191	**Oxacillin Resistant Selective Supplement** recommended for screening Oxacillin Resistant microorganisms. One vial is sufficient for 500 ml medium	5vl
MS 2071	**Oxford Listeria Supplement** recommended for the selective isolation of Listeria species. One vial is sufficient for 500 ml medium	5vl
MS 2032	**Oxytetra Selective Supplement** recommended for the selective isolation and cultivation of yeasts and moulds. One vial is sufficient for 500 ml medium	5vl 5x5vl
MS 2104	**Park and Sanders Selective Supplement I** recommended for selective isolation and enumeration of thermotolarent *Campylobacter* species. One vial is sufficient for 950 ml medium	5vl

★ Store between 10-30°C.
✦ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

Product Code	Product Name	Packing
MS 2105	**Park and Sanders Selective Supplement II** recommended for selective isolation and enumeration of thermotolarent *Campylobacter* species. One vial is sufficient for 950 ml medium	5vl
MS 2347	**PCP Supplement** for selective isolation and cultivation of *Legionella* species from cooling towers, clinical and other materials. The composition and performance criteria of this medium are as per the specifications laid down in ISO 11731-2 One vial is sufficient for 1000 ml medium	5vl
MS 2200	**PEMBA Supplement** recommended for selective cultivation of *Bacillus cereus.* One vial is sufficient for 90 ml medium	5vl 5x5vl
MS 2260	**Penta Mix** An Antibiotic mixture recommended to add in media to reduce contamination of other organisms from suspected tuberculosis positive clinical samples prior to inoculation. If desired can be added to (Middlebrook 7H9 Broth Base).	5vl
MS 2307	**Perfringens Selective Supplement** recommended for rapid detection of *Clostridium perfringens from food.* One vial is sufficient for 1000 ml medium	5vl
MS 2011	**Perfringens Supplement-I** recommended for the selective isolation of *Clostridium perfringens.* One vial is sufficient for 500 ml medium	5vl 4x5vl
MS 2012	**Perfringens Supplement-II** recommended for the selective isolation of *Clostridium perfringens.* One vial is sufficient for 500 ml medium	5vl 4x5vl
MS 2241	**Poctri Supplement** An antimicrobial supplement recommended for selective isolation of *M.tuberculosis* from suspected clinical specimens. One vial is sufficient for 4 ml medium	5vl
MS 2003	**Polymyxin B Selective Supplement** antibiotic supplement recommended for the selective isolation of various microorganisms. One vial is sufficient for 500 ml medium	5vl 5x5vl
MS 2103	**Potassium Chlorate Supplement** a liquid Potassium Chlorate Supplement for selective enrichment of *Yersinia enterocolitica.* One vial is sufficient for 1000 ml medium	5vl

Product Code	Product Name	Packing
MS 2123	**50% Potassium Lactate (10ml per vial)** recommended for isolation and enumeration of wild yeasts and in pitching yeasts. One vial is sufficient for 1000 ml medium	5vl
MS 2124	**Potassium Sorbate 10% (10ml per vial)** for the detection and isolation of acid resistant yeasts, *Zygosaccharomyces bailii* and *Zygosaccharomyces rouxii* in salads, sauces and dressings.	5vl
MS 2052	**Potassium Tellurite 1% (1 ml per vial)** for selective isolation of *Staphylococci* and *Corynebacteria.* One vial is sufficient for 500 ml medium	5vl 5x5vl
MS 2047	**Potassium Tellurite 3.5% (1 ml per vial)** for the selective isolation of *Staphylococci* and *Corynebacteria*	5vl
MS 2264	**PP Pseudomonas Selective Supplement** selective supplement recommended for selective isolation of *Pseudomonas* species. One vial is sufficient for 500 ml medium	5vl
MS 2265	**PP Pseudomonas Selective Supplement II** selective supplement recommended for isolation of *Pseudomonas* species. One vial is sufficient for 500 ml medium	5vl
MS 2097	**Propionibacteria Growth Supplement** a growth supplement for selective cultivation of *Propionibacteria.* One vial is sufficient for 500 ml medium	5vl
MS 2342	**Rapid Listeria Selective Supplement** for selective enrichment of *Listeria* species from food samples. One vial is sufficient for 500 ml medium	5vl
MS 2107	**Rippey Cabelli Selective Supplement** recommended for cultivation of *Aeromonas hydrophila.* One vial is sufficient for 500 ml medium	5vl
MS 2058	**★Rosolic Acid (0.1 gm per vial)** recommended for the selective isolation of coliform bacteria. One vial is sufficient for 1000 ml medium	5vl
MS 2013	**S.F.P. Supplement (Perfringens S.F.P. Supplement)** recommended for the selective isolation of *Clostridium perfringens.* One vial is sufficient for 500 ml medium	5vl 4x5vl
MS 2238	**★ SalEnrich Selective Supplement** recommended for two-step enrichment of sublethally injured *Salmonellae* from foods and feeds. One vial is sufficient for 250 ml medium	5vl 5x5vl

★ Store between 10-30°C.
✦ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

Product Code	Product Name	Packing
MS 2275	**Salmonella Selective Enrichment Supplement** for selective isolation and differentiation of *Salmonella* species from coliforms by chromogenic method. One vial is sufficient for 1000 ml medium	5vl
MS 2299	**Selective Enrichment for MRSA** recommended for improved detection of Methicillin Resistant *Staphylococcus aureus* (MRSA) One vial is sufficient for 500 ml medium	5vl 5x5vl
MS 2354	**Shiga toxin EC Selective supplement** A selective supplement for the isolation of Shiga toxin producing *Escherichia coli.* Two vial is sufficient for 1000 ml medium	5vl
MS 2108	**Shigella Selective supplement** recommended for the selective isolation of *Shigella* species. One vial is sufficient for 1000 ml medium	5vl
MS 2122	**SM Selective supplement** recommended for the selective isolation and cultivation of *Pseudomonas solanacearum.* One vial is sufficient for 1000 ml medium	5vl
DB 2001	**Sodium Biselenite Bud (1 pack contains 50 buds)** One bud is sufficient for 100 ml medium	1pk
MS 2236	**Sorbic Acid Supplement** recommended for cultivation of *Lactobacillus* species. One vial is sufficient for 500 ml medium	5vl
MS 2030	**Staph-Strepto Supplement** recommended for the selective isolation of *Staphylococci* and *Streptococci.* One vial is sufficient for 500 ml medium	5vl
MS 2280	★ **Sterile Charcoal Supplement for Legionella Agar** recommended for growth of Legionella species. One vial is sufficient for 500 ml medium	5vl 5x5vl
MS 2031	**Strepto Supplement** recommended for the selective cultivation of Streptococcus species. One vial is sufficient for 500 ml medium	5vl 5x5vl
MS 2119	**Streptococcus Selective Supplement** recommended for the selective isolation and cultivation of *Streptococci.* One vial is sufficient for 500 ml medium	5vl 5x5vl

Product Code	Product Name	Packing
MS 2068	**Sulpha Supplement** recommended for the selective isolation of *Salmonella* species. One vial is sufficient for 500 ml medium	5vl
MS 2014	**T.S.C. Supplement (Perfringers T.S.C. Supplement)** recommended for the selective isolation of *Clostridium perfringens.* One vial is sufficient for 500 ml medium	5vl 4x5vl
MS 2147	**Tellurite - Cefixime Supplement** recommended for the isolation of *Escherichia coli* 0157:H7 One vial is sufficient for 500 ml medium	5vl
MS 2196	**Tetracycline Selective Supplement** recommended for selective cultivation of yeasts and moulds. One vial is sufficient for 1000 ml medium	5vl
MS 2102	**Ticarcillin Supplement** used for the selective enrichment of *Yersinia enterocolitica.* One vial is sufficient for 1000 ml medium	5vl
MS 2051	★ **Toluidine Blue (0.1 gm per vial)** recommended for detection of deoxyribonuclease activity. One vial is sufficient for 1000 ml medium	5vl 2x5vl
MS 2081	**Tributyrin (10 ml per vial)** recommended for detection of lipolytic microorganisms. One vial is sufficient for 990 ml medium	5vl
MS 2276	**Trichoderma Harzianum Selective Supplement** for the selective isolation of *Trichoderma harzianum* One vial is sufficient for 1000 ml medium	5vl
MS 2099	**Trichomonas Selective Supplement I** for selective isolation of *Trichomonas* species from clinical specimens. One vial is sufficient for 500 ml medium	5vl
MS 2094	**Trichomonas Selective Supplement II** recommended for selective isolation of *Trichomonas* species. One vial is sufficient for 500 ml medium	5vl
MS 2057	**TTC Solution 1% (10 ml per vial)** recommended for the detection microbial growth by means of TTC reduction. One vial is sufficient for 1000 ml medium	5vl 5x5vl
MS 2321	**TYCSB Supplement** recommended for the selective isolation of *Streptococcus mutans* One vial is sufficient for 1000 ml medium	5vl

★ Store between 10-30°C.
✦ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

MEDIA SUPPLEMENTS

Product Code	Product Name	Packing
MS 2048	**Urea 40% (5 ml per vial)** recommended for detection of urease activity in following media : One vial is sufficient for 100 ml medium	5vl 5x5vl
MS 2157	**Urea 5% (5 ml per vial)** recommended for selective cultivation of *Mycoplasma hominis* and *Ureaplasma urealyticum.* One vial is sufficient for 425 ml medium	5vl 5x5vl
MS 2253	**Urea Solution** (Filter sterilized) recommended for isolation of *Ureaplasma urealyticum and other ureaplasma* species. One vial is sufficient for 1000 ml medium	5vl 5x5vl
MS 2254	**Ureaplasma Selective Supplement** as selective supplement for isolation of *Ureaplasma urealyticum and other ureaplasma s*pecies. One vial is sufficient for 1000 ml medium	5vl 5x5vl
MS 2255	**Ureaplasma Growth Supplement** A chemically defined growth supplement recommended for the isolation of *Ureaplasma urealyticum and other ureaplasma s*pecies. One vial is sufficient for 1000 ml medium	5vl 5x5vl
MS 2353	**V.C.A.T. Supplement** recommended for selective isolation of *Neisseria* species. One vial is sufficient for 500 ml medium :	5vl
MS 2023	**V.C.N. Supplement** recommended for selective isolation of *Neisseria gonorrhoeae* and *Neisseria meningitidis* species. One vial is sufficient for 500 ml medium	5vl 5x5vl
MS 2024	**V.C.N.T. Supplement** recommended for the selective isolation of *Neisseria gonorrhoeae* and *Neisseria meningitidis.* One vial is sufficient for 500 ml medium	5vl 5x5vl
MS 2312	**VIA Supplement** for the cultural isolation of *Stenotrophomonas maltophilia.* One vial is sufficient for 1000 ml medium	5vl
MS 2349	**VP Supplement** Recommended for isolation of legionella species One vial is sufficient for 1000ml Medium	5vl
MS 2028	**Vanclo T Supplement** recommended of the selective isolation of *Neisseria* species. One vial is sufficient for 500 ml medium	5vl 5x5vl

Product Code	Product Name	Packing
MS 2233	**Vancomycin Supplement** recommended of isolation of *Cronobacter sakazakii.* One vial is sufficient for 1000 ml medium	5vl
MS 2261	**Vancomycin Supplement** recommended of selective isolation of Vancomycin Resistant *Entercocci.* One vial is sufficient for 500 ml medium	5vl 5x5vl
MS 2114	**Vitamin K1 Supplement** a vitamin growth supplement for the isolation of anaerobic organisms. One vial is sufficient for 1000 ml medium	5vl
MS 2025	**Vitamino Growth Supplement (Twin Pack)** recommended for the cultivation of a wide variety of microorganisms. One vial is sufficient for 500 ml medium	5vl 5x5vl
MS 2215	**Vitamino Growth Supplement, Modified (Twin Pack)** recommended for the cultural isolation of *Neisseria* and *Haemophilus* species from a variety of clinical. One vial is sufficient for 500 ml medium	5vl
MS 2156	**Willis and Hobb's Supplement** recommended for isolation of *Clostridium perfringens* and *Clostridium botulium* species from food. One vial is sufficient for 475 ml medium	5vl
MS 2152	**XLT4 Supplement** recommended for isolation of non-typhi *Salmonella.* One vial is sufficient for 1000 ml medium	1vl
MS 2027	**Yeast Autolysate Supplement** recommended for the cultivation of *Neisseria* species. One vial is sufficient for 500 ml medium	5vl 5x5vl
MS 2034	**Yersinia Selective Supplement** recommended for the selective isolation *Yersinia enterocolitica.* One vial is sufficient for 500 ml medium	5vl 5x5vl
MS 2286	**Yersinia Selective Supplement** used for the selective isolation of *Yersinia enterocolitica.* One vial is sufficient for 1000 ml medium	5vl 5x5vl
MS 2301	**Yersinia Selective Supplement - 2** For use, in selective isolation of and enumeration *of Yersinia enterocolitica* from food samples, in accordance with FDA BAM, 1998. One vial is sufficient for 1000 ml medium	5vl

★ Store between 10-30°C.
✦ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

CULTURE MEDIA BASES

MICROBIOLOGY PRODUCTS

Your perfect choice of media for utilizing raw materials as media ingredients for cultivation of bacteria in small scale and large scale. It is recommended for biomass cultivation required in fermentation studies in various applications; antibiotic manufacturing, enzyme manufacturing, vaccine manufacturing etc.

Product	Page
CULTURE MEDIA BASES	**334-337**
• Peptones, Extracts, Hydrolysates, Infusions from Animal origin & Plant Origin	
• Ingredients to suit Cell Culture Applications	
• Ingredients for Vaccine production, Antibiotic production etc.	
• Ingredients for Media Fill Trials	
• Range of Yeast Extracts	
• Range of Malt Extracts	
• Range of Soyapeptones	
• Equivalent Bacteriological ingredients of Plant origin	



CULTURE MEDIA BASES

Product Code	Product Name	Packing
BA 2274	**Meat Extract** Paste	**500 gm**
BA 2002	**Meat Extract** Powder refined for use in microbial culture media	**500 gm** **2.5 kg**
BC 2002	**Meat Extract Powder,** Certified for the maximum recovery and growth of a wide variety of microorganisms. It is usually incorporated in a concentration of 0.3% to 0.5% when combined with suitable peptones.	**500 gm**
BA 2003	**Meat Extract Powder** used in general purpose and diagnostic media preparations	**500 gm**
BC 2003	**Meat Extract,** Certified replaces the meat peptone which yields earlier and/or heavier growth of microorganisms, bulk production of antibiotics, enzymes and other biological Preparations.	**500 gm**
BA 2669	**Meat Extract** Powder Type 1 used in media for routine cultivation and diagnostic purposes.	**500 gm** **5 kg**
BA 2008	**Bile Salts** for Bacteriology. for Use in Bacteriological culture media as selective inhibitory agent.	**500 gm**
BC 2008	**Bile Salts, Certified** a specially manufactured extract of bile salts, prepared from fresh ox bile, is recommended as a selectively inhibitory agent in microbiological culture media	**500 gm**
BA 2009	**Bile Salts Mixture** equivalent to Bile Salt No. 3 for use in Bacteriological culture media as selective inhibitory agent	**100 gm**
BC 2009	**Bile Salts Mixture, Certified** recommended for use in microbiological culture media for selective isolation and cultivation of bile tolerant enteric bacteria	**100 gm**
BA 2021	**Bio Peptone** mixture of Casein and Meat Peptones employed in media used for cultivation of microorganisms.	**500 gm**
BC 2021	**Bio Peptone,** Certified provides a broad spectrum of peptides amino acids which supports better microbiological growth characteristics to a large variety of organisms	**500 gm**
BA 2189	**Casein Acid Hydrolysate,** Certified **(Acicase, Certified)** Sodium chloride less than 3%	**500 gm**

Product Code	Product Name	Packing
BA 2013	**Casein Acid Hydrolysate,** Technical used in antibiotic sensitivity test media, vaccine preparation media etc.	**500 gm**
BC 2013	**Casein Acid Hydrolysate,** Certified **(Acicase, Certified)** recommended for use in culture media where microbiological growth is measured optically for example Antibiotic Assay Media.	**500 gm**
BA 2498	**Casein Acid Hydrolysate** Recommended Special for *Pertussis* Vaccine production.	**500 gm**
BA 2190	**Casein Acid Hydrolysate** (Acicase, Vitamin Free) used in bacteriological assay of vitamins and antibiotic sensitivity.	**500 gm**
BA 2014	**Casein Enzyme Hydrolysate,** Type-I Tryptone, used in sterility testing, diagnostic media preparations.	**500 gm** **2.5 kg**
BC 2014	**Casein Enzyme Hydrolysate, Certified** Tryptone, rich in tryptophan and is used by a wide variety of microorganisms, recommended in a number of media such as Sterility Testing media. Diagnostic media for biochemical characterization, etc.	**500 gm**
BA 2028	**Casein Enzyme Hydrolysate,** Type-II equivalent to Casitone, used in Antibiotic Assay Media.	**500 gm** **5 kg**
BC 2028	**Casein Enzyme Hydrolysate,** Type-II, **Certified** is a refined product providing high quality soluble source of amino acids, polypeptides and peptides. It is a very rich source of Amino Nitrogen. Recommended for Laboratory and fermentation media, for commercial production of antibiotics, toxins and enzymes.	**500 gm**
BA 9707	**Casein Enzyme Hydrolysate (MB grade)** suitable for recombinant strains growth and molecular biology work	**500 gm**
BA 2714	**Casein Peptone** enzymic, digest of casein	**500 gm** **2.5 kg**
BA 6902	**Casein Peptone Soya Meat** a mixture of casein, soya and meat peptones that provides broad spectrum of peptides and amino acids that supports better microbiological growth characteristics.	**500 gm**
BC 2032	**Certified Heart Infusion** a rich nutritive component used in media for cultivation of fastidious microorganisms.	**500 gm**

Product Code	Product Name	Packing
BA 2202	**Cholic Acid, Sodium Salt** See Sodium Cholate	**25 gm** **100 gm**
BA 2020	**Gelatin Peptone** enzymic digestion of gelatin, used, for antibiotic assay media and various fermentation media.	**500 gm** **2.5 kg**
BA 2191	**Heart Infusion Powder** a rich nutritive component used in media employed for cultivation of fastidious organisms and antibiotic sensitivity test.	**500 gm**
BA 9710	**Liver Extract Paste** used for cultivation of fastidious anaerobic bacteria and bulk production of vaccines, steroides, enzymes etc.	**500 gm**
BA 2326	**Liver Extract** Powder for cultivation of fastidious anaerobic bacteria. Also for bulk production of vaccines, steroids, enzymes etc.	**500 gm**
BA 2023	**Liver Hydrolysate** an ideal ingredient of culture media used for the cultivation of fastidious anaerobic bacteria.	**500 gm**
BA 8405	**Liver Hydrolysate, Neutralized** recommended for use in culture medium for cultivation of fastidious anaerobic bacteria.	**500 gm**
BA 2022	**Liver Infusion Powder** suitable for vaccine manufacturing.	**500 gm**
BA 2004	**Malt Extract Powder** ideally suitable for use in media for cultivation of fungi.	**500 gm**
BR 2004	**Malt Extract Powder**, **Refined** purified under controlled condition which is ideally suitable for broth media.	**500 gm**
BC 2004	**Malt Extract,** Certified ideally suitable for use in media for cultivation of fungi.	**500 gm**
BA 2569	**D(+) Maltose, Monohydrate**, Extra pure NRC grade, for vaccine production	**100 gm** **500 gm**
BA 2018	**D(+) Maltose, Monohydrate,** for bacteriological purpose	**100 gm** **500 gm**
BA 2570	**D-Mannitol, A.R. Sterile (γ irradiated)** suitable for use in media fill trials.	**5 kg** **50 kg**

Product Code	Product Name	Packing
BA 2192	**Meat Infusion** Powder a highly nutritious ingredients, used in standard nutrient media and as an additive in vaccine preparation.	**500 gm**
BA 2635	**Meat Peptone** for routine and mass scale cultivation of organisms for antibiotics, enzymes etc. production.	**500 gm**
BA 3049	**Meat Peptone** Type P peptone from meat (peptic) is obtained by proteolytic digest of meat with pepsin.	**500 gm**
BA 3050	**Meat Peptone** Type T peptone from meat (tryptic) is obtained by proteolytic digest of meat with trypsin.	**500 gm**
BA 2006	**Mycological Peptone** See Peptone M	**500 gm**
BC 2006	**Mycological Peptone,** Certified nutritious source for the isolation, cultivation and identification of saprophytic and dermatophytic fungi-yeast and moulds.	**500 gm**
BA 4565	**Oat Meal** Powder recommended for cultivation of fungi in microbiological culture media.	**500 gm**
BA 2656	**Papaic Digest of Casein** it is rich in proteases, peptidesand free amino acids, recommended for bulk production of antibiotics, enzymes and biomolecule production.	**500 gm**
BA 2001	**Peptone,** Bacteriological contains high tryptophan content used as culture media ingredient invariety of media. Also useful for commercial production of enzymes, vaccines, antibiotics and other Products.	**500 gm** **1 kg** **2.5 kg**
BC 2031	**Peptone** Certified recommended as a source of organic nitrogen and growth factor for cultivation of wide variety of microorganisms.	**500 gm**
BC 2001	**Peptone,** Certified recommended as a source of organic nitrogen and growth factors in culture media, fermentation processes and biological preparations.	**500 gm**

All the above Products to be Stored between 10-30°C



CULTURE MEDIA BASES

Product Code	Product Name	Packing
BA 2006	**Peptone** M equivalent to Mycological Peptone. Suitable for cultivation of yeasts and moulds.	**500 gm**
BA 2015	**Peptone** Special equivalent to Neopeptone. An enzymatic protein digest especially adapted for the preparation of media for culturing fastidious bacteria.	**500 gm**
BA 2667	**Peptone** Type I, Bacteriological used as culture media ingredient.	**500 gm** **5 kg**
BA 9709	**Peptone** Type III, Bacteriological recommended for general bacteriological work including mass cultivation.	**500 gm**
BA 2275	**Peptonized Milk (SH Powder)** suitable for Lactobacilli, yeasts and moulds.	**500 gm**
BA 2005	**Proteose Peptone** a highly nutritious ingredient employed in media used for bulk production of antibiotics, enzymes, bacterial toxins etc.	**500 gm** **5 kg**
BC 2005	**Proteose Peptone,** Certified a highly nutritious ingredient employed in media used for bulk production of antibiotics, enzymes, bacterial toxins etc.	**500 gm**
BA 8394	**Proteose Peptone A** enzymic hydrolysate of protein, rich in proteoses, peptide and free amino-acids, recommended for cultivation of fastidious pathogens and particularly for bulk production of antibiotics, enzyme, veterinary preparations and bacterial toxins, specially diphtheria toxin.	**500 gm**
BA 8392	**Proteose Peptone B** enzymic hydrolysate of protein, rich in proteoses, peptide and free amino-acids, provides superior nutrition for fastidious organisms including pyogenic cocci.	**500 gm** **2.5 kg**
BA 2280	**Protose** enzymic digest of mixed proteins, recommended for fermentation and vaccine industries.	**500 gm**
BA 2202	**Sodium Cholate** cholic acid, sodium salt as a selective inhibitory agent for bacteriological culture media.	**25 gm** **100 gm**
BA 2131	**Sodium Deoxycholate** as a selective inhibitory agent for bacteriological culture media.	**25 gm** **100 gm** **500 gm**

Product Code	Product Name	Packing
BA 2011	**Sodium Taurocholate** as a selective inhibitory agent for bacteriological culture media.	**500 gm**
BC 2011	**Sodium Taurocholate, Certified** a purified component of Ox bile (free from bile acid) is recommended as a selective agent in microbiological culture media.	**500 gm**
BA 2708	**Sodium Tauroglycocholate** as Selective inhibitory agent Bacteriological Grade.	**500 gm**
BA 2007	**Soya Peptone** papaic digest of soyabean meal, plant peptone	**500 gm** **5 kg**
BC 2007	**Soya Peptone,** Certified recommended in media that are required to support a short lag phase and smaller generation time to allow rapid luxuriant Growth.	**500 gm** **5 kg**
BA 9714	**Soya Peptone Type I** plant peptone is a soluble end product of the enzymic digestion of soyabean meal by papain.	**500 gm** **5 kg**
BA 2015	**Special Peptone** See Peptone Special	**500 gm**
BC 2015	**Special Peptone,** Certified specially designed to maximize the growth of fastidious microorganisms.	**500 gm**
BA 2014	**Tryptone** Type I See Casein Enzyme Hydrolysate	**500 gm** **2.5 kg**
BC 2014	**Tryptone,** Certified See Casein Enzyme Hydrolysate, Certified tryptone, recommended in a number of media such as Sterility Testing media, Diagnostic media and media for biochemical characterization etc.	**500gm**
BA 2193	**Tryptone** D, Type IV tryptic digest of casein, recommended for vaccine production.	**500 gm**
BA 2029	**Tryptone** T, Type-III for tetanus toxin, culture media ingredient.	**500 gm**
BA 2030	**Tryptose** bacteriological grade enzymatic hydrolysate of protein that can replace meat infusion.	**500 gm** **2.5 kg**
BC 2030	**Tryptose,** Certified designed to promote luxuriant growth of highly fastidious microorganisms.	**500 gm**

Product Code	Product Name	Packing
BA 2194	**Yeast Autolysate** extract from autolysing yeast cells (*Saccharomyces*) specially cultivated to obtain yeast autolysate.	**500 gm**
BA 2025	**Yeast Extract** Paste suitable for culture media	**500 gm**
BA 2027	**Yeast Extract** Powder Yeast extract is manufactured from selected strains of *Saccharomyces cerevisiae* under control conditions by retaining all the nutritive values, amino acids, vitamins, especially B group and growth factors. It contains low salt and is recommended for microbiological media and for mass cultivation of various microorganisms.	**500 gm** **2.5 kg**

Product Code	Product Name	Packing
BC 2027	**Yeast Extract** Powder, Certified rich in vitamins, especially those belonging to B-Complex and used particularly for cultivation of microorganisms encountered in milk or other dairy products.	**500 gm**
BA 2668	**Yeast Extract** Powder Type I specially developed for routine bacteriological work.	**500 gm** **5 kg**

Culture Media Bases
Ingredients

Culture Media bases used for isolation cultivation of microorganisms which also provides a broad spectrum of peptides with better microbiological growth to variety of organism.

All the above Products to be Stored between 10-30°C

ANTIMICROBIAL SUSCETIBILITY TESTING SYSTEMS

MICROBIOLOGY PRODUCTS

Your perfect choice of AST for in-vitro determination of antibiograms and minimum inhibitory concentration (MIC) of antibiotics against microbes.

It includes Sensitivity Discs, which are available as Single Discs and Multi Discs (combination of antibiotics)-Hexa, Octo, Dodeca and Icosa Discs.

Micomb Strips and Mic Ezy Strips to determine MIC of single, dual or multiple antibiotics using simplest technologies.

Product	Prefix	Page
• Mic Ezy Strips	EM	
>> Antibacterial Mic Ezy Strips(Single)		341
>> ESBL Detection Multi Mic Ezy Strips		346
>> AmpC Detection Multi Mic Ezy Strips		347
>> MBL - ESBL - AmpC Detection Mic Ezy Strips		347
>> MBL Detection Dual Mic Ezy Strips		347
>> KPC Detection Mic Ezy Strips		348
>> Dual Mic Ezy Strips		348
>> Antifungal Mic Ezy Strips (Single)		348
>> MicPer Teaching KIt		349
>> MiComb MIC Test (Antibacterial & Antifungal)	MD	349
Antimicrobial Sensitivity Discs	SD	
>> Discs as per CLSI and EUCAST standards (Antibacterial & Antifungal agents)		353
>> Discs only as per EUCAST standard		358
>> Non CLSI & Non EUCAST Discs		359
· Mic6 (Hexa) Discs	HX	367
· Mic8 (Octo) Discs	OD	372
· Mic12 (Dodeca) Discs	DE	378
· Mic20 (Icosa) Discs	IC	382

MIC EZY STRIPS

Antimicrobial Susceptibility Testing - Mic Ezy Strips

MIC DETERMINATION STRIPS

Mic Ezy Strip is a thin, inert and porous paper strip coated with antibiotic. Both sides of the strip are likewise printed with the MIC reading scale in mcg/ml and the two or three- letter symbol printed on the top of the strip helps in easy identification of the antibiotic. A predefined exponential gradient of antibiotic, dried and stabilized, is immobilized on either sides of the strip with the concentration maximum at one end and minimum at the other. The gradient covers a continuous concentration range across 15 two-fold dilutions of a conventional MIC method.

- Determines the MIC of fastidious, slow-growing or nutritionally deficient micro-organisms, or for a specific type of patient or infection.
- Confirms/ detects a specific resistant phenotype e.g. ES, MBL, VISA/hVISA. AmpC, MRSA, HLAR.
- Detects low levels resistance.
- Provides high medical value to critical care cases to, refine or guide treatment decisions. Also helps in determining the choice and dosage of antimicrobials in patients with sterile site infections (e.g. endocarditic), severe nosocomial infections, chronic infections, (e.g. cystic fibrosis) and immuno suppressed patients.
- Promotes antibiotic stewardship.

Factors affecting the performance of Sensitivity Discs

Effects of medium components

The quality of the medium plays major role in antimicrobial susceptibility system. Free electrolyte present in the medium can affect sensitivity of few antimicrobial agents. Hence, Mueller Hinton Agar should be monitored to make sure that is contains acceptable concentrations of divalent cations such as Cs^{++} and Mg^{++} as the increased concentration of Cs^{++} and Mg^{++} results in decreased activity of Aminoglycosides and Tetracyclines whereas the decreased concentration of Cs^{++} and Mg^{++} will have the opposite effect.

If Mueller Hinton Agar contains excessive amounts of thymine of thymidine content, they will reversibly inhibit the action of certain antimicrobial agents such as Sulfonamides, Trimethoprim-Sulphomethoxazole etc. which gives smaller or less distinct or even no zones and will be misinterpreted as resistant antibiotics. If zone of inhibition of Sulfonamides, Trimethorim, Trimethoprim-Sulphomethoxazole will £ 20 mm for E. faecalis ATCC 29212 can interpet as medium contains high thymine or thymidine content. Mueller Hinton Agar is low in thymine and thymidine content and it can be used successfully to study the susceptibility of antibiotics.

pH of medium

The pH of the prepared medium is one of the important parameter of disc diffusion method. The pH of prepared medium should fall within acceptable range which is 7.2 to 7.4 as per CLSI. If the pH is outisde the stated parameters the zone sizes will be altered, with the degree of alteration determined by the antibiotic group.

For e.g. an increase in pH will results in a decrease in Penicillins and Tetracyclines zones and increase in quinolones, macrolids and aminoglycosides zone; conversely, decrease in pH will results in increase in and aminoglycosides zone; pH should perform as a part of the routine quality control tests for each batch of medium prepared.

Depth of agar medium in petri plates

For antimicrobial activity, growth rate of the test organism affects the rate of diffusion of the antimicrobial agent. Hence it is advisable to pour the plates on uniform bench to achieve depth of 4 to 5 mm (Usally 70 ml medium for 150 mm Petri plate, 25 to 30 ml medium for 100 Petri plate and 20 to 25 ml medium for 90 mm Petri plate). Variation in depth of medium will affect the zone of inhibition which can give false positive or negative results.

For e.g. If the depth of agar is too thin, larger zones will appear as the antimicrobial compound will diffuse further than it should. If the depth of agar is too thick, smaller zones will appear as the diffusion of antimicrobial agent will be restricted.

Inoculum level

The inoculum level is also one of the most important, and variable factors in susceptibility testing, and will have a profound effect on the zone size obtained. The zone edge is determined when the critical mass is achieved. If the inoculum is heavy, then the critical mass will be achieved in a shorter time and the zone will be smaller. If the inoculum is light, the critical mass takes longer to develop, the antibiotic diffuses further and a larger zone is achieved. It is advisable to use a technique which yields a uniform suspension of correct number of organisms i.e. 10^5-10^6 cells/ml. Even if the density of culture is adjusted due to improper inoculation false results could be obtained. Inoculation method includes correct & even swabbing of plates & correct placement of discs.

Incubation

Incubation for correct time and correct temperature is also very important parameter. Incubation at temperature above 35 C may fail to detect Methicillin Resistant Staphylococci. At temperatures. lower than 35 C, the rate of growth of most bacteria is prolonged; also antimicrobial agents diffuse more slowely. Increased CO_2 atmosphere results in decreased pH, which affects the activity of some antimicrobial agents. The plates should therefore be incubated in ambient air atmosphere unless CO2 is necessary for the growth of the organisms. Hence, calibration of instruments is a must at all stages.

Disc Storage

The antibiotic discs must be stored according to manufacturer's instructions i.e. between -20 C and +8 C in a sealed, desiccated environment. Cartridges not in use should be stored unopened in their original packaging in order to prevent moisture ingress. This is extremely important since it is well known that moisture is a major cause of antibiotic degradation. Opened cartridges must be refrigerated and sealed in the disc dispenser or other suitable container when not in use. Opened cartridges should not be stored for more than one week; cartridges containing b-lactamase inhibitors (e.g. clavulanic acid, tazobactam and sulbactam) are particularly susceptible to moisture which may results in degradation of antibiotics.

Effect of Inoculum level

Inoculum : $<10^5$-10^6 cells/ml	Inoculum : 10^5-10^6 cells/ml	Inoculum : $>10^5$-10^6 cells/ml
Observed zone : SD1035 - 30mm SD1045 - 45mm	Observed zone : SD1035 - 23mm SD1045 - 20mm	Observed zone : SD1035 - 19mm SD1045 - 16mm

Staphylococcus aureus ATCC 25923
Std. zone : SD1035 Amikacin 30mcg : 20-26 mm
SD1045 Vancomycin 10mcg : 17-21 mm

Product Code	Product Name	Packing
EM1001	**Amikacin** **AMK** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Amikacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1002	***Amoxicillin** **AMX** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Amoxicillin on a single strip in a concentration gradient manner,capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1003	***Amoxyclav (2:1)** **AMC** **(Amoxicillin/Clavulanic Acid)** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated which is coated with Amoxyclav (Amoxicillin & Clavulanic Acid) on a single strip in a concentration gradient manner, of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1139	***Amoxyclav** **AUG** **(Amoxicillin/ Clavulanic acid (2 mcg/ml)** **(As per EUCAST)** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Amoxyclav (Amoxicillin &Clavulanic acid) on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1068	***Ampicillin** **AMP** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Ampicillin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1109	***Ampicillin/Sulbactam (2:1)** **AMS** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Ampicillin & Sulbactam on a single strip in a concentration gradient, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1140	***Ampicillin/Sulbactam** **SAM** **Ampicillin/Sulbactam (4mcg/ml)** **(As per EUCAST)** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Ampicillin & Sulbactam on a single strip in a concentration gradient manner, capable showing MIC's range predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1004	**Azithromycin** **AZI** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Azithromycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1006	***Aztreonam** **AZT** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Aztreonam on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**

Product Code	Product Name	Packing
EM1126	**Bacitracin** **BAC** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Bacitracin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1107	***Cefaclor** **CEC** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefaclor on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1008	***Cefazolin** **CFZ** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefazolin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1009	***Cefdinir** **CDR** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefdinir on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1070	***Cefepime** **CPM** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefepime on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1093	***Cefepime/Tazobactam** **CPT** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefepime & Tazobactam on a single strip in a concentration gradient, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1110	***Cefixime** **FIX** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefixime on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1148	***Cefixime/Clavulanic acid** **FIC** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefixime & Clavulanic acid on a single strip in a concentration gradient, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1114	***Cefmetazole** **CMZ** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefmetazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1113	***Cefonicid** **CID** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefonicid on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**

Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.

★ On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
For prolonged use, store at or below -20°C.

Product Code	Product Name	Packing
EM1112	***Cefoperazone CFP** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefoperazone on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st 30st 60st 90st 120st 150st**
EM1094	***Cefoperazone/Sulbactam (2:1) CPS** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefoperazone & Sulbactam on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st 30st 60st 90st 120st 150st**
EM1100	***Cefotaxime CTX** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Cefotaxime on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st 30st 60st 90st 120st 150st**
EM1064	***Cefotaxime CTX** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefotaxime on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st 30st 60st 90st 120st 150st**
EM1105	***Cefotetan CTN** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefotetan on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st 30st 60st 90st 120st 150st**
EM1101	***Cefoxitin FOX** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefoxitin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st 30st 60st 90st 120st 150st**
EM1011	***Cefpirome CR** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefpirome on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st 30st 60st 90st 120st 150st**
EM1129	***Cefpodoxime CPD** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefpodoxime on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st 30st 60st 90st 120st 150st**

Product Code	Product Name	Packing
EM1138	*** Cefpodoxime/Clavulanic acid CPC** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefpodoxime & Clavulanic acid on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st 30st 60st 90st 120st 150st**
EM1130	***Cefprozil CPR** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefprozil on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st 30st 60st 90st 120st 150st**
EM1012	***Ceftazidime CAZ** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Ceftazidime on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st 30st 60st 90st 120st 150st**
EM1149	***Ceftazidime/Tazobactam CAT** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Ceftazidime & Tazobactam on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st 30st 60st 90st 120st 150st**
EM1123	***Ceftizoxime ZOX** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Ceftizoxime on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st 30st 60st 90st 120st 150st**
EM1013	***Ceftriaxone CTR** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Ceftriaxone on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st 30st 60st 90st 120st 150st**
EM1066	***Ceftriaxone CTR** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Ceftriaxone on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st 30st 60st 90st 120st 150st**
EM1097	***Ceftriaxone/Sulbactam (2:1) CTS** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Ceftriaxone & Sulbactam on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st 30st 60st 90st 120st 150st**

* Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
For prolonged use, store at or below -20°C.

Product Code	Product Name	Packing
EM1102	***Cefuroxime** **CXM** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip whic is coated with Cefuroxime on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1106	***Cephalothin** **CEP** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cephalothin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1016	**Chloramphenicol** **CHL** Range in µg :**0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Chloramphenicol on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1017	**Ciprofloxacin** **CIP** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Ciprofloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1082	**Ciprofloxacin** **CPH** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Ciprofloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1018	**Clarithromycin** **CLR** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Clarithromycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1019	**Clindamycin** **CLI** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Clindamycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1020	**Colistin** **CL** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Colistin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1021	**Co-Trimoxazole (1:19)** **COT** **(Trimethoprim/Sulfamethoxazole)** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Co-Trimoxazole (Trimethoprim & Sulfamethoxazole) on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1083	**Co-Trimoxazole (1:19)** **TSH** **(Trimethoprim/Sulfamethoxazole)** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Co-Trimoxazole (Trimethoprim & Sulfamethoxazole) on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1088	**Daptomycin** **DAP** (Supplemented with Calcium ions) Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Daptomycin along with Calcium ions on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1090	***Doripenem** **DOR** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Doripenem on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1103	**Doxycycline** **DOX** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Doxycycline on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1115	**Enrofloxacin** **EFX** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Enrofloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1085	***Ertapenem** **ETP** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Ertapenem on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**

Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.

★ On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
For prolonged use, store at or below -20°C.

Product Code	Product Name	Packing
EM1022	**Erythromycin** **ERY** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Erythromycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1091	***Faropenem** **FAR** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Faropenem on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1108	**Fosfomycin** **FOS** (Supplemented with Glucose-6-phosphate) ange in µg : **0.064 - 1024 mcg/ml** A unique MIC determination paper strip which is coated with Fosfomycin along with Glucose-6-phosphate on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1023	**Fusidic Acid** **FC** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Fusidic Acid on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1024	**Gatifloxacin** **GAT** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Gatifloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1076	**Gemifloxacin** **GEM** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Gemifloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1025	**Gentamicin** **GEN** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Gentamicin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1061	**Gentamicin** **HLG** Range in µg : **0.064 - 1024 mcg/ml** A unique MIC determination paper strip which is coated with Gentamicin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**

Product Code	Product Name	Packing
EM1104	**#Imipenem** **IPM** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Imipenem on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1026	**Kanamycin** **KAN** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Kanamycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1027	**Levofloxacin** **LEV** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Levofloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1029	**Linezolid** **LNZ** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Linezolid on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1124	***Mecillinam** **MEC** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Mecillinam on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1080	***Meropenem** **MRP** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Meropenem on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1128	**Metronidazole** **MTZ** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Metronidazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1032	**Minocycline** **MIN** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Minocycline on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**

* Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
For prolonged use, store at or below -20°C.

Product Code	Product Name	Packing
EM1033	**Moxifloxacin** **MXF** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Moxifloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1087	**Mupirocin** **MUP** Range in µg : **0.064 - 1024 mcg/ml** A unique MIC determination paper strip which is coated with Mupirocin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1035	**Nalidixic acid** **NAL** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Nalidixic acid on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1095	**Netilmicin** **NET** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Netilmicin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1037	**Nitrofurantoin** **NIT** Range in µg : **0.032 - 512 mcg/ml** A unique MIC determination paper strip which is coated with Nitrofurantoin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1038	**Norfloxacin** **NOR** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Norfloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1039	**Ofloxacin** **OFX** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Ofloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1065	***Oxacillin** **OXA** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Oxacillin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**

Product Code	Product Name	Packing
EM1084	***Penicillin** **PEN** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Penicillin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1062	***Penicillin** **PEN** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Penicillin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1041	***Piperacillin** **PIP** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Piperacillin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1042	***Piperacillin/Tazobactam** **PTZ** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Piperacillin & Tazobactam on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1043	**Polymixin B** **PB** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Polymixin B on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1044	**Pristinomycin (Quinupristin/Dalfopristin)** **QDA** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Pristinomycin (Quinupristin & Dalfopristin) on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1045	**Rifampicin** **RIF** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Rifampicin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1046	**Roxithromycin** **ROX** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Roxithromycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**

Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.

★ On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
For prolonged use, store at or below -20°C.

Product Code	Product Name	Packing
EM1047	**Sparfloxacin** **SPA** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Sparfloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1048	**Streptomycin** **STR** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Streptomycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1131	***Sulbactam** **SUL** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Sulbactam on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1055	**Teicoplanin** **TEI** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Teicoplanin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1056	**Tetracycline** **TET** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Tetracycline on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1057	***Ticarcillin** **TIC** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Ticarcillin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1125	***Ticarcillin/Clavulanic Acid** **TCC** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Ticarcillin & Clavulanic Acid on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1089	**Tigecycline** **TGC** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Tigecycline on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1058	**Tobramycin** **TOB** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Tobramycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1059	**Trimethoprim** **TMP** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Trimethoprim on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1060	**Vancomycin** **VAN** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Vancomycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**10st** **30st** **60st** **90st** **120st** **150st**

ESBL Detection Multi Mic EZY Strips

Product Code	Product Name	Packing
EM1116	***Cefepime / Cefepime + Clavulanic acid** **CPM+/ CPM** Range : **CPM+ :** Cefepime with Clavulanic acid : 0.064 - 4 **CPM :** Cefepime : 0.25 - 16 **For ESBL detection :** A unique phenotypic detection strip which is coated with Cefepime + Clavulanic acid on upper half with highest concentration tapering downward whereas lower half is coated with cefepime in a reverse direction.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1099	***Cefotaxime / Cefotaxime + Clavulanic acid** **CTX + / CTX** Range : **CTX+ :** Cefotaxime with Clavulanic acid: 0.016 - 1 **CTX :** Cefotaxime : 0.25-16 **For ESBL detection :** A unique phenotypic detection strip which is coated with Cefotaxime + Clavulanic acid on upper half with highest concentration tapering downward whereas lower half is coated with Cefotaxime in a reverse direction.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1098	***Ceftazidime / Ceftazidime+ Clavulanic acid** **CAZ + / CAZ** Range : **CAZ+ :** Ceftazidime with Clavulanic acid: 0.064 - 4 **CAZ :** Ceftazidime : 0.5 - 32 **For ESBL detection :** A unique phenotypic detection strip which is coated with Ceftazidime + Clavulanic acid on upper half with highest concentration tapering downward whereas lower half is coated with Ceftazidime in a reverse direction.	**10st** **30st** **60st** **90st** **120st** **150st**

* Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
For prolonged use, store at or below -20°C.

Product Code	Product Name		Packing
EM1117	***Ceftriaxone / Ceftriaxone + Clavulanic acid** Range : **CTR + :** Ceftriaxone with Clavulanic acid : 0.016 - 1 **CTR :** Ceftriaxone : 0.25 - 16 **For ESBL detection :** A unique phenotypic detection strip which is coated with Ceftriaxone + Clavulanic acid on upper half with highest concentration tapering downward whereas lower half is coated with Ceftriaxone in a reverse direction.	**CTR +/ CTR**	**10st 30st 60st 90st 120st 150st**
EM1132	***Improved ESBL Detection Strip** Range : **MIX+ :** Ceftazidime, Cefotaxime, mixture with Clavulanic acid : 0.032- 4 **MIX:** Ceftazidime, Cefotaxime mixture: 0.125-16 **For ESBL detection :** A unique phenotypic detection strip which is coated with Ceftazidime & Cefotaxime mixture + Clavulanic acid on upper half with highest concentration tapering downward whereas lower half is coated with Ceftazidime & Cefotaxime mixture in a reverse direction.	**MIX+ / MIX**	**10st 30st 60st 90st 120st 150st**
	Ampc Detection Multi Mic EZY Strips		
EM1127	***Cefotetan / Cefotetan + Cloxacillin** Range : **CTN+ :** Cefotetan with Cloxacillin : 0.5 - 32 mcg/ml **CTN :** Cefotetan : 0.5 - 32 mcg/ml **For AmpC Detection :** A unique phenotypic detection strip which is coated with Cefotetan + Cloxacillin on upper half with highest concentration tapering downward whereas lower half is coated with Cefotetan in a reverse direction.	**CTN+ / CTN**	**10st 30st 60st 90st 120st 150st**
EM1133	***Improved AmpC Detection Strip** Range : **MIX+ :** Ceftazidime, Cefotaxime & Cloxacillin mixture with Clavulanic acid : 0.032- 4 **MIX :** Ceftazidime, Cefotaxime & Cloxacillin mixture : 0.125-16 **For ESBL & AmpC Detection:** A unique phenotypic detection strip which is coated with Ceftazidime, Cefotaxime & Cloxacillin mixture + Clavulanic acid on upper half with highest concentration tapering downward whereas lower half is coated with Ceftazidime, Cefotaxime & Cloxacillin mixture in a reverse direction.	**MIX+/ MIX**	**10st 30st 60st 90st 120st 150st**
EM1136	***ESBL- AmpC Co-existence Detection Kit** **Kit Content :** 10 strips each of EM1132 - Improved ESBL Detection Strip EM1133 - Improved AmpC Detection Strip		**1 kit**

Product Code	Product Name		Packing
	MBL-ESBL-AmpC Detection Strips		
EM1135	***MBL Plus AmpC Detection Strip** Range : **AmpC+:** Ceftazidime, Cefotaxime, Cloxacillin & EDTA with Clavulanic acid : 0.032- 4 **AmpC :** Ceftazidime, Cefotaxime, Cloxacillin & EDTA : 0.125-16 **For MBL, ESBL & AmpC Detection :** A unique phenotypic detection strip which is coated with Ceftazidime, Cefotaxime, Cloxacillin, EDTA mixture + clavulanic acid on upper half with highest concentration tapering downward whereas lower half is coated with Ceftazidime, Cefotaxime, Cloxacillin & EDTA mixture in a reverse direction.	**AmpC+/ AmpC**	**10st 30st 60st 90st 120st 150st**
EM1134	***MBL Plus ESBL Detection Strip** Range : **ESBL+:** Ceftazidime, Cefotaxime & EDTA with Clavulanic acid : 0.032- 4 **ESBL :** Ceftazidime, Cefotaxime & EDTA : 0.125-16 **For MBL + ESBL Detection :** A unique phenotypic detection strip which is coated with Ceftazidime, Cefotaxime, EDTA mixture + clavulanic acid on upper half with highest concentration tapering downward whereas lower half is coated with Ceftazidime, Cefotaxime, EDTA mixture in a reverse direction.	**ESBL+/ ESBL**	**10st 30st 60st 90st 120st 150st**
EM1137	***MBL-ESBL-AmpC Co-existence Kit** **Kit Content :** 10 strips each of EM1134 - MBL plus ESBL Detection Strip EM1135 - MBL plus AmpC Detection Strip		**1 kit**
	MBL Detection Dual Mic EZY Strips		
EM1078	**#Imipenem with & without EDTA** Range : **Imipenem+EDTA : 1 - 64** **Imipenem: 4 - 256** **For MBL detection :** A unique phenotypic detection strip which is coated with Imipenem + EDTA on upper half with highest concentration tapering downward whereas lower half is coated with Imipenem in a reverse direction.	**IPM+ EDTA / IPM**	**10st 30st 60st 90st 120st 150st**
EM1092	***Meropenem with & without EDTA** Range : **Meropenem+EDTA : 1 - 64** **Meropenem: 4 - 256** **For MBL detection :** A unique phenotypic detection strip which is coated with Meropenem + EDTA on upper half with highest concentration tapering downward whereas lower half is coated with Meropenem in a reverse direction.	**MRP+ EDTA / MRP**	**10st 30st 60st 90st 120st 150st**

Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.

★ On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C. For prolonged use, store at or below -20°C.

KPC Detection Mic EZY Strip

Product Code	Product Name	Packing
EM1141	***Ertapenem/ Ertapenem + Boronic acid** **ETP+/ ETP** Range : **ETP+:** Ertapenem + Boronic acid **:** 0.032-2 **ETP:** Ertapenem : 0.125 - 8 **For KPC Detection :** A unique phenotypic detection strip which is coated with Ertapenem + Boronic acid on upper half with highest concentration tapering downward whereas lower half is coated with Ertapenem in a reverse direction.	10st 30st 60st 90st 120st 150st

Dual Mic EZY Strips

Product Code	Product Name	Packing
EM1063	***Oxacillin - Vancomycin** **OXA / VAN** Range : **Oxacillin : 0.064 - 8 mcg/ml** **Vancomycin : 0.19 - 16 mcg/ml** **For MRSA detection :** MIC strip which is coated with two different antibiotics on a single strip in a concentration gradient manner. The upper half has Oxacillin with a highest concentration tapering downwards, whereas lower half is similarly coated with Vancomycin concentration gradient in reverse direction.	10st 30st 60st 90st 120st 150st
EM1077	***Vancomycin - Cefoxitin** **VAN / CX** Range : **Cefoxitin: 0.5 - 64 mcg/ml** **Vancomycin : 0.19 -16 mcg/ml** **For MRSA detection :** MIC strip which is coated with two different antibiotics on a single strip in a concentration gradient manner. The upper half has Vancomycin with a highest concentration tapering downwards, whereas lower half is similarly coated with Cefoxitin concentration gradient.	10st 30st 60st 90st 120st 150st
EM1111	**Vancomycin - Teicoplanin** **VAN / TEI** Range : **Vancomycin : 0.5 - 32 mcg/ml** **Teicoplanin : 0.5 - 32 mcg/ml** **For GRD detection :** MIC strip which is coated with two different antibiotics on a single strip in a concentration gradient manner. The upper half has Vancomycin with a highest concentration tapering downwards, whereas lower half is similarly coated with Teicoplanin concentration gradient in reverse direction.	10st 30st 60st 90st 120st 150st

Antifungal Mic EZY Strips

Product Code	Product Name	Packing
EM1071	**Amphotericin B** **AP** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Amphotericin B on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	10st 30st 60st 90st 120st 150st
EM1122	**Anidulafungin** **AND** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Anidulafungin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	10st 30st 60st 90st 120st 150st
EM1119	**Caspofungin** **CAS** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Caspofungin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	10st 30st 60st 90st 120st 150st
EM1144	**Clotrimazole** **CLO** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Clotrimazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	10st 30st 60st 90st 120st 150st
EM1072	**Fluconazole** **FLC** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Fluconazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	10st 30st 60st 90st 120st 150st
EM1118	**Flucytosine** **FLU** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Flucytosine on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	10st 30st 60st 90st 120st 150st
EM1143	**Griseofulvin** **GRI** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Griseofulvin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	10st 30st 60st 90st 120st 150st
EM1073	**Itraconazole** **ITR** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Itraconazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	10st 30st 60st 90st 120st 150st
EM1074	**Ketoconazole** **KET** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Ketoconazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	10st 30st 60st 90st 120st 150st
EM1121	**Micafungin** **MYC** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Micafungin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	10st 30st 60st 90st 120st 150st

* Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
For prolonged use, store at or below -20°C.

Product Code	Product Name	Packing
EM1146	**Miconazole** **MIC** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Miconazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined Gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1145	**Nystatin** **NYT** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Nystatin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined Gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1120	**Posaconazole** **POS** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Posaconazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined Gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1142	**Terbinafine** **TRB** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Terbinafine on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined Gradient.	**10st** **30st** **60st** **90st** **120st** **150st**
EM1086	**Voriconazole** **VRC** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Voriconazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined Gradient.	**10st** **30st** **60st** **90st** **120st** **150st**

MicPer Microbiology Teaching Kits

HTM1006	**MicPer Teaching Kit** Microgen MicPer Mic Ezy Teaching Kit facilitates the determination of the Minimum Inhibitory Concentration (MIC) of an antimicrobial agent required to inhibit growth of a microorganism under defined condition. **Contents:** *S. aureus* culture, MIC Strips (Ciprofloxacin, Vancomycin, Azithromycin, Linezolid, Amikacin), Mueller Hinton Agar, Sterile cotton swabs, Applicator, Saline.	**10pr**

Micomb MIC Test strip

Study 16 concentrations of an antibiotic at one time.

Easy, Accurate & Fast

Convenient and the most economical test for the assessment of minimum inhibitory concentration (MIC) of antimicrobial agent.

1. Micomb consists of a strip made of an inert material, with 8 extensions that carry the discs of 4 mm, resembling the 'tooth' of a comb
2. Towards the stem of the strip, MIC reading scale in mcg/ml is given along with the Microgen Code.
3. A defined concentration of antibiotic is loaded on each of the disc so as to from a gradient when placed on agar plate.
4. When applied to the agar surface, the antibiotic instantaneously diffuses into the surrounding medium in hugh to low amounts from one end of the strip to the other.
5. The gradient remains stable after diffusion, and the zone of inhibition created takes the form of ellipse.

Product Code	Product Name	Packing
MD1001	**Amikacin** **AK** Range A : 256-0.1 in µg B : 4-0.001 Levels A : 256, 128, 64, 32, 16, 8, 4, 0.1 in µg B : 4, 2, 1, 0.5, 0.1, 0.05, 0.01, 0.001	**1pk**
MD1067	**Amikacin** **AK** Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	**1pk**
MD1002	***Amoxicillin** **AMX** Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.1, 0.05, 0.01, 0.001	**1pk**
MD1003	***Amoxyclav (Amoxicillin/ Clavulanic acid)** **AMC** Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.1, 0.05, 0.01, 0.001	**1pk**
MD1068	***Ampicillin** **AMP** Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	**1pk**
MD1004	**Azithromycin** **AZM** Range A : 128-0.01 in µg B : 2-0.0001 Levels A : 128, 64, 32, 16, 8, 4, 0.1, 0.01 in µg B : 2, 1, 0.5, 0.1, 0.05, 0.01, 0.005, 0.0001	**1pk**

Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
* On receipt store at -20°C. For prolonged use, store at or below -20°C. On receipt all the other products to be stored between -20°C to 8°C.
• : 1 Pack contains 10 strips of A + 10 strips of B.
Preparation Δ : Stored at 15 - 25°C except certain components specified in each kit (as specified on label).

Product Code	Product Name	Packing
MD1005	***Azlocillin AZ** Range A : 240-0.01 in µg B : 16-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 16, 8, 4, 2, 1, 0.1, 0.01, 0.001	1pk
MD1006	**Aztreonam AT** Range A : 240-0.01 in µg B : 2-0.0001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 2, 1, 0.5, 0.1, 0.05, 0.01, 0.005, 0.0001	1pk
MD1062	***Benzyl Penicillin P** Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	1pk
MD1007	***Carbenicillin CB** Range A : 512-0.1 in µg B : 32-0.01 Levels A : 512, 256, 128, 64, 32, 16, 4, 0.1 in µg B : 32, 16, 8, 4, 2, 1, 0.1, 0.01	1pk
MD1014	***Cefalexin (Cephalexin) CN** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01,0.001	1pk
MD1008	***Cefazolin CZ** Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.25, 0.1, 0.01, 0.001	1pk
MD1009	***Cefdinir CDR** Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.1, 0.01, 0.008, 0.001	1pk
MD1010	***Cefepime CPM** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1pk
MD1070	***Cefepime CPM** Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	1pk
MD1015	***Cefotaxime (Cephotaxime) CTX** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1pk
MD1064	***Cefotaxime (Cephotaxime) CTX** Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	1pk

Product Code	Product Name	Packing
MD1011	***Cefpirome CFP** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1pk
MD1012	***Ceftazidime CAZ** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1pk
MD1069	***Ceftazidime CAZ** Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	1pk
MD1013	***Ceftriaxone CTR** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01,0.001	1pk
MD1066	***Ceftriaxone CTR** Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	1pk
MD1016	**Chloramphenicol C** Range A : 240-0.01 in µg B : 8-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 8, 4, 2, 1, 0.5, 0.1, 0.01, 0.001	1pk
MD1017	**Ciprofloxacin CIP** Range A : 240-0.01 in µg B : 2-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 2, 1, 0.5, 0.25, 0.01, 0.008, 0.004, 0.001	1pk
MD1018	**Clarithromycin CLR** Range A : 240-0.01 in µg B : 16-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 16, 8, 4, 2, 1, 0.1, 0.01, 0.001	1pk
MD1019	**Clindamycin CD** Range A : 240-0.01 in µg B : 8-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 8, 4, 2, 0.5, 0.08, 0.06, 0.01, 0.001	1pk
MD1020	**Colistin (Methane Sulphonate) CL** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1pk
MD1021	**Co-Trimoxazole (Sulpha/ Trimethoprim) COT** Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.1, 0.05, 0.01, 0.001	1pk

Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
* On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
For prolonged use, store at or below -20°C. • : 1 Pack contains 10 strips of A + 10 strips of B.
Preparation Δ : Stored at 15 - 25°C except certain components specified in each kit (as specified on label).

Product Code	Product Name		Packing
MD1022	**Erythromycin** Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.25, 0.1, 0.01, 0.001	**E**	1pk
MD1023	**Fusidic Acid** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**FC**	1pk
MD1024	**Gatifloxacin** Range A : 64-0.01 in µg B : 2-0.001 Levels A : 64, 32, 16, 8, 4, 2, 0.1, 0.01 in µg B : 2, 1, 0.5, 0.1, 0.03, 0.008, 0.004, 0.001	**GAT**	1pk
MD1076	**Gemifloxacin** Range A : 240-0.001 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.25, 0.1, 0.01, 0.001	**GEM**	1pk
MD1025	**Gentamicin** Range A : 240-0.01 in µg B : 5-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 5, 2, 1, 0.5, 0.25, 0.1, 0.01, 0.001	**GEN**	1pk
MD1061	**Gentamicin** Range A : 1024-8 in µg B : 8.192-0.064 Levels A : 1024, 512, 256, 128, 64, 32, 16, 8 in µg B : 8. 192, 4.096, 2.048, 1.024, 0.512, 0.256, 0.128, 0.064	**GEN**	1pk
MD1026	**Kanamycin** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**K**	1pk
MD1027	**Levofloxacin** Range A : 240-0.01 in µg B : 5-0.005 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 5, 4, 2, 1, 0.5, 0.25, 0.05, 0.005	**LE**	1pk
MD1028	**Lincomycin** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**L**	1pk
MD1029	**Linezolid** Range A : 240-0.01 in µg B : 8-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 8, 4, 2, 1, 0.5, 0.1, 0.01, 0.001	**LZ**	1pk
MD1030	**Lomefloxacin** Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.25, 0.1, 0.01, 0.001	**LOM**	1pk
MD1031	***Methicillin** Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.25, 0.1, 0.01, 0.001	**MET**	1pk
MD1032	**Minocycline** Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.25, 0.1, 0.01, 0.001	**MI**	1pk
MD1033	**Moxifloxacin** Range A : 240-0.01 in µg B : 32-0.005 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 32, 16, 8, 4, 0.1, 0.06, 0.03, 0.005	**MO**	1pk
MD1034	**Mupirocin** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**MU**	1pk
MD1035	**Nalidixic Acid** Range A : 240-0.01 in µg B : 8-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 8, 4, 2, 1, 0.5, 0.1, 0.05, 0.001	**NA**	1pk
MD1036	**Neomycin** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**N**	1pk
MD1037	**Nitrofurantoin** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**NIT**	1pk
MD1038	**Norfloxacin** Range A : 240-0.01 in µg B : 8-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 8, 4, 2, 1, 0.5, 0.1, 0.05, 0.001	**NX**	1pk
MD1039	**Ofloxacin** Range A : 64-0.01 in µg B : 8-0.001 Levels A : 64, 32, 16, 8, 4, 2, 0.1, 0.01 in µg B : 8, 4, 2, 0.5, 0.15, 0.06, 0.004, 0.001	**OF**	1pk
MD1065	***Oxacillin** Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	**OX**	1pk
MD1040	**Pefloxacin** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**PF**	1pk

Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
★ On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
For prolonged use, store at or below -20°C. • : 1 Pack contains 10 strips of A + 10 strips of B.
Preparation Δ : Stored at 15 - 25°C except certain components specified in each kit (as specified on label).

Product Code	Product Name		Packing
MD1041	***Piperacillin**	**PI**	**1pk**
	Range A : 240-0.01 in µg B : 5-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 5, 1, 0.5, 0.1, 0.08, 0.06, 0.01, 0.001		
MD1042	***Piperacillin/Tazobactam**	**PIT**	**1pk**
	Range A : 240-0.01 in µg B : 5-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 5, 1, 0.5, 0.1, 0.08, 0.06, 0.01, 0.001		
MD1043	**Polymyxin-B**	**PB**	**1pk**
	Range A : 240-0.01 in µg B : 32-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 32, 16, 8, 4, 1, 0.1, 0.01, 0.001		
MD1044	**Pristinomycin (Quinupristin/Dalfopristin)**	**RP**	**1pk**
	Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001		
MD1045	**Rifampicin**	**RIF**	**1pk**
	Range A : 240-0.01 in µg B : 32-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 32, 16, 8, 4, 1, 0.1, 0.01, 0.001		
MD1046	**Roxithromycin**	**RO**	**1pk**
	Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001		
MD1047	**Sparfloxacin**	**SPX**	**1pk**
	Range A : 64-0.01 in µg B : 2-0.001 Levels A : 64, 32, 16, 8, 4, 2, 1, 0.01 in µg B : 2, 1, 0.5, 0.1, 0.06, 0.03, 0.004, 0.001		
MD1048	**Streptomycin**	**S**	**1pk**
	Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001		
MD1049	**Sulfasomidine**	**SO**	**1pk**
	Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001		
MD1050	**Sulphadiazine**	**SZ**	**1pk**
	Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001		
MD1051	**Sulphafurazole (Sulfisoxazole)**	**SF**	**1pk**
	Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001		

Product Code	Product Name		Packing
MD1052	**Sulphamethizole**	**SM**	**1pk**
	Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001		
MD1053	**Sulphamethoxypyridazine**	**ST**	**1pk**
	Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001		
MD1054	**Sulphaphenazole**	**SP**	**1pk**
	Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001		
MD1055	**Teicoplanin**	**TEI**	**1pk**
	Range A : 240-0.01 in µg B : 1-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 1, 0.8, 0.5, 0.25, 0.1, 0.05, 0.01, 0.001		
MD1056	**Tetracycline**	**TE**	**1pk**
	Range A : 240-0.01 in µg B : 5-0.01 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 5, 3, 2, 1, 0.5, 0.25, 0.1, 0.01		
MD1057	***Ticarcillin**	**TI**	**1pk**
	Range A : 240-0.01 in µg B : 16-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 16, 8, 4, 2, 1, 0.1, 0.01, 0.001		
MD1058	**Tobramycin**	**TOB**	**1pk**
	Range A : 240-0.01 in µg B : 16-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 16, 8, 4, 2, 1, 0.1, 0.01, 0.001		
MD1059	**Trimethoprim**	**TR**	**1pk**
	Range A : 240-0.01 in µg B : 32-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 32, 16, 8, 4, 2, 0.1, 0.01, 0.001		
MD1060	**Vancomycin**	**VA**	**1pk**
	Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.1, 0.05, 0.01, 0.001		
MD1063	**Vancomycin**	**VA**	**1pk**
	Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016		

Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
* On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
For prolonged use, store at or below -20°C. • : 1 Pack contains 10 strips of A + 10 strips of B.
Preparation Δ : Stored at 15 - 25°C except certain components specified in each kit (as specified on label).

Product Code	Product Name			Packing
Antifungal Agents				
MD1071	**Amphotericin B** Range A : 32-0.25 in µg B : 0.256-0.002 Levels A : 32, 16, 8, 4, 2, 1, 0.5, 0.25 in µg B : 0.256, 0.128, 0.064, 0.032, 0.016, 0.008, 0.004, 0.002	**AP**		**1pk**
MD1072	**Fluconazole** Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	**FLC**		**1pk**
MD1073	**Itraconazole** Range A : 32-0.25 in µg B : 0.256-0.002 Levels A : 32, 16, 8, 4, 2, 1, 0.5, 0.25 in µg B : 0.256, 0.128, 0.064, 0.032, 0.016, 0.008, 0.004, 0.002	**IT**		**1pk**
MD1074	**Ketoconazole** Range A : 32-0.25 in µg B : 0.256-0.002 Levels A : 32, 16, 8, 4, 2, 1, 0.5, 0.25 in µg B : 0.256, 0.128, 0.064, 0.032, 0.016, 0.008, 0.004, 0.002	**KT**		**1pk**
Antibacterial Agents Concentration of Antibiotics **as per CLSI** (formerly NCCLS) & **EUCAST** standards Now Microgen AST product range also offers Sensitivity discs as per EUCAST standard (The Europe Committee onAntimicrobial Susceptibility Testing). For more convenience of user we have separated the list of antibiotic discs as per CLSI, EUCAST & non CLSI & non EUCAST items. The following packaging are our standard packs for Antimicrobial Susceptibility Testing products.				
SD1035	**Amikacin #**	**AK**	**30 mcg**	**1pk 1vl 5vl 5x50ds 5ct**
SD1063	***Amoxyclav # (Amoxicillin/Clavulanic acid)**	**AMC**	**30 mcg (20/10 mcg)**	**1pk 1vl 5vl 5x50ds 5ct**
SD1002	***Ampicillin #**	**AMP**	**10 mcg**	**1pk 1vl 5vl 5x50ds 5ct**
SD1112	***Ampicillin/Sulbactam # A/S**		**10/10 mcg**	**1pk 1vl 5vl 5x50ds 5ct**
SD1204	**Azithromycin**	**AZM**	**15 mcg**	**1pk 1vl 5vl 5x50ds 5ct**
SD1064	***Azlocillin**	**AZ**	**75 mcg**	**1pk 1vl 5vl 5x50ds 5ct**
SD1212	***Aztreonam #**	**AT**	**30 mcg**	**1pk 1vl 5vl 5x50ds 5ct**
SD1004	***Carbenicillin**	**CB**	**100 mcg**	**1pk 1vl 5vl 5x50ds 5ct**
SD1157	***Cefaclor #**	**CF**	**30 mcg**	**1pk 1vl 5vl 5x50ds 5ct**
SD1200	***Cefamandole**	**FAM**	**30 mcg**	**1pk 1vl 5vl 5x50ds 5ct**
SD1047	***Cefazolin**	**CZ**	**30 mcg**	**1pk 1vl 5vl 5x50ds 5ct**
SD1218	***Cefdinir**	**CDR**	**5 mcg**	**1pk 1vl 5vl 5x50ds 5ct**
SD1219	***Cefepime #**	**CPM**	**30 mcg**	**1pk 1vl 5vl 5x50ds 5ct**
SD1211	***Cefixime #**	**CFM**	**5 mcg**	**1pk 1vl 5vl 5x50ds 5ct**

Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
* On receipt store at -20°C. For prolonged use, store at or below -20°C. On receipt all the other products to be stored between -20°C to 8°C.
• : 1 Pack contains 10 strips of A + 10 strips of B.
Preparation Δ : Stored at 15 - 25°C except certain components specified in each kit (as specified on label).

Product Code	Product Name			Packing
SD1244	*Cefmetazole	CMZ	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1248	*Cefonicid	CID	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1072	*Cefoperazone	CPZ	75 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1040	*Cefotaxime (Cephotaxime)	CTX	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1724	*Cefotaxime/ Clavulanic acid	CEC	30/10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1249	*Cefotetan	CTN	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1041	*Cefoxitin # (Cephoxitin)	CX	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1725	*Cefpodoxime #	CPD	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1209	*Cefprozil	CPR	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1062	*Ceftazidime	CAZ	30 mcg	1pk 1vl 5vl 5x50ds 5ct

Product Code	Product Name			Packing
SD1207	*Ceftazidime / Clavulanic acid	CAC	30/10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1110	*Ceftizoxime	CZX	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1065	*Ceftriaxone #	CTR	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1061	*Cefuroxime #	CXM	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1050	*Cephalothin	CEP	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1006	Chloramphenicol #	C	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1245	Cinoxacin	CIN	100 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1060	Ciprofloxacin #	CIP	5 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1192	Clarithromycin	CLR	15 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1051	Clindamycin #	CD	2 mcg	1pk 1vl 5vl 5x50ds 5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container,
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

: Concentration of antibiotic also as per EUCAST
* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

Product Code	Product Name			Packing
SD1010	Co-Trimoxazole # (Sulpha/Trimethoprim)	COT	25 mcg (23.75/1.25 mcg)	1pk 1vl 5vl 5x50ds 5ct
SD1283	*Doripenem #	DOR	10 mcg	1vl 5vl 5x50ds
SD1012	Doxycycline Hydrochloride	DO	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1237	Enoxacin	EN	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1280	*Ertapenem #	ETP	10 mcg	1vl 5vl 5x50ds
SD1013	Erythromycin #	E	15 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1279	*Faropenem	FAR	5 mcg	1vl 5vl 5x50ds
SD1205	Fosfomycin #	FO	200 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1171	Fusidic Acid #	FC	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1737	Gatifloxacin	GAT	5 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1250	Gemifloxacin	GEM	5 mcg	1pk 1vl 5vl 5x50ds 5ct

Product Code	Product Name			Packing
SD1016	Gentamicin #	GEN	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1195	Gentamicin For detection of HLAR Strains.	HLG	120 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1073	*Imipenem #	IPM	10 mcg	1vl 5vl 5x50ds
SD1017	Kanamycin	K	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1216	Levofloxacin #	LE	5 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1215	Linezolid	LZ	30 mcg	1pk vl 5vl 5x50ds 5ct
SD1206	Lomefloxacin	LOM	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1176	*Mecillinam #	MEC	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1727	*Meropenem	MRP	10 mcg	1vl 5vl 5x50ds
SD1019	*Methicillin	MET	5 mcg	1pk 1vl 5vl 5x50ds 5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container,
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

: Concentration of antibiotic also as per EUCAST
* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

Product Code	Product Name			Packing
SD1225	Mezlocillin #	MZ	75 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1158	Minocycline #	MI	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1220	Moxalactam	MX	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1217	Moxifloxacin #	MO	5 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1246	Nafcillin	NAF	1 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1021	Nalidixic Acid #	NA	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1046	Netillin (Netilmicin Sulphate)	NET	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1023	Nitrofurantoin	NIT	300 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1057	Norfloxacin #	NX	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1087	Ofloxacin #	OF	5 mcg	1pk 1vl 5vl 5x50ds 5ct

Product Code	Product Name			Packing
SD1088	*Oxacillin	OX	1 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1070	Pefloxacin #	PF	5 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1028	*Penicillin-G	P	10 units	1pk 1vl 5vl 5x50ds 5ct
SD1066	*Piperacillin	PI	100 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1210	*Piperacillin/ Tazobactam	PIT	100/10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1029	Polymyxin-B	PB	300 units	1pk 1vl 5vl 5x50ds 5ct
SD1178	Pristinomycin # (Quinupristin / Dalfopristin)	RP	15 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1268	Prulifloxacin (Ulifloxacin)	PRU	5 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1030	Rifampicin #	RIF	5 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1162	Sparfloxacin	SPX	5 mcg	1pk 1vl 5vl 5x50ds 5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container,
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

: Concentration of antibiotic also as per EUCAST
* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

Product Code	Product Name			Packing
SD1181	**Spectinomycin**	**SPT**	**100 mcg**	**1pk 1vl 5vl 5x50ds 5ct**
SD1031	**Streptomycin**	**S**	**10 mcg**	**1pk 1vl 5vl 5x50ds 5ct**
SD1236	**Streptomycin** For detection of HLAR Strains.	**HLS**	**300 mcg**	**1pk 1vl 5vl 5x50ds 5ct**
SD1032	**Sulphafurazole (Sulfisoxazole)**	**SF**	**300 mcg**	**1pk 1vl 5vl 5x50ds 5ct**
SD1213	**Teicoplanin #**	**TEI**	**30 mcg**	**1pk 1vl 5vl 5x50ds 5ct**
SD1037	**Tetracycline #**	**TE**	**30mcg**	**1pk 1vl 5vl 5x50ds 5ct**
SD1074	***Ticarcillin #**	**TI**	**75 mcg**	**1pk 1vl 5vl 5x50ds 5ct**
SD1201	***Ticarcillin / Clavulanic Acid #**	**TCC**	**75/10 mcg**	**1pk 1vl 5vl 5x50ds 5ct**
SD1278	**Tigecycline #**	**TGC**	**15 mcg**	**1pk 1vl 5vl 5x50ds 5ct**
SD1044	**Tobramycin #**	**TOB**	**10 mcg**	**1pk 1vl 5vl 5x50ds 5ct**
SD1039	**Trimethoprim #**	**TR**	**5 mcg**	**1pk 1vl 5vl 5x50ds 5ct**
SD1045	**Vancomycin**	**VA**	**30 mcg**	**1pk 1vl 5vl 5x50ds 5ct**
	ESBL Identification Test Kits			
SD1238	***Kit I for ESBL Identification, Cefotaxime (Cephotaxime)** Kit contains 6 cartridges (6CT): 3CT of SD1040 Cefotaxime (Cephotaxime) 30 mcg, 3CT of SD1724 Cefotaxime (Cephotaxime)/Clavulanic acid 30/10 mcg			**1 kit**
SD1240	***Kit III for ESBL Identification, Ceftazidime** Kit contains 6 cartridges (6CT): 3CT of SD1062 Ceftazidime 30 mcg, 3CT of Sd1207 Ceftazidime /Clavulanic acid 30/10 mcg			**1 kit**
	Antifungal Agents			
SD1232	**Fluconazole**	**FLC**	**25 mcg**	**1pk 1vl 5vl 5x50ds 5ct**
SD1277	**Voriconazole**	**VRC**	**1 mcg**	**1pk 1vl 5vl 5x50ds 5ct**

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container,
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

: Concentration of antibiotic also as per EUCAST
* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

Antibacterial Agents

Concentration of Antibiotics only as per EUCAST standard (The European Committee on Antimicrobial Susceptibility Testing)

Product Code	Product Name			Packing
SD1002A	*Ampicillin	AMP	2mcg	1pk 1vl 5vl 5x50ds 5ct
SD1116	*Cefadroxil (Cephadroxil)	CFR	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1048	*Cefalexin (Cephalexin)	CN	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1295E	*Cefotaxime	CTX	5 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1062A	*Ceftazidime	CAZ	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1170	Gentamicin	GEN	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1296E	Linezolid	LZ	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1085	Netillin (Netilmicin Sulphate)	NET	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1086	Nitrofurantoin	NIT	100 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1196	Nitroxoline	NO	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1089	*Penicillin-G	P	1 units	1pk 1vl 5vl 5x50ds 5ct
SD1066A	*Piperacillin	PI	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1292E	*Piperacillin / Tazobactam	PIT	30/6 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1293E	Mupirocin	MUP	200 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1731	Neomycin	N	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1155	Vancomycin	VA	5 mcg	1pk 1vl 5vl 5x50ds 5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container,
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

: Concentration of antibiotic also as per EUCAST
* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

Antibacterial Agents

Concentration of Antibiotics not as per CLSI (formerly NCCLS) & not as per EUCAST standards

These codes do not have concentration of Antibiotics as per CLSI (formerly NCCLS) & EUCAST standards, However Microgen provides these concentrations as required by our users. Although zone interpretative criteria for these codes can not be provided, Quality control limits of standard organisms can be made available.

Product Code	Product Name			Packing
SD1082	Amikacin	AK	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1001	*Amoxicillin	AMX	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1129	*Amoxicillin	AMX	25mcg	1pk 1vl 5vl 5x50ds 5ct
SD1076	*Amoxicillin	AMX	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1264	*Amoxicillin/Sulbactam	AMS	30/15 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1078	*Amoxyclav	AMC	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1281	*Amoxyclav	AMC	50/10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1077	*Ampicillin	AMP	25 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1113	*Ampicillin/ Cloxacillin	AX	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1124	Azithromycin	AZM	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1094	*Azlocillin	AZ	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1263	*Aztreonam	AT	50 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1105	Bacitracin	B	8 units	1pk 1vl 5vl 5x50ds 5ct
SD1003	Bacitracin	B	10 units	1pk 1vl 5vl 5x50ds 5ct
SD1079	*Cefaloridine (Cephaloridine)	CR	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1005	*Cefaloridine (Cephaloridine)	CR	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1262	*Cefepime	CPM	50 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1234	*Cefepime/ Clavulanic acid	CFC	30/10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1257	*Cefepime/ Tazobactam	CPT	30/10 mcg	1pk 1vl 5vl 5x50ds 5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

Product Code	Product Name			Packing
SD1247	*Cefepime/ Tazobactam	CPT	80/10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1820	*Cefixime	CFM	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1266	*Cefixime/ Clavulanic acid	CMC	5/10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1259	*Cefoperazone/ Sulbactam	CFS	50/50 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1254	*Cefoperazone/ Sulbactam	CFS	75/10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1203	*Cefoperazone/ Sulbactam	CFS	75/30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1253	*Cefoperazone/ Tazobactam	CST	75/10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1040A	*Cefotaxime (Cephotaxime)	CTX	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1285	*Cefoxitin-Cloxacillin For detection of AmpC.	CXX	30/200 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1738	*Cefpirome	CFP	30 mcg	1pk 1vl 5vl 5x50ds 5ct

Product Code	Product Name			Packing
SD1235	*Cefpirome/ Clavulanic acid	CPC	30/7.5 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1160	*Cefradine (Cephradine)	CH	25 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1704	*Cefradine (Cephradine)	CH	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1252	*Ceftazidime/ Tazobactam	CAT	30/10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1269	*Ceftazidime/ Tazobactam	CAT	80/10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1109	*Ceftriaxone	CTR	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1261	*Ceftriaxone/ Sulbactam	CIS	30/15 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1256	*Ceftriaxone/ Tazobactam	CIT	30/10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1251	*Ceftriaxone/ Tazobactam	CIT	80/10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1081	Chloramphenicol	C	10 mcg	1pk 1vl 5vl 5x50ds 5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

Product Code	Product Name			Packing
SD1153	Chloramphenicol	C	25 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1131	Chloramphenicol	C	50 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1007	Chlortetracycline	CT	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1060A	Ciprofloxacin	CIP	1 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1080	Ciprofloxacin	CIP	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1142	Ciprofloxacin	CIP	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1164	Clindamycin	CD	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1008	*Cloxacillin	COX	1 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1075	*Cloxacillin	COX	5 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1143	*Cloxacillin	COX	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1165	*Cloxacillin	COX	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1284	*Cloxacillin	COX	200 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1009	Colistin (Methane Sulphonate)	CL	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1108	Colistin (Methane Sulphonate)	CL	25 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1097	Colistin (Methane Sulphonate)	CL	50 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1071	Co-Trimazine (Human)	CM	25 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1052	*Dicloxacillin	D/C	1 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1120	Doxycycline Hydrochloride	DO	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1156	Enrofloxacin	EX	5 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1150	Enrofloxacin	EX	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1222	Erythromycin	E	5 mcg	1pk 1vl 5vl 5x50ds 5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

Product Code	Product Name			Packing
SD1083	Erythromycin	E	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1140	Floxidin	FL	20 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1141	Floxidin	FL	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1179	Fosfomycin	FO	50 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1014	Framycetin	F	100 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1169	Fusidic Acid	FC	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1015	Furazolidone	FR	50 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1197	Furazolidone	FR	100 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1042	Furoxone	FX	100 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1753	Gatifloxacin	GAT	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1740	Gatifloxacin	GAT	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1166	Gentamicin	GEN	50 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1265	*Imipenem/Cilastin	IC	10/10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1282	*Imipenem-EDTA For detection of MBL producers.	IE	10/750 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1214	Isepamicin	IP	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1223	Kanamycin	K	5 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1837	Kanamycin Recommended for use in the presumptive identification and differentiation of gram-negative anaerobic bacilli and not for therapeutic purposes.	K	1000 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1018	Lincomycin	L	2 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1084	Lincomycin	L	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1098	Lincomycin	L	15 mcg	1pk 1vl 5vl 5x50ds 5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

Product Code	Product Name			Packing
SD1260	Lomefloxacin	LOM	15 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1125	Lomefloxacin	LOM	30mcg	1pk 1vl 5vl 5x50ds 5ct
SD1177	Mecillinam	MEC	25 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1068	Methanamine Mandalate	ME	3 mg	1pk 1vl 5vl 5x50ds 5ct
SD1136	*Methicillin	MET	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1137	*Methicillin	MET	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1099	Metronidazole	MT	4 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1020	Metronidazole	MT	5 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1748	Mupirocin	MUP	5 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1258	Nadifloxacin	NAD	5 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1731	Neomycin	N	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1022	Neomycin	N	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1090	Nitrofurantoin	NIT	200 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1024	Nitrofurazone	NR	100 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1184	Norfloxacin	NX	5 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1121	Novobiocin	NV	5 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1053	Novobiocin	NV	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1069	Ofloxacin	OF	2 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1026	Oleandomycin	OL	15 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1043	*Oxacillin	OX	5 mcg	1pk 1vl 5vl 5x50ds 5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

Product Code	Product Name			Packing
SD1027	Oxytetracycline	O	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1144	*Penicillin-G	P	2 units	1pk 1vl 5vl 5x50ds 5ct
SD1185	Pipemidic Acid	PA	20 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1175	Pipemidic Acid	PA	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1132	*Piperacillin	PI	75 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1106	Polymyxin-B	PB	50 units	1pk 1vl 5vl 5x50ds 5ct
SD1139	Polymyxin-B	PB	100 units	1pk 1vl 5vl 5x50ds 5ct
SD1267	Prulifloxacin (Ulifloxacin)	PRU	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1096	Rifampicin	RIF	2 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1128	Rifampicin	RIF	15 mcg	1pk 1vl 5vl 5x50ds 5ct

Product Code	Product Name			Packing
SD1127	Rifampicin	RIF	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1126	Roxithromycin	RO	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1059	Sisomicin	SS	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1054	Spiramycin	SR	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1101	Spiramycin	SR	100 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1067	Sterile Discs	—	—	1pk 1vl 5vl 5x50ds 5ct
SD1091	Streptomycin	S	25 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1056	Sulfasomidine	SO	300 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1092	Sulphadiazine	SZ	100 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1034	Sulphadiazine	SZ	300 mcg	1pk 1vl 5vl 5x50ds 5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

Product Code	Product Name			Packing
SD1033	Sulphamethizole	SM	300 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1055	Sulphametho-xypyridazine	ST	300 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1036	Sulphaphenazole	SP	200 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1133	Tetracycline	TE	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1154	Tobramycin	TOB	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1093	Trimethoprim	TR	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1148	Trimethoprim	TR	25 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1149	Trimethoprim	TR	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1038	Triple Sulphas	S3	300 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1199	Tylosine	TL	15 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1163	Vancomycin	VA	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1182	Virginamycin	VI	15 mcg	1pk 1vl 5vl 5x50ds 5ct
	ESBL Identification Test Kits			
SD1239	***Kit II for ESBL Identification,** **Cefepime** Kit contains 6 cartridges (6CT): 3CT of SD1219 Cefepime 30 mcg, 3CT of SD1234 Cefepime /Clavulanic acid 30/10 mcg			1 kit
SD1241	***Kit IV for ESBL Identification,** **Cefpirome** Kit contains 6 cartridges (6CT): 3CT of SD1738 Cefpirome 30 mcg, 3CT of SD1235 Cefpirome /Clavulanic acid 30/7.5 mcg			1 kit
	· **Refer Hexa Discs section for Hexa G-Minus 23 (HX1095) & Hexa G-Minus 24(HX1096) disc specially developed for screening of ESBL producer.**			
	Antifungal Agents			
SD1111	Amphotericin-B	AP	100 units	1pk 1vl 5vl 5x50ds 5ct
SD1233	Amphotericin B	AP	20 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1270	Amphotericin B	AP	50 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1115	Clotrimazole	CC	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1114	Fluconazole	FLC	10 mcg	1pk 1vl 5vl 5x50ds 5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

Product Code	Product Name			Packing
SD1221	Itraconazole	IT	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1276	Itraconazole	IT	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1224	Ketoconazole	KT	10 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1275	Ketoconazole	KT	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1274	Ketoconazole	KT	50 mcg	1pk 1vl 5vl 5x50ds 5ct

Product Code	Product Name			Packing
SD1273	Miconazole	MIC	30 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1272	Miconazole	MIC	50 mcg	1pk 1vl 5vl 5x50ds 5ct
SD1025	Nystatin	NS	100 units	1pk 1vl 5vl 5x50ds 5ct
SD1271	Nystatin	NS	50 mcg	1pk 1vl 5vl 5x50ds 5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

Antimicrobial Susceptibility Testing - Mic6 (Hexa) Discs Microgen 6-in one ready antibiotic combination modules

[To be used on 90 mm plates or 100 mm plates]

Mic6 (HEXA) DISCS

Test 6 different antibiotics at once.

- *Microgen`s Mic6 (Hexa) discs are enhanced extensions of Single Discs. These series of discs gives the privilege to study 6 antibiotics on a single plate.*
- *These are flat circular rings, made of inert material w/ 6 equidistant arms on the outer periphery w/ a 6 mm filter paper disc at the end.*
- *These discs placed at a distance of 24 mm apart from each other are impregnated with 6 different antibiotics, w/ corresponding symbols & concentrations printed on the ring. The antibiotic impregnated discs function as individual antibiotic susceptibility discs, generating precise circular zones of inhibition for measurement of the zone diameter with minimal merging.*
- *The unique inert material used for making the rings allows faster absorption of the rings and hence a uniform diffusion of the antibiotics on to the medium.*
- *The discs are available in various pre-selected combinations of 6 antibiotics. However rings can be made as per individual customized specification.*
- *These discs are to be used on 100 mm plates like 90mm plates. Also available are ready prepared media plates of Mueller Hinton Agar (90 mm) and Mueller Hinton Agar (100 mm)*

Note: **In product description column** Symbol **&** Quantity **are given in bracket after the Antibiotics name.**

Product Code	Product Name	Packing
HX1001	***Mic6 (Hexa) G-plus 1** Penicillin-G (P - 10 units), Oxacillin (OX - 1mcg), Cephalothin (CEP - 30 mcg), Clindamycin (CD - 2 mcg), Erythromycin (E - 15 mcg), Amoxyclav (AMC - 30 mcg)	1pk
HX1002	***Mic6 (Hexa) G-plus 2** Penicillin-G (P - 10 units), Clindamycin (CD - 2 mcg), Co-Trimoxazole (COT - 25 mcg), Erythromycin (E - 15 mcg), Vancomycin (VA - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg)	1pk
HX1003	***Mic6 (Hexa) G-plus 3** Vancomycin (VA - 30 mcg), Ofloxacin (OF - 5 mcg), Teicoplanin (TEI - 30 mcg), Ceftazidime (CAZ - 30 mcg), Gentamicin (GEN - 10 mcg), Cefoxitin (CX - 30 mcg)	1pk
HX1004	**Mic6 (Hexa) G-plus 4** Piperacillin (PI - 100 mcg), Linezolid (LZ - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Teicoplanin (TEI - 30 mcg), Vancomycin (VA - 30 mcg), Gentamicin (GEN - 10 mcg)	1pk
HX1005	***Mic6 (Hexa) G-plus 5** Tetracycline (TE - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Cloxacillin (COX - 1 mcg), Lincomycin (L - 2 mcg), Cefuroxime (CXM - 30 mcg), Cefotaxime (CTX - 30 mcg)	1pk
HX1022	***Mic6 (Hexa) G-plus 6** Ampicillin (AMP - 10 mcg), Chloramphenicol (C - 25 mcg), Penicillin-G (P - 1 unit), Streptomycin (S - 10 mcg), Sulphatriad (S3 - 300 mcg), Tetracycline (TE - 25 mcg)	1pk
HX1023	***Mic6 (Hexa) G-plus 7** Ampicillin (AMP - 10 mcg), Cephalothin (CEP - 30 mcg), Clindamycin (CD - 2 mcg), Erythromycin (E - 15 mcg), Oxacillin (OX - 1 mcg), Vancomycin (VA - 30 mcg)	1pk
HX1024	***Mic6 (Hexa) G-plus 8** Penicillin-G (P - 10 units), Methicillin (MET - 5 mcg), Vancomycin (VA - 30 mcg), Oxacillin (OX - 1 mcg), Erythromycin (E - 15 mcg), Ampicillin (AMP - 10 mcg)	1pk
HX1027	***Mic6 (Hexa) G-Plus 9** Gentamicin (GEN - 10 mcg), Vancomycin (VA - 30 mcg), Fusidic acid (FC - 10 mcg), Chloramphenicol (C - 30 mcg), Methicillin (MET - 5 mcg), Cefepime (CPM - 30 mcg)	1pk
HX1031	***Mic6 (Hexa) G-Plus 10** Penicillin-G (P - 10 units), Erythromycin (E - 15 mcg), Ampicillin (AMP - 10 mcg), Cephalothin (CEP - 30 mcg), Clindamycin (CD - 2 mcg), Co-Trimoxazole (COT - 25 mcg)	1pk
HX1034	***Mic6 (Hexa) G-plus 11** Oxacillin (OX - 1 mcg), Erythromycin (E - 15 mcg), Tetracycline (TE - 30 mcg), Chloramphenicol (C - 30 mcg), Clindamycin (CD - 2 mcg), Co-Trimoxazole (COT - 25 mcg)	1pk
HX1039	***Mic6 (Hexa) G-plus 12** Augmentin (AMC - 30 mcg), Penicillin-G (P - 2 units), Cefoxitin (CX - 30 mcg), Clindamycin (CD - 2 mcg), Imipenem (IPM - 10 mcg), Metronidazole (MT - 5 mcg)	1pk
HX1040	***Mic6 (Hexa) G-plus 13** Cloxacillin (COX - 5 mcg), Cefotaxime (CTX - 30 mcg), Chloramphenicol (C - 30 mcg), Tetracycline (TE - 30 mcg), Gentamicin (GEN - 10 mcg), Co-Trimoxazole (COT - 25 mcg)	1pk
HX1047	***Mic6 (Hexa) G-plus 25** Ceftriaxone (CTR - 30 mcg), Chloramphenicol (C - 30 mcg), Clindamycin (CD - 2 mcg), Erythromycin (E - 15 mcg), Levofloxacin (LE - 5 mcg), Tetracycline (TE - 30 mcg)	1pk
HX1048	***Mic6 (Hexa) G-plus 26** Cefotaxime (CTX - 30 mcg), Chloramphenicol (C - 30 mcg), Clindamycin (CD - 2 mcg), Erythromycin (E - 15 mcg), Levofloxacin (LE - 5 mcg), Penicillin-G (P - 10 units)	1pk
HX1049	***Mic6 (Hexa) G-plus 27** Ceftriaxone (CTR - 30 mcg), Chloramphenicol (C - 30 mcg), Clindamycin (CD - 2 mcg), Erythromycin (E - 15 mcg), Tetracycline (TE - 30 mcg), Vancomycin (VA - 30 mcg)	1pk

* On receipt, store at -20°C.
For prolonged use, store at or below -20°C.
On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Product Code	Product Name	Packing
HX1080	***Mic6 (Hexa) G-plus 14** Ampicillin (AMP - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcg), Linezolid (LZ - 30 mcg), Streptomycin (S - 10 mcg), Vancomycin (VA - 30 mcg)	1pk
HX1081	***Mic6 (Hexa) G-plus 15** Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcg), Linezolid (LZ - 30 mcg), Penicillin-G (P - 10 units), Streptomycin (S - 10 mcg), Vancomycin (VA - 30 mcg)	1pk
HX1083	***Mic6 (Hexa) G-plus 17** Ampicillin (AMP - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Doxycycline Hydrochloride (DO - 30 mcg), Fosfomycin (FO - 200 mcg), Nitrofurantoin (NIT - 300 mcg), Norfloxacin (NX - 10 mcg)	1pk
HX1090	***Mic6 (Hexa) G-plus 18** Ciprofloxacin (CIP - 5 mcg), Erythromycin (E - 15 mcg), Gentamicin (GEN - 10 mcg), Lincomycin (L - 15 mcg), Penicillin-G (P - 10 units), Vancomycin (VA - 30 mcg)	1pk
HX1091	***Mic6 (Hexa) G-plus 19** Clindamycin (CD - 2 mcg), Erythromycin (E - 15 mcg), Gentamicin (GEN - 10 mcg), Levofloxacin (LE - 5 mcg), Oxacillin (OX - 1 mcg), Vancomycin (VA - 30 mcg)	1pk
HX1092	**Mic6 (Hexa) G-plus 20** Chloramphenicol (C - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Fusidic Acid (FC - 30 mcg), Linezolid (LZ - 30 mcg), Rifampicin (RIF - 5 mcg), Tetracycline (TE - 30 mcg)	1pk
HX1093	**Mic6 (Hexa) G-plus 21** Chloramphenicol (C - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Doxycycline Hydrochloride (DO - 30 mcg), Fusidic Acid (FC - 30 mcg), Linezolid (LZ - 30 mcg), Rifampicin (RIF - 5 mcg)	1pk
HX1101	***Mic6 (Hexa) G-plus 24** Vancomycin (VA - 30 mcg), Teicoplanin (TEI - 30 mcg), Linezolid (LZ - 30 mcg), Clindamycin (CD - 2 mcg), Amoxyclav (AMC - 30 mcg), Clarithromycin (CLR - 30 mcg)	1pk
	Gram - Negative Organisms	
HX1006	***Mic6 (Hexa) G-minus 1** Ampicillin (AMP - 10 mcg), Amoxyclav (AMC - 30 mcg), Cefotaxime (CTX - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Tobramycin (TOB - 10 mcg)	1pk
HX1007	***Mic6 (Hexa) G-minus 2** Ceftazidime (CAZ - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Amikacin (AK - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Netillin (NET - 30 mcg), Nalidixic acid (NA - 30 mcg)	1pk
HX1008	***Mic6 (Hexa) G-minus 3** Co-Trimoxazole (COT - 25 mcg), Amoxyclav (AMC - 30 mcg), Gentamicin (GEN - 10 mcg), Tetracycline (TE - 30 mcg), Ofloxacin (OF - 5 mcg), Cefuroxime (CXM - 30 mcg)	1pk
HX1010	***Mic6 (Hexa) G-minus 5** Cefotaxime (CTX - 30 mcg), Levofloxacin (LE - 5 mcg), Aztreonam (AT - 30 mcg), Imipenem (IPM - 10 mcg), Amikacin (AK - 30 mcg), Ceftazidime (CAZ - 30 mcg)	1pk

Product Code	Product Name	Packing
HX1028	***Mic6 (Hexa) G-minus 7** Recommended for use in the presumptive identification and differentiation of gram-negative anaerobic bacilli and not for therapeutic purposes. Kanamycin (K - 1000 mcg), Rifampicin (RIF - 15 mcg), Penicillin-G (P - 2 units), Vancomycin (VA - 5 mcg), Erythromycin (E - 60 mcg), Colistin (CL - 10 mcg)	1pk
HX1030	***Mic6 (Hexa) G-Minus 8** Amikacin (AK - 30mcg), Ceftazidime (CAZ - 30 mcg), Aztreonam (AT - 30 mcg), Piperacillin (PI - 100 mcg), Imipenam (IPM - 10 mcg), Ciprofloxacin (CIP - 5 mcg)	1pk
HX1035	***Mic6 (Hexa) G-minus 9** Ampicillin (AMP - 10 mcg), Gentamicin (GEN - 10 mcg), Nalidixic acid (NA - 30 mcg), Chloramphenicol (C - 30 mcg), Cefalexin (CN - 30 mcg), Co-Trimoxazole (COT - 25 mcg)	1pk
HX1036	***Mic6 (Hexa) G-minus 29** Ampicillin (AMP - 10 mcg), Gentamicin (GEN - 10 mcg), Tetracycline (TE - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cefalexin (CN - 30 mcg), Co-Trimoxazole (COT - 25 mcg)	1pk
HX1056	***Mic6 (Hexa) G-minus 26** Ampicillin (AMP - 10 mcg), Ampicillin/Sulbactum (A/S - 10/10 mcg), Ceftazidime (CAZ - 30 mcg), Cefotaxime (CTX - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcg)	1pk
HX1057	***Mic6 (Hexa) G-minus 27** Amoxyclav (AMC - 30 mcg), Ampicillin (AMP - 10 mcg), Ceftazidime (CAZ - 30 mcg), Ceftriaxone (CTR - 30 mcg), Gentamicin (GEN - 10 mcg), Ofloxacin (OF - 5 mcg)	1pk
HX1058	***Mic6 (Hexa) G-minus 28** Amoxyclav (AMC - 30 mcg), Ampicillin (AMP - 10 mcg), Ceftazidime (CAZ - 30 mcg), Cefotaxime (CTX - 30 mcg), Gentamicin (GEN - 10 mcg), Levofloxacin (LE - 5 mcg)	1pk
HX1059	***Mic6 (Hexa) G-minus 10** Amoxyclav (AMC - 30 mcg), Cefepime (CPM - 30 mcg), Cefotaxime (CTX - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcg), Imipenem (IPM - 10 mcg)	1pk
HX1060	***Mic6 (Hexa) G-minus 11** Amikacin (AK - 30 mcg), Ampicillin (AMP - 10 mcg), Ampicillin/Sulbactum (A/S - 10/10 mcg), Ceftriaxone (CTR - 30 mcg), Ofloxacin (OF - 5 mcg), Ticarcillin/Clavulanic Acid (TCC - 75/10 mcg)	1pk
HX1062	***Mic6 (Hexa) G-minus 13** Amikacin (AK - 30 mcg), Ampicillin (AMP - 10 mcg), Cefepime (CPM - 30 mcg), Cefotaxime (CTX - 30 mcg), Cefoxitin (CX - 30 mcg), Ciprofloxacin (CIP - 5 mcg)	1pk
HX1063	***Mic6 (Hexa) G-minus 14** Amikacin (AK - 30 mcg), Ampicillin (AMP - 10 mcg), Cefuroxime (CXM - 30 mcg), Cefotaxime (CTX - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Tetracycline (TE - 30 mcg)	1pk
HX1064	***Mic6 (Hexa) G-minus 15** Ampicillin (AMP - 10 mcg), Cefepime (CPM - 30 mcg), Cefotaxime (CTX - 30 mcg), Gentamicin (GEN - 10 mcg), Imipenem (IPM - 10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg)	1pk

* On receipt, store at -20°C.
For prolonged use, store at or below -20°C.
On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Product Code	Product Name	Packing
HX1066	***Mic6 (Hexa) G-minus 17** Cefepime (CPM - 30 mcg), Cefoperazone (CPZ - 75 mcg), Ceftriaxone (CTR - 30 mcg), Cefoxitin (CX - 30 mcg), Imipenem (IPM - 10 mcg), Ticarcillin/Clavulanic Acid (TCC - 75/10 mcg)	1pk
HX1067	***Mic6 (Hexa) G-minus 18** Amikacin (AK - 30 mcg), Cefaclor (CF - 30 mcg), Ceftriaxone (CTR - 30 mcg), Cefuroxime axetil (CXM - 30 mcg), Cefoxitin (CX - 30 mcg), Ticarcillin/Clavulanic Acid (TCC - 75/10 mcg)	1pk
HX1068	***Mic6 (Hexa) G-minus 19** Amikacin (AK - 30 mcg), Cefixime (CFM - 5 mcg), Cefuroxime axetil (CXM - 30 mcg), Cefotaxime (CTX - 30 mcg), Cefoxitin (CX - 30 mcg), Meropenem (MRP - 10 mcg)	1pk
HX1069	***Mic6 (Hexa) G-minus 20** Ampicillin (AMP - 10 mcg), Cefotaxime (CTX - 30 mcg), Chloramphenicol (C - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Norfloxacin (NX - 10 mcg), Tetracycline (TE - 30 mcg)	1pk
HX1070	***Mic6 (Hexa) G-minus 21** Ampicillin (AMP - 10 mcg), Ceftriaxone (CTR - 30 mcg), Chloramphenicol (C - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Tetracycline (TE - 30 mcg)	1pk
HX1095	***Mic6 (Hexa) G-minus 23** **For Initial Screen test of ESBL producers** Aztreonam (AT - 30 mcg), Cefpodoxime (CPD - 10 mcg), Cefpodoxime/Clavulanic acid (CCL - 10/5 mcg), Ceftazidime (CAZ - 30 mcg), Ceftriaxone (CTR - 30 mcg), Cefotaxime (CTX - 30 mcg)	1pk
HX1096	***Mic6 (Hexa) G-minus 24** **For Phenotypic Confirmation of ESBL producers** Cefpodoxime (CPD - 10 mcg), Cefpodoxime/Clavulanic acid (CCL - 10/5 mcg), Ceftazidime (CAZ - 30 mcg), Ceftazidime/Clavulanic acid (CAC - 30/10 mcg), Cefotaxime (CTX - 30 mcg), Cefotaxime/Clavulanic acid (CEC - 30/10mcg)	1pk
HX1102	*** Mic6 (Hexa) G-minus 25** Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Netillin (NET - 30 mcg), Piperacillin (PI - 100 mcg), Ceftazidime (CAZ - 30 mcg), Cefoperazone (CPZ - 75 mcg)	1pk
	Pseudomonas	
HX1011	***Mic6 (Hexa) Pseudo 1** Cefoperazone (CPZ - 75 mcg), Piperacillin (PI - 100 mcg), Levofloxaxin (LE - 5 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30mcg), Colistin (CL - 10 mcg)	1pk
HX1012	***Mic6 (Hexa) Pseudo 2** Imipenem (IPM - 10 mcg), Aztreonam (AT - 30 mcg), Cefoperazone/Sulbactam (CFS - 75/10 mcg), Pipercillin/Tazobactam (PIT - 100/10 mcg), Ceftazidime (CAZ - 30 mcg), Netillin (NET - 30 mcg)	1pk
HX1013	***Mic6 (Hexa) Pseudo 3** Amikacin (AK - 30 mcg), Carbenicillin (CB - 100 mcg), Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcg), Tobramycin (TOB - 10 mcg), Mezlocillin (MZ - 75 mcg)	1pk
HX1026	***Mic6 (Hexa) Pseudo 4** Amikacin (AK - 30mcg), Gentamicin (GEN - 10 mcg), Cefepime (CPM - 30 mcg), Ticarcillin (TI - 75 mcg), Piperacillin (PI - 100 mcg), Imipenem (IPM - 10 mcg)	1pk
HX1029	***Mic6 (Hexa) Pseudo 5** Ceftazidime (CAZ - 30 mcg), Imipenem (IPM - 10 mcg), Piperacillin (PI - 100 mcg), Ciprofloxacin (CIP - 5 mcg), Aztreonam (AT - 30 mcg), Tobramycin (TOB - 10 mcg)	1pk
HX1051	***Mic6 (Hexa) Pseudo 7** Amikacin (AK - 30 mcg), Cefepime (CPM - 30 mcg), Ceftazidime (CAZ - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcg), Meropenem (MRP - 10 mcg)	1pk
HX1053	***Mic6 (Hexa) Pseudo 9** Ceftazidime (CAZ - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Imipenem (IPM - 10 mcg), Ticarcillin/Clavulanic Acid (TCC - 75/10 mcg)	1pk
HX1054	***Mic6 (Hexa) Pseudo 10** Amikacin (AK - 30 mcg), Cefoperazone (CPZ - 75 mcg), Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcg), Imipenem (IPM - 10 mcg), Piperacillin (PI - 100 mcg)	1pk
HX1055	***Mic6 (Hexa) Pseudo 11** Amikacin (AK - 30 mcg), Aztreonam (AT - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcg), Meropenem (MRP - 10 mcg), Tobramycin (TOB - 10 mcg)	1pk
HX1103	***Mic6 (Hexa) Pseudo 12** Ciprofloxacin (CIP - 5 mcg), Imipenem (IPM - 10 mcg), Meropenem (MRP - 10 mcg), Ertapenem (ETP - 10 mcg), Cefoperazone/Sulbactam (CFS - 75/30 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg)	1pk
	UTI Pathogenic Organisms	
HX1014	***Mic6 (Hexa) UTI 1** Co-Trimoxazole (COT - 25 mcg), Norfloxacin (NX - 10 mcg), Oxytetracycline (O - 30 mcg), Cefuroxime (CXM - 30 mcg), Amoxyclav (AMC - 30 mcg), Gentamicin (GEN - 10 mcg)	1pk
HX1015	***Mic6 (Hexa) UTI 2** Nitrofurantoin (NIT - 300 mcg), Norfloxacin (NX - 10 mcg), Gentamicin (GEN - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Netillin (NET - 30 mcg), Ampicillin (AMP - 10 mcg)	1pk
HX1033	***Mic6 (Hexa) UTI 3** Nalidixic acid (NA - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Cephalothin (CEP - 30 mcg), Ampicillin (AMP - 25 mcg), Co-Trimoxazole (COT - 25 mcg), Norfloxacin (NX - 10 mcg)	1pk
HX1037	***Mic6 (Hexa) UTI 4** Ampicillin (AMP - 25 mcg), Gentamicin (GEN - 10 mcg), Nitrofurantoin (NIT - 300 mcg), Ciprofloxacin (CIP - 5 mcg), Nalidixic acid (NA - 30 mcg), Co-Trimoxazole (COT - 25 mcg)	1pk
HX1072	***Mic6 (Hexa) UTI 13** Amoxyclav (AMC - 30 mcg), Ampicillin (AMP - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Fosfomycin (FO - 200 mcg), Norfloxacin (NX - 10 mcg)	1pk

* On receipt, store at -20°C.
For prolonged use, store at or below -20°C.
On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Product Code	Product Name	Packing
HX1073	***Mic6 (Hexa) UTI 5** Amoxyclav (AMC - 30 mcg), Ampicillin (AMP - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Nitrofurantoin (NIT - 300 mcg), Norfloxacin (NX - 10 mcg)	1pk
HX1074	***Mic6 (Hexa) UTI 6** Amoxyclav (AMC - 30 mcg), Ampicillin (AMP - 10 mcg), Cefuroxime axetil (CXM - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Norfloxacin (NX - 10 mcg)	1pk
HX1075	***Mic6 (Hexa) UTI 7** Amoxyclav (AMC - 30 mcg), Ampicillin (AMP - 10 mcg), Cefotaxime (CTX - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Norfloxacin (NX - 10 mcg)	1pk
HX1076	***Mic6 (Hexa) UTI 8** Amoxyclav (AMC - 30 mcg), Ampicillin (AMP - 10 mcg), Ceftriaxone (CTR - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Norfloxacin (NX - 10 mcg)	1pk
HX1077	***Mic6 (Hexa) UTI 9** Amoxyclav (AMC - 30 mcg), Ampicillin (AMP - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Norfloxacin (NX - 10 mcg)	1pk
HX1079	***Mic6 (Hexa) UTI 11** Amikacin (AK - 30 mcg), Amoxyclav (AMC - 30 mcg), Ceftriaxone (CTR - 30 mcg), Fosfomycin (FO - 200 mcg), Gentamicin (GEN - 10 mcg), Nitrofurantoin (NIT - 300 mcg)	1pk
	Haemophilus	
HX1017	***Mic6 (Hexa) Haemophilus 2H** Erythromycin (E - 15 mcg), Cephalothin (CEP - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Cefuroxime (CXM - 30 mcg), Ofloxacin (OF - 5 mcg), Oxytetracycline (O - 30 mcg)	1pk
HX1084	***Mic6 (Hexa) Haemophilus 4** Ampicillin (AMP - 10 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Chloramphenicol (C - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Tetracycline (TE – 30	1pk
HX1086	***Mic6 (Hexa) Haemophilus 6** Amoxyclav (AMC - 30 mcg), Ampicillin (AMP - 10 mcg), Cefotaxime (CTX - 30 mcg), Chloramphenicol (C - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Tetracycline (TE - 30 mcg)	1pk
HX1087	***Mic6 (Hexa) Haemophilus 7** Amoxyclav (AMC - 30 mcg), Ampicillin (AMP - 10 mcg), Ceftriaxone (CTR - 30 mcg), Chloramphenicol (C - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Tetracycline (TE - 30 mcg)	1pk
HX1088	***Mic6 (Hexa) Haemophilus 8** Ampicillin (AMP - 10 mcg), Ampicillin/Sulbactum (A/S - 10/10 mcg), Cefuroxime axetil (CXM - 30 mcg), Chloramphenicol (C - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Tetracycline (TE - 30 mcg)	1pk
HX1089	***Mic6 (Hexa) Haemophilus 9** Ampicillin (AMP - 10 mcg), Ampicillin/Sulbactum (A/S - 10/10 mcg), Ceftriaxone (CTR - 30 mcg),Chloramphenicol (C - 30 mcg), Co-Trimoxazole (COT - 25 mcg),Imipenem (IPM - 10 mcg)	1pk
	Pneumococci	
HX1020	***Mic6 (Hexa) Pneumococci 2** Vancomycin (VA - 30 mcg), Cefuroxime (CXM - 30 mcg), Levofloxacin (LE - 5 mcg), Gentamicin (GEN - 10 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg) Co-Trimoxazole (COT - 25 mcg)	1pk
HX1042	***Mic6 (Hexa) Pneumococci-4** Oxacillin (OX - 1 mcg), Co-Trimoxazole (COT - 25 mcg), Erythromycin (E - 15 mcg), Levofloxacin (LE - 5 mcg), Lincomycin (L - 15 mcg), Tetracycline (TE - 30 mcg)	1pk
HX1045	***Mic6 (Hexa) Pneumococci-7** Chloramphenicol (C - 30 mcg), Erythromycin (E - 15 mcg), Levofloxacin (LE - 5 mcg), Oxacillin (OX - 1 mcg), Rifampicin (RIF - 5 mcg), Vancomycin (VA - 30 mcg)	1pk
HX1046	***Mic6 (Hexa) Pneumococci-8** Chloramphenicol (C - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Levofloxacin (LE - 5 mcg), Oxacillin (OX - 1 mcg), Rifampicin (RIF - 5 mcg), Vancomycin (VA - 30 mcg)	1pk

* On receipt, store at -20°C.
For prolonged use, store at or below -20°C.
On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Product Code	Product Name	Packing
Anaerobic Bacteria		
HX1021	***Mic6 (Hexa) Anaerobic 1** Penicillin-G (P - 10 units), Tetracycline (TE - 30 mcg), Lincomycin (L - 2 mcg), Gentamicin (GEN - 10 mcg), Cefotaxime (CTX - 30 mcg), Cefoxitin (CX - 30 mcg)	1pk
HX1032	***Mic6 (Hexa) Universal - 1** Bacitracin (B - 10 units), Chloramphenicol (C - 30 mcg), Penicillin-G (P - 10 units), Polymyxin B (PB - 300 mcg), Gentamicin (GEN - 10 mcg), Neomycin (N - 30 mcg)	1pk
HX1038	***Mic6 (Hexa) Universal-2** Cefotaxime (CTX - 30 mcg), Augmentin (AMC - 30 mcg), Erythromycin (E - 10 mcg), Chloramphenicol (C - 30 mcg), Ofloxacin (OF - 5 mcg), Co-Trimoxazole (COT - 25 mcg)	1pk

Product Code	Product Name	Packing
Antifungal		
HX1104	**Mic6 (Hexa) Antimyco-01** Amphotericin-B (AP - 100 units), Clotrimazole (CC - 10 mcg), Fluconazole (FLC - 25 mcg), Itraconazole (IT - 10 mcg), Ketoconazole (KT - 10 mcg), Nystatin (NS - 100 units)	1pk
HX1715	***Mic6 (Hexa) Universal - 4** Ampicillin (AMP - 10 mcg), Ampicillin/Sulbactum (A/S - 10/10 mcg), Penicillin-G (P - 10 units), Erythromycin (E - 15 mcg), Gentamicin (HLG - 120 mcg), Ceftriaxone (CTR - 30 mcg)	1pk
HX1716	**Mic6 (Hexa) Universal - 5** Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5mcg), Clindamycin (CD - 2 mcg), Teicoplanin (TEI - 30 mcg), Vancomycin (VA - 30 mcg), Linezolid (LZ - 30 mcg)	1pk



★ On receipt, store at -20°C.
For prolonged use, store at or below -20°C.
On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Antimicrobial Susceptibility Testing-Mic8(Octo) discs Microgen 8-in-one ready antibiotic combination modules

Mic8 (OCTO) DISCS

Test 8 different antibiotics in one shot

- Available in two different sizes,Microgen Mic8 (Octo) Discs will help in testing 8 different antibiotics in one shot.
- These are flat circular rings, made of inert material w/ 8 equidistant arms on the outer periphery w/ a 6 mm filter paper disc at the end. Available in 2 sizes, the smaller size can be used on 90 mm plates, whereas the bigger sizes are to be used on 120 mm plates.
- For the bigger size rings, the discs placed at a distance of 24 mm apart from each other are impregnated w/ 8 different antibiotics, w/ corresponding symbols & concentrations printed on the ring. The antibiotic impregnated discs function as individual antibiotic susceptibility discs, generating precise circular zones of inhibition for measurement of the zone diameter with minimal merging.
- However for smaller rings, the distance between the two discs is lesser than 24 mm which might lead to merging of zones.
- The unique inert material used for making the rings allows faster absorption of the rings and hence a uniform diffusion of the antibiotics on to the medium.
- The discs are available in various pre-selected combinations of 8 antibiotics. Also rings can be made as per individual customized specification.
- The smaller size rings are to be used on 100 mm plates or 90mm plates.

  Also available are ready prepared media plates of Mueller Hinton Agar (90 mm) and Mueller Hinton Agar (100 mm)
- For the bigger size rings, 120 mm plates are to be used. Also available are ready prepared media plates of Mueller Hinton Agar (120 mm)

Note: **In product description column** Symbol **&** Quantity **are given in bracket after the Antibiotics name.**

Product Code	Product Name	Packing
OD1020 OD1020R	***Mic8 Combi I** Cephalothin (CEP - 30 mcg), Clindamycin (CD - 2 mcg), Co-Trimoxazole (COT - 25 mcg), Erythromycin (E - 15 mcg), Gentamicin (GEN - 10 mcg), Ofloxacin (OF - 1 mcg), Penicillin-G (P - 10 units), Vancomycin (VA - 30mcg)	1pk 1pk
OD1023 OD1023R	***Mic8 Combi IV** Ampicillin (AMP - 10 mcg), Cephalothin (CEP - 30 mcg), Chloramphenicol (C - 30 mcg), Clindamycin (CD - 2 mcg), Erythromycin (E - 15 mcg), Gentamicin (GEN - 10 mcg), Oxacillin (OX - 1 mcg), Vancomycin (VA-30mcg)	1pk 1pk
OD1026 OD1026R	***Mic8 Combi VII** Amoxicillin (AMX - 10 mcg), Cloxacillin (COX - 5 mcg), Erythromycin (E - 15 mcg), Tetracycline (TE - 10 mcg), Penicillin-G (P - 2 units), Co-Trimoxazole (COT - 25 mcg), Penicillin-V (PV - 3 mcg), Cefalexin (CN - 30 mcg)	1pk 1pk
OD1032 OD1032R	***Mic8 Combi XIII** Penicillin-G (P - 2 units), Tetracycline (TE - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Cloxacillin (COX - 5 mcg), Cefradine (CH - 30 mcg), Erythromycin (E - 10 mcg), Lincomycin (L - 10 mcg), Cefuroxime (CXM - 30 mcg)	1pk 1pk
OD1271 OD1271R	***Mic8 Combi 69** Ciprofloxacin (CIP - 5 mcg), Ofloxacin (OF - 5 mcg), Sparfloxacin (SPX - 5 mcg), Gatifloxacin (GAT - 5 mcg), Aztreonam (AT - 30 mcg), Azithromycin (AZM - 15 mcg), Vancomycin (VA - 30 mcg), Doxycycline Hydrochloride (DO - 30 mcg)	1pk 1pk
OD1277 OD1277R	***Mic8 Combi 77** Amikacin (AK - 30 mcg), Cefotaxime (CTX - 30 mcg), Amoxicillin (AMX - 30 mcg), Cefepime (CPM - 30mcg), Chloramphenicol (C - 30 mcg), Cefalexin (CN - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Isepamicin (IP - 30 mcg)	1pk 1pk
OD1280 OD1280R	***Mic8 Combi 80** Penicillin-G (P - 10 units), Azithromycin (AZM - 15 mcg), Vancomycin (VA - 30 mcg), Cefazolin (CZ - 30 mcg), Clindamycin (CD - 2 mcg), Cloxacillin (COX - 30 mcg), Erythromycin (E - 15 mcg), Teicoplanin (TEI - 30 mcg)	1pk 1pk
OD1281 OD1281R	***Mic8 Combi 85** Co-Trimoxazole (COT - 25 mcg), Gatifloxacin (GAT - 5 mcg), Cefuroxime (CXM - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cefalexin (CN - 30 mcg), Chloramphenicol (C - 30 mcg), Doxycycline Hydrocloride (DO - 30 mcg), Azithromycin (AZM - 15 mcg)	1pk 1pk
OD1291 OD1291R	***Mic8 Combi 90** Ampicillin (AMP - 10 mcg), Levofloxacin (LE - 5 mcg), Vancomycin (VA - 30 mcg), Cephalothin (CEP - 30 mcg), Gentamicin (GEN - 10 mcg), Oxacillin (OX - 1 mcg), Clindamycin (CD - 2 mcg), Erythromycin (E - 15 mcg)	1pk 1pk
OD1298 OD1298R	***Mic8 Combi 94** Amikacin (AK - 30 mcg), Amoxyclav (AMC - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Azithromycin (AZM - 15mcg), Cefepime (CPM - 30 mcg), Cefoperazone/Sulbactam (CFS - 75/30 mcg), Cefpirome (CFP - 30 mcg), Ceftazidime (CAZ - 30 mcg)	1pk 1pk

Code Nos which are having suffix 'R' (OD0000R) can be used on 90 mm media plates whereas for all regular codes 120 mm media plates are to be used.

★ On receipt, store at -20°C. For prolonged use, store at or below -20°C. On receipt all the other products to be stored between -20° to 8°C. The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Product Code	Product Name	Packing
OD1286 OD1286R	***Mic8 Combi 510** Penicillin-G (P - 10 units), Erythromycin (E - 15 mcg), Vancomycin (VA - 30 mcg), Teicoplanin (TEI - 30 mcg), Clindamycin (CD - 2 mcg), Ofloxacin (OF - 5 mcg), Azithromycin (AZM - 15 mcg), Tetracycline (TE - 30 mcg)	1pk 1pk
OD1290 OD1290R	***Mic8 Combi 514** Penicillin-G (P - 2 units), Erythromycin (E - 10 mcg), Cefazolin (CZ - 30 mcg), Lincomycin (L - 2 mcg), Cloxacillin (COX - 5 mcg), Vancomycin (VA - 30 mcg), Gentamicin (GEN - 10 mcg), Teicoplanin (TEI - 30 mcg)	1pk 1pk
OD1740 OD1740R	***Mic8 Combi 523** Amoxyclav (AMC - 30 mcg), Gentamicin (GEN - 10 mcg), Norfloxacin (NX - 10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Cefotaxime (CTX - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Nitrofurantoin (NIT - 300 mcg), Cefuroxime (CXM - 30 mcg)	1pk 1pk
OD1741 OD1741R	***Mic8 Combi 524** Levofloxacin (LE - 5 mcg), Cefpodoxime (CPD - 10 mcg), Ceftizoxime (CZX - 30 mcg), Cefoperazone (CPZ - 75 mcg), Amikacin (AK - 30 mcg), Cefixime (CFM - 5 mcg), Ofloxacin (OF - 5 mcg), Ticarcillin (TI - 75 mcg)	1pk 1pk
OD1750 OD1750R	***Mic8 Combi 533** Amoxycillin (AMX - 10 mcg), Amoxyclav (AMC - 10 mcg), Ceftriaxone (CTR - 30 mcg), Cefoperazone (CPZ - 75 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Amikacin (AK - 30 mcg), Gentamicin (GEN - 10 mcg)	1pk 1pk
OD1751 OD1751R	***Mic8 Combi 534** Ceftazidime (CAZ - 30 mcg), Cefotaxime (CTX - 30 mcg), Ceftazidime/Clavulanic acid (CAC - 30/10 mcg), Cefotaxime/Clavulanic acid (CEC - 30/10 mcg), Imipenem (IPM - 10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Colistin (CL - 10 mcg), Cefepime (CPM - 30 mcg)	1pk 1pk
OD1752 OD1752R	***Mic8 Combi 535** Ampicillin (AMP - 10 mcg), Amoxyclav (AMC - 30 mcg), Cefuroxime (CXM - 30 mcg), Cefadroxil (CFR - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Gatifloxacin (GAT - 5 mcg), Lincomycin (L - 2 mcg), Cefotaxime (CTX - 30 mcg)	1pk 1pk
OD1753 OD1753R	***Mic8 Combi 536** Cefoxitin (CX - 30 mcg), Erythromycin (E - 15 mcg), Clindamycin (CD - 2 mcg), Azithromycin (AZM - 15 mcg), Vancomycin (VA - 30 mcg), Teicoplanin (TEI - 30 mcg), Linezolid (LZ - 30 mcg), Cefpirome (CFP - 30 mcg)	1pk 1pk
OD1754 OD1754R	***Mic8 Combi 537** Tetacycline (TE - 30 mcg), Chloramphenicol (C - 30 mcg), Co-trimoxazole (COT - 25 mcg), Ofloxacin (OF - 5 mcg), Tobramycin (TOB - 10 mcg), Roxithomycin (RO - 15 mcg), Cefoperazone/Sulbactum (CFS - 75/10 mcg), Cefixime (CFM - 5 mcg)	1pk 1pk
OD1001 OD1001R	***Mic8 G-I-plus** Amoxyclav (AMC - 10 mcg), Cefalexin (CN - 10 mcg),Ciprofloxacin (CIP - 10 mcg), Clindamycin (CD - 2 mcg),Cloxacillin (COX - 1 mcg), Co-Trimoxazole (COT - 25 mcg), Erythromycin (E - 15 mcg), Tetracycline (TE - 30 mcg)	1pk 1pk

Product Code	Product Name	Packing
OD1002 OD1002R	***Mic8 G-II-plus** Ampicillin (AMP - 10 mcg), Carbenicillin (CB - 100 mcg),Cefotaxime (CTX - 30 mcg), Chloramphenicol (C - 30 mcg),Co-trimazine (CM - 25 mcg), Gentamicin (GEN - 10 mcg), Norfloxacin (NX - 10 mcg), Oxacillin (OX - 5 mcg)	1pk 1pk
OD1003 OD1003R	***Mic8 G-III-plus** Amikacin (AK - 10 mcg), Amoxicillin (AMX - 10 mcg), Bacitracin (B - 10 units), Cephalothin (CEP - 30 mcg),Erythromycin (E - 15 mcg), Novobiocin (NV - 30 mcg),Oxytetracycline (O - 30 mcg), Vancomycin (VA - 30 mcg)	1pk 1pk
OD1004 OD1004R	***Mic8 G-IV-plus** Cefaloridine (CR - 30 mcg), Kanamycin (K - 30 mcg),Lincomycin (L - 2 mcg), Methicillin (MET - 5 mcg),Norfloxacin (NX - 10 mcg), Oleandomycin (OL - 15 mcg),Penicillin-G (P - 10 units), Tobramycin (TOB - 10 mcg)	1pk 1pk
OD1033 OD1033R	***Mic8 G-V-plus** Amoxicillin (AMX-10 mcg), Tetracycline (TE-30 mcg),CoTrimoxazole (COT - 25 mcg), Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcgErythromycin (E - 15 mcg), Chloramphenicol (C - 30 mcg), Cefalexin (CN - 30 mcg)	1pk 1pk
OD1034 OD1034R	***Mic8 G-VI-plus** Ceftriaxone (CTR - 30 mcg), Ceftazidime (CAZ - 30 mcgCefotaxime (CTX - 30 mcg), Lincomycin (L - 2 mcg), Netilmicin (NET - 30 mcg), Ofloxacin (OF - 2 mcg), Vancomycin (VA - 30 mcg), Amikacin (AK - 30 mcg)	1pk 1pk
OD1038 OD1038R	***Mic8 G-VIII-plus** Bacitracin (B-10 units), Chloramphenicol (C-30 mcg),Co Trimoxazole (COT - 25 mcg), Penicillin-G (P - 10 units), Polymyxin-B (PB - 300 unitsGentamicin (GEN - 10 mcg), Neomycin (N - 30 mcg), Tetracycline (TE - 30 mcg)	1pk 1pk
OD1011 OD1011R	***Mic8 G-X-plus** Chloramphenicol (C - 25 mcg), Erythromycin (E - 5 mcg), Fusidic acid (FC - 10 mcg), Methicillin (MET - 10 mcg), Novobiocin (NV - 5 mcg), Penicillin-G (P - 1 unit), Streptomycin (S - 10 mcg), Tetracycline (TE - 25 mcg	1pk 1pk
OD1041 OD1041R	***Mic8 G-XII-plus** Tetracycline (TE - 30 mcg), Chloramphenicol (C - 30 mcg), Ampicillin (AMP - 10 mcg), Gentamicin (GEN - 10 mcg), Cefazolin (CZ - 30 mcg), Cefuroxime (CXM - 30 mcg), Amikacin (AK - 30 mcg), Co-Trimoxazole (COT - 25 mcg	1pk 1pk
OD1050 OD1050R	***Mic8 G-XIV-plus** Penicillin-G (P - 10 units), Gentamicin (GEN - 10 mcg), Augmentin (AMC - 30 mcg), Ciprofloxacin (CIP - 5 mcg),Erythromycin (E - 10 mcg), Fusidic acid (FC - 10 mcg),Chloramphenicol (C - 30 mcg), Vancomycin (VA - 30 mcg)	1pk 1pk
OD1303 OD1303R	***Mic8 G Plus-15** Penicillin-G (P - 10 units), Ampicillin (AMP - 10 mcg), Vancomycin (VA - 30 mcg), Linezolid (LZ - 30 mcg),Erythromycin (E - 15 mcg), Doxycyline Hydrochloride (DO - 30 mcg), Gentamicin (HLG - 120 mcg), Levofloxacin (LE - 5 mcg	1pk 1pk

Code Nos which are having suffix 'R' (OD0000R) can be used on 90 mm media plates whereas for all regular codes 120 mm media plates are to be used.
★ On receipt, store at -20°C.
For prolonged use, store at or below -20°C. On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Product Code	Product Name	Packing
OD1304	***Mic8 G Plus-16**	1pk
OD1304R	Penicillin-G (P - 10 units), Amoxicillin/Clavulanic acid (AMC - 20/10 mcg), Cefoxitin (CX - 30 mcg), Vancomycin (VA - 30 mcg), Linezolid (LZ - 30 mcg), Erythromycin (E - 15 mcg), Clindamycin (CD - 2 mcg), Gentamicin (GEN - 10 mcg)	1pk
OD1305	***Mic8 G Plus-17**	1pk
OD1305R	Doxycyline Hydrochloride (DO - 30 mcg), Levofloxacin (LE - 5 mcg), Cefepime (CPM - 30 mcg), Ceftriaxone (CTR - 30 mcg), Quinupristin/Dalfopristin (RP - 15/15 mcg), Co-Trimoxazole (COT - 25 mcg), Amikacin (AK - 30 mcg), Sparfloxacin (SPX - 5 mcg)	1pk
OD1309	***Mic8 G Plus-18**	1pk
OD1309R	Oxacillin (OX - 1 mcg), Penicillin-G (P - 10 units),Erythromycin (E - 15 mcg), Clindamycin (CD - 2 mcg), Linezolid (LZ - 30 mcg), Vancomycin (VA - 30 mcg), Teicoplanin (TEI - 30 mcg), Gentamicin (HLG - 120 mcg)	1pk

Gram - Negative Organisms

OD1258	**Mic8 Combi 61**	1pk
OD1258R	Imipenem (IPM - 10 mcg), Meropenem (MRP - 10 mcg),Ciprofloxacin (CIP - 5 mcg), Tobramycin (TOB - 10 mcg), Moxifloxacin (MO - 5 mcg), Ofloxacin (OF - 5 mcg), Sparfloxacin (SPX - 5 mcg), Levofloxacin (LE - 5 mcg)	1pk
OD1272	***Mic8 Combi 70**	1pk
OD1272R	Ciprofloxacin (CIP - 5 mcg), Ofloxacin (OF - 5 mcg) Norfloxacin (NX - 10 mcg), Levofloxacin (LE - 5 mcg), Aztreonam (AT - 30 mcg), Gatifloxacin (GAT - 5 mcg), Nitrofurantoin (NIT - 300 mcg), Co-Trimoxazole (COT - 25 mcg)	1pk
OD1278	***Mic8 Combi 78**	1pk
OD1278R	Ceftriaxone (CTR - 30 mcg), Gentamicin (GEN - 10 mcg),Co-Trimoxazole (COT - 25 mcg), Levofloxacin (LE - 5 mcg), Netillin (NET - 30 mcg), Tetracycline (TE - 30 mcg), Amoxyclav (AMC - 30 mcg), Ofloxacin (OF - 5 mcg)	1pk
OD1293	***Mic8 Combi 92**	1pk
OD1293R	Amikacin (AK - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcg), Ceftazidime (CAZ - 30 mcg), Cefepime (CPM - 30 mcg), Cefoxitin (CX - 30 mcg), Cefoxatime (CTX - 30 mcg), Ceftriaxone (CTR - 30 mcg)	1pk
OD1299	***Mic8 Combi 95**	1pk
OD1299R	Ceftizoxime (CZX - 30 mcg), Ceftriaxone (CTR - 30 mcg),Cefuroxime (CXM - 30 mcg), Cefadroxil (CFR - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Doxycycline Hydrochloride (DO - 30 mcg), Gatifloxacin (GAT - 5 mcg), Gentamicin (GEN - 10 mcg)	1pk
OD1284	***Mic8 Combi 508**	1pk
OD1284R	Ceftazidime (CAZ-30 mcg), Cefotaxime (CTX-30 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Ceftriaxone (CTR - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Netillin (NET - 30 mcg), Gatifloxacin (GAT - 30 mcg)	1pk

Product Code	Product Name	Packing
OD1285	***Mic8 Combi 509**	1pk
OD1285R	Tobramycin (TOB - 10 mcg), Imipenem (IPM - 10 mcg),Augmentin (AMC - 30 mcg), Cefoxitin (CX - 30 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Cefoperazone (CPZ - 75 mcg), Nalidixic acid (NA - 30 mcg), Norfloxacin (NX - 10 mcg)	1pk
OD1289	***Mic8 Combi 513**	1pk
OD1289R	Cefuroxime (CXM - 30 mcg), Gentamicin (GEN - 10 mcg), Ampicillin (AMP - 10 mcg), Ceftriaxone (CTR - 30 mcg), Amikacin (AK - 30 mcg), Cephalothin (CEP - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg)	1pk
OD1296	***Mic8 Combi 517**	1pk
OD1296R	Cefuroxime (CXM - 30 mcg), Cefadroxil (CFR - 30 mcg),Ceftazidime (CAZ - 30 mcg), Cefepime (CPM - 30 mcg), Cefpirome (CFP - 30 mcg), Ceftriaxone (CTR - 30 mcg), Ceftizoxime (CZX - 30 mcg), Polymyxin-B (PB - 300 units)	1pk
OD1297	***Mic8 Combi 518**	1pk
OD1297R	Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Ofloxacin (OF - 5 mcg), Gatifloxacin (GAT - 5 mcg), Cefoperazone/Sulbactam (CFS - 75/30 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Co-Trimoxazole (COT - 25 mcg), Doxycycline Hydrocloride (DO - 30 mcg)	1pk
OD1005	***Mic8 G-I-minus**	1pk
OD1005R	Ampicillin (AMP-10 mcg), Ciprofloxacin (CIP-10 mcg), Colistin (CL - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Nitrofurantoin (NIT - 300 mcg), Streptomycin (S - 10 mcg), Tetracycline (TE - 30 mcg)	1pk
OD1006	***Mic8 G-II-minus**	1pk
OD1006R	Cefotaxime (CTX - 30 mcg), Cefalexin (CN - 30 mcg),Co-Trimoxazole (COT - 25 mcg), Chloramphenicol (C - 30 mcg), Nalidixic acid (NA - 30 mcg), Furazolidone (FR - 50 mcg), Norfloxacin (NX - 10 mcg), Oxytetracycline (O - 30 mcg)	1pk
OD1007	***Mic8 G-III-minus**	1pk
OD1007R	Amikacin (AK - 10 mcg), Carbenicillin (CB - 100 mcg), Ciprofloxacin (CIP - 10 mcg), Co-Trimazine (CM - 25 mcg), Kanamycin (K - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Streptomycin (S - 10 mcg), Tetracycline (TE - 30 mcg)	1pk
OD1014	***Mic8 G-IV-minus**	1pk
OD1014R	Ampicillin (AMP - 10 mcg), Cephalothin (CEP - 5 mcg),Colistin sulphate (CL - 25 mcg), Gentamicin (GEN - 10 mcg), Streptomycin (S - 10 mcg), Sulphatriad (S3 - 200 mcg), Tetracycline (TE - 25 mcg), Co-Trimoxazole (COT - 25 mcg)	1pk
OD1015	***Mic8 G-V-minus**	1pk
OD1015R	Ampicillin (AMP - 10 mcg), Ticarcillin (TI - 75 mcg), Gentamicin (GEN - 10 mcg), Cefalexin (CN - 30 mcg), Trimethoprim (TR - 1.25 mcg), Sulphamethoxazole (SX - 25 mcg), Tetracycline (TE - 25 mcg), Colistin methane sulphonate (CL - 25 mcg)	1pk

Code Nos which are having suffix 'R' (OD0000R) can be used on 90 mm media plates whereas for all regular codes 120 mm media plates are to be used.

★ On receipt, store at -20°C. For prolonged use, store at or below -20°C. On receipt all the other products to be stored between -20° to 8°C.

The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Product Code	Product Name	Packing
OD1042	***Mic8 G-VI-minus**	1pk
OD1042R	Ceftazidime (CAZ - 30 mcg), Ciprofloxacin (CIP - 30 mcg), Cefotaxime (CTX - 30 mcg), Nalidixic acid (NA - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Norfloxacin (NX - 10 mcg), Netillin (NET - 30 mcg), Ofloxacin (OF - 5 mcg)	1pk
OD1043	***Mic8 G-VII-minus**	1pk
OD1043R	Chloramphenicol (C - 30 mcg), Ampicillin (AMP - 10 mcg), Tetracycline (TE - 30 mcg), Gentamicin (GEN - 10 mcg), Kanamycin (K - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Amikacin (AK - 30 mcg), Streptomycin (S - 25 mcg)	1pk
OD1044	***Mic8 G-VIII-minus**	1pk
OD1044R	Nalidixic acid (NA - 30 mcg), Norfloxacin (NX - 300 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Ampicillin (AMP - 25 mcg), efalexin (CN - 30 mcg), Norfloxacin (NX - 10 mcg), Mecillinam (MEC - 33 mcg)	1pk
OD1045	***Mic8 G-IX-minus**	1pk
OD1045R	Ampicillin (AMP - 10 mcg), Augmentin (AMC - 30 mcg),Cefotaxime (CTX - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Tobramycin (TOB - 10 mcg), Cefoxitin (CX - 30 mcg), Cephalothin (CEP - 30 mcg)	1pk
OD1047	***Mic8 G-XI-minus**	1pk
OD1047R	Chloramphenicol (C - 25 mcg), Ampicillin (AMP - 25 mcg), Tetracycline (TE - 25 mcg), Gentamicin (GEN - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Ceftriaxone (CTR -30 mcg), Cefuroxime (CXM - 30 mcg), Ciprofloxacin (CIP - 10 mcg)	1pk
OD1053	***Mic8 G-XII-minus**	1pk
OD1053R	Chloramphenicol (C - 30 mcg), Ampicillin (AMP - 10 mcg), Tetracycline (TE - 25 mcg), Gentamicin (GEN - 30 mcg), Streptomycin (S - 10 mcg), Kanamycin (K - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Amikacin (AK - 10 mcg)	1pk
OD1055	***Mic8 G-XIII-minus**	1pk
OD1055R	Amikacin (AK - 30 mcg), Ceftazidime (CAZ - 30 mcg), Chloramphenicol (C - 30 mcg), Aztreonam (AT - 30 mcg), Tetracycline (TE - 30 mcg), Piperacillin (PI - 100 mcg), Imipenem (IPM - 10 mcg), Ciprofloxacin (CIP - 1 mcg)	1pk
OD1057	***Mic8 G-XVIII-minus**	1pk
OD1057R	Ceftazidime (CAZ-30 mcg), Ciprofloxacin (CIP-5 mcg), Cefotaxime (CTX - 30 mcg), Nalidixic acid (NA - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Norfloxacin (NX - 10 mcg), Netillin (NET - 30 mcg), Ofloxacin (OF - 5 mcg)	1pk
OD1060	***Mic8 G-XXI-minus**	1pk
OD1060R	Chloramphenicol (C - 30 mcg), Ampicillin (AMP - 10 mcg), Tetracycline (TE - 30 mcg), Gentamicin (GEN - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Ceftriaxone (CTR - 30 mcg), Cefuroxime (CXM - 30 mcg), Ciprofloxacin (CIP - 5 mcg)	1pk
OD1061	***Mic8 G-XXII-minus**	1pk
OD1061R	Chloramphenicol (C - 30 mcg), Ampicillin (AMP - 10 mcg), Tetracycline (TE - 30 mcg), Gentamicin (GEN - 10 mcg), Streptomycin (S - 10 mcg), Kanamycin (K - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Amikacin (AK - 30 mcg)	1pk
OD1301	***Mic8 G minus-24**	1pk
OD1301R	Piperacillin /Tazobactam (PIT - 100/10 mcg), Piperacillin (PI - 100 mcg), Gentamicin (GEN - 10 mcg), Cefotaxime (CTX - 30 mcg), Amikacin (AK - 30 mcg), Meropenem (MRP - 10 mcg), Cefepime (CPM - 30 mcg), Levofloxacin (LE - 5 mcg)	1pk
OD1302	***Mic8 G minus-25**	1pk
OD1302R	Ampicillin (AMP - 10 mcg), Amoxicillin /Clavulanic acid (AMC - 20/10 mcg), Cefoxitin (CX - 30 mcg), Ceftazidime (CAZ - 30 mcg), Ceftazidime /Clavulanic acid (CAC - 30/10 mcg), Doxycyline Hydrochloride (DO - 30 mcg), Aztreonam (AT - 30 mcg), Co-Trimoxazole (COT - 25 mcg)	1pk
OD1310	***Mic8 G minus-26**	1pk
OD1310R	Piperacillin /Tazobactam (PIT - 100/10 mcg), Ampicillin /Sulbactam (A/S - 10/10 mcg), Ceftazidime (CAZ - 30 mcg), Ceftazidime/Clavulanic acid (CAC - 30/10 mcg), Ceftriaxone (CTR - 75 mcg), Cefepime (CPM - 30 mcg), Imipenem/Cilastin (IC - 10/10 mcg), Nalidixic acid (NA - 30 mcg)	1pk
OD1311	***Mic8 G minus-27**	1pk
OD1311R	Cefixime (CFM - 5 mcg), Polymyxin B (PB - 300 units), Norfloxacin (NX - 10 mcg), Netilimicin (NET - 30 mcg), Levofloxacin (LE - 5 mcg), Cefoperazone (CPZ - 75 mcg), Colistin (CL - 10 mcg), Aztreonam (AT - 30 mcg)	1pk
OD1312	***Mic8 G Minus-28**	1pk
OD1312R	Piperacillin /Tazobactam (PIT - 100/10 mcg), Amikacin (AK - 30 mcg), Cefoperazone/Sulbactam (CFS - 75/10 mcg), Meropenem (MRP - 10 mcg), Gentamicin (GEN - 10 mcg), Cefepime (CPM - 30 mcg), Cefotaxime (CTX - 30 mcg), Levofloxacin (LE - 5 mcg)	1pk
OD1313	***Mic8 G Minus-29**	1pk
OD1313R	Cefepime /Tazobactam (CPT - 30/10 mcg), Netillin (NET - 30 mcg), Amoxicillin /Clavulanic acid (AMC - 20/10 mcg), Doxycyclin Hydrochloride (DO - 30 mcg), Imipenem (IPM - 10 mcg), Aztreonam (AT - 30 mcg), Ceftazidime (CAZ - 30 mcg), Cefuroxime (CXM - 30 mcg)	1pk

Code Nos which are having suffix 'R' (OD0000R) can be used on 90 mm media plates whereas for all regular codes 120 mm media plates are to be used.

★ On receipt, store at -20°C. For prolonged use, store at or below -20°C. On receipt all the other products to be stored between -20° to 8°C.

The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Pseudomonas

Product Code	Product Name	Packing
OD1025 OD1025R	***Mic8 Combi VI** Amikacin (AK - 30 mcg), Ampicillin (AMP - 10 mcg), Cefoxitin (CX - 30 mcg), Ceftazidime (CAZ - 30 mcg),Ceftriaxone (CTR - 30 mcg), Chloramphenicol (C - 30 mcg), Gentamicin (GEN - 10 mcg), Piperacillin (PI - 100 mcg)	1pk 1pk
OD1031 OD1031R	***Mic8 Combi XII** Amikacin (AK - 10 mcg), Augmentin (AMC - 30 mcg),Cefotaxime (CTX - 10 mcg), Tobramycin (TOB - 10 mcg), Gentamicin (GEN - 10 mcg), Piperacillin (PI - 75 mcg),Ceftazidime (CAZ - 30 mcg), Colistin (CL - 25 mcg)	1pk 1pk
OD1256 OD1256R	***Mic8 Combi 59** Ampicillin/Sulbactam (A/S - 10/10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Ticarcillin/Clavulanic acid (TCC - 75/10 mcg), Carbenicillin (CB - 100 mcg), Cephalothin (CEP - 30 mcg), Cefuroxime (CXM - 30 mcg), Cefotaxime (CTX - 30 mcg), Cefoperazone (CPZ - 75 mcg)	1pk 1pk
OD1257 OD1257R	***Mic8 Combi 60** Amoxyclav (AMC-10 mcg), Ceftriaxone (CTR-30 mcg), Ceftizoxime (CZX - 30 mcg), Ceftazidime (CAZ - 30 mcg), Cefpodoxime (CPD - 30 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Cefoperazone/Sulbactam (CFS - 75/30 mcg)	1pk 1pk
OD1294 OD1294R	***Mic8 Combi 93** Amikacin (AK - 30 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Gentamicin (GEN - 10 mcg), Meropenem (MRP - 10 mcg), Ceftazidime (CAZ - 30 mcg), Aztreonam (AT - 30 mcg), Imipenem (IPM - 10 mcg), Ciprofloxacin (CIP - 5 mcg)	1pk 1pk
OD1008 OD1008R	***Mic8 Pseudo** Amikacin (AK - 10 mcg), Carbenicillin (CB - 100 mcg), Chloramphenicol (C - 30 mcg), Ciprofloxacin (CIP - 10 mcg), Cefotaxime (CTX - 30 mcg), Gentamicin (GEN - 10 mcg), Norfloxacin (NX - 10 mcg), Tobramycin (TOB - 10 mcg)	1pk 1pk
OD1036 OD1036R	***Mic8 Pseudo I** Amikacin (AK - 30 mcg), Carbenicillin (CB - 100 mcg), Ceftazidime (CAZ - 30 mcg), Ceftriaxone (CTR - 30 mcg), Netillin (NET - 30 mcg), Piperacillin (PI - 100 mcg), Tobramycin (TOB - 10 mcg), Gentamicin (GEN - 10 mcg)	1pk 1pk
OD1063 OD1063R	***Mic8 Pseudo V** Amikacin (AK - 30 mcg), Carbenicillin (CB - 100 mcg), Chloramphenicol (C - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cefotaxime (CTX - 30 mcg), Gentamicin (GEN - 10 mcg), Norfloxacin (NX - 10 mcg), Tobramycin (TOB - 10 mcg)	1pk 1pk
OD1307 OD1307R	***Mic8 Pseudo-6** Ceftazidime (CAZ - 30 mcg), Gentamicin (GEN - 10 mcg), Piperacillin (PI - 100 mcg), Piperacillin /Tazobactam (PIT - 100/10 mcg), Amikacin (AK - 30 mcg), Cefoperazone (CPZ - 75 mcg), Levofloxacin (LE - 5 mcg), Meropenem (MRP - 10 mcg)	1pk 1pk

UTI Pathogenic Organisms

Product Code	Product Name	Packing
OD1021 OD1021R	***Mic8 Combi II** Carbenicillin (CB - 100 mcg), Cefoxitin (CX - 30 mcg), Clindamycin (CD - 2 mcg), Chloramphenicol (C - 30 mcg), Erythromycin (E - 15 mcg), Metronidazole (MT - 5 mcg), Penicillin-G (P - 10 units), Tetracycline (TE - 30 mcg)	1pk 1pk
OD1022 OD1022R	***Mic8 Combi III** Ampicillin (AMP - 10 mcg), Cefotaxime (CTX - 30 mcg),Cephalothin (CEP - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Nalidixic acid (NA - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Norfloxacin (NX - 10 mcg)	1pk 1pk
OD1030 OD1030R	***Mic8 Combi XI** Ampicillin (AMP - 25 mcg), Tetracycline (TE - 50 mcg), Co-Trimoxazole (COT - 25 mcg), Nalidixic acid (NA - 30 mcg), Mecillinam (MEC - 25 mcg), Gentamicin (GEN - 10 mcg), Colistin (CL - 50 mcg), Norfloxacin (NX - 10 mcg)	1pk 1pk
OD1270 OD1270R	***Mic8 Combi 68** Cefoperazone (CPZ - 75 mcg), Cefpodoxime (CPD - 30 mcg), Ceftazidime (CAZ - 30 mcg), Cefepime (CPM - 30 mcg), Meropenem (MRP - 10 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Moxifloxacin (MO - 5 mcg)	1pk 1pk
OD1273 OD1273R	***Mic8 Combi 71** Ampicillin (AMP - 10 mcg), Cefazolin (CZ - 30 mcg),Nalidixic acid (NA - 30 mcg), Norfloxacin (NX - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Levofloxacin (LE - 5 mcg), Nitrofurantoin (NIT - 50 mcg)	1pk 1pk
OD1066 OD1066R	***Mic8 Combi 82** Cefoperazone (CPZ - 75 mcg), Cefpodoxime (CPD - 10 mcg), Ceftazidime (CAZ - 30 mcg), Cefepime (CPM - 30 mcg), Meropenem (MRP - 10 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Moxifloxacin (MO - 5 mcg)	1pk 1pk
OD1067 OD1067R	***Mic8 Combi 83** Ampicillin (AMP - 10 mcg), Cefazolin (CZ - 30 mcg), Nalidixic acid (NA - 30 mcg), Norfloxacin (NX - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Levofloxacin (LE - 5 mcg), Nitrofurantoin (NIT - 300 mcg)	1pk 1pk
OD1292 OD1292R	***Mic8 Combi 91** Augmentin (AMC - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Nalidixic acid (NA - 30 mcg), Cefuroxime (CXM - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Norfloxacin (NX - 10 mcg), Gentamicin (GEN - 10 mcg), Cefixime (CFM - 5 mcg)	1pk 1pk
OD1300 OD1300R	***Mic8 Combi 96** Imipenem (IPM - 10 mcg), Linezolid (LZ - 30 mcg),Meropenem (MRP - 10 mcg), Nitrofurantion (NIT - 300 mcg), Ofloxacin (OF - 5 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Polymyxin-B (PB - 300 units), Vancomycin (VA - 30 mcg)	1pk 1pk

Code Nos which are having suffix 'R' (OD0000R) can be used on 90 mm media plates whereas for all regular codes 120 mm media plates are to be used.

★ On receipt, store at -20°C. For prolonged use, store at or below -20°C. On receipt all the other products to be stored between -20° to 8°C.

The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Product Code	Product Name	Packing
OD1287 OD1287R	***Mic8 Combi 511** Ampicillin (AMP - 25 mcg), Cefalexin (CN - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Nalidixic acid (NA - 30 mcg), Nitrofurantoin (NIT - 100 mcg), Gentamicin (GEN - 10 mcg), Ceftriaxone (CTR - 30 mcg), Norfloxacin (NX - 10 mcg)	1pk 1pk
OD1009 OD1009R	***Mic8 UTI-I** Amoxyclav (AMC - 10 mcg), Cefalexin (CN - 30 mcg), Cefotaxime (CTX - 30 mcg), Chloramphenicol (C - 30 mcg), Ciprofloxacin (CIP - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Norfloxacin (NX - 10 mcg)	1pk 1pk
OD1010 OD1010R	***Mic8 UTI-II** Amikacin (AK - 10 mcg), Ampicillin (AMP - 10 mcg), Cefaloridine (CR - 30 mcg), Colistin (CL - 10 mcg), Co-Trimazine (CM - 25 mcg), Nalidixic acid (NA - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Streptomycin (S - 10 mcg)	1pk 1pk
OD1035 OD1035R	**Mic8 UTI III** Norfloxacin (NX - 10 mcg), Ciprofloxacin (CIP - 5 mcg),Nalidixic acid (NA - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Amoxicillin (AMX - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Chloramphenicol (C - 30 mcg)	1pk 1pk
OD1019 OD1019R	***Mic8 UTI-V** Ampicillin (AMP - 25 mcg), Gentamicin (GEN - 10 mcg),Carbenicillin (CB - 100 mcg), Nalidixic acid (NA - 30 mcg), Nitrofurantoin (NIT - 50 mcg), Sulphamethizole (SM - 200 mcg), Tetracycline (TE - 100 mcg), Co-Trimoxazole (COT - 25 mcg)	1pk 1pk
OD1017 OD1017R	***Mic8 UTI-VI** Ampicillin (AMP-25 mcg), Cephalothin (CEP-25 mcg), Colistin methane sulphonate (CL - 100 mcg), Nalidixic acid (NA - 30 mcg), Nitrofurantoin (NIT - 50 mcg), Sulphamethizole (SM - 200 mcg), Tetracycline (TE - 100 mcg), Co-Trimoxazole (COT - 25 mcg)	1pk 1pk
OD1018 OD1018R	***Mic8 UTI-VII** Ampicillin (AMP - 25 mcg), Nitrofurantoin (NIT - 50 mcg), Ticarcillin (TI - 75 mcg), Tetracycline (TE - 100 mcg), Nalidixic acid (NA - 30 mcg), Trimethoprim (TR - 2.5 mcg), Sulphamethoxazole (SX - 50 mcg), Gentamicin (GEN - 10 mcg)	1pk 1pk
OD1051 OD1051R	***Mic8 UTI-X** Cefuroxime (CXM - 30 mcg), Augmentin (AMC - 30 mcg), Ceftriaxone (CTR - 30 mcg), Gentamicin (GEN - 10 mcg), Nitrofurantoin (NIT - 200 mcg), Co-Trimoxazole (COT - 25 mcg), Ciprofloxacin (CIP - 5 mcg), Ceftazidime (CAZ - 30 mcg)	1pk 1pk

Product Code	Product Name	Packing
OD1054 OD1054R	***Mic8 UTI-XII** Ampicillin (AMP - 25 mcg), Gentamicin (GEN - 10 mcg),Carbenicillin (CB - 100 mcg), Nalidixic acid (NA - 30 mcg), Nitrofurantoin (NIT - 50 mcg), Tetracycline (TE - 100 mcg), Co-Trimoxazole (COT - 25 mcg), Nicene (NI - 30 mcg)	1pk 1pk
OD1306 OD1306R	***Mic8 UTI-18** Norfloxacin (NX - 10 mcg), Nalidixic acid (NA - 30 mcg),Nitrofurantoin (NIT - 300 mcg), Ofloxacin (OF - 5 mcg), Carbenicillin (CB - 100 mcg), Cefoperazone/Sulbactam (CFS - 75/10 mcg), Co-Trimoxazole (COT - 25 mcg), Ceftazidime (CAZ - 30 mcg)	1pk 1pk
Sputum & Respiratory Pathogenic Organisms		
OD1269 OD1269R	***Mic8 Combi 67** Ampicillin (AMP - 10 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Amoxicillin/Clavulanic acid (AMC - 20/10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Ticarcillin/Clavulanic acid (TCC - 75/10 mcg), Cefoperazone/Sulbactam (CFS - 75/10 mcg), Cefuroxime (CXM - 30 mcg), Cefotaxime (CTX - 30 mcg)	1pk 1pk
OD1276 OD1276R	***Mic8 Combi 84** Chloramphenicol (C - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Amoxicillin/Clavulanic acid (AMC - 20/10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Ticarcillin/Clavulanic acid (TCC - 75/10 mcg), Cefoperazone/Sulbactam (CFS - 75/10 mcg), Cefuroxime (CXM - 30 mcg), Cefotaxime (CTX - 30 mcg)	1pk 1pk
General Purpose		
OD1282 OD1282R	***Mic8 Combi 505** Cefoperazone (CPZ - 75 mcg), Cefpodoxime (CPD - 30 mcg), Ceftazidime (CAZ - 30 mcg), Cefepime (CPM - 30 mcg), Imipenem (IPM - 10 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Moxifloxacin (MO - 5 mcg)	1pk 1pk
OD1283 OD1283R	**Mic8 Combi 506** Ciprofloxacin (CIP - 5 mcg), Ofloxacin (OF - 5 mcg), Sparfloxacin (SPX - 5 mcg), Gatifloxacin (GAT - 5 mcg), Teicoplanin (TEI - 30 mcg), Azithromycin (AZM - 15 mcg), Vancomycin (VA - 30 mcg), Doxycycline Hydrocloride (DO - 30 mcg)	1pk 1pk
OD1308 OD1308R	***Mic8 Universal-1** Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cefoxitin (CX - 30 mcg), Amoxicillin/Clavulanic acid (AMC - 20/10 mcg), Tetracycline (TE - 30 mcg), Chloramphenicol (C - 30 mcg), Co-Trimoxazole (COT - 25 mcg)	1pk 1pk
OD1295 OD1295R	***Mic8 Combi 516** Imipenem (IPM-10 mcg), Meropenem (MRP-10 mcg), Amoxyclav (AMC - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Azithromycin (AZM - 15 mcg), Vancomycin (VA - 30 mcg), Linezolid (LZ - 30 mcg), Nitrofurantoin (NIT - 300 mcg)	1pk 1pk

Code Nos which are having suffix 'R' (OD0000R) can be used on 90 mm media plates whereas for all regular codes 120 mm media plates are to be used.
★ On receipt, store at -20°C.
For prolonged use, store at or below -20°C. On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Antimicrobial Susceptibility Testing - Mic12 Dodeca Discs
Microgen 12-in-one ready antibiotic combination modules
[To be use on 150 mm plates]

Mic12 (DODECA) DISCS

Test 12 different antibiotics,
for testing on a single 150 mm plate

- These discs are placed at a distance of 24 mm from each other.
- These are flat circular rings, made of inert material w/ 8 & 4 equidistant arms on the outer & inner peripheryrespectively w/ a 6 mm filter paper disc at the end.
- Microgen Mic12 (Dodeca) discs are enhanced extensions of Single Discs. These series of discs gives the privilege to study 12 antibiotics on a single plate.
- These discs are impregnated w/ 12 different antibiotics, w/corresponding symbols & concentrations printed on the ring. The antibiotic impregnated discs function as individual antibiotic susceptibility discs, generating precise circular zones of inhibition for measurement of the zone diameter with minimal merging.
- The unique inert material used for making the rings aids in quicker absorption of the rings and hence a proper diffusion of the antibiotics on to the medium.
- The discs are available in various pre-selected combinations of 12 antibiotics. However rings can also be made as per individual customized specification.
- These discs are to be used on 150 mm plates. Also available are ready prepared media plates of Mueller Hinton Agar (150 mm)

Note: **In product description column** Symbol **&** Quantity **are given in bracket after the Antibiotics name.**

Product Code	Product Name	Packing
DE1001	***Mic12 (Dodeca) Universal-I** Cefpodoxime (CPD - 10 mcg), Chloramphenicol (C - 30 mcg), Vancomycin (VA - 30 mcg), Streptomycin (S - 10 mcg), Rifampicin (RIF - 5 mcg), Levofloxacin (LE - 5 mcg), Ceftriaxone (CTR - 30 mcg), Clindamycin (CD - 2 mcg), Augmentin (AMC - 30 mcg), Amikacin (AK - 30 mcg), Cefixime (CFM - 5 mcg), Tetracycline (TE - 30 mcg)	1pk
DE1007	***Mic12 (Dodeca) Universal-II** Amikacin (AK - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Colistin (CL - 10 mcg), Augmentin (AMC - 30 mcg), Netillin (NET - 30 mcg), Norfloxacin (NX - 10 mcg), Ceftriaxone (CTR - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Cefotaxime (CTX - 30 mcg), Gentamicin (GEN - 10 mcg), Furazolidone (FR - 50 mcg), Amoxicillin (AMX - 10 mcg)	1pk
DE1008	***Mic12 (Dodeca) Universal-III** Ampicillin (AMP - 10 mcg), Cefuroxime (CXM - 30 mcg), Cefadroxil (CFR - 30 mcg), Augmentin (AMC - 30 mcg), Penicillin-G (P - 10 units), Cefotaxime (CTX - 30 mcg), Cefaclor (CF - 30 mcg) Azithromycin (AZM - 15 mcg), Erythromycin (E - 15 mcg), Cefoperazone (CPZ - 75 mcg), Clarithromycin (CLR - 15 mcg), Ciprofloxacin (CIP - 5 mcg)	1pk
DE1012	***Mic12 (Dodeca) Universal-IV** Cefuroxime (CXM - 30 mcg), Cefaclor (CF - 30 mcg), Ceftriaxone (CTR - 30 mcg), Cefalexin (CN - 30 mcg), Ceftazidime (CAZ - 30 mcg), Ceftizoxime (CZX - 30 mcg), Cefadroxil (CFR - 30 mcg), Ampicillin/Cloxacillin (AX - 30 mcg), Cefoperazone (CPZ - 75 mcg), Cefotaxime (CTX - 30 mcg), Cefixime (CFM - 5 mcg), Cefazolin (CZ - 30 mcg)	1pk
DE1013	***Mic12 (Dodeca) Universal-V** Azithromycin (AZM - 30 mcg), Rifampicin (RIF - 5 mcg), Penicillin-G (P - 10 units), Piperacillin (PI - 100 mcg), Augmentin (AMC - 30 mcg), Ampicillin/ Sulbactam (A/S - 10/10 mcg), Roxithromycin (RO - 30 mcg), Erythromycin (E - 15 mcg), Ampicillin (AMP - 10 mcg), Cloxacillin (COX - 1 mcg), Amoxicillin (AMX - 10 mcg), Vancomycin (VA - 30 mcg)	1pk
DE1014	**Mic12 (Dodeca) Universal-VI** Chloramphenicol (C - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Norfloxacin (NX - 10 mcg), Lincomycin (L - 2 mcg), Lomefloxacin (LOM - 30 mcg), Clindamycin (CD - 2 mcg), Tetracycline (TE - 30 mcg), Levofloxacin (LE - 5 mcg), Pefloxacin (PF - 5 mcg), Sparfloxacin (SPX - 5 mcg), Ofloxacin (OF - 5 mcg), Doxycycline Hydrochloride (DO - 30 mcg)	1pk
DE1015	**Mic12 (Dodeca) Universal-VII** Gentamicin (GEN - 10 mcg), Netillin (NET - 30 mcg), Nalidixic Acid (NA - 30 mcg), Kanamycin (K - 30 mcg), Amikacin (AK - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Tobramycin (TOB - 10 mcg), Clarithromycin (CLR - 15 mcg), Nitrofurantoin (NIT - 300 mcg), Streptomycin (S - 10 mcg), Oxytetracycline (O - 30 mcg), Furazolidone (FR - 50 mcg)	1pk
DE1017	***Mic12 (Dodeca) Universal-IX** Ampicillin/ Sulbactam (A/S - 10/10 mcg), Gentamicin (GEN - 10 mcg), Ampicillin (AMP - 10 mcg), Amikacin (AK - 30 mcg), Aztreonam (AT - 30 mcg), Netillin (NET - 30 mcg), Vancomycin (VA - 30 mcg), Ceftriaxone (CTR - 10 mcg), Ceftazidime (CAZ - 30 mcg), Ofloxacin (OF - 5 mcg), Imipenem (IPM - 10 mcg), Cefepime (CPM - 30 mcg)	1pk
DE1026	***Mic12 (Dodeca) Universal-XI** Ceftriaxone (CTR - 30 mcg), Piperacillin/ Tazobactam (PIT - 100/10 mcg), Clindamycin (CD - 2 mcg), Linezolid (LZ - 30 mcg), Aztreonam (AT - 10 mcg), Meropenem (MRP - 10 mcg), Carbenicillin (CB - 30 mcg), Cefuroxime (CXM - 30 mcg), Imipenem (IPM - 10 mcg), Roxithromycin (RO - 30 mcg), Levofloxacin (LE - 5 mcg), Cefpirome (CFP - 30mcg)	1pk

★ On receipt, store at -20°C.
For prolonged use, store at or below -20°C.
On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Product Code	Product Name	Packing
DE1027	***Mic12 (Dodeca) Universal-XII** Ofloxacin (OF - 5 mcg), Cefadroxil (CFR - 30 mcg), Doxycycline Hydrochloride (DO - 30 mcg), Cloxacillin (COX - 5 mcg), Azithromycin (AZM - 30 mcg), Cefotaxime (CTX - 10 mcg), Ceftriaxone (CTR - 30 mcg), Ticarcillin (TI - 75 mcg), Piperacillin/ Tazobactam (PIT - 100/10 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Ceftazidime (CAZ - 30 mcg)	1pk
DE1028	***Mic12 (Dodeca) Universal-XIII** Ampicillin (AMP - 10 mcg), Piperacillin (PI - 100 mcg), Augmentin (AMC - 30 mcg), Cefazolin (CZ - 30 mcg), Cefalexin (CN - 30 mcg), Cefaloridine (CR - 10 mcg), Cefadroxil (CFR - 30 mcg), Cefuroxime (CXM - 30 mcg), Cefoperazone (CPZ - 75 mcg), Cefotaxime (CTX - 30 mcg), Ceftazidime (CAZ - 30 mcg), Cefaclor (CF - 30 mcg)	1pk
DE1035	***Mic12 (Dodeca) Universal-XIV** Imipenem (IPM - 10 mcg), Amoxyclav (AMC - 30 mcg), Cefotaxime (CTX - 30 mcg), Cefuroxime (CXM - 30 mcg), Levofloxacin (LE - 5 mcg), Norfloxacin (NX - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Doxycycline Hydrochloride (DO - 30 mcg), Chloramphenicol (C - 30 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Cefoxitin (CX - 30 mcg)	1pk
DE1042	***Mic12 (Dodeca) Universal-XV** Augmentin (AMC - 30 mcg), Amikacin (AK - 30 mcg), Gatifloxacin (GAT - 5 mcg), Cefepime (CPM - 30 mcg), Meropenem (MRP - 10 mcg), Ceftazidime (CAZ - 30 mcg), Chloramphenicol (C - 30 mcg), Cefuroxime (CXM - 30 mcg), Ceftriaxone (CTR - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cefoperazone/Sulbactam (CFS - 75/30 mcg), Imipenem (IPM - 10 mcg)	1pk
	Gram-positive Organisms	
DE1002	***Mic12 (Dodeca) G-I-Plus** Azithromycin (AZM - 15 mcg), Amikacin (AK - 30 mcg), Gentamicin (GEN - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Cefadroxil (CFR - 30 mcg), Cefuroxime (CXM - 30 mcg), Roxithromycin (RO - 30 mcg), Ampicillin / Cloxacillin (AX - 10 mcg), Cefotaxime (CTX - 30 mcg), Cefoperazone (CPZ - 75 mcg), Clarithromycin (CLR - 15 mcg), Sparfloxacin (SPX - 5 mcg)	1pk
DE1009	***Mic12 (Dodeca) G-II-Plus** Cefotaxime (CTX - 30 mcg), Augmentin (AMC - 30 mcg), Cefuroxime (CXM - 30 mcg), Ceftriaxone (CTR - 30 mcg), Amoxicillin (AMX - 10 mcg), Erythromycin (E - 15 mcg), Clindamycin (CD - 2 mcg), Gentamicin (GEN - 10 mcg), Ofloxacin (OF - 5 mcg), incomycin (L - 2 mcg), Ciprofloxacin (CIP - 5 mcg), Tobramycin (TOB - 10 mcg)	1pk
DE1018	***Mic12 (Dodeca) G-III-Plus** Penicillin-G (P - 10 units), Oxacillin (OX - 1 mcg), Erythromycin (E - 15 mcg), Clindamycin (CD - 2 mcg), Linezolid (LZ - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Vancomycin (VA - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Tetracycline (TE - 30 mcg), Cefotaxime (CTX - 30 mcg), Chloramphenicol (C - 30 mcg), Gentamicin (GEN - 10 mcg)	1pk
DE1023	***Mic12 (Dodeca) G-IV-Plus** Amikacin (AK - 30 mcg), Amoxicillin (AMX - 25 mcg), Cefalexin (CN - 30 mcg), Cefazolin (CZ - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Streptomycin (S - 10 mcg), Amoxyclav (AMC - 30 mcg), Tetracycline (TE - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Teicoplanin (TEI - 30 mcg), Erythromycin (E - 15 mcg)	1pk
DE1032	***Mic12 (Dodeca) G-V-Plus** Penicillin-G (P - 10 units), Amoxicillin (AMX - 10 mcg), Carbenicillin (CB - 100 mcg), Methicillin (MET - 5 mcg), Azithromycin (AZM - 15 mcg), Clindamycin (CD - 2 mcg), Roxithromycin (RO - 15 mcg), Lincomycin (L - 2 mcg), Vancomycin (VA - 30 mcg), Rifampicin (RIF - 5 mcg), Teicoplanin (TEI - 30 mcg), Linezolid (LZ - 30 mcg)	1pk
DE1036	***Mic12 (Dodeca) G-VI-Plus** Penicillin-G (P - 10 units), Cloxacillin (COX - 10 mcg), Oxacillin (OX - 1 mcg), Cefazolin (CZ - 30 mcg), Azithromycin (AZM - 15 mcg), Clindamycin (CD - 2 mcg), Vancomycin (VA - 30 mcg), Linezolid (LZ - 30 mcg), Teicoplanin (TEI - 30 mcg), Novobiocin (NV - 5 mcg), Minocycline (MI - 30 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg)	1pk
DE1038	***DMic12 (Dodeca) G-VII-Plus** Amoxyclav (AMC - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Tetracycline (TE - 30 mcg), Erythromycin (E - 15 mcg), Cefoperazone (CPZ - 75 mcg), Cefepime (CPM - 30 mcg), Cloxacillin (COX - 5 mcg), Gentamicin (GEN - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Clindamycin (CD - 2 mcg), Linezolid (LZ - 30 mcg), Vancomycin (VA - 30 mcg)	1pk
DE1047	***Mic12 (Dodeca) G-IX-plus** Penicillin-G (P - 10 units), Cefoxitin (CX - 30 mcg), Cefazolin (CZ - 30 mcg), Cefuroxime (CXM - 30 mcg), Teicoplanin (TEI - 30 mcg), Linezolid (LZ - 30 mcg), Vancomycin (VA - 30 mcg), Amoxyclav (AMC - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Erythromycin (E - 15 mcg), Co-Trimoxazole (COT - 25 mcg)	1pk
DE1736	***Mic12 (Dodeca) G-Plus 15** Amoxyclav (AMC - 20/10 mcg), Penicillin-G (P - 10 Units), Roxithromycin (RO - 15 mcg), Azithromycin (AZM - 15 mcg), Cefuroxime (CXM - 30 mcg), Cefazolin (CZ - 30 mcg), Cefoxitin (CXM - 30 mcg), Clindamycin (CD - 2 mcg), Tetracycline (TE - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcg)	1pk
DE1048	***Mic12 (Dodeca) Staphylococci-1** Penicllin-G (P - 10 units), Azithromycin (AZM - 15 mcg), Erythromycin (E - 15 mcg), Clarithromycin (CLR - 15 mcg), Linezolid (LZ - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Vancomycin (VA - 30 mcg), Cefoxitin (CX - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Gatifloxacin (GAT - 5 mcg), Ofloxacin (OF - 5 mcg), Clindamycin (CD - 2 mcg)	1pk
DE1049	***Mic12 (Dodeca) Staphylococci-2** Tigecycline (TGC - 15 mcg), Moxifloxacin (MO - 5 mcg), Gentamicin (GEN - 10 mcg), Rifampicin (RIF - 5 mcg), Lomefloxacin (LOM - 10 mcg), Norfloxacin (NX - 10 mcg), Novobiocin (NV - 30 mcg), Teicoplanin (TEI - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Pristinomycin (RP - 15 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg)	1pk

★ On receipt, store at -20°C.
For prolonged use, store at or below -20°C.
On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Product Code	Product Name	Packing
DE1050	***Mic12 (Dodeca) Enterococcus -1** Ampicillin (AMP - 10 mcg), Penicillin-G (P - 10 mcg), Linezolid (LZ - 30 mcg), Vancomycin (VA - 30 mcg), Gentamicin (HLG - 120 mcg), Tigecycline (TGC - 15 mcg), Erythromycin (E - 15 mcg), Pristinomycin (RP - 15 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Norfloxacin (NX - 5 mcg), Fosfomycin (FO - 200 mcg)	1pk
	Gram-negative Organisms	
DE1003	***Mic12 (Dodeca) G-I-Minus** Amikacin (AK - 30 mcg), Lomefloxacin (LOM - 10 mcg), Cefadroxil (CFR - 30 mcg), Sparfloxacin (SPX - 5 mcg), Netillin (NET - 30 mcg), Ceftazidime (CAZ - 30 mcg), Ceftriaxone (CTR - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cefotaxime (CTX - 30 mcg), Gentamicin (GEN - 10 mcg), Cefoperazone (CPZ - 75 mcg), Ampicillin/ Sulbactam (A/S - 10/10 mcg)	1pk
DE1010	***Mic12 (Dodeca) G-II-Minus** Amikacin (AK - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cefotaxime (CTX - 30 mcg), Cefuroxime (CXM - 30 mcg), Augmentin (AMC - 30 mcg), Lomefloxacin (LOM - 30 mcg), Ceftazidime (CAZ - 30 mcg), Cefoperazone (CPZ - 75 mcg), Gentamicin (GEN - 10 mcg), Netillin (NET - 30 mcg), Pefloxacin (PF - 5 mcg), Ofloxacin (OF - 5 mcg)	1pk
DE1019	***Mic12 (Dodeca) G-III-Minus** Ampicillin (AMP - 10 mcg), Cefazolin (CZ - 30 mcg), Cephalothin (CEP - 30 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10mcg), Cefuroxime (CXM - 30 mcg), Cefepime (CPM - 30mcg), Cefoperazone (CPZ - 75 mcg), Cefoxitin (CX - 30 mcg), Cefotaxime (CTX - 30 mcg), Ciprofloxacin (CIP - 5 mcg)	1pk
DE1029	***Mic12 (Dodeca) G-V minus** Cefixime (CFM - 5 mcg), Cefpodoxime (CPD - 10 mcg), Ceftizoxime (CZX - 30 mcg), Cefpirome (CFP - 30 mcg), Cefepime (CPM - 30 mcg), Nalidixic acid (NA - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Ofloxacin (OF - 5 mcg), Pefloxacin (PF - 5 mcg), Lomefloxacin (LOM - 10 mcg), Norfloxacin (NX - 10 mcg), Ceftriaxone (CTR - 30 mcg)	1pk
DE1031	***Mic12 (Dodeca) G-VI minus** Piperacillin/ Tazobactam (PIT - 100/10 mcg), Amikacin (AK - 30 mcg), Gentamicin (GEN - 10 mcg), Kanamycin (K - 30 mcg), Tobramycin (TOB - 10 mcg), Netillin (NET - 30 mcg), Sisomicin (SS - 30 mcg), Cefoperazone/Sulbactam (CFS - 75/30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Cefotaxime/ Sulbactam (CES - 30/15 mcg), Ceftriaxone/ Sulbactam (CIS - 30/15 mcg), Ceftriaxone/Tazobactam (CIT - 30/10 mcg)	1pk
DE1033	***Mic12 (Dodeca) G-VII Minus** Cefixime (CFM - 5 mcg), Cefpodoxime (CPD - 10 mcg), Ceftizoxime (CZX - 30 mcg), Cefpirome (CFP - 30 mcg), Cefepime (CPM - 30 mcg), Nalidixic acid (NA - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Ofloxacin (OF - 5 mcg), Sparfloxacin (SPX - 10 mcg), Lomefloxacin (LOM - 10 mcg), Norfloxacin (NX - 10 mcg), Ceftriaxone (CTR - 30 mcg)	1pk
DE1037	***Mic12 (Dodeca) G-VIII-Minus** Ampicillin (AMP - 10 mcg), Ticarcillin (TI - 75 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Ceftazidime (CAZ - 30 mcg), Cefepime (CPM - 30 mcg), Cefpodoxime (CPD - 10 mcg), Gatifloxacin (GAT - 5 mcg), Aztreonam (AT - 30 mcg), Netillin (NET - 30 mcg), Tobramycin (TOB - 10 mcg), Colistin (CL - 10 mcg), Nitrofurantoin (NIT - 300 mcg)	1pk
DE1039	***Mic12 (Dodeca) G-IX-Minus** Ampicillin (AMP - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Cefuroxime (CXM - 30 mcg), Cefoperazone (CPZ - 75 mcg), Cefepime (CPM - 30 mcg), Imipenem (IPM - 10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Amoxyclav (AMC - 10 mcg)	1pk
DE1045	***Mic12 (Dodeca) G-XI-minus** Amikacin (AK - 30 mcg), Amoxicillin/Clavulanic acid (AMC - 30 mcg), Ceftriaxone (CTR - 30 mcg), Cefotaxime (CTX - 30 mcg), Cefepime (CPM - 30 mcg), Doxycycline Hydrochloride (DO - 30 mcg), Norfloxacin (NX - 10 mcg), Tobramycin (TOB - 10 mcg), Gentamicin (GEN - 10 mcg), Ampicillin (AMP - 10 mcg), Nitrofurantoin (NIT - 300 mcg), Chloramphenicol (C - 30 mcg)	1pk
DE1046	***Mic12 (Dodeca) G-XII minus** Ceftazidime (CAZ - 30 mcg), Colistin (Methane Sulphonate) (CL - 10 mcg), Minocycline (MI - 30 mcg), Imipenem (IPM - 10 mcg), Tigecycline (TGC - 15 mcg), Cefuroxime (CXM - 30 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg) Levofloxacin (LE - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Ciprofloxacin (CIP - 5 mcg), Aztreonam (AT - 30 mcg), Cefoperazone/Sulbactam (CFS - 75/30 mcg)	1pk
DE1737	***Mic12 (Dodeca) G-Minus 23** Amoxyclav (AMC - 20/10 mcg), Cefazolin (CZ - 30 mcg), Cefuroxime (CXM - 30 mcg), Cefotaxime (CTX - 30 mcg), Cefoperazone (CPZ - 30 mcg), Ceftazidime (CAZ - 30 mcg), Tobramycin (TOB - 10 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Ofloxacin (OF - 5 mcg), Tetracycline (TE - 30 mcg)	1pk
DE1738	***Mic12 (Dodeca) G-Minus 24** Ceftazidime/Tazobactum (CAT - 30/10 mcg), Ceftiaxone/Sulbactum (CIS - 75/30 mcg), Cefoperazone/Sulbactum (CFS - 75/30 mcg), Cefepime (CPM - 30 mcg), Piperacillin/Tazobactum (PIT - 100/10 mcg), Ticarcillin/Clavulanic Acid (TCC - 75/10 mcg), Imipenem (IPM - 10 mcg), Meropenem (MRP - 10 mcg), Levofloxacin (LE - 5 mcg), Prulifloxacin (PRU - 5 mcg), Cefotaxime/Clavulanic acid (CEC - 30/10 mcg), Cefixime/Clavulanic acid (CMC - 05/10 mcg)	1pk
DE1053	***Mic12 (Dodeca) Enterobacteriaceae-1** Ampicillin (AMP - 10 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Ofloxacin (OF - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Amoxyclav (AMC - 30 mcg), Cefuroxime (CXM - 30 mcg), Ceftazidime (CAZ - 30 mcg), Ceftazidime/Clavulanic acid (CAC - 30/10 mcg), Cefepime (CPM - 30 mcg), Imipenem (IPM - 10 mcg)	1pk

★ On receipt, store at -20°C.
For prolonged use, store at or below -20°C.
On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Product Code	Product Name	Packing
DE1054	***Mic12 (Dodeca) Enterobacteriaceae-2** Cefotaxime (CTX - 30 mcg), Ceftriaxone (CTR - 30 mcg), Cefoxitin (CX - 30 mcg), Meropenem (MRP - 10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Aztreonam (AT - 75 mcg), Gatifloxacin (GAT - 5 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Cefoperazone (CPZ - 75 mcg), Levofloxacin (LE - 5 mcg), Ceftizoxime (CZX - 30 mcg), Ticarcillin/Clavulanic acid (TCC - 75/10 mcg)	1pk
	UTI Pathogenic Organisms	
DE1004	***Mic12 (Dodeca) UTI-I** Amikacin (AK - 30 mcg), Cefuroxime (CXM - 30 mcg), Cefadroxil (CFR - 30 mcg), Nalidixic acid (NA - 30 mcg), Netillin (NET - 30 mcg), Norfloxacin (NX - 10 mcg), Cefaclor (CF - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Nitrofurantoin (NIT - 300 mcg), Gentamicin (GEN - 10 mcg), Cefoperazone (CPZ - 75 mcg), Ofloxacin (OF - 5 mcg)	1pk
DE1005	***Mic12 (Dodeca) UTI-II** Ceftriaxone (CTR - 30 mcg), Cefoperazone (CPZ - 75 mcg), Cefaclor (CF - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Cefotaxime (CTX - 30 mcg), Ceftazidime (CAZ - 30 mcg), Cefadroxil (CFR - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Furazolidone (FR - 50 mcg), Augmentin (AMC - 30 mcg), Cefalexin (CN - 30 mcg), Amikacin (AK - 30 mcg)	1pk
DE1011	***Mic12 (Dodeca) UTI-IV** Amikacin (AK - 30 mcg), Cefalexin (CN - 30 mcg), Ceftriaxone (CTR - 30 mcg), Cefixime (CFM - 5 mcg), Cefoperazone (CPZ - 75 mcg), Nalidixic acid (NA - 30 mcg), Kanamycin (K - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Lomefloxacin (LOM - 30 mcg), Ofloxacin (OF - 5 mcg), Norfloxacin (NX - 10 mcg), Gentamicin (GEN - 10 mcg)	1pk
DE1021	***Mic12 (Dodeca) UTI-V** Carbenicillin (CB - 100 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Norfloxacin (NX - 10 mcg), Lomefloxacin (LOM - 10 mcg), Gatifloxacin (GAT - 5 mcg), Nitrofurantoin (NIT - 300 mcg), Co-Trimoxazole (COT - 25 mcg), Tetracycline (TE - 30 mcg), Netillin (NET - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Ceftizoxime (CZX - 30 mcg)	1pk
DE1025	***Mic12 (Dodeca) UTI-VI** Amikacin (AK - 30 mcg), Amoxicillin (AMX - 25 mcg), Cefalexin (CN - 30 mcg), Cefazolin (CZ - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Streptomycin (S - 10 mcg), Amoxyclav (AMC - 30 mcg), Norfloxacin (NX - 10 mcg), Ceftazidime (CAZ - 30 mcg), Imipenem (IPM - 10 mcg), Cefoperazone/Sulbactam (CFS - 75/30 mcg)	1pk
DE1030	***Mic12 (Dodeca) UTI-VII** Sparfloxacin (SPX - 10 mcg), Levofloxacin (LE - 5 mcg), Gatifloxacin (GAT - 10 mcg), Chloramphenicol (C - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Nitrofurantoin (NIT - 300 mcg), Meropenem (MRP - 10 mcg), Imipenem (IPM - 10 mcg), Polymyxin B (PB - 300 units), Furazolidone (FR - 100 mcg), Aztreonam (AT - 30 mcg), Cloxacillin (COX - 1 mcg)	1pk

Product Code	Product Name	Packing
	Pseudomonas	
DE1034	***Mic12 (Dodeca) UTI-VIII** Pefloxacin (PF 10 mcg), Levofloxacin (LE - 5 mcg), Gatifloxacin (GAT - 10 mcg), Chloramphenicol (C - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Nitrofurantoin (NIT - 300 mcg), Imipenem (IPM - 10 mcg), Meropenem (MRP - 10 mcg), Polymyxin B (PB - 300 units), Furazolidone (FR - 100 mcg), Aztreonam (AT - 30 mcg), Cloxacillin (COX - 1 mcg)	1pk
DE1040	***Mic12 (Dodeca) UTI-IX** Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Amoxyclav (AMC - 10 mcg), Norfloxacin (NX - 10 mcg), Nitrofurantoin (NIT - 300 mcg), Nalidixic acid (NA - 30 mcg), Cefuroxime (CXM - 30 mcg), Ceftazidime (CAZ - 30 mcg), Cefepime (CPM - 30 mcg), Co-Trimoxazole (COT - 25 mcg), iperacillin/Tazobactam (PIT - 100/10 mcg), Ciprofloxacin (CIP - 5 mcg)	1pk
DE1739	***Mic12 (Dodeca) UTI 13** Cephalothin (CEP - 30 mcg), Ceftizoxime (CZX - 30 mcg), Cefuroxime (CXM - 30 mcg), Cefotaxime (CTX - 30 mcg), Amoxyclav (AMC - 20/10 mcg), Norfloxacin (NX - 10 mcg), Ofloxacin OF (OF - 2 mcg), Levofloxacin (LE - 5 mcg), Nitrofurantoin (NIT - 300 mcg), Trimethoprim (TR - 5 mcg), Amikacin (AK - 30 mcg), Tobramycin (TOB - 10 mcg)	1pk
	Pseudomonas	
DE1020	***Mic12 (Dodeca) Pseudo-I** Ceftazidime (CAZ - 30 mcg), Gentamicin (GEN - 10 mcg), Ticarcillin (TI - 75 mcg), Piperacillin (PI - 100 mcg), Amikacin (AK - 30 mcg), Cefepime (CPM - 30 mcg), Cefoperazone (CPZ - 75 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Tobramycin (TOB - 10 mcg), Netillin (NET - 30 mcg), Meropenem (MRP - 10 mcg)	1pk
DE1041	***Mic12 (Dodeca) Pseudo-II** Gentamicin (GEN - 10 mcg), Netillin (NET - 30 mcg), Amikacin (AK - 30 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Amoxyclav (AMC - 30 mcg), Imipenem (IPM - 10 mcg), Meropenem (MRP - 10 mcg), Levofloxacin (LE - 5 mcg), Tobramycin (TOB - 10 mcg), Cefuroxime (CXM - 30 mcg), Ceftriaxone/Tazobactam (CIT - 30/10 mcg), Cefepime (CPM - 30 mcg)	1pk
DE1051	***Mic12 (Dodeca) Pseudomonas -1** Ceftazidime (CAZ - 30 mcg), Gentamicin (GEN - 10 mcg), Piperacillin (PI-100 mcg), Amikacin (AK - 30 mcg), Cefepime (CPM - 30 mcg), Aztreonam (AT - 30 mcg), Cefoperazone (CPZ - 75 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Imipenem (IPM - 10 mcg), Meropenem (MRP - 10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg)	1pk

★ On receipt, store at -20°C.
For prolonged use, store at or below -20°C.
On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Product Code	Product Name	Price	Packing

Antimicrobial Susceptibility Testing - Mic20 Icosa Discs

Microgen 20-in-one ready antibiotic combination modules
[To be use on 200 mm plates]

Mic20 (ICOSA) DISCS

Test 20 different antibiotics, in one shot- efficiently, easily and rapidly

- Microgen Mic20 Icosa discs are enhanced extensions of Single Discs. These series of discs gives the privilege to study 20 antibiotics at one time.
- These are flat circular rings, made of inert material w/ 12 & 8 equidistant arms on the outer & inner periphery respectively w/ a 6 mm filter paper disc at the end.
- These discs are impregnated w/ different antibiotics, w/ corresponding symbols & concentrations printed on the ring. The antibiotic impregnated discs function as individual antibiotic susceptibility discs, generating precise circular zones of inhibition for measurement of the zone diameter.
- Moreover the discs are designed in such a way that each antibiotic disc on a single ring is atleast 24 mm apart from the others, thus reducing the merging of zones.
- The unique inert material used for making the rings enhances the absorption of the ring and hence a proper diffusion of the antibiotics on to the medium.
- The discs are available in various pre-selected combinations of 20 antibiotics. But rings can be made as per individual customized specification.
- These discs are to be used on 200 mm plates. Also available are ready prepared media plates of Mueller Hinton Agar (200 mm).

Note: **In product description column** Symbol **&** Quantity **are given in bracket after the Antibiotics name.**

Product Code	Product Name	Packing
IC1001	***Mic20 (Icosa) Universal - 1** Norfloxacin (NX - 10 mcg), Gentamicin (GEN - 10 mcg), Chloramphenicol (C - 30 mcg), Cefuroxime (CXM - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cefoperazone (CPZ - 75 mcg), Ceftazidime (CAZ - 30 mcg), Roxithromycin (RO - 30 mcg), Clarithromycin (CLR - 15 mcg), Co-Trimoxazole (COT - 25 mcg), Netillin (NET - 30 mcg), Cefaclor (CF - 30 mcg), Cefotaxime (CTX - 30 mcg), Cefadroxil (CFR - 30 mcg), Azithromycin (AZM - 15 mcg), Ampicillin/Cloxacillin (AX - 10 mcg), Penicillin-G (P - 10 units), Amikacin (AK - 30 mcg), Sparfloxacin (SPX - 5 mcg), Ampicillin/ Sulbactam (A/S - 10/10 mcg)	1pk
IC1006	***Mic20 (Icosa) Universal - 2** Amikacin (AK - 30 mcg), Ampicillin (AMP - 10 mcg), Amoxicillin (AMX - 10 mcg), Cefadroxil (CFR - 30 mcg), Cefoperazone (CPZ - 75 mcg), Ceftazidime (CAZ - 30 mcg), Ceftriaxone (CTR - 30 mcg), Chloramphenicol (C - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cloxacillin (COX - 1 mcg), Co-Trimoxazole (COT - 25 mcg), Erythromycin (E - 15 mcg), Gentamicin (GEN - 10 mcg), Nalidixic Acid (NA - 10 mcg), Netillin (NET - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Norfloxacin (NX - 10 mcg), Penicillin-G (P - 10 units), Tobramycin (TOB - 10 mcg), Vancomycin (VA - 30 mcg)	1pk
	Gram-positive Organisms	
IC1002	***Mic20 (Icosa) G-I-Plus** Cephalothin (CEP - 30 mcg), Clindamycin (CD - 2 mcg), Co-Trimoxazole (COT - 25 mcg), Erythromycin (E - 15 mcg), Gentamicin (GEN - 10 mcg), Ofloxacin (OF - 5 mcg), Penicillin-G (P - 10 units), Vancomycin (VA - 30 mcg), Ampicillin (AMP - 10 mcg), Chloramphenicol (C - 30 mcg), Oxacillin (OX - 1 mcg), Linezolid (LZ - 30 mcg), Azithromycin (AZM - 15 mcg), Amikacin (AK - 30 mcg), Clarithromycin (CLR - 15 mcg), Teicoplanin (TEI - 10 mcg), Methicillin (MET - 5 mcg), Amoxyclav (AMC - 30 mcg), Novobiocin (NV - 5 mcg), Tetracycline (TE - 30 mcg)	1pk
IC1003	***Mic20 (Icosa) G-I-Minus** Imipenem (IPM - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Tobramycin (TOB - 10 mcg), Moxifloxacin (MO - 5 mcg), Ofloxacin (OF - 5 mcg), Sparfloxacin (SPX - 5 mcg), Levofloxacin (LE - 5 mcg), Norfloxacin (NX - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Colistin (CL - 10 mcg), Nalidixic acid (NA - 30 mcg), Augmentin (AMC - 30 mcg), Kanamycin (K - 30 mcg), Gatifloxacin (GAT - 5 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Streptomycin (S - 25 mcg), Ceftriaxone (CTR - 30 mcg), Cefpodoxime (CPD - 10 mcg), Ticarcillin (TI - 75 mcg)	1pk
IC1008	***Mic20 (Icosa) G-II-Minus** Imipenem (IPM - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Tobramycin (TOB - 10 mcg), Moxifloxacin (MO - 5 mcg), Ofloxacin (OF - 5 mcg), Ceftazidime (CAZ - 30 mcg), Levofloxacin (LE - 5 mcg), Norfloxacin (NX - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Colistin (CL - 10 mcg), Nalidixic acid (NA - 30 mcg), Augmentin (AMC - 30 mcg), Cefoxitin (CX - 30 mcg), Gatifloxacin (GAT - 5 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Aztreonam (AT - 30 mcg), Ceftriaxone (CTR - 30 mcg), Cefpodoxime (CPD - 10 mcg), Nitrofurantoin (NIT - 300 mcg)	1pk

★ On receipt, store at -20°C.
For prolonged use, store at or below -20°C.
On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Product Code	Product Name	Packing
UTI Pathogenic Organisms		
IC1004	***Mic20 (Icosa) UTI - 1** Ampicillin (AMP - 10 mcg), Cefotaxime (CTX - 30 mcg), Cephalothin (CEP - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Nitrofurantoin (NIT - 300 mcg), Norfloxacin (NX - 10 mcg), Cefoperazone (CPZ - 75 mcg), Amikacin (AK - 30 mcg), Piperacillin /Tazobactam (PIT - 100/10 mcg), Cefepime (CPM - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cefazolin (CZ - 30 mcg), Streptomycin (S - 10 mcg), Doxycycline Hydrochloride (DO - 30 mcg), Moxifloxacin (MO - 5 mcg), Carbenicillin (CB - 100 mcg), Gatifloxacin (GAT - 5 mcg), Tetracycline (TE - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg)	1pk

Product Code	Product Name	Packing
Pseudomonas		
IC1005	***Mic20 (Icosa) Pseudo - 1** Amikacin (AK - 30 mcg), Gentamicin (GEN - 10 mcg), Imipenem (IPM - 10 mcg), Carbenicillin (CB - 100 mcg), Piperacillin (PI - 100 mcg), Aztreonam (AT - 30 mcg), Tobramycin (TOB - 10 mcg), Norfloxacin (NX - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Ticarcillin/Clavulanic acid (TCC - 75/10 mcg), Cefoperazone (CPZ - 75 mcg), Azlocillin (AZ - 75 mcg), Levofloxacin (LE - 5 mcg), Ticarcillin (TI - 75 mcg), Ofloxacin (OF - 5 mcg), Mezlocillin (MZ - 75 mcg), Gatifloxacin (GAT - 5 mcg), Piperacillin/Tazobactam (PIT - 100 / 10 mcg) Ceftriaxone (CTR - 30 mcg), Netillin (NET - 30 mcg)\	1pk
IC1007	***Mic20 (Icosa) Pseudo - 2** Amikacin (AK - 30 mcg), Gentamicin (GEN - 10 mcg), Imipenem (IPM - 10 mcg), Carbenicillin (CB - 100 mcg), Piperacillin (PI - 100 mcg), Aztreonam (AT - 30 mcg), Tobramycin (TOB - 10 mcg), Polymyxin-B (PB - 300 mcg), Ciprofloxacin (CIP - 5 mcg), Ticarcillin/Clavulanic acid (TCC - 75/10 mcg), Cefoperazone (CPZ - 75 mcg), Cefoperazone/Sulbactam (CFS - 75/10 mcg), Levofloxacin (LE - 5 mcg), Ticarcillin (TI - 75 mcg), Colistin (CL - 10 mcg), Cefepime (CPM - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Ceftriaxone (CTR - 30 mcg), Netillin (NET - 30 mcg)	1pk

★ On receipt, store at -20°C.
For prolonged use, store at or below -20°C.
On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

ANIMAL CELL CULTURE

MEDIA SUPPLEMENTS

CDH offers a broad range of classical media, balanced salt solutions, cell culture reagents, sera, cell culture supplements, Viral Transport Systems and chemicals required for cell culture. We try to meet the evolving needs of biologists by consistently upgrading and increasing our product profile. We cater to all the needs of cell culture for research and industrial purposes globally.

A wide range of media both in dehydrated powder and liquid forms can help accelerate your research and optimize your process.

Product	Page
ANIMAL CELL CULTURE	**387-409**
• Cell Culture Media	
• Cell Culture Reagents	
• Cell Culture Supplements	
• Specialty Product Segment	

CELL CULTURE PLATFORM

The introduction of cell culture methodology to the biological sciences ushered in a new era of rapid and exciting advances in the fields of virology, cytology, drug discovery, toxicology, cancer and stem cell research and therapy. Microgen's comprehensive portfolio includes cell culture platform (media, sera and regents), cell analysis and detection solutions, cell culture tested chemicals, cell culture systems, stem cells and primary cells, filtration solutions and also skill development modules to enable scientists to achieve milestone in their research endeavors.

Media : Microgen's core expertise lies in manufacturing cell culture media, both in powdered as well as liquid form, for mammalian and insect cell. Comprehensive design of experiments, rigorous raw material qualification and media production with no manual intervention using automated liquid handling platform and automatic filling line are our strengths that enable us to provide the widest range of cell culture media.

Customized Media : It has been our endeavor to help researchers with their specific requirements related to media and cell culture reagents. We provide customized products as per the unique requirements of the customer in terms of : media formulations, packaging, labeling, documentation (e.g. certificates of origin, BSE/ TSE risk statements) and additional.

QC testing (e.g. virus testing, mycoplasma detection, amino acid profilling). We are firmly committed to maintain the confidentiality of your project and we sign a confidentiality agreement to ensure that the integrity of your projects is not compromised.

Sera : Microgen provides a wide range of quality assured serum over decades that helps achieving consistency in cell growth, Our product listing includes sera from bovine fetus, adult bovine, new born calf and other animals and speciality sera including charcoal treated, dialyzed, tetracycline negative and ES cell tested sera. All lots of sera undergo comprehensive quality control testing that include sterility testing against mycoplasma, viruses and bacteria, antibody testing, analysis of growth promotion capacity, protein profiling, endotoxin content and physicochemical analysis.

Specialty Platforms : For the specialized segments such as cytogenetics, transfection, hydridoma technology, IVF, viral transport, separation of different types of leukocytes, Microgen Offers a complete range of media and cell culture reagents

For more info :

sales@cdhfinechemical.com | www.cdhfinechemical.com

CELL CULTURE PLATFORM

ANIMAL CELL CULTURE PRODUCTS

Microgen's core expertise in cell culture media enables us to provide the wide range of cell culture media along with a wide range of quality assured cell culture reagents, supplements and sera.

Product	Prefix	Page
Cell Culture Media		
Classical Media	AL / AT	387-399
Insect Media	IML / IM	399
Insect Diets	ID	399
MicGlutaXL Media	AL ***G	399-400
MicSera Media	RSL	400-401
Mic XL Cell Freezing Media	TCL	401
Cell Culture Reagents		
Antibiotic Solutions	A	401-402
Balanced Salts	TS / TL	402-404
Miscellaneous Reagents	TCL	404-405
Cell Dissociation Reagents	TCL	405-406
Vitamin Solutions	VA	406
Cell Culture Supplements		
Amino Acid Concentrates	AC / ACL	407
Hydrolysates	TC / TCL	407-408
Specialty Product Segment		
Cytogenetics Platform	AL / TCL / TL	406
Mouse IVF Platform	AL	406
Hybridoma Platform	AT / AL / T / TCL	408
Transfection Platform	SFM / RS L/ CCK	408
Viral Transport Systems	AL / MS	408-409

CELL CULTURE MEDIA

Classical Media (Liquid)

Basal Medium Eagle (BME)

Product Code	Product Name	Packing
AL1242	**Basal Medium Eagle (BME)** w/ Earle's salts and Sodium bicarbonate W/o L-Glutamine	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**

Click's Medium (EHAA)

Product Code	Product Name	Packing
AL1117	**Click's Medium (EHAA) Eagle Hank's Amino Acids** w/ Sodium bicarbonate W/o Mercaptoethanol and L-Glutamine	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**

Chick Embryo Fibroblast Medium

Product Code	Product Name	Packing
AL1168A	**Click's Embrya Fibroblast Medium** w/ L-Glutamine and Sodium bicarbonate	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**

CMRL 1066 Medium

Product Code	Product Name	Packing
AL1110A	**CMRL 1066 Medium** w/ L-Glutamine and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1226	**CMRL 1066 Medium** w/ Sodium bicarbonate W/o L-Glutamine and Phenol red	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**

Dulbecco's Modified Eagle Medium (DMEM)

Product Code	Product Name	Packing
AL1186	**Dulbecco's Modified Eagle Medium (DMEM)** W/ Sodium pyruvate and Sodium bicarbonate W/o Glucose and L- Glutamine	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1186A	**Dulbecco's Modified Eagle Medium (DMEM)** W/ L- Glutamine, Sodium bicarbonate and Sodium pyruvate W/o Glucose	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1269A	**Dulbecco's Modified Eagle Medium (DMEM)** W/ L- Glutamine and Sodium bicarbonate W/o Glucose and Sodium pyruvate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**

Dulbecco's Modified Eagle Medium (DMEM), Low Glucose

Product Code	Product Name	Packing
AL1006	**Dulbecco's Modified Eagle Medium (DMEM), Low glucose** W/ 1gm Glucose per litre, Sodium bicarbonate and Sodium pyruvate, W/o L- Glutamine	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1006A	**Dulbecco's Modified Eagle Medium (DMEM), Low glucose** W/ 1gm Glucose per litre, L- Glutamine Sodium bicarbonate and Sodium pyruvate	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1006F	**Dulbecco's Modified Eagle Medium (DMEM), Low glucose** W/ 1gm Glucose per litre, L- Glutamine Sodium bicarbonate and Sodium pyruvate W/o Folic acid	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1149	**Dulbecco's Modified Eagle Medium (DMEM), Low Glucose** W/ 1 gm Glucose per litre, 25mM HEPES buffer, Sodium pyruvate and Sodium bicarbonate W/o L- Glutamine	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1149A	**Dulbecco's Modified Eagle Medium (DMEM), Low Glucose** W/ 1 gm Glucose per litre, L- Glutamine, 25mM HEPES buffer, Sodium pyruvate and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1183	**Dulbecco's Modified Eagle Medium (DMEM), Low Glucose** W/ 1 gm Glucose per litre, Sodium bicarbonate and Sodium pyruvate W/o L- Glutamine and Phenol red	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1183A	**Dulbecco's Modified Eagle Medium (DMEM), Low Glucose** W/ 1 gm Glucose per litre, L- Glutamine, Sodium bicarbonate and Sodium pyruvate, W/o Phenol red	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**

Dulbecco's Modified Eagle Medium (DMEM), High Glucose

Product Code	Product Name	Packing
AL1111	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre and Sodium bicarbonate W/o L-Glutamine and Sodium pyruvate Hybridoma Tested	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1066	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre and Sodium bicarbonate W/o L-Glutamine and Sodium pyruvate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1066A	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre, L- Glutamine and Sodium bicarbonate W/o and Sodium pyruvate	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1007	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre, Sodium bicarbonate and Sodium pyruvate W/o L- Glutamine	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1007A	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre, L- Glutamine, 3.7 gms per litre Sodium bicarbonate and Sodium pyruvate	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1007S	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** w/ 4.5gms glucose per litre, 1mM Sodium pyruvate, L-Glutamine and 1.5 gms per litre Sodium bicarbonate	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**

Product Code	Product Name	Packing
AL1007F	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre, L- Glutamine, Sodium bicarbonate and Sodium pyruvate W/o Folic acid	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1101S	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre, 1mm Sodium pyruvate, L- Glutamine, and 1.5 gms per litre Sodium bicarbonate w/o Phenol red	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1219A	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre, L- Glutamine, Sodium pyruvate and Sodium bicarbonate W/o Calcium Chloride	**5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1264A	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre, L- Glutamine, Sodium pyruvate and Sodium bicarbonate W/o Phenol red	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1067	**Dulbecco's Modified EagleMedium (DMEM), High glucose** W/ 4.5gms Glucose per litre 25mM HEPES Buffer and Sodium bicarbonate W/o L-Glutamine and Sodium pyruvate	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1067A	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre L-Glutamine, 25mM HEPES Buffer and Sodium bicarbonate W/o Sodium pyruvate	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1068A	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre L-Glutamine, and Sodium bicarbonate W/o Sodium pyruvate and Sodium phosphate	**5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1151	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre 25mM HEPES Buffer, Sodium pyruvate and Sodium bicarbonate W/o L-Glutamine	**5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1151A	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre 25mM HEPES Buffer, L-Glutamine, Sodium pyruvate and Sodium bicarbonate	**5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1241A	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre L-Glutamine, Sodium pyruvate, 25mM HEPES Buffer and Sodium bicarbonate W/o Phenol red	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1101	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre, Sodium bicarbonate and Sodium pyruvate W/o Phenol red and L-Glutamine	**500 ml 2x500 ml 6x500 ml 20x500 ml**

Product Code	Product Name	Packing
AL1251	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre Sodium bicarbonat, D-Valine and Sodium pyruvate W/o L-Valine and L- Glutamine	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1281A	**Dulbecco's Modified Eagle Medium High glucose** W/ 4.5gms Glucose per litre, L- Glutamine W/o Sodium pyruvate and Sodium bicarbonate	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1291	**Dulbecco's Modified Eagle Medium (DMEM), High glucose, 10X** W/ 4.5gms Glucose per litre, Sodium pyruvate and Sodium bicarbonate w/o L- Glutamine	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1293	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre, and Sodium bicarbonate, w/o L- Glutamine, Calcium chloride, HEPES buffer and Sodium pyruvate	**5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1294A	**Dulbecco's Modified Eagle Medium (DMEM), High glucose, 2X** W/ 4.5gms Glucose per litre and L- Glutamine w/o Sodium pyruvate and Sodium bicarbonate 2X Liquid Cell Culture Medium	**500 ml 2x500 ml 6x500 ml 20x500 ml**
	(DMEM / F12, 1:1 Mixture)	
AL1127	**Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/o Sodium bicarbonate and Trace elements w/o L- Glutamine and HEPES buffer	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1127A	**Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L- Glutamine, Sodium bicarbonate and Trace elements w/o HEPES buffer	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1127S	**Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ Trace elements, L- Glutamine 1.5 gms per litre Sodium bicarbonate w/o HEPES buffer	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1155A	**Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L- Glutamine and 2.438 gms per litre Sodium bicarbonate w/o HEPES buffer Trace elements	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1139	**Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ 15mM HEPES buffer, Sodium bicarbonate and Trace elements	**5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1139A	**Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L- Glutamine, 15mM HEPES buffer, Sodium bicarbonate and Trace elements	**5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1215A	**Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L- Glutamine, 15mM HEPES buffer and Sodium bicarbonate w/o Phenol red and Trace elements	**500 ml 2x500 ml 6x500 ml 20x500 ml**

Unless indicated all the above products to be stored at 2 - 8°C

Product Code	Product Name	Packing
AL1140	**Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM/ F12, 1:1 mixture)** w/ 15M HEPES buffer and Sodium bicarbonate w/o L-Glutamine and Trace elements	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1140S	**Dulbecco's Modified Eagle Medium Nutrient Mixture F-12 Ham (DMEM/ F12, 1:1 mixture)** w/2/5mM L-Glutamine, 15mM HEPES buffer, 0.5mM Sodium pyruvate and 1.2gms per litre Sodium bicarbonate	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1243A	**Dulbecco's Modified Eagle Medium Nutrient Mixture F-12 Ham (DMEM/ F12, 1:1 mixture)** w/ L-Glutamine, 2mg/L Riboflavin, 55mg/L Sodium pyruvate and Sodium bicarbonate w/o HEPES buffer Trace elements and Pyridoxal hydrochloride	**5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml**
	Glasglow's Minimum Essential Medium (GMEM)	
AL1058	**Glasgow's Minimum Essential Medium (GMEM)** w/ Sodium bicarbonate and NEAA w/o L-Glutamine, Sodium phosphate and Tryptose Phosphate Broth	**5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1069	**Glasgow's Minimum Essential Medium (GMEM)** w/ Tryptose phosphate broth and Sodium bicarbonate w/o L-Glutamine	**5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1166A	**Glasgow's Minimum Essential Medium (GMEM)** w/ L-Glutamine and Sodium Bicarbonate w/o Tryptose Phosphate Broth Note: See page 407 for TCL009 - Tryptose Phosphate Broth	**5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml**
	Iscove's Modified Dulbecco's Medium (IMDM)	
AL1160A	**Iscove's Modified Dulbecco's (IMDM)** w/ L-Glutamine and Sodium Bicarbonate w/o HEPES buffer	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1070	**Iscove's Modified Dulbecco's Medium (IMDM)** w/ Sodium bicarbonate and 25mM HEPES buffer W/o L- Glutamine	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1070H	**Iscove's Modified Dulbecco's Medium (IMDM)** w/ L-glutamine, sodium bicarbonate and 25mM HEPES buffer Hybridoma Tested	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1070S	**Iscove's Modified Dulbecco's Medium (IMDM)** w/ 4mM L-Glutamine, 4.5 gms Glucose per litre, 25 mM HEPES buffer and 1.5 gms per litre Sodium bicarbonate 1X Liquid Cell Culture Medium	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1070A	**Iscove's Modified Dulbecco's Medium (IMDM)** w/ L-Glutamine, 3.024 gms per litre Sodium bicarbonate and 25mM HEPES buffer	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1230A	**Iscove's Modified Dulbecco's Medium** w/ L-Glutamine, 25mM HEPES buffer and Sodium, bicarbonate w/o Glucose	**5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml**
	Leibovitz's L-15 Medium	
AL1011	**Leibovitz's L-15 Medium** w/ L-Glutamine	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1011A	**Leibovitz's L-15 Medium** w/ L-Glutamine	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1204A	**Leibovitz's L-15 Medium** w/ L-Glutamine and Sodium bicarbonate w/o Phenol red and Sodium pyruvate	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1011S	**Leibovitz's L-15 Medium** w/ 2mM L-Glutamine	**5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1247A	**Leibovitz's L-15 Medium 2X** w/ L-Glutamine	**500 ml 2x500 ml 6x500 ml 20x500 ml**
	MCDB 131 Medium	
AL1133A	**MCDB 131 Medium** w/ Trace elements, L-Glutamine and Sodium bicarbonate	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1135A	**MCDB 153 Medium** w/ Trace elements, L-Glutamine 28 mM HEPES buffer and Sodium bicarbonate 1x Liquid Cell Culture Mediun	**500 ml 2x500 ml 6x500 ml 20x500 ml**
	McCoy's 5A Medium	
AL1057	**McCoy's 5A Medium** w/ Sodium bicarbonate w/o L-Glutamine	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1057A	**McCoy's 5A Medium** w/ L-Glutamine and Sodium bicarbonate	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1057S	**McCoy's 5A Medium** w/ 1.5mM L-Glutamine and 2.2gms per litre Sodium bicarbonate	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1057F	**McCoy's 5A Medium** w/ L-Glutamine and Sodium bicarbonate w/o Folic acid	**500 ml 2x500 ml 6x500 ml 20x500 ml**

Unless indicated all the above products to be stored at 2 - 8°C

Product Code	Product Name	Packing
AL1179A	**McCoy's 5A Medium** w/ L-Glutamine and Sodium bicarbonate w/o Phenol red	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
	Medium 199	
AL1014	**Medium 199** w/ Earle's Salts and Sodium bicarbonate W/o L-Glutamine	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1014A	**Medium 199** w/ Earle's Salts, L-Glutamine and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1258A	**Medium 199 (2X)** w/ Earle's Salts, L-Glutamine and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1094	**Medium 199** w/ Earle's Salts, 25 mM HEPES buffer and Sodium bicarbonate w/o L-Glutamine	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1094A	**Medium 199** w/ Earle's Salts, 25 mM HEPES buffer L-Glutamine and Sodium bicarbonate	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1189	**Medium 199 (10X)** w/ Earle's Salts, w/o L-Glutamine and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1267	**Medium 199** w/ Hank's salts and Sodium bicarbonate w/o L-Glutamine	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1192	**Medium 199** w/ Hank's salts w/o L-Glutamine and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1209A	**Medium 199** w/ Hank's salts, 25mM HEPES buffer, L-Glutamine and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
	Minimum Essential Medium Eagle (MEM)	
AL1020	**Minimun Essential Medium Eagle (MEM)** w/ Earle's salts, and Sodium bicarbonate w/o NEAA and L-Glutamine	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1020A	**Minimun Essential Medium Eagle (MEM)** w/ Earle's salts, L-Glutamine and 2.2gms per Sodium bicarbonate w/o NEAA	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1020S	**Minimun Essential Medium Eagle (MEM)** w/ Earle's salts, and 1.5gms per litre Sodium bicarbonate w/o NEAA and L-Glutamine	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**

Product Code	Product Name	Packing
AL1047	**Minimun Essential Medium Eagle (MEM)** w/ Earle's salts, NEAA and Sodium bicarbonate w/o , L-Glutamine	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1047A	**AMinimun Essential Medium Eagle (MEM)** w/ Earle's salts, L-Glutamine, NEAA and 2.2gms w/o Sodium bicarbonate	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1047H	**Minimun Essential Medium Eagle (MEM)** w/ Earle's salts,NEAA, Sodium bicarbonate L-Glutamine Hybridoma Tested	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1047S	**Minimun Essential Medium Eagle (MEM)** w/ Earle's salts, 2mM L-Glutamine, 1mM Sodium pyruvate, NEAA and 1.5 gms per litre Sodium bicarbonate	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1182A	**Minimun Essential Medium Eagle (MEM)** w/ Earle's salts, L-Glutamine, NEAA, Sodium pyruvate, 15mM HEPES Buffer and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1046	**Minimun Essential Medium Eagle (MEM)** w/ Earle's salts, NEAA and Sodium bicarbonate w/o L-Glutamine and Phenol red	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1046A	**Minimun Essential Medium (MEM)** w/ Earle's salts, NEAA, L-Glutamine and Sodium bicarbonate w/o Phenol red	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1191	**Minimun Essential Medium Eagle (MEM)(10X)** w/ Earle's salts w/o NEAA, L-Glutamine and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1260A	**Minimun Essential Medium Eagle (MEM)** with Earle's salts, L-Glutamine, 25mM HEPES NEAA and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1056A	**Minimun Essential Medium Eagle (MEM)** w/ Hank's salts, L-Glutamine and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1048A	**Minimun Essential Medium Eagle (MEM)** w/ Hank's salts, L-Glutamine, NEAA and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1075A	**Minimun Essential Medium Eagle (MEM)** w/ Hank's salts, 25mM HEPES buffer, L-Glutamine and Sodium bicarbonate	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml**
AL1190	**Minimun Essential Medium Eagle (MEM) 10X** w/ Hank's salts W/o L-Glutamine and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1154A	**Minimun Essential Medium Eagle (MEM)** w/ Earle's salts L-Glutamine, Sodium pyruvate and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**

Unless indicated all the above products to be stored at 2 - 8°C

Product Code	Product Name	Packing
AL1178A	**Minimum Essential Medium Eagle**	**500 ml 2x500 ml 6x500 ml 20x500 ml**
	Minimum Essential Medium Eagle (Joklik Modification)	
AL1079	**Minimum Essential Medium Eagle (MEM) (Joklik Modification) (For Suspension Culture)** w/ Sodium bicarbonate W/o L-Glutamine	**500 ml 2x500 ml 6x500 ml 20x500 ml**
	Minimum Essential Medium Eagle (Alpha Modification)	
AL1080	**Minimum Essential Medium Eagle (Alpha modification)** w/ Deoxyribonucieosides, Ribonucleosides and Sodium bicarbonate w/o L-Glutamine	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1080A	**Minimum Essential Medium Eagle (Alpha Modification)** w/ Deoxyribonucleoside, Ribonucleoside, L-Glutamine and Sodium bicarbonate	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1285A	**Minimum Essential Medium Eagle (Alpha Modification)** w/ L-Glutamine and Sodium bicarbonate W/o Sodium Pyruvate, Ribonucleoside and Deoxyribonucleoside	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1253A	**Minimum Essential Medium Eagle (MEM) (Alpha Modification)** w/ L-Glutamine, Deoxyribonucleoside Ribonucleoside and Sodium bicarbonate W/o Phenol red	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1221A	**Minimum Essential Medium Eagle (MEM) (Alpha Modification)** w/ Deoxyribonucleoside Ribonucleoside L-Glutamine and Sodium bicarbonate W/o Ascornic acid	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1081	**Minimum Essential Medium Eagle (Alpha Modification)** w/ Sodium bicarbonate W/o L-Glutamine, Deoxyribonucleosides and Ribonucleoside	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1081A	**Minimum Essential Medium Eagle (Alpha Modification)** w/ L-Glutamine and Sodium bicarbonate W/o Deoxyribonucleosides and Ribonucleoside	**500 ml 2x500 ml 6x500 ml 20x500 ml**
	Minimum Essential Medium Eagle (MEM) (For Suspension Culture)	
AL1019	**Minimum Essential Medium Eagle (MEM) (For Suspension Culture)** w/ Spinner salts and Sodium bicarbonate W/o L-Glutamine	**500 ml 2x500 ml 6x500 ml 20x500 ml**
	Nutrint Mixture F-10 Ham	
AL1083A	**Nutrient Mixture F-10 Ham** w/ Sodium bicarbonate, 25mM HEPES buffer and L-Glutamine	**500 ml 2x500 ml 6x500 ml 20x500 ml**

Product Code	Product Name	Packing
AL1196	**Nutrient Mixture F-10 Ham** w/ 20mM HEPES buffer W/o L-Glutamine and Sodium bicarbonate	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1184	**Nutrient Mixture F-10 Ham** w/ 20mM HEPES buffer and Sodium bicarbonate W/o L-Glutamine	**5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1024	**Nutrient Mixture F-10 Ham** w/ Sodium bicarbonate W/o L-Glutamine	**5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1024A	**Nutrient Mixture F-10 Ham** w/ Sodium bicarbonate and L-Glutamine	**5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml**
	Nutrient Mixture F-12 Ham	
AL1025	**Nutrient Mixture F-12 Ham** w/ Sodium bicarbonate W/o L-Glutamine	**5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1025A	**Nutrient Mixture F-12 Ham** w/ L-Glutamine and 1.176gms per litre Sodium bicarbonate	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1025S	**Nutrient Mixture F-12 Ham** w/ 2mM L-Glutamine and 1.5gms per litre Sodium bicarbonate	**500 ml 2x500 ml 6x500 ml 20x500 ml**
	Nutrint Mixture F-10 Ham	
AL1290A	**Nutrient Mixture F-10 Ham** w/ 10mM HEPES buffer, L-Glutamine and 1.2 g/L Sodium bicarbonate W/o Phenol red	**5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml**
	Nutrient Mixture F-12 Ham, Kaighn's Modification	
AL1106	**Nutrient Mixture F-10 Ham, Kaighn's Modification** w/ Sodium bicarbonate W/o L-Glutamine	**500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1106A	**Nutrient Mixture F-12 Ham, Kaighn's Modification** w/ L-Glutamine and 2.5 gms per liter Sodium bicarbonate	**5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml**
AL1106S	**Nutrient Mixture F-12 Ham, Kaighn's Modification** w/ L-Glutamine and 1.5 gms per liter Sodium bicarbonate	**5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml**

Unless indicated all the above products to be stored at 2 - 8°C

Product Code	Product Name	Packing
AL1271S	**Nutrient Mixture F-12 Ham, Kaighn's Modification** w/ 1.5 gms per liter Sodium bicarbonate W/o L-Glutamine	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
	Nutrient Mixture F-12 Ham, Coon's Modification	
AL1146	**Nutrient Mixture F-12 Ham, Coon's Modification** w/ Sodium bicarbonate W/o L-Glutamine	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
	NCTC-109 Medium	
AL1138	**NCTC - 109 Medium** w/ Phenol red and coenzymes W/o L-Glutamine and HEPES buffer	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
	RPMI-1640	
AL1028	**RPMI - 1640** w/ Sodium bicarbonate W/o L-Glutamine	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1028A	**RPMI-1640** w/ L-Glutamine and Sodium bicarbonate	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1028B	**RPMI-1640** w/ Sodium bicarbonate w/o L-Glutamine Hybridoma tested	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1028F	**RPMI-1640** w/ Sodium bicarbonate w/o Folic acid and L-Glutamine	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1120A	**RPMI-1640** w/ L-Glutamine and Sodium bicarbonate w/o Phenol red	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1150A	**RPMI-1640** w/ L-Glutamine and Sodium bicarbonate w/o Glucose and HEPES	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1162A	**RPMI-1640** w/ 1mM Sodium pyruvate, 2mM L-Glutamine 4.5 gms Glucose per litre, 10mM HEPES buffer and 2 gms per litre Sodium bicarbonate	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1171A	**RPMI-1640** w/ 1mM Sodium pyruvate, 2mM L-Glutamine 4.5 gms Glucose per litre, 10mM HEPES buffer and Sodium bicarbonate w/o Phenol red	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1162S	**RPMI-1640** w/ 1mM Sodium pyruvate, 2mM L-Glutamine 4.5 gms Glucose per litre, 10mM HEPES buffer and 1.5gms per litre Sodium bicarbonate	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**

Product Code	Product Name	Packing
AL1223S	**RPMI-1640** w/ 2mM L-Glutamine, 10mM HEPES buffer 4.5 gms Glucose per litre, and 1.5gms per litre Sodium bicarbonate w/o Sodium pyruvate	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1223A	**RPMI-1640** w/ 2mM L-Glutamine, 10mM HEPES buffer, 4.5 gms Glucose per litre, and 2gms per litre Sodium bicarbonate w/o Sodium pyruvate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1199A	**RPMI-1640** w/ 1mM Sodium pyruvate, 2mM L-Glutamine, 4.5 gms Glucose per litre, and 2.0gms per litre Sodium bicarbonate w/o HEPES buffer	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1199S	**RPMI-1640** w/ 1mM Sodium pyruvate, 2mM L-Glutamine, 4.5 gms Glucose per litre, and 1.5gms per litre Sodium bicarbonate w/o HEPES buffer	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1214A	**RPMI-1640** w/ 3.05mM L-Glutamine, 10mM and 2gms per litre Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1157	**RPMI-1640** w/ 25mM HEPES buffer, Sodium bicarbonate and Sodium pyruvate w/o L-Glutamine	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1060	**RPMI-1640** w/ Sodium bicarbonate and 25mM HEPES buffer w/o L-Glutamine	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1060A	**RPMI-1640** w/ L-Glutamine, 25mM HEPES buffer and Sodium bicarbonate	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1197A	**RPMI-1640** w/ L-Glutamine and 20mM HEPES buffer w/o Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1180A	**RPMI-1640** w/ L-Glutamine, 2gms Glucose per liter, 0.165 moles per liter MOPS buffer and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1200A	**RPMI-1640** w/ L-Glutamine, and 2gms Glucose per liter and 0.165 moles per liter MOPS buffer w/o Sodium bicarbonate	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1201A	**RPMI-1640** w/ 25mM HEPES buffer, L-Glutamine, and 2.2gms per liter Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1102	**RPMI-1640 10X** w/ Sodium bicarbonate and L-Glutamine	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**

Unless indicated all the above products to be stored at 2 - 8°C

Product Code	Product Name	Packing
RPMI - 1640, Dutch modification		
AL1198	**RPMI-1640, Dutch modification** w/ 20mM HEPES buffer and 1gm per liter Sodium bicarbonate w/o L-Glutamine	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
Waymouth Medium MB 752/1		
AL1091A	**Waymounth Medium MB 752/1** w/ L-Glutamine and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
William's Medium E		
AL1125	**William's Medium E** w/ Sodium bicarbonate w/o L-Glutamine	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1240	**William's Medium E** w/ Sodium bicarbonate w/o Phenol red and L-Glutamine	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**

Classical Media (Powder)

Product Code	Product Name	Packing
AME's Medium		
AT1121	**AME's Medium** w/ L-Glutamine w/o Phenol red and Sodium bicarbonate	**1 lit** **10x1 lit** **20 lit**
BGjb Medium Fitton - Jackson Modification		
AT1123	**BGJB Medium Fitton-Jackson Modification** w/ L-Glutamine w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
Basal Medium Eagle (BME)		
AT1001	**Basal Medium Eagle (BME)** w/ Earle's salts and L-Glutamine w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
AT1242A	**Basal Medium Eagle (BME)** w/ Earle's salts W/o L-Glutamine and Sodium bicarbonate	**5 lit** **10x1 lit** **20 lit**
AT1002	**Basal Medium Eagle (BME)** w/ Hanks' salts and L-Glutamine w/o Sodium bicarbonate	**10x1 lit** **20 lit**
AT1062	**Basal Medium Eagle (BME)** w/ Hanks' salts, L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate	**5 lit** **10x1 lit** **20 lit**
AT1004A	**Basal Medium Eagle (BME) (Modified For Autoclaving)** w/ Earle's salts w/o L-Glutamine and Sodium bicarbonate	**10x1 lit** **20 lit**
Click's Medium (EHAA) Eagle Hank's Amino Acids		
AT1122A	**Click's Medium (EHAA) Eagle Hanks' Amono Acids** w/ L-Glutamine, Mercaptoethanol and Sodium bicarbonate	**5 lit** **10x1 lit** **20 lit**

Product Code	Product Name	Packing
CMRL 1066 Medium		
AT1110	**CMRL 1066 Medium** w/ L-Glutamine w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**
AT1226A	**CMRL 1066 Medium** w/o L-Glutamine, Phenol red and Sodium bicarbonate	**5 lit** **10x1 lit** **20 lit** **50 lit**
Chick Embryo Fibroblast Medium		
AT1168	**Chick Embryo Fibroblast Medium** w/ L-Glutamine w/o Sodium bicarbonate	**1 lit** **10x1 lit** **20 lit** **50 lit**
Dulbecco's Modified Eagle Medium (DMEM)		
AT1063A	**Dulbecco's Modified Eagle Medium (DMEM)** w/o L-Glutamine, Glucose, Phenol red Sodium pyruvate and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**
AT1186	**Dulbecco's Modified Eagle Medium (DMEM)** w/ L-Glutamine and Sodium pyruvate w/o Glucose and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**
AT1195	**Dulbecco's Modified Eagle Medium (DMEM)** w/ L-Glutamine w/o D-Glucose, Sodium pyruvate and Sodium bicarbonate	**1 lit** **10x1 lit** **20 lit**
Dulbecco's Modified Eagle Medium (DMEM), Low Glucose		
AT1006	**Dulbecco's Modified Eagle Medium (DMEM), Low Glucose** w/ 1gm Glucose per litre, L-Glutamine and Sodium pyruvate w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**
AT1006A	**Dulbecco's Modified Eagle Medium (DMEM), Low Glucose** w/ 1gm Glucose per litre and Sodium pyruvate w/o L-Glutamine and Sodium bicarbonate	**1 lit** **10x1 lit** **20 lit** **50 lit**
AT1065A	**Dulbecco's Modified Eagle Medium (DMEM) Low Glucose (Modified for Autoclaving)** w/ 1gm Glucose per litre and Sodium pyruvate W/o L-Glutamine and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
AT1149	**Dulbecco's Modified Eagle Medium (DMEM), Low Glucose** w/ 1gm Glucose per litre, L-Glutamine, 25mM HEPES buffer and Sodium pyruvate w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
AT1183	**Dulbecco's Modified Eagle Medium (DMEM), Low Glucose** w/ 1gm Glucose per litre, L-Glutamine and Sodium pyruvate w/o Sodium bicarbonate and Phenol red	**1 lit** **5 lit** **10x1 lit** **20 lit**

Unless indicated all the above products to be stored at 2 - 8°C

Product Code	Product Name	Packing
AT1235	**Dulbecco's Modified Eagle Medium (DMEM), Low Glucose** w/ 1gm Glucose per litre, L-Glutamine and Sodium pyruvate w/o Calcium chloride and Sodium bicarbonate	**5 lit** **10x1 lit** **20 lit**
	Dulbecco's Modified Eagle Medium (DMEM), High Glucose	
AT1187	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, 25mM HEPES Buffer, L-Glutamine and Sodium pyruvate w/o Sodium bicarbonate and Phenol red	**1 lit** **10x1 lit** **20 lit**
AT1007	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, L-Glutamine and Sodium pyruvate w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**
AT1007A	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, and Sodium pyruvate w/o L-Glutamine and Sodium bicarbonate	**1 lit** **10x1 lit** **20 lit** **50 lit**
AT1007F	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, L-Glutamine and Sodium pyruvate w/o Folic acid and Sodium bicarbonate	**10x1 lit** **20 lit** **50 lit**
AT1262F	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, L-Glutamine and Sodium pyruvate w/o Phenol red, acid and Sodium bicarbonate	**10x1 lit** **20 lit** **50 lit**
AT1219	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, L-Glutamine and Sodium pyruvate w/o Calcium Chloride and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
AT1190	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, L-Glutamine and Sodium pyruvate w/o Sodium bicarbonate and Phenol red	**1 lit** **5 lit** **10x1 lit** **20 lit**
AT1190A	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, and Sodium pyruvate w/o L-Glutamine, Sodium bicarbonate and Phenol red	**10x1 lit** **20 lit**
AT1066	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, and L-Glutamine w/o Sodium bicarbonate and Sodium pyruvate	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**
AT1066A	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, w/o L-Glutamine, Sodium bicarbonate and Sodium pyruvate	**1 lit** **10x1 lit** **20 lit**
AT1067	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate and Sodium pyruvate	**1 lit** **5 lit** **10x1 lit** **20 lit**
AT1067A	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, and 25mM HEPES buffer w/o L-Glutamine, Sodium bicarbonate and Sodium pyruvate	**10x1 lit** **20 lit**
AT1068	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, and L-Glutamine w/o Sodium pyruvate, Sodium phosphate and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
AT1151	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ L-Glutamine, 4.5gm Glucose per litre, and Sodium pyruvate and 25mM HEPES buffer w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**
AT1241	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, L-Glutamine Sodium pyruvate and 25mM HEPES buffer w/o Phenol red and Sodium bicarbonate	**10x1 lit** **20 lit** **50 lit**
AT1287A	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre w/o L-Glutamine, Calcium chloride HEPES buffer and Sodium pyruvate	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**
AT1293A	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre w/o L-Glutamine, Calcium chloride HEPES buffer, Sodium pyruvate and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**
	DMEM / F12, 1:1 Mixture	
AT1127	**Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 mixture)** w/ L-Glutamine and Trace elements w/o HEPES buffer and Sodium bicarbonate	**1 lit** **10x1 lit** **20 lit**
AT1127G	**Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 mixture)** w/ L- Alanyl-L-Glutamine and Trace elements w/o HEPES buffer and Sodium bicarbonate	**5 lit** **10x1 lit** **20 lit**
AT1147	**Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 mixture)** w/ L-Glutamine and Trace elements w/o Phenol red, Sodium bicarbonate and HEPES buffer	**1 lit** **10x1 lit** **20 lit**
AT1147A	**Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 mixture)** w/ Trace elements w/o L-Glutamine, Phenol red, and Sodium bicarbonate and HEPES buffer	**5 lit** **10x1 lit** **20 lit**
AT1139	**Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 mixture)** w/ L-Glutamine, 15mM HEPES buffer and Trace elements w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**

Unless indicated all the above products to be stored at 2 - 8°C

Product Code	Product Name	Packing
AT1140	**Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 mixture)** w/ L-Glutamine and 15mM HEPES buffer w/o Trace elements and Sodium bicarbonate	**5 lit 10x1 lit 20 lit 50 lit**
AT1140A	**Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 mixture)** w/ 15mM HEPES buffer w/o L-Glutamine, Trace elements and Sodium bicarbonate	**10x1 lit 20 lit 50 lit**
AT1155	**Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L-Glutamine w/o HEPES buffer, Phenol Trnce Elements and Sodium bicarbonate	**5 lit 10x1 lit 20 lit**
AT1239	**Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L-Glutamine, w/o HEPES buffer, Trnce Elements, Phenol red and Sodium bicarbonate	**5 lit 10x1 lit 20 lit**
AT1192	**Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ 15mM HEPES buffer, Trnce Elements and L-Glutamine w/o Phenol red and Sodium bicarbonate	**1 lit 5 lit 10x1 lit 20 lit**
AT1243	**Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L-Glutamine, 2mg/L Riboflavin and 55mg/L Sodium Pyruvate w/o HEPES buffer, Trance elements, Pyridoxal hydrochloride and Sodium bicarbonate	**5 lit 10x1 lit 20 lit 50 lit**
	DMEM / F12, 3:1 Mixture, High Glucose	
AT1189	**Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L-Glutamine w/o Calcium chloride, HEPES buffer and Sodium bicarbonate	**1 lit 5 lit 10x1 lit 20 lit**
	Fischer's Medium	
AT1054	**Fischer's Medium /** w/ L-Glutamine w/o Sodium bicarbonate	**1 lit 5 lit 10x1 lit 20 lit**
	Glasgow's Minimum Essential Medium, GMEM	
AT1102	**Glasgow's Minimum Essential Medium (GMEM)** w/ L-Glutamine w/o Tryptose Phosphate Broth and Sodium bicarbonate	**5 lit 10x1 lit 20 lit 50 lit**
AT1058	**Glasgow's Minimum Essential Medium (GMEM)** w/ L-Glutamine and NEAA w/o Sodium Phosphate, Sodium bicarbonate Tryptose Phosphate Broth	**1 lit 10x1 lit 20 lit**
AT1069	**Glasgow's Minimum Essential Medium (GMEM)** w/ L-Glutamine and Tryptose Phosphate Broth w/o Sodium bicarbonate	**5 lit 10x1 lit 20 lit**
	Tryptose Phosphate Broth	
AT1811	**Tryptose Phosphate Broth** Cell Culture Grade	**100 gm 500 gm**
	Iscove's Modified Dulbecco's Medium (IMDM)	
AT1160	**Iscove's Modified Medium (GMEM)** w/ L-Glutamine w/o HEPES buffer and Sodium bicarbonate	**5 lit 10x1 lit 20 lit**
AT1261A	**Iscove's Modified Dulbecco's Medium (IMDM)** w/o L-Glutamine, HEPES, Sodium bicarbonate and Phenol red	**1 lit 10x1 lit 20 lit**
AT1070	**Iscove's Modified Dulbecco's Medium (IMDM)** w/ L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate	**5 lit 10x1 lit 20 lit 50 lit**
AT1070A	**Iscove's Modified Dulbecco's Medium (IMDM)** w/ 25mM HEPES buffer w/o L-Glutamine and Sodium bicarbonate	**1 lit 5 lit 10x1 lit 20 lit**
AT1188	**Iscove's Modified Dulbecco's Medium (IMDM)** w/ L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate and Phenol red	**5 lit 10x1 lit 20 lit**
AT1230	**Iscove's Modified Dulbecco's Medium** w/ L-Glutamine and 25mM HEPES buffer w/o Glucose and Sodium bicarbonate	**1 lit 5 lit 10x1 lit 20 lit**
	Leibovitz's L-15 Medium	
AT1011	**Leibovot's L-15 Medium** w/ L-Glutamine w/o Sodium bicarbonate	**1 lit 5 lit 10x1 lit 20 lit**
AT1011A	**Leibovot's L-15 Medium** w/ L-Glutamine and Sodium bicarbonate	**5 lit 10x1 lit 20 lit**
AT1164	**Leibovot's L-15 Medium** w/ L-Glutamine w/o Sodium Pyruvate and Sodium bicarbonate	**5 lit 10x1 lit 20 lit**
AT1207	**Leibovot's L-15 Medium** w/ L-Glutamine w/o Phenol red and Sodium bicarbonate	**1 lit 5 lit 10x1 lit 20 lit**
	McCcoy's 5A Medium	
AT1057	**McCoy's 5A Medium** w/ L-Glutamine w/o Sodium bicarbonate	**1 lit 5 lit 10x1 lit 20 lit 50 lit**

Unless indicated all the above products to be stored at 2 - 8°C
50L bulk packing available for powder media

Product Code	Product Name	Packing
AT1057A	**McCoy's 5A Medium** w/ L-Glutamine and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**
AT1057F	**McCoy's 5A Medium** w/ L-Glutamine w/o Folic acid and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
AT1179F	**McCoy's 5A Medium** w/ L-Glutamine W/o Phenol red, Folic Acid and Sodium Bicarbonate	**10x1 lit** **20 lit**
McCcoy's 5A Medium (For Suspension Culture)		
AT1071	**McCoy's 5A Medium (For Suspension Culture)** w/ L-Glutamine w/o Calcium chloride and Sodium bicarbonate	**5 lit** **10x1 lit** **20 lit**
MCDB Medium		
AT1131	**MCDB Medium** w/ L-Glutamine w/o Phenol red, Folic Acid and Sodium bicarbonate	**5 lit** **10x1 lit** **20 lit**
AT1132	**MCDB 110 Medium** w/ Trace elements, L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate	**5 lit** **10x1 lit** **20 lit**
AT1133	**MCDB 131 Medium** w/ Trace elements and L-Glutamine w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
AT1134	**MCDB 151 Medium** w/ Trace elements, L-Glutamine and HEPES buffer w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
AT1135	**MCDB 153 Medium** w/ Trace elements, L-Glutamine and HEPES buffer w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
AT1137	**MCDB 302 Medium** w/ Trace elements, L-Glutamine and w/o Nucleosides and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
Medium 199		
AT1014	**Medium 199** w/ Earle's Salts and L-Glutamine w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**
AT1014A	**Medium 199** w/ Earle's Salts w/o L-Glutamine and Sodium bicarbonate	**10x1 lit** **20 lit**
AT1094	**Medium 199** w/ Earle's Salts, L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate	**1 lit** **10x1 lit** **20 lit**
AT1094A	**Medium 199** w/ Earle's Salts and 25mM HEPES buffer w/o L-Glutamine and Sodium bicarbonate	**10x1 lit** **20 lit**

Product Code	Product Name	Packing
Medium 199 (For Suspension Culture)		
AT1043	**Medium 199 (For Suspension Culture)** w/ Earle's Salts and L-Glutamine w/o Calcium Chloride, Magnesium Sulphate and Sodium bicarbonate	**1 lit** **10x1 lit** **20 lit**
Minimum Essential Medium Eagle (MEM)		
AT1020	**Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts and L-Glutamine w/o NEAA and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**
AT1020G	**Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts and L-Alanyl-L-Glutamine w/o NEAA and Sodium bicarbonate	**5 lit** **10x1 lit** **20 lit** **50 lit**
AT1159A	**Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts w/o L-Glutamine, NEAA, Phenol red and Sodium bicarbonate	**5 lit** **10x1 lit** **20 lit**
AT1047	**Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts, NEAA and L-Glutamine w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**
AT1047A	**Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts and NEAA w/o L-Glutamine and Sodium bicarbonate	**1 lit** **10x1 lit** **20 lit**
AT1046	**Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts, NEAA and L-Glutamine w/o Phenol red and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
AT1046A	**Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts and NEAA w/o L-Glutamine, Phenol red and Sodium bicarbonate	**1 lit** **10x1 lit** **20 lit**
AT1153	**Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts, NEAA, L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate	**10x1 lit** **20 lit**
AT1154	**Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts, L-Glutamine, NEAA and Sodium Pyruvate w/o and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
AT1074	**Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts, L-Glutamine and 25mM HEPES Sodium Pyruvate w/o Sodium bicarbonate	**1 lit** **10x1 lit** **20 lit**
AT1182	**Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts, L-Glutamine, NEAA, Sodium Pyruvate and 25mM HEPES w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
AT1056	**Minimum Essential Medium Eagle (MEM)** w/ Hanks' Salts and L-Glutamine w/o Sodium bicarbonate	**1 lit** **10x1 lit** **20 lit**
AT1056A	**Minimum Essential Medium Eagle (MEM)** w/ Hanks' Salts w/o L-Glutamine and Sodium bicarbonate	**5 lit** **10x1 lit** **20 lit**

Unless indicated all the above products to be stored at 2 - 8°C
50L bulk packing available for powder media

Product Code	Product Name	Packing
AT1048	**Minimum Essential Medium Eagle (MEM)** w/ Hanks' Salts, L-Glutamine and NEAA w/o Sodium bicarbonate	**5 lit** **10x1 lit** **20 lit**
AT1075	**Minimum Essential Medium Eagle (MEM)** w/ Hanks' Salts, L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate	**1 lit** **10x1 lit** **20 lit**
AT1017A	**Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts NEAA w/o L-Glutamine and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
AT1077A	**Minimum Essential Medium Eagle (MEM) (Modified for Autoclaving)** w/ Earle's Salts w/o L-Glutamine, NEAA and Sodium bicarbonate	**10x1 lit** **20 lit**
Minimum Essential Medium Eagle (For Suspension Culture)		
AT1238	**Minimum Essential Medium Eagle (MEM) (For Suspension Culture)** w/ Earle's Salts, L-Glutamine and NEAA w/o Calcium Chloride, Magnesium Sulfate and Sodium bicarbonate	**5 lit** **10x1 lit** **20 lit**
Minimum Essential Medium Eagle (Joklik Modification)		
AT1079	**Minimum Essential Medium Eagle (MEM) (Joklik Modification) (For Suspension Culture)** w/ L-Glutamine w/o Calcium Chloride and Sodium bicarbonate	**5 lit** **10x1 lit** **20 lit**
Minimum Essential Medium Eagle (Alpha Modification)		
AT1080	**Minimum Essential Medium Eagle (MEM) (Alpha Modification)** w/ L-Glutamine, Ribonucleosides and Deoxyribonucleosides w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**
AT1080A	**Minimum Essential Medium Eagle (MEM) (Alpha Modification)** w/ Ribonucleosides and Deoxyribonucleosides w/o L-Glutamine and Sodium bicarbonate	**5 lit** **10x1 lit** **20 lit**
AT1253	**Minimum Essential Medium Eagle (MEM) (Alpha Modification)** w/ L-Glutamine Ribonucleosides and Deoxyribonucleosides w/o Sodium bicarbonate and Phenol red	**5 lit** **10x1 lit** **20 lit**
AT1221	**Minimum Essential Medium Eagle (MEM) (Alpha Modification)** w/ Deoxyribonucleosides, Ribonucleosides and L-Glutamine w/o Ascorbic acid and Sodium bicarbonate	**10x1 lit** **20 lit**
AT1081	**Minimum Essential Medium Eagle (MEM) (Alpha Modification)** w/ L-Glutamine w/o Deoxyribonucleosides, Ribonucleosides and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**
AT1081A	**Minimum Essential Medium Eagle (MEM) (Alpha Modification)** w/o L-Glutamine, Deoxyribonucleosides, Ribonucleosides and Sodium bicarbonate	**5 lit** **10x1 lit** **20 lit**

Product Code	Product Name	Packing
AT1285	**Minimum Essential Medium Eagle (MEM) (Alpha Modification)** w/ L-Glutamine w/o Sodium Pyruvate, Ribonucleosides and Deoxyribonucleosides,	**1 lit** **5 lit** **10x1 lit** **20 lit**
AT1300	**Minimum Essential Medium Eagle (MEM) (Alpha Modification)** w/ L-Glutamine W/o Deoxyribose nucleosides, Ribonucleosides Phenol red and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
MEM / F12 1:1 Mixture		
AT1237	**Minimum Essential Medium Eagle / Nutrient Mixture F-12 Ham (MEM / F12 1:1 Mixture)** w/ 15mM HEPES buffer, 25mM L-Glutamine w/o Sodium bicarbonate	**10x1 lit** **20 lit**
NCTC 109 Medium		
AT1138	**NCTC 109 Medium** w/ L-Glutamine w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
AT1138A	**NCTC 109 Medium** w/o L-Glutamine and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
Nutrient Mixture F-12 Ham		
AT1024	**Nutrient Mixture F-10 Ham** w/ L-Glutamine w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**
AT1024A	**Nutrient Mixture F-10 Ham** w/ L-Glutamine and w/o Sodium bicarbonate	**10x1 lit** **20 lit** **50 lit**
AT1083	**Nutrient Mixture F-10 Ham** w/ L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate	**5 lit** **10x1 lit** **20 lit**
AT1184	**Nutrient Mixture F-10 Ham** w/ 20mM HEPES buffer and L-Glutamine w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
Nutrient Mixture F-10 Ham		
AT1025	**Nutrient Mixture F-12 Ham** w/ L-Glutamine w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**
AT1025A	**Nutrient Mixture F-12 Ham** w/o L-Glutamine and Sodium bicarbonate	**5 lit** **10x1 lit** **20 lit** **50 lit**
AT1144	**Nutrient Mixture F-12 Ham** w L-Glutamine w/o Phenol red and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
AT1095	**Nutrient Mixture F-12 Ham** w L-Glutamine w/o Folic acid, Phenol red and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**

Unless indicated all the above products to be stored at 2 - 8°C
50L bulk packing available for powder media

Product Code	Product Name	Packing
AT1119A	**Nutrient Mixture F-12 Ham** w/o Folic acid L-Glutamine, Phenol red and Sodium bicarbonate	**5 lit** **10x1 lit** **20 lit**
AT1290	**Nutrient Mixture F-12 Ham** w/ 10mM HEPES buffer acid L-Glutamine w/o Sodium bicarbonate and Phenol red	**1 lit** **5 lit** **10x1 lit** **20 lit**
AT1144A	**Nutrient Mixture F-12 Ham** w/o L-Glutamine, Phenol red and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
	Nutrient Mixture F-12 Ham, Kaighn's Modification	
AT1106	**Nutrient Mixture F-12 Ham, Kaighn's Modification** w/ L-Glutamine w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
AT1106A	**Nutrient Mixture F-12 Ham, Kaighn's Modification** w/o L-Glutamine and Sodium bicarbonate	**10x1 lit** **20 lit**
	Nutrient Mixture F-12 Ham, Coon's Modification	
AT1146	**Nutrient Mixture F-12 Ham, Caon's Modification** w L-Glutamine w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
AT1146A	**Nutrient Mixture F-12 Ham, Caon's Modification** w/o L-Glutamine and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
	RPMI-1640	
AT1150	**RPMI-1640** w/ L-Glutamine w/o Glucose and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
AT1028	**RPMI-1640** w/ L-Glutamine w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**
AT1028A	**RPMI-1640** w/o L-Glutamine and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**
AT1028F	**RPMI-1640** w L-Glutamine w/o Folic acid and Sodium bicarbonate	**1 lit** **10x1 lit** **20 lit**
AT1161A	**RPMI-1640** w/o Folic acid, L-Glutamine and Sodium bicarbonate	**1 lit** **10x1 lit** **20 lit**
AT1229A	**RPMI-1640** w/ Sodium pyruvate w/o L-Glutamine, Phenol red and Sodium bicarbonate	**1 lit** **10x1 lit** **20 lit**
AT1112A	**RPMI-1640** w/o L-Glutamine, Phenol red and Sodium bicarbonate	**1 lit** **10x1 lit** **20 lit**

Product Code	Product Name	Packing
AT1120	**RPMI-1640** w/ L-Glutamine w/o Phenol red and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**
AT1060	**RPMI-1640** w/ L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**
AT1060A	**RPMI-1640** w/ 25mM HEPES buffer w/o L-Glutamine and Sodium bicarbonate	**1 lit** **10x1 lit** **20 lit**
AT1157A	**RPMI-1640** w/ 25mM HEPES buffer and Sodium pyruvate w/o L-Glutamine and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
AT1113A	**RPMI-1640** w/ 25mM HEPES buffer w/o L-Glutamine, Phenol red and Sodium bicarbonate	**1 lit** **10x1 lit** **20 lit**
AT1162	**RPMI-1640** w/ L-Glutamine, Sodium Pyruvate, 4.5gms Glucose per liter and 10mM HEPES buffer w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**
AT1171	**RPMI-1640** w/ 2mM L-Glutamine, 1mM Sodium Pyruvate, 4.5gms Glucose per liter and 10mM HEPES buffer w/o Phenol red and Sodium bicarbonate	**1 lit** **10x1 lit** **20 lit**
AT1126A	**RPMI-1640 (Modified for Autoclaving)** w/o L-Glutamine and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
AT1180	**RPMI-1640** w/ L-Glutamine, Phenol red, 0.2% Glucose 0.165 moles per litre MOPS buffer w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
	SFRE Medium 199-1	
AT1089	**SERE Medium 199-1** w/ Hanks' salts, L-Glutamine, Galactose and Glucose w/o Sodium bicarbonate and Insulin	**1 lit** **5 lit** **10x1 lit** **20 lit**
AT1090	**SERE Medium 199-2** w/ Earle's salts, L-Glutamine, Galactose and Glucose w/o Sodium bicarbonate and Insulin	**5 lit** **10x1 lit** **20 lit**
	Swim's S-77 Medium	
AT1124	**Swim's S-77 Medium** w/ L-Glutamine w/o Streptomycin sulphate, Phenol red and Sodium bicarbonate	**5 lit** **10x1 lit** **20 lit**
	Waymouth Medium MB 752/1	
AT1091	**Waymounth Medium MB 752/1** w/ L-Glutamine w/o Sodium bicarbonate	**5 lit** **10x1 lit** **20 lit**

Unless indicated all the above products to be stored at 2 - 8°C
50L bulk packing available for powder media

Product Code	Product Name	Packing
	William's Medium E	
AT1125	**William Medium E** w/ L-Glutamine w/o Sodium bicarbonate	**1 lit** **10x1 lit** **20 lit**
	Insect Media (Liquid)	
IML1001	**Grace's Insect Medium** w/ Sodium bicarbonate w/o L-Glutamine	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
IML1001A	**Grace's Insect Medium** w/ L-Glutamine and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
IML1002	**Mitsuhashi and Maramorosch Insect Medium** w/ Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml**
IML1003	**Schneider's Insect Medium** w/ Calcium Chloride and Sodium bicarbonate w/o L-Glutamine	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
IML1003A	**Schneider's Insect Medium** w/ Calcium Chloride, L-Glutamine and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml**
IML1007	**TC-100 Insect Medium** w/ Sodium bicarbonate w/o L-Glutamine	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
IML1008	**TNM-FH Insect Medium** w/ Lactalbumin hydrolysate, Yeast extract and Sodium bicarbonate w/o L-Glutamine	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
IML1008A	**TNM-FH Insect Medium** w/ Lactalbumin hydrolysate, Yeast extract and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
	Insect Media (Powder)	
IM1001	**Grace's Insect Medium** w/ L- Glutamine w/o Sodium bicarbonate	**1 lit** **10 lit** **10x1 lit**
IM1002	**Mitsuhashi and Maramorosch** Insect Medium w/o Sodium bicarbonate	**1 lit** **10 lit** **10x1 lit**
IM1003	**Schneider's Insect Medium** w/ L- Glutamine w/o Calcium Chloride and Sodium bicarbonate	**1 lit** **10 lit** **10x1 lit**
IM1004	**Sheilds and Sang M3 Insect Medium** w/ L- Glutamine w/o Potassium bicarbonate	**1 lit** **10 lit** **10x1 lit**
IM1007	**TC-100 Insect Medium** w/ L- Glutamine w/o Sodium bicarbonate	**1 lit** **10 lit** **10x1 lit**
IM1008	**TNM-FH Insect Medium** Grance's Medium Supplemented w/ L- Glutamine, Lactalbumin hydrolyste and Yeast extract w/o Sodium bicarbonate	**1 lit** **10 lit** **10x1 lit**

Product Code	Product Name	Packing
	Insect Diets	
ID1001	**Drosophila Diet**	**1 lit** **5 lit**
ID1003	**Vanderzant Vitamin Mixture** Animal Component Free	**100 gm** **1 kg**
TS2100	**Wesson's Salt Mixture** Insect Cell Culture Tested	**500 gm** **2 kg** **10 kg**
	MicglutaXL Media	
	Media Containing Stable Glutamine	
AL1066G	**MicglutaXL Dubecco's Modified Eagle Medium, High Glucose** w/ 4.5gms Glucose per litre, L-Alanyl-L-Glutamine and Sodium bicarbonate w/o Sodium Pyruvate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1007G	**MicglutaXL Dubecco's Modified Eagle Medium, High Glucose** w/ L-Alanyl-L-Glutamine, Sodium Pyruvate and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1067G	**MicglutaXL Dubecco's Modified Eagle Medium (DMEM)** w/ 4.5gms Glucose per litre, L-Alanyl-L-Glutamine, 2.5mM HEPES buffer and Sodium bicarbonate w/o Sodium Pyruvate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1127G	**MicglutaXL Dubecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L-Alanyl-L- Glutamine, Sodium bicarbonate and Trace elements W/o HEPES buffer	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1273G	**MicglutaXL Dubecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L-Alanyl-L- Glutamine and 1.2 gms per liter Sodium bicarbonate w/o HEPES buffer and Trace elements	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1155G	**MicglutaXL Dubecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L-Alanyl-L- Glutamine and 2.438gms per liter Sodium bicarbonate w/o HEPES buffer and Trace elements	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1139G	**MicglutaXL Dubecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L-Alanyl-L- Glutamine, HEPES buffer, Sodium bicarbonate and Trace elements	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1014G	**MicglutaXL Medium 199** w/ Earie's Salts, L-Alanyl-L- Glutamine and Sodium bicarbonate w/o HEPES buffer	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1020G	**MicglutaXL Minium Essential Medium Eagle (MEM)** w/ L-Alanyl-L- Glutamine, Earie's Salts and Sodium bicarbonate w/o NEAA	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**

Product Code	Product Name	Packing
AL1047G	**MicglutaXL Minium Essential Medium Eagle** w/ L-Alanyl-L- Glutamine, Earie's Salts NEAA and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1056G	**MicglutaXL Minium Essential Medium Eagle** w/ L-Alanyl-L- Glutamine, Hanks' Salts and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1080G	**MicglutaXL Minium Essential Medium (Alpha Modification)** w/ L-Alanyl-L- Glutamine, Deoxyribonucleosides, Ribonucleosides and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1081G	**MicglutaXL Minium Essential Medium (Alpha Modification)** w/ L-Alanyl-L- Glutamine and Sodium bicarbonate w/o Deoxyribonucleosides and Ribonucleosides	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1255G	**MicglutaXL Minium Essential Medium Eagle (MEM) (Alpha Modification)** w/ L-Alanyl-L- Glutamine and Sodium bicarbonate w/o Deoxyribonucleosides, Ribonucleosides and Phenol red	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1024G	**MicglutaXL Minium Mixture F-10 Ham** w/ L-Alanyl-L- Glutamine and Sodium bicarbonate	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1028G	**MicglutaXL RPMI-1640** w/ L-Alanyl-L- Glutamine and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1060G	**MicglutaXL RPMI-1640** w/ L-Alanyl-L- Glutamine, HEPES buffer and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1751G	**MicglutaXL RPMI-1640** w/ L-Alanyl-L- Glutamine, HEPES buffer 60mg per litre Penicillin, 100mg per liter Streptomycin, 15% FBS and Sodium bicarbonate (*8ml medium in 15ml round bottom centrifuge tube)	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml** **20x50 NO**
TCL1030	**MicglutaXL Supplement 200mM** w/ L-Alanyl-L- Glutamine in 0.85% normal Saline	**100 ml** **5x100 ml**

MicSera Media

Media requiring reduced serum Supplementation

Product Code	Product Name	Packing
RSL1019	**MicSera Dulbecco's Modified Eagle Medium, Low Glucose** w/ 1gm Glucose per litre, Sodium Pyruvate and Sodium bicarbonate w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
RSL1003	**MicSera Dulbecco's Modified Eagle Medium, High Glucose** w/ Sodium Pyruvate and Sodium bicarbonate w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
RSL1003G	**MicSera Dulbecco's Modified Eagle Medium, HIgh Glucose** w/ L-Alanyl-L- Glutamine, Sodium Pyruvate and Sodium bicarbonate 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
RSL1005	**MicSera Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ Trace Elements and Sodium bicarbonate w/o L- Glutamine and HEPES buffer 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
RSL1006	**MicSera Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ HEPES buffer, Sodium bicarbonate and Trace Elements w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
RSL1006G	**MicSera Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L- Alanyl-L- Glutamine HEPES buffer, Sodium bicarbonate and Trace Elements 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
RSL1007	**MicSera Iscove's Modified Dulbecco's Medium** w/ HEPES buffer and Sodium bicarbonate w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
RSL1008	**MicSera Minimum Essential Medium Eagle** w/ Earle's Salts, NEAA and Sodium bicarbonate w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
RSL1008A	**MicSera Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts, NEAA and L- Glutamine and Sodium bicarbonate 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
RSL1008G	**MicSera Minimum Essential Medium Eagle** w/ Earle's Salts, L-Alanyl-L- Glutamine NEAA and Sodium bicarbonate 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
RSL1009	**MicSera Nutrient Mixture F-10 Ham** w/ Sodium bicarbonate w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**

Unless indicated all the above products to be stored at 2 - 8°C

Product Code	Product Name	Packing
RSL1010	**MicSera Nutrient Mixture F-12 Ham** w/ Sodium bicarbonate w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
RSL1011	**MicSera RPMI-1640** w/ Sodium bicarbonate w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
RSL1011G	**MicSera RPMI-1640** w/ L-Alanyl-L- Glutamine and Sodium bicarbonate 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
RSL1012	**MicSera RPMI-1640** w/ HEPES buffer and Sodium bicarbonate w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**

MicXL Serioes of Cell Freezing Media

Freezing Media for regular and sensitive cell lines

TCL1043	***MicXL Cell Freezing Medium-DMSO, 1X** w/ FBS and DMSO w/o Antibiotics Sterile filtered	**50 ml**
TCL1093	***MicXL Cell Freezing Medium-DMSO, 1X** w/ FBS and DMSO w/o Antibiotics Sterile filtered This medium contains high, concentration of FBS and can be used for Freezing of sensitive cell lines.	**50 ml**
TCL1056	***MicXL Cell Freezing Medium-DMSO, 1X** w/ FBS and DMSO w/o Antibiotics and Phenol red Sterile filtered	**50 ml**
TCL1044	***MicXL Cell Freezing Medium-** Glycerol, 1X w/ FBS and Glycerol w/o Antibiotics Sterile filtered	**50 ml**
TCL1078	***MicXL Cell Freezing Medium-Glycerol, 1X** w/ FBS and Glycerol w/o Antibiotics and Phenol red Sterile filtered	**50 ml**

Animal origin-free and serum-free cell freezing media

TCL1098	***MicXL Universal Freezing Medium** w/ DMSO w/o Antibiotics, Antimycotics and Phenol red Sterile filtered	**50 ml**

Stem cell freezing media

TCL1107	***MicXL Stem Cell Freezing Medium** w/ FBS and DMSO w/o Antibiotics Sterile filtered	**50 ml**

Hybridoma Cell freezing media

TCL1123	***MicXL Hybridoma Cell Freezing Medium, DMSO, 1X** w/ FBS and DMSO w/o Antibiotics This medium is optimized for cryopreservation of hybridoma cells	**50 ml**

Cell Culture Reagents

Antibiotic Solution

A01011	***Amphotericin B Solution 250µg/ml** Cell Culture Tested	**5x20 ml**
A01022	***Ampicillin Solution** w/ 10mg/ml Ampicillin sodium salt in sterile tissue culture grade water	**20 ml** **5x20 ml**
A01023	***Ampicillin Solution** w/ 100mg/ml Ampicillin Solution salt in sterile tissue culture grade water	**20 ml**
A01001	***Antibiotic Solution 100X Liquid** w/ 10,000 U Penicillin and 10mg Streptomycin per ml in 0.9% normal saline	**50 ml** **5x50 ml** **100 ml** **5x100 ml**
A01001A	***Antibiotic Solution 100X Liquid Endotoxin tested** w/ 10,000 U Penicillin and 10mg Streptomycin per ml in 0.9% normal saline	**50 ml** **5x50 ml** **100 ml** **5x100 ml**
A01014	***Antibiotic Solution 100X Liquid** w/ 10,000 U Penicillin and 10mg Streptomycin per ml in 0.9% normal saline	**5x50 ml** **5x100 ml**
A01018	***Antibiotic Solution 100X Liquid** w/ 10,000 U Penicillin, 5mg Streptomycin per ml in 0.9% normal saline	**5x50 ml** **5x100 ml**
A01002	***Antibiotic Antimycotic Solution 100X Liquid** w/ 10,000 U Penicillin, 10mg Streptomycin and 25 g Amphotericin B per ml in 0.9% normal saline	**20 ml** **5x20 ml** **5x50 ml** **100 ml** **5x100 ml**
A01002A	***Antibiotic Antimycotic Solution 100X Liquid, Endotoxin tested** w/ 10,000 U Penicillin, 10mg Streptomycin and 25 g Amphotericin B per ml in 0.9% normal saline	**20 ml** **5x20 ml** **5x50 ml** **100 ml** **5x100 ml**
A01003	***Antibiotic Solution 50X Liquid** w/ 5,000 U Penicillin and 5mg/ml Streptomycin in 0.9% normal saline	**50 ml** **5x50 ml**
A01019	***Carbenicillin Solution 100mg/ml** w/ 100mg/ml carbenicillin in sterile tissue culture grade water	**20 ml** **5x20 ml**
A01032	***Ciprofloxacin 2% Solution 5X** w/ 2% Ciprofloxacin in sterile tissue culture grade water	**100 ml**
A01016	***Geneticin Solution (G418 Solution)** w/ 50 mg/ml Geneticin in sterile tissue culture grade water	**20 ml** **5x20 ml**
A01005	***Gentamicin Solution** w/ 50 mg/ml Gentamicin in sterile tissue culture grade water	**1x100 ml** **20 ml**

Unless indicated all the above products to be stored at 2 - 8°C
*Store at (-20°C)

Product Code	Product Name	Packing
A01006	***Gentamicin L-Glutamine Solution** w/ 200mM L-Glutamine and 5 mg/ml Gentamicin in 0.9% normal Saline	**5x20 ml**
A01010	**Gentamicin Solution** w/ 10 mg/ml Gentamicin sulfate in sterile tissue culture grade water	**20 ml** **5X20 ml** **100 ml**
A01031	***Gentamicin-Amphotericin B Solution 1000X** w/ 30 mg/ml Gentamicin nd 25 g/ml Amphotericin B in sterile tissue culture grade water	**20 ml** **5x20 ml**
A01015	**Hygromycin B Solution** w/ 50 mg/ml Hygromycin B in sterile tissue culture grade water	**20 ml** **5x20 ml**
A01008	**Kanamycin Solution** w/ 10 mg/ml Kanamycin 0.9% normal saline	**20 ml** **5x20 ml**
A01009	**Kanamycin Solution** w/ 50 mg/ml Kanamycin in 0.9% normal saline	**20 ml** **5x20 ml**
A01024	**Neomycin Sulphate Solution** w/ 10 mg/ml Neomycin in 0.9% normal saline	**20 ml** **5x20 ml**
A01012	**Nystatin Suspension** w/ 10,000units Nystatin per ml in Dulbecco's Phosphate Buffered Saline	**5x20 ml** **5x50 ml**
A01027	**Polymyxin B Solution** w/ 50mg/ml Polymyxin B in sterile tissue culture grade water Suitable for vaccine Production	**5x20 ml**
A01007	***L-Glutamine-Penicillin-Streptomycin Solution** w/ 200mM L-Glutamine, 10,000 units/ml Penicillin and 10 mg/ml Streptomycin in 0.9% normal saline	**5x20 ml** **5x100 ml**
A01028	***Penicillin-Streptomycin-Neomycin Solution** w/ 5000 units Penicillin, 5mg Streptomycin and 10 mg Neomycin per ml in Citrate buffer	**5x20 ml**
A01004	**Penicillin-Streptomycin Powder** w/ 5000 units Penicillin, 5mg Streptomycin per ml in 0.9% normal saline when reconstituted with sterile tissue culture grade water to indicated volume	**5x50 ml** **5x100 ml**
A01038	**Puromycin dihydrochloride Solution** w/ 10mg/ml Puromycin dihydrochloride in cell culture grade water	**20 ml** **5x20 ml**

Balanced Salts

Balanced Salt Solutions (Liquid)

Product Code	Product Name	Packing
TL2006	**Dulbecco's Phosphate Buffered Saline 1X** w/ Phenol red, Calcium and Magnesium	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml** **1000 ml** **20x1000 ml**
TL2023	**Dulbecco's Phosphate Buffered Saline 1X** w/ Calcium and Magnesium w/o Phenol red	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2106	**Dulbecco's Phosphate Buffered Saline 1X** w/ 1000mg/ml D-Glucose, 36mg Sodium pyrucate per liter, Calcium and Magnesium w/o Phenol red	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2022	**Dulbecco's Phosphate Buffered Saline 10X** w/o Phenol red, Calcium and Magnesium	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2145	**Dulbecco's Phosphate Buffered Saline with Gentamicin** w/ 120 g/ml Gentamicin Sulphate w/o Calcium, Magnesium and Phenol red contains 20ml DPBS in 50ml self-standing centrifuge tube	**5x20 ml**
TL2002	**Earle's Balanced Salt Solution 1X** w/ Phenol red and sodium blcarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2110	**Earle's Balanced Salt Solution 1X** w/ Sodium bicarbonate and Phenol red w/o Calcium and Magnesium	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2107	**Earle's Balanced Salt Solution 1X** w/ Sodium bicarbonate w/o Calcium, Magnesium and Phenol red	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2024	**Hanks' Balanced Salt Solution 1X** w/ Phenol red and Sodium bicarbonate w/o Calcium	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2003	**Hanks' Balanced Salt Solution 1X** w/ Phenol red and Sodium bicarbonate	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2010	**Hanks' Balanced Salt Solution 1X** w/ Sodium bicarbonate w/o Phenol red	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2151	**Hanks' Balanced Salt Solution 1X** w/ 10mM HEPES and Sodium bicarbonate w/o Phenol red	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2019	**Hanks' Balanced Salt Solution 1X** w/ Phenol red w/o Sodium bicarbonate	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2108	**Hanks' Balanced Salt Solution 1X** w/ Phenol red w/o Calcium, Magnesium Sulphate and Sodium bicarbonate	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**

Unless indicated all the above products to be stored at 2 - 8°C
*Store at (-20°C)

Product Code	Product Name	Packing
TL2109	**Hanks' Balanced Salt Solution 10X** w/ Calcium and Magnesium w/o Sodium bicarbonate and Phenol red	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2021	**Hanks' Balanced Salt Solution 10X** w/ Phenol red w/o Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2122	**Hanks' Balanced Salt Solution 10X** w/ Phenol red w/o Calcium chloride, Magnesium sulfate and Sodium bicarbonate	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2098	**Hanks' Balanced Salt Solution 1X** w/ Sodium bicarbonate w/o Calcium, Magnesium and Phenol red	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2155	**Hanks' Balanced Salt Solution 1X** w/ Calcium and Magnesium w/o Sodium bicarbonate and Phenol red	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2097	**Krebs-Ringer Biocarbonate Buffer 1X** w/ 1.8gms Glucose per litre and Sodium bicarbonate w/o Calcium Chloride	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2143	**Krebs-Ringer Biocarbonate Buffer 1X** w/ Calcium Chloride, HEPES buffer, 0.2% Bovine serum Albumin and Sodium bicarbonate w/o Glucose	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2152	**Krebs-Ringer Phosphate HEPES Buffer pH 7.4** w/ 20mM HEPES buffer, Calcium and Magnesium w/o Phenol red	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2031	**Phosphate Buffered Saline pH 7.2 1X**	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2032	**Phosphate Buffered Saline pH 7.2 10X**	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2033	**Phosphate Buffered Saline pH 7.2 20X**	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2101	**Phosphate Buffered Saline pH 7.4 1X**	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2099	**Phosphate Buffered Saline pH 7.4 10X**	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**

Product Code	Product Name	Packing
TL2126	**Phosphate Buffered Saline pH 7.4 1X** w/ Phenol red	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2153	**Potassium Phosphate Buffer, pH 6.8 (1X)**	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2104	**Potassium Phosphate Buffered Saline 1X**	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
TL2011	**Spinner Balanced Salts, Eagle 1X** w/ Phenol red and Sodium bicarbonate w/o Calcium Chloride	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
	Balanced Salt (Powder)	
TS2119	**Dulbecco's Phosphate Buffered Saline** w/ Calcium and Magnesium w/o Phenol red	**1 lit** **5 lit** **10x1 lit** **20 lit**
TS2006	**Dulbecco's Phosphate Buffered Saline** w/ Calcium, Magnesium and Phenol red	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**
TS2003	**Hanks' Balanced Salts** w/ Phenol red w/o Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**
TS2010	**Hanks' Balanced Salts** w/o Phenol red and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit** **50 lit**
TS2033	**Hanks' Balanced Salts** w/ Phenol red w/o Calcium, Magnesium and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
TS2020	**Hanks' Balanced Salts** w/ Phenol red w/o Calcium and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
TS2098	**Hanks' Balanced Salts** w/o Calcium, Magnesium, Phenol red and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
TS2097	**Krebs-Ringer Bicarbonate Buffer** w/ 1.8 gms Glucose per liter w/o Phenol red, Calcium Chloride and Sodium bicarbonate	**1 lit** **5 lit** **10x1 lit** **20 lit**
TS2152	**Krebs-Ringer Phosphate HEPES Buffer pH 7.4** w/ 20mM HEPES buffer, Calcium and Magnesium w/o Phenol red	**1 lit** **5 lit** **10x1 lit** **20 lit**

Unless indicated all the above products to be stored at 2 - 8°C

Product Code	Product Name	Packing
TCL1081	***Trypsin-EDTA Solution 1X** w/ 500 BAEE units Porcine Trypsin and 180 g EDTA tetrasodium salt per ml in Dulbecco's Phosphate Buffered Saline w/o Calcium, Magnesium and Phenol red	**100 ml 5x100 ml 500 ml 6x500 ml**
TCL1099	***Trypsin-EDTA Solution 1X** w/ 0.025% Trypsin and 0.01% EDTA Dulbecco's Phosphate Buffered Saline w/o Phenol red	**100 ml 5x100 ml 500 ml 6x500 ml**
TCL1034	***Trypsin-EDTA Solution 10X** 0.5% Trypsin, 0.2% EDTA in 0.85% normal Saline w/o Phenol red	**100 ml 5x100 ml 500 ml**
TCL1144	***Trypsin-EDTA Solution 10X** 0.5% Trypsin, (1:250) Gamma irradiated and 0.2% EDTA in 0.85% normal Saline w/o Phenol red	**100 ml 5x100 ml 500 ml 6x500 ml**
TCL1140	***Trypsin-EDTA Solution 10X** w/ 0.5% Trypsin, and 0.2% EDTA Dulbecco's Phosphate Buffered Saline w/o Phenol red	**100 ml 5x100 ml 500 ml**
TCL1070	***Trypsin-EDTA Solution 10X** w/ 2.5% Trypsin, (1:250) 0.2% EDTA in 0.85% normal Saline w/o Phenol red	**100 ml 5x100 ml 500 ml**
TCL1145	***Trypsin-EDTA Solution 1X** w/ 0.05% Trypsin, 0.02% EDTA and 0.1% Glucose, 0.8% Sodium Chloride, 0.04% Potassium Chloride and 500mg per liter Sodium bicarbonate w/o Phenol red	**100 ml 5x100 ml 500 ml 6x500 ml**
TCL1179	***Trypsin-EDTA Solution 1X** 0.25% Trypsin, 0.03% EDTA in PBS w/ Phenol red	**100 ml 5x100 ml 500 ml 6x500 ml**
TCL1184	***Trypsin-EDTA Solution 1X** 0.05% Trypsin, and 0.02% EDTA in 0.04% KCl, 0.1% Glucose, 0.58g/L Sodium bicarbonate and phenol red in 0.8% normal saline	**100 ml 5x100 ml 500 ml 6x500 ml**
	TPVG Solution	
TCL1022	***Trypsin Phosphate Versene Glucose (TPVG) Solution 1X** 0.25% Trypsin, 0.5% PVP, 0.02% EDTA and 0.05% Glucose, in Dulbecco's Phosphate Buffered Saline w/o Phenol red	**100 ml 5x100 ml 500 ml 6x500 ml**
TCL1143	***Trypsin Phosphate Versene Glucose (TPVG) Solution 1X** 0.25% Trypsin, 0.5% PVP, 0.02% EDTA and 0.05% Glucose, in Dulbecco's Phosphate Buffered Saline w/ Phenol red	**100 ml 5x100 ml 500 ml 6x500 ml**
TCL1031	***Trypsin Phosphate Versene Glucose (TPVG) Solution 1X** 0.1% Trypsin, 0.02% EDTA, 0.05% Glucose, in Dulbecco's Phosphate Buffered Saline w/o Phenol red	**100 ml 5x100 ml 500 ml 6x500 ml**
TCL1120	***Trypsin Phosphate Versene Glucose (TPVG) Solution 1X** 0.1% Trypsin, 0.02% EDTA, 0.05% Glucose, in Dulbecco's Phosphate Buffered Saline w/o Phenol red	**100 ml 5x100 ml 500 ml 6x500 ml**
	Versene Solution	
TCL1020	**Versene (EDTA) 0.1% Solution 1X** 0.1% Versene in Dulbecco's Phosphate Buffered Saline w/o Phenol red	**5x100 ml 2x500 ml**
	Trypsin Inhibitors	
TCL1068	**Trypsin Inhibitor from Soyabean 1X, Liquid** w/ 1mg/ml of Trypsin inhibitor in Dulbecco's Phosphate Buffered Saline	**100 ml 5x100 ml**
	Cell Lysis Solution	
TCL1131	**RIPA buffer** Sterile filtered	**100 ml 500 ml**
TCL1135	**CritonTM X-100 Solution, 10%** Sterile filtered	**100 ml 500 ml**
TCL1136	**CritonTM X-100 Solution, 20%** Sterile filtered	**100 ml 500 ml**
TCL1161	**Urea Buffer** Sterile filtered	**100 ml 500 ml**
TCL1166	**20% Cween 20** Sterile filtered	**100 ml 500 ml**
	Miscellaneous Reagents	
	Carrier Proteins	
TCL1036	**Bovine Albumin Fraction V 7.5% Solution** in Dulbecco's Phosphate Buffered Saline	**100 ml**
	Attachment Factors	
TCL1127	**Collagen Peptide Solution 1%** w/ 1% Collagen Peptide in Dulbecco's Phosphate Buffered Saline	**50 ml 100 ml**
TCL1109	**Gelatin Solution 0.5%** w/ 0.5% Type B Gelatin from bovine skin in sterile tissue culture grade water	**100 ml**
TCL1059	**Gelatin Solution 2%** w/ 2% Type B Gelatin from bovine skin in sterile tissue culture grade water	**100 ml**
TCL1148	**Poly-L-Ornithine Solution, 0.01%**	**100 ml**
	Media Supplements and Buffers	
TCL1012	***L-Glutamine 200mM Solution** L-Glutamine in 0.85% normal Saline Cell Culture tested	**5x20 ml 5x100 ml 500 ml 2x500 ml**
TCL1030	***MiglutaXLTM Supplement 200mM** w/ L-Alanyl-L-Glutamine in 0.85% normal Saline	**100 ml 5x100 ml**

Unless indicated all the above products to be stored at 2 - 8°C
* Store at (-20°C)

Product Code	Product Name	Packing
TS2148	**Krebs-Henseleit Buffer** w/ 2gms Glucose per liter w/o Calcium chloride and Sodium bicarbonate	1 lit 5 lit 10x1 lit 20 lit
TS2099	**Phosphate Buffered Saline, pH 7.2**	1 lit 5 lit 10x1 lit 20 lit 50 lit
TS2120	**Phosphate Buffered Saline, pH 7.4** w/ 1% Bovine Serum Albumin	1 lit 5 lit 10x1 lit 20 lit
TS2101	**Phosphate Buffered Saline, pH 7.4**	1 lit 5 lit 10x1 lit 20 lit 50 lit
TS2150	**Phosphate Buffered Saline, pH 7.4** w/ 1gm/ litre Glucose and phenol red w/o Calcium, Magnesium and Sodium bicarbonate	1 lit 5 lit 10x1 lit 20 lit
TS2011	**Spinner Salts, Eagle** w/ Phenol red w/o Calcium chloride and Sodium bicarbonate	1 lit 5 lit 10x1 lit 20 lit

Cell Dissociation Reagents

Trypsin Solution

Product Code	Product Name	Packing
TCL1011	***Trypsin 0.1% Solution 1X** 0.1% Trypsin in Dulbecco's Phosphate Buffered Saline w/o Phenol red Sterile Filtered	100 ml 5x100 ml 500 ml 6x500 ml
TCL1006	***Trypsin 0.25% Solution 1X** 0.25% Trypsin in Dulbecco's Phosphate Buffered Saline w/o Phenol red Sterile Filtered	100 ml 5x100 ml 500 ml 6x500 ml
TCL1047	***Trypsin 0.25% Solution 1X** 0.25% Trypsin in Hank's Balanced Salt Solution w/ Phenol red w/o Calcium and Magnesium Sterile Filtered	100 ml 5x100 ml 500 ml 6x500 ml
TCL1151	***Trypsin 0.25% Solution 1X** 0.25% Trypsin in Hank's Balanced Salt Solution w/o Calcium and Magnesium and Phenol red Sterile Filtered	100 ml 5x100 ml 500 ml
TCL1008	***Trypsin 0.25% Solution 10X** 2.5% Trypsin in Hank's Balanced Salt Solution 10X w/o Phenol red Sterile Filtered	100 ml 5x100 ml 500 ml
TCL1111	***Trypsin 0.25% Solution 1X** 0.25% Trypsin in Citrate buffer w/o Phenol red Sterile Filtered	100 ml 5x100 ml 500 ml 6x500 ml

Trypsin EDTA Solution

Product Code	Product Name	Packing
TCL1007	***Trypsin-EDTA Solution 1X** 0.25% Trypsin and 0.02% EDTA in Dulbecco's Phosphate Buffered Saline w/o Phenol red Sterile Filtered	100 ml 5x100 ml 500 ml 6x500 ml
TCL1049	***Trypsin-EDTA Solution 1X** 0.25% Trypsin and 0.02% EDTA in Hank's Balanced Salt Solution w/o Phenol red Sterile Filtered	100 ml 5x100 ml 500 ml 6x500 ml
TCL1152	***Trypsin-EDTA Solution 1X** 0.25% Trypsin and 0.02% EDTA in Hank's Balanced Salt Solution w/o Calcium, Magnesium and Phenol red Sterile Filtered	100 ml 5x100 ml 500 ml 6x500 ml
TCL1165	***Trypsin-EDTA Solution 1X** 0.25% Trypsin and 0.02% EDTA in 0.8% normal Saline w/ 0.4 g/L Potassium Chloride, 1.0g/L Glucose, 0.35 g/L Sodium bicarbonate and 0.01 g/L Phenol red Sterile Filtered	100 ml 5x100 ml 500 ml 6x500 ml
TCL1048	***Trypsin-EDTA Solution 1X** 0.25% Trypsin, 0.038% EDTA in Hanks' Balanced Salt Solution w/o Calcium and Magnesium w/ Phenol red Sterile Filtered	100 ml 5x100 ml 500 ml 6x500 ml
TCL1154	***Trypsin-EDTA Solution 1X** 0.25% Trypsin, 0.038% EDTA in Hanks' Balanced Salt Solution w/o Calcium and Magnesium and Phenol red Sterile Filtered	100 ml 5x100 ml 500 ml 6x500 ml
TCL1014	***Trypsin-EDTA Solution 1X** 0.25% Trypsin, and 0.001% EDTA in Dulbecco's Phosphate Buffered Balanced Saline w/o Phenol red Sterile Filtered	100 ml 5x100 ml 500 ml 6x500 ml
TCL1033	***Trypsin-EDTA Solution 1X** 0.05% Trypsin, 0.02% EDTA in Hanks' Balanced Salt Solution w/o Phenol red Sterile Filtered	100 ml 5x100 ml 500 ml 6x500 ml
TCL1139	***Trypsin-EDTA Solution 1X** w/ 0.05% Trypsin, and 0.02% EDTA in Dulbecco's Phosphate Buffered Saline w/o Phenol red Sterile Filtered	100 ml 5x100 ml 500 ml 6x500 ml
TCL1042	***Trypsin-EDTA Solution 1X** w/ 0.25% Trypsin, 0.1% EDTA in Hanks' Balanced Salt Solution w/o Phenol red Sterile Filtered	100 ml 5x100 ml 500 ml 6x500 ml
TCL1001	***Trypsin-EDTA Solution 1X** 0.25% Trypsin, 0.2% EDTA in Dulbecco's Phosphate Buffered Saline w/o Phenol red	100 ml 5x100 ml 500 ml 6x500 ml

Unless indicated all the above products to be stored at 2 - 8°C
* Store at (-20°C)

Product Code	Product Name	Packing
	Pea Hydrolysate	
TC1650	**Pea hydrolysate** Cell Culture Tested Store below 30°C	**500 gm** **5 kg**
	Soya Peptone	
TC1608	**Soya Peptone** Cell Culture Tested Store below 30°C	**500 gm** **5 kg**
TC1437	**Soya Peptone, Ultrafiltered** Cell Culture Tested Store below 30°C	**500 gm** **5 kg**
	Tryptose Phosphate Broth	
AT1811	**Tryptose Phosphate Broth** Cell Culture Grade	**100 gm** **500 gm**
TCL1009	**Tryptose Phosphate Broth 50X**	**100 ml** **5x100 ml**
	Wheat Hydrolysate	
TC1649	**Wheat hydrolysate** Cell Culture Tested Store below 30°C	**500 gm** **5 kg**
	Yeast Extract	
TC1369	**Yeast Extract** Cell Culture Tested Store below 30°C	**500 gm** **5 kg**
TC1438	**Yeast Extract, Ultrafiltered** Cell Culture Tested Store below 30°C	**500 gm** **5 kg**
TC1535	**Yeast Extract, Granulated** Cell Culture Tested Store below 30°C	**500 gm** **5 kg**
TC1593	**Yeast Extract, Ultrafiltered Granulated** Cell Culture Tested Store below 30°C	**500 gm** **5 kg**
TCL1041	**Yeast Extract, Solution, 150g/l** Cell Culture Tested	**100 ml** **500 ml**
	Vitamin Solution	
	Vitamin Solution (Sterile Filtered)	
VA1001	***BME Vitamin Solution 100X** Sterile filtered	**100 ml** **5x100 ml**
VA1002	***MEM Vitamin Solution 100X** Sterile filtered	**100 ml** **5x100 ml**
VA1003	***RPMI 1640 Vitamin Solution 100X** Sterile filtered Media countaining PHA-M as mitogen	**100 ml** **5x100 ml**
	Speciality Product Segment	
	Cytogenetics Platform	
	Media Countaining PHA-M as Mitogen	
AL1165A	**RPMI Medium** w/ L-Glutamine, FBS, PHA-M, Penicillin Streptomycin and Sodium bicarbonate	**50x10 ml** **100 ml** **5x100 ml**
AL1169A	**Nutrient Mixture F10 Medium** w/ L-Glutamine, FBS, PHA-M, Penicillin Streptomycin and Sodium bicarbonate Media countaining PHA-M as mitogen	**50x10 ml** **100 ml** **5x100 ml**
	Media Countaining PHA-P as Mitogen	
AL1249A	**RPMI Medium** w/ L-Glutamine, FBS, PHA-M, Penicillin Streptomycin and Sodium bicarbonate Media without mitogen	**50x10 ml** **5x100 ml**
	Media without Mitogen	
AL1173A	**RPMI Medium** w/ L-Glutamine, FBS, Penicillin, Streptomycin and Sodium bicarbonate w/o PHA-M	**50x10 ml** **100 ml** **5x100 ml**
AL1185	**ANutrient Mixture F-10** Ham Medium w/ L-Glutamine, FBS, Penicillin, Streptomycin and Sodium bicarbonate w/o PHA-M	**100 ml** **5x100 ml**
	Mitotic Stimulators	
TCL1061	**PHA-M Solution** w/ 0.1 mg per ml PHA-M in sterile tissue culture grade water	**10 ml** **5x10 ml**
TCL1071	**PHA-M Solution** w/ 1 mg per ml PHA-M in sterile tissue culture grade water	**10 ml** **5x10 ml**
	Mitotic Inhibitors	
TCL1062	**Colchicine Solution** w/ 10µg per ml Colchicine in Phosphate Buffered Saline	**20 ml**
TCL1074	**Colchicine Solution** w/ 10µg per ml Colchicine in Hanks Balanced salt solution	**20 ml** **100 ml**
TCL1133	**Colcemid Solution** w/ 10µg per ml Colchicine in Phosphate Buffered Saline	**20 ml** **100 ml**
	Related Reagents	
TCL1122	***Trypsin Solution for G-Banding** w/ 0.025% Trypsin in Dulbecco's Phosphate Buffered Saline	**100 ml** **5x100 ml**
TCL2139	**Gurr Buffer Solution pH 6.8**	**500 ml**
	Mouse IVF Platform	
AL1142	**M2 Medium** w/ HEPES buffer, Sodium bicarbonate and Sodium lactate Mouse embryos in M2 Medium	**500 ml**
AL1143	**M16 Medium** w/ Sodium bicarbonate and Sodium lactate Mouse embryos in M16 Medium	**500 ml**
AL1233	**HTF Medium** w/ HEPES buffer and Sodium bicarbonate w/o Phenol red	**100 ml** **500 ml**

Unless indicated all the above products to be stored at 2 - 8°C
* Store at (-20°C)
Colcemid ® is a registered trademark of ciba-giegy corp.

Product Code	Product Name	Packing
TCL1021	**HEPES 1M Solution** Cell Culture tested	**100 ml** **5x50 ml** **500 ml** **2x500 ml**
TCL1003	**1N Hydrochloric Acid Solution**	**10x20 ml**
TCL1024	**Potassium bicarbonate Solution 7.5%**	**5x100 ml**
TCL1013	**Sodium bicarbonate Solution 7.5%**	**100 ml** **5x100 ml** **500 ml**
TCL1002	**1N Sodium Hydroxide**	**10x20 ml**
TCL1015	**Sodium Pyruvate Solution 100mM**	**100 ml** **5x100 ml**
TCL1188	**0.5M EGTA Solution, pH 8.0**	**100 ml** **500 ml**
TCL1189	**0.5M EDTA Solution, pH 8.0**	**100 ml** **500 ml**
TCL1190	**HEPES Solution** 1M in normal saline	**100 ml** **500 ml**
	Solubilized Growth Factors	
TCL1211	**Dexamethasone- Water Soluble** Lyophilized	**100 mg**
	Others	
TCL1077	**D-(+)-Glucose Solution 45%** **Autoclaved** w/ 45% D-(+)-Glucose in sterile tissue culture grade water	**100 ml** **500 ml**
TCL1129	**Heparin Solution, 1000 units/ml** sterile filtered Cell culture tested	**50 ml**
TCL1138	**DL-Lactic acid Sodium salt Solution, 60%**	**100 ml** **500 ml**
TCL1023	**Pluronic F-68 Solution 10%, 100X**	**100 ml**
TCL1035	**Recombinant** Human Insulin Solution, 10mg/ml	**10 ml** **20 ml**
TCL1125	**Recombinant Human Insulin Solution,** **5mg/ml**	**10 ml** **20 ml**
TCL1119	**Paraformaldehyde Solution, 4%** 4% Paraformaldehyde in Phosphate Buffered Saline	**100 ml**
	Water	
TCL1016	**Water, Sterile, Molecular Biology Grade** DEPC treated, Nuclease and Protease free	**10x100 ml** **500 ml** **10x500 ml** **10x1000 ml**
TCL1018	**Water, Sterile, Molecular Biology Grade** Endotoxin tested DEPC treated, Nuclease and Protease free	**20x100 ml** **500 ml** **10x500 ml** **10x1000 ml**
TCL1010	**Water, Sterile, Tissue Culture Grade**	**20x100 ml** **500 ml** **10x500 ml** **10x1000 ml**
TCL1019	**Water, Sterile, Tissue Culture Grade** Endotoxin Tested	**20x100 ml** **500 ml** **10x500 ml** **10x1000 ml**

Product Code	Product Name	Packing
	Cell Culture Supplements	
	Amino Acid Concentrates	
	Amino Acid Concentrates (Liquid)	
ACL1002	**MEM Amino Acids Solitoon 100X** w/o L-Glutamine	**100 ml** **5x100 ml**
ACL1003	**MEM Glasgow's Modification Amino Acids Solution 100X** w/o L-Glutamine	**100 ml** **5x100 ml**
ACL1005	**MEM Non Essential Amino Acids Solution 50X**	**100 ml** **5x100 ml**
ACL1006	**MEM Non Essential Amino Acids Solution 100X**	**100 ml** **5x100 ml**
	Amino Acid Concentrates (Powder)	
AC1004	**MEM Dulbecco's Modification Amino Acids 50X**	**1 lit** **10x1 lit**
AC1003	**MEM Glasgow Modification Amino Acids 50X** w/o L-Glutamine	**1 lit** **10x1 lit**
AC1005	**MEM-Non Essential Amino Acids (NEAA) 50X**	**1 lit** **10x1 lit**
	Hydrolysats	
	Hydrolysates are enzymatic digests of proteins. They are obtained from sources such as animal tissue, milk, soyabean, yeast, wheat and many others. The end product is a source of vitamins, lipids, minerals, dipeptides and tripeptides that supply a rich source of basic amino acids for cell growth, Hydrolysates are widely used in cell culture as a supplement to basal medium to enhance cell growth and maximize product yield.	
	Casein Enzyme Hydrolysate	
TC1370	**Casitose** Cell Culture Tested Store below 30°C	**500 gm** **5 kg**
	Cotton Hydrolysate	
TC1651	**Cotton hydrolysate** Cell Culture Tested Store below 30°C	**500 gm** **5 kg**
	Lactalbumin Hydrolysate	
TC1367	**Lactalbumin Hydrolysate** Cell Culture Tested Store below 30°C	**500 gm** **5 kg**
TC1367G	**Lactalbumin Hydrolysate** Cell Culture Tested Gamma irradiated Store below 30°C	**500 gm** **5 kg**
TC1367V	**Lactalbumin Hydrolysate** Cell Culture Tested Recommeneded as a vaccine stabilizer Store below 30°C	**500 gm** **5 kg**
	Meat Peptone	
TC1371	**Meat Peptone Henceforth referred as HM Peptone** Cell Culture Tested Store below 30°C	**500 gm** **5 kg**

Unless indicated all the above products to be stored at 2 - 8°C
Pluronic F-68 ® is a registered trademark of BASF

Product Code	Product Name	Packing
AL1234	**HTF Medium** w/ Sodium bicarbonate and Phenol red w/o HEPES buffer	**500 ml**

Hybridoma Platform

Hybridoma Culture Media

Product Code	Product Name	Packing
AT1191	**Hybridoma Medium** Hydrodoma Medium is a modified mixture of DMEM and NCTC 135 specially developed for propagation and rapid growth of hybridomas and other fastidious cell lines. It is supplemented with insulin Part A: Chemically defined powdered medium Part B: Recombinat Human Insulin Powder	**1 lit** **10x1 lit** **20 lit**
AL1206A	**Hybridoma Medium** w/ L-Glutamine, HEPES buffer, Insulin and 1.5gms per litre Sodium bicarbonate 1X Liquid Cell Culture Medium Hydrodoma Medium is a modifies mixture of DMEM and NCTC 135 specially developed for propagation and rapid growth of hybridomas and other fastidious cell lines. It is supplemented with insulin.	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1057H	**McCoy's 5A Medium** w/ L-Glutamine and Sodium bicarbonate Hybridoma Tested	**5x100 ml** **500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1047H	**Minimum Essential Medium Eagle (MEM)** w/ Earle's salts, NEAA, Sodium bicarbonate and L-Glutamine Hybridoma Tested	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**
AL1028B	**RPMI-1640** w/ Sodium bicarbonate w/o L-Glutamine Hybridoma Tested	**500 ml** **2x500 ml** **6x500 ml** **20x500 ml**

Hybridoma Tested DMSO

Product Code	Product Name	Packing
TC1429	**Hybridoma DMSO** Cell Culture Tested hybridoma Tested	**100 ml**
TC1433	**Hybridoma DMSO** Sterile Filtered Cell Culture Tested	**100 ml**

Freezing Medium for Hybridoma

Product Code	Product Name	Packing
TCL1123	**Hybridoma Cell Freezing Medium, DMSO, 1X** w/ FBS and DMSO w/o Antibiotics	**50 ml**

Hybridoma Selection Supplements

Product Code	Product Name	Packing
TCL1072	***HAT Medium Supplement 50X, Liquid** w/ 680.5 mg/litre Hypoxanthine, 8.8 mg/litre Aminopterin and 193.8 mg/litre Thymidine in Phosphate Buffered Saline 10ml HAT Supplement is Suffcient for 500ml medium	**5x10 ml** **10x10 ml** **100 ml**
TCL1073	***HAT Medium Supplement 50X, Liquid** w/ 680.5 mg/litre Hypoxanthine and 193.8 mg/litre Thymidine in Phosphate Buffered Saline 10ml HT Supplement is Suffcient for 500ml medium	**5x10 ml** **10x10 ml** **100 ml**

Transfection Plartform

Media and Kits

Product Code	Product Name	Packing
SFM1015	**Rabsfection Medium, Serum Free, Animal Componet Free, Low Protein** w/ Sodium bicarbonate w/o L-Glutamine PartA-Basal Medium *PartB-Low Protein Growth Supplement VERO cells cultured in SFM1015 and transfectedwith GFP Plasmid (100X)	**500 ml**
RSL1013	**Trabsfection Medium, Reduced Serum** w/ Sodium bicarbonate w/o L-Glutamine Part A-Basal Medium *Part B-Reduced Serum Supplement VERO cells cultured in RSL1013 and transfected with GFP Plasmid (100X)	**500 ml**
RSL1020	**Trabsfection Medium, Reduced Serum** w/ Sodium bicarbonate w/o Phenol red and L-Glutamine Part A-Basal Medium *Part B-Reduced Serum Supplement VERO cells cultured in RSL1020 and transfected with GFP Plasmid (100X)	**500 ml**
CCK1064	**b-Gal Staining Kit** b-Gal Staining Kirt provides a method for determining the percentage of cells transfected with the plasmid expressing the b-galactosidase gene, LacZ, X-Gal acts as a substrate for b-Galactosidase and is hydrolyzed to form a blue coloured product, staining the transfected cells blue in colour b-Gal Stainning of CHO Cells transfected with LanZ plasmid (10X).	**Kit for 300 tests in a 35mm dish**

Viral Transport Systems

Recommended for collection and transport of viruses

Media without Glass beads

Product Code	Product Name	Packing
AL1167	**Viral Transport Medium** with 3ml viral transport medium in a self-standing tube	**50X3 ml**
AL1296	**Viral Transport Medium** w/ 1ml viral transport medium in a self-standing tube	**50 nos**

Unless indicated all the above products to be stored at 2 - 8°C
* Store at (-20°C)
Store kit contents as per storage temperature of individual components

Product Code	Product Name	Packing
	Media Glass beads	
AL1270	**Viral Transport Medium** w/ Amphotericin B contains 3ml viral transport medium self-standing tube with 3 glass beads	**50X3 ml**
AL1297	**Viral Transport Medium** w/ 1ml viral transport medium in a self-standing tube with 3 glass beads	**50 nos**
	Media without Glass beads	
MS3760	**Viral Transport Kit** w/ 3ml viral transport medium in a self-standing tube and one sterile flocked nylon swab with breakpoint.	**50 nos**
MS3760A	**Viral Transport Kit (A)** w/ 3ml viral transport medium in a self-standing tube, one sterile flocked nylon swab with breakpoint and one sterile viscose swab without breakpoint	**50 nos**
MS3760B	**Viral Transport Kit (A)** w/ 3ml viral transport medium in a self-standing tube, one sterile flocked nylon swab with breakpoint and one sterile swab without breakpoint	**50 nos**
MS3760D	**Viral Transport Kit (D)** w/ 3ml viral transport medium in a self-standing tube and one sterile sterile viscose swab without breakpoint	**50 nos**
MS3760E	**Viral Transport Kit (E)** w/ 3ml viral transport medium in a self-standing tube, one sterile flocked nylon swab and one sterile polyester swab with breakpoint	**50 nos**
MS3760F	**Viral Transport Kit (F)** w/ 3ml viral transport medium in a self-standing tube and one sterile polyester swab with breakpoint	**50 nos**
MS3760G	**Viral Transport Kit (G)** w/ 3ml viral transport medium in a self-standing tube and one sterile foam tipped swab with breakpoint	**50 nos**
MS3760H	**Viral Transport Kit (H)** w/ 3ml viral transport medium in a self-standing tube and two sterile flocked nylon swabs with breakpoint	**50 nos**
MS3760R	**Viral Transport Kit (R)** With viral transport medium in self-standing / conical bottom tube, one sterile Nasopharyngeal Nylon flocked swab with breakpoint and One sterile oropharyngeal nylon flocked swab with breakpoint	**50 nos**
MS3760S	**Viral Transport Kit (S)** With viral transport medium in self-standing / conical bottom tube, one sterile Nasopharyngeal Nylon flocked swab with breakpoint and One sterile oropharyngeal Viscose swab with breakpoint	**50 nos**

icmr APPROVED

Viral Transport Systems

Viral Transport Medium (VTM) KIT for collection & Transport of clinical specimens containing viruses. Is a specially designed transport system to collect and transport viruses in an active form to the laboratory for isolation. It is designed to maintain the viability and the virulence of the viral sample.

Unless indicated all the above products to be stored at 2 - 8°C

PLANT TISSUE CULTURE

Your choice of media can bring more productivity and consistency in research and commercial applications.

Product	Prefix	Page
Plant Tissue Culture Media		**413-424**
Complete Media	PT	
Plant Salt Mixture	FD	
Macroelements	TS/PL	
Microelements	TS/PL	
Vitamins	VP/PL	
Teaching Kit	TP	

PLANT TISSUE CULTURE MEDIA

The blessing of plant biotechnology relies very much on the fundamental techniques of Plant Tissue Culture. Understanding basic biology of plants is a prerequisite for proper utilization of the plant system or parts thereof. Culture medium is the most important requirement for Plant Tissue Culture and its success largely depends on the composition of culture media. Optimal growth and morphogenesis of tissues may vary for different plants according to their nutritional requirements.

Microgen fulfills the needs of a researcher by providing a broad range of classical as well as crop specific media with nimber of variations. To meet the requirements of the scientists, we offer a wide range of media in powder form along with their supplements in both powder and liquid forms. All our media undergo stringent quality control testing and analysis along with Plant Tissue Culture tests required to maintain consistency and quality.

As customization is our forte, we also provide customized media as per the needs and requirements of the researcher with committed confidentiality at affordable prices. Our distribution capabilities and real time inventory tracking ensures that your Plant Tissue Culture products are available on time whenever and where you need them.

For more info :

sales@cdhfinechemical.com | www.cdhfinechemical.com

PLANT TISSUE CULTURE MEDIA AND MEDIA SUPPLEMENTS

Nature your plants with quality nourishment from our wide range of product offerings for plant tissue culture.

Product	Page
African Violet	413
Anthurium	413
Arabidopsis	413
Banana	413
Begonia	413
Cactus	413
Carnation	413
Carrot	413
Chee and Pool (C2D) Vitis	413
CHU (N6)	413-414
CLC / Ipomoea	414
Date Palm	414
De Greef and Jacobs	414
DKW/Juglans	414
Eriksson	414
Fern	414-415
Gamborg B5	415
Geranium	415
Gerbera	415
Gresshoff and Doy	415
Heller	415
Hoagland	415
Kao and Michayluk	415-416
Leifert and Waites	416
Linsmaier and Skoog	416
Litvay	416
Murashige and Skoog	416-418

Product	Page
NB Medium	418
Nitsch	418
NLN	418
Orchid	418-419
Poinsettia	419
Potato	419-420
Quorin and Lepoivre	420
Rhododendron	420
Staba	420
Schenk and Hildebrandt	420
Spathyphyllum	420
Strawberry	420
Street	420
Syngonium	420
Tobacco	420
Tomato	420
Westvaco	420-421
White	421
Woody Plant	421
Yoshida	421
Chelated Iron Solution	421
Teaching / Hobby Kit	421
Phycology Media (Liquid Sterile Filtered)	421
Phycology Media Power	421
Phytopathological Media / Supplement	421-424

Product Code	Product Name	Packing
	African Violet	
PT 1111	**African Violet Multiplication Medium** w/ Vitamins, Sucrose & IAA; W/o Agar	10x1 lit 5 lit 25 lit
PT 1110	**African Violet Multiplication Medium** w/ Vitamins, Sucrose, MES, Adenine sulphate, IAA & Kinetin; W/o Agar	10x1 lit 5 lit 25 lit
	Anthurium	
PT 1162	**Anthurium Callus Induction Medium** w/ Vitamins, Sucrose, Plant growth regulators & Agar	10x1 lit 5 lit 25 lit
PT 1163	**Anthurium Multiplication Medium** w/ Vitamins, Sucrose, Plant growth regulators & Agar	10x1 lit 5 lit 25 lit
PT 1164	**Anthurium Rooting Medium** w/ Vitamins, Sucrose, Plant growth regulators, Activated charcoal & Agar	10x1 lit 5 lit 25 lit
	Arabidopsis	
PT 1083	**Arabidopsis Callus Initiation Medium** w/ Vitamins, Sucrose, 2,4-D & Kinetin; W/o Agar	10x1 lit 5 lit 25 lit
PT 1156	**Arabidopsis Seed Germination Medium** w/ Sucrose & Agar	10x1 lit 5 lit 25 lit
	Banana	
PT 1076	**Banana Micropropagation Medium** w/ Vitamins; W/o NH_4NO_3, Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1075	**Banana Multiplication Medium** w/ Vitamins, Casein hydrolysate & IAA; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1077	**Banana Multiplication Medium** w/ Vitamins, Sucrose, Casein hydrolysate, IAA & Agar;	10x1 lit 5 lit 25 lit
PT 1077G	**Banana Multiplication Medium** w/ Vitamins, Sucrose, Casein hydrolysate, IAA & CleriGel	10x1 lit 5 lit 25 lit
PT 1078	**Banana Multiplication Medium** w/ Vitamins, Sucrose & Agar; W/o NH_4NO_3 & Casein hydrolysate	10x1 lit 5 lit 25 lit
PT 1079	**Banana Multiplication Medium** w/ CaCl, Vitamins, Sucrose, Glucose, Ascorbic acid, IAA, 6-BAP & Agar	10x1 lit 5 lit 25 lit
PT 1079G	**Banana Multiplication Medium** w/ CaCl, Vitamins, Sucrose, acid, IAA, 6-BAP & CleriGel	10x1 lit 5 lit 25 lit
PT 1150	**Banana Multiplication Medium** w/ Vitamins, Glucose, Sucrose, Plant growth regulators & Agar	10x1 lit 5 lit 25 lit
PT 1158	**Banana Rooting Medium** w/ Vitamins, Plant growth regulators, Sucrose, Activated charcoal & Agar Glucose, Ascorbic	10x1 lit 5 lit 25 lit

Product Code	Product Name	Packing
	Begonia	
PT 1109	**Begonia Multiplication Medium** w/ Vitamins, Sucrose, Adenine sulphate, IAA & 2iP; w/o Agar	10x1 lit 5 lit 25 lit
	Cactus	
PT 1124	**Cactus Multiplication Medium** w/ Vitamins, Sucrose, Adenine sulphate, iP, IAA, IBA & Agar	10x1 lit 5 lit 25 lit
	Carnation	
PT 1121	**Carnation Initiation Medium** w/ Vitamins, Sucrose, Casein hydrolysate, Kinetin, NAA & Agar	10x1 lit 5 lit 25 lit
PT 1122	**Carnation Multiplication Medium** w/ Vitamins, Sucrose, Kinetin, **NAA & Agar**	10x1 lit 5 lit 25 lit
PT 1123	**Carnation Rooting Medium** w/ Vitamins, Sucrose & Agar	10x1 lit 5 lit 25 lit
	Carrot	
PT 1089	**Carrot Callus Initiation Medium** w/ Vitamins & 2,4-D; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1112	**Carrot Organogenesis Medium** w/ Vitamins, Sucrose & Kinetin; W/o Agar	10x1 lit 5 lit 25 lit
	Chée & Pool (C_2D) Vitis	
PT 1027	**Chée & Pool (C2D) Vitis Medium** w/ Vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
TS 2113	**Chée & Pool (C_2D) Vitis Plant Salt Mixture**	10x1 lit 5 lit 25 lit
	Macroelements	
TS 2041	**Chée & Pool (C_2D) Vitis Macroelements**	10 lit 25 lit 50 lit
	Microelements	
TS 2040	**Chée & Pool (C_2D) Vitis Microelements**	1 vl 5 vl
	Vitamins	
VP 1009	**Chée & Pool (C2D) Vitis Vitamins (100X)**	1 vl 5 vl
	Chu (N_6)	
PT 1030	**CHU (N_6) Medium** w/ Vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit 100x1 lit
PT 1113	**CHU (N_6) Medium** w/ Vitamins & Sucrose; W/o Agar	10x1 lit 5 lit 25 lit
PL 1026	**CHU (N_6) Basal Solution (10X)**	5X100ml 2X500ml
TS 2103	**CHU (N_6) Plant Salt Culture**	10x1 lit 5 lit

Product Code	Product Name	Packing
	Macroelements	
TS 2043	**CHU (N_6) Macroelements**	10 lit 25 lit 50 lit
PL 1001	**CHU (N_6) Macroelements Solution(10X)**	5X100 ml 2X500 ml
	Microelements	
TS 2042	**CHU (N_6) Microelements**	1 vl 5 vl
PL 1002	**CHU (N_6) Microelements Solution(100X)**	1X100 ml 5X100 ml
	Vitamins	
VP 1010	**CHU (N_6) Vitamins (100X)**	1 vl 5 vl
PL 1017	**CHU (N_6) Vitamins Solution (100X)**	1X50 ml 5X50 ml
	CLC/Ipomoea	
PT 1028	**CLC / Ipomoea Basal Medium (for Embryogenic Callus Growth, CP)** w/ Vitamins; w/o $CaCl_2$, Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1029	**CLC / Ipomoea Basal Medium (for Embryo Development, EP)** w/ Vitamins; w/o Sucrose & Agar	10x1 lit 5 lit 25 lit
	Macroelements	
TS 2045	**CLC / Ipomoea Macroelements (for Embryogenic Callus Growth, CP)**	10 lit 25 lit 50 lit
TS 2046	**CLC / Ipomoea Macroelements (for Embryo Development, EP)**	10 lit 25 lit 50 lit
	Microelements	
TS 2044	**CLC / Ipomoea Microelements (100X)**	1 vl 5 vl
	Vitamins	
VP 1011	**CLC / Ipomoea Microelements (100X)**	1 vl 5 vl
	Date Palm	
PT 1084	**Date Palm Callus Initiation Medium** w/ Vitamins, Sucrose, 2,4-D, 2iP, Activated charcoal & Agar	10x1 lit 5 lit 25 lit
PT 1146	**Date Palm Regeneration Medium** w/ 2iP, Activated charcoal, Sucrose & Agar	10x1 lit 5 lit 25 lit
	De Greef And Jacobs	
PT 1031	**De Greef & Jacobs Medium** w/ Vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
TS 2114	**De Greef & Jacobs Plant Salt Mixture**	10x1 lit 5 lit 25 lit
	Macroelements	
TS 2048	**De Greef & Jacobs Macroelements**	10 lit 25 lit 50 lit
	Microelements	
TS 2047	**De Greef & Jacobs Microelements (100X)**	1 vl 5 vl
	Vitamins	
VP 1012	**De Greef & Jacobs Vitamins (100X)**	1 vl 5 vl
	DKW/Juglans	
PT 1032	**DKW / Juglans Medium** w/ Vitamin W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1147	**DKW / Juglans Medium** w/ Vitamins & Sucrose; W/o Agar	10x1 lit 5 lit 25 lit
TS 2115	**DKW / Juglans Plant Salt Mixture**	10x1 lit 5 lit 25 lit
	Macroelements	
TS 2050	**DKW / Juglans Macroelements**	10 lit 25 lit 50 lit
	Microelements	
TS 2049	**DKW / Juglans Microelements (100X)**	1 vl 5 vl
	Vitamins	
VP 1013	**DKW / Juglans Vitamins (100X)**	1 vl 5 vl
	Eriksson	
PT 1033	**Eriksson (ER) Medium** w/ Vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1148	**Eriksson (ER) Medium** w/ Vitamins & Sucrose; W/o Agar	10x1 lit 5 lit 25 lit
	Macroelements	
TS 2052	**Eriksson (ER) Macroelements**	10 lit 25 lit 50 lit
	Microelements	
TS 2051	**Eriksson (ER) Microelements (100X)**	1 vl 5 vl
	Vitamins	
VP 1014	**Eriksson (ER) Vitamins (100X)**	1 vl 5 vl
PL 1036	**Eriksson (ER) Vitamins Solution (1000X)**	1X50 ml 5X50 ml
	Fern	
PT 1087	**Fern Micropropagation Medium** w/ Vitamins, NAA & Kinetin; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1119	**Stag Horn Fern Multiplication Medium** w/ Vitamins, Sucrose, Adenine sulphate, IAA & Agar	10x1 lit 5 lit 25 lit

Unless indicated all the above products to be stored at 2 - 8°C



CELL CULTURE MEDIA

Product Code	Product Name	Packing
PT 1120	**Stag Horn Fern Rooting Medium** w/ Vitamins, Sucrose & Agar	10x1 lit 5 lit 25 lit
	Gamborg B5	
PT 1016	**Gamborg B5 Medium** w/ $CaCl_2$, Vitamins & Sucrose; W/o Agar	10X1 lit 5 lit 25 lit 100X1 lit
PT 1017	**Gamborg B5 Medium** w/ $CaCl_2$, Vitamins, Sucrose & Agar;	10x1 lit 5 lit 25 lit
PT 1017G	**Gamborg B5 Medium** w/ $CaCl_2$, Vitamins, Sucrose & CleriGel;	10x1 lit 5 lit 25 lit
PT 1127	**Gamborg B5 Medium** w/ Vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
PL 1027	**Gamborg B5 Basal Solution (10X)**	5X100 ml 2X500 ml
TS 2014	**Gamborg B5 Plant Salt Mixture**	10x1 lit 5 lit
	Macroelements	
TS 2054	**Gamborg B5 Macroelements**	10 lit 25 lit 50 lit
PL 1003	**Gamborg B5 Macroelements Solution**	5X100 ml 2X500 ml
	Microelements	
TS 2053	**Gamborg B5 / Kao Michayluk Microelements (100X)**	1 vl 5 vl
PL 1004	**Gamborg B5 Microelements Solution**	1X100 ml 5X100 ml
	Vitamins	
PL 1018	**Gamborg B5 Vitamins Solution (1000X)**	1X50 ml 5X50 ml
	Geranium	
PT 1165	**Geranium Regeneration Medium** W/vitamins, Sucrose, Plant Growth Regulators & Agar	10x1 lit 5 lit 25 lit
PT 1166	**Geranium Shoot Multiplication Medium** W/vitamins, Sucrose, Plant Growth Regulators & Agar	10x1 lit 5 lit 25 lit
PT 1167	**Geranium Rooting Medium** W/vitamins, Sucrose, Plant Growth Regulators & Agar	10x1 lit 5 lit 25 lit
	Gerbera	
PT 1001	**Gerbera Multiplication Medium** w/ $CaCl_2$, Vitamins, Tyrosine, Sucrose & Adenine sulphate; W/o Agar	10x1 lit 5 lit 25 lit
PT 1002	**Gerbera Multiplication Medium** w/ CaCl2, Vitamins, Tyrosine, Sucrose & Adenine sulphate; & Agar	10x1 lit 5 lit 25 lit
PT 1002G	**Gerbera Multiplication Medium** w/ CaCl2, Vitamins, Tyrosine, Sucrose Adenine sulphate & CleriGel	10x1 lit 5 lit 25 lit
PT 1135G	**Gerbera Multiplication Medium** w/ Vitamins, Sucrose & CleriGel Tyrosine, Sucrose & Adenine sulphate; W/o Agar	10x1 lit 5 lit 25 lit
	Gresshoff And Doy	
PT 1035	**Gresshoff & Doy (DBM2) Medium** w/ Vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
	Macroelements	
PL 1005	**Gresshoff & Doy (DBM2) Macroelements Solution (10X)**	5X100 ml 2X500 ml
	Microelements	
PL 1006	**Gresshoff & Doy (DBM2) Microelements Solution (100X)**	1X100 ml 5X100 ml
PL 1019	**Gresshoff & Doy (DBM2) Vitamins Solution (1000X)**	1X50 ml 5X50 ml
	Heller	
PT 1036	**Heller Medium** w/ Macroelements & Microelements; W/o Vitamins, Sucrose & Agar	10x1 lit 5 lit 25 lit
	Macroelements	
TS 2034	**Heller Macroelements**	10 lit 25 lit 50 lit
	Microelements	
TS 2035	**Heller Microelements (100X)**	1 vl 5 vl
	Hoagland	
TS 2094	**Hoagland No. 2 Basal Salt Mixture**	10X1 lit 5 lit
TS 2105	**Hoagland No. 2 Basal Salt Mixture** (Modification No. 1)	10x1 lit 5 lit
TS 2117	**Hoagland No. 2 Basal Salt Mixture** W/o Nitrogen	10x1 lit 5 lit
PT 1126	**Hoagland & Knop Medium** w/ Agar; W/o Vitamins	10x1 lit 5 lit 25 lit
	Kao & Michayluk	
PT 1037	**Kao & Michayluk Medium** w/ Macroelements & Microelements; W/o Vitamins, Sucrose & Agar	10x1 lit 5 lit 25 lit
	Macroelements	
TS 2058	**Kao & Michayluk Macroelements**	10 lit 25 lit 50 lit
PL 1007	**Kao & Michayluk Macroelements Solution (10X)**	5X100 ml 2X500 ml

Unless indicated all the above products to be stored at 2 - 8°C

Product Code	Product Name	Packing
	Microelements	
PL 1008	**Kao & Michayluk Microelements Solution (100X)**	1X100 ml 5X100 ml
	Vitamins	
PL 1020	**Kao & Michayluk Vitamins Solution (100X)**	1X50 ml 5X50 ml
	Leifert & Waites	
PT 1125	**Leifert & Waites Medium** w/ Vitamins, Sucrose, Glucose, MicVeg peptone & Yeast extract	10x1 lit 5 lit 25 lit
	Linsmaier & Skoog	
PT 1040	**Linsmaier & Skoog Medium** w/ Vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1095	**Linsmaier & Skoog Medium** w/ $CaCl_2$, Vitamins & Sucrose; W/o Agar	10x1 lit 5 lit 25 lit
PT 1096	**Linsmaier & Skoog Medium** w/ $CaCl_2$, Vitamins, Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1096G	**Linsmaier & Skoog Medium** w/ $CaCl_2$, Vitamins, Sucrose & CleriGel	10x1 lit 5 lit 25 lit
PT 1097	**Linsmaier & Skoog Modified Medium** w/ $CaCl_2$, FeNaEDTA, Vitamins & Sucrose; W/o Agar	10x1 lit 5 lit 25 lit
PT 1098	**Linsmaier & Skoog Medium** w/ $CaCl_2$, FeNaEDTA, Vitamins, Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1098G	**Linsmaier & Skoog Medium** w/ $CaCl_2$, FeNaEDTA, Vitamins, Sucrose & CleriGel	10x1 lit 5 lit 25 lit
	Macroelements	
TS 2064	**Linsmaier & Skoog Macroelements**	10 lit 25 lit 50 lit
PL 1009	**Linsmaier & Skoog Macroelements Solution (10X)**	5X100 ml 2X500 ml
	Microelements	
TS 2063	**Linsmaier & Skoog / Murashige & Skoog Microelements (100X)**	1 vl 5 vl
PL 1010	**Linsmaier & Skoog Microelements Solution (100X)**	1X100 ml 5X100 ml
	Vitamins	
VP 1017	**Linsmaier & Skoog Vitamins (100X)**	1 vl 5 vl
PL 1021	**Linsmaier & Skoog Vitamins Solution (1000X)**	1X50 ml 5X50 ml
	Litvay	
PT 1042	**Litvay Medium** w/ Vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1140	**Litvay Medium** w/ Sucrose & Agar; W/o Vitamins	10x1 lit 5 lit 25 lit

Product Code	Product Name	Packing
	Macroelements	
TS 2066	**Litvay Macroelements**	10 lit 25 lit 50 lit
	Microelements	
TS 2065	**Litvay Microelements (100X)**	1 vl 5 vl
	Vitamins	
VP 1018	**Litvay Vitamins (100X)**	1 vl 5 vl
	Murashige & Skoog	
PT 1010	**Murashige & Skoog Medium** w/ Vitamins, Sucrose ; W/o $CaCl_2$ & Agar	10X1 lit 5 lit 25 lit 100X1 lit
PT 1011	**Murashige & Skoog Medium** w/ Vitamins, Sucrose & Agar; W/o $CaCl_2$	10X1 lit 5 lit 25 lit 100X1 lit
PT 1011C	**Murashige & Skoog Medium** w/ Vitamins, Sucrose, 6-BAP & Agar; W/o $CaCl_2$	10x1 lit 5 lit 25 lit
PT 1011G	**Murashige & Skoog Medium** w/ Vitamins, Sucrose & CleriGel W/o $CaCl_2$	10X1 lit 5 lit 25 lit 100X1 lit
PT 1018	**Murashige & Skoog Medium** w/ Vitamins; W/o $CaCl_2$, Sucrose & Agar	10x1 lit 5 lit 25 lit 100X1 lit
PT 1021	**Murashige & Skoog Medium** w/ $CaCl_2$ & Vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit 100X1 lit
PT 1045	**Murashige & Skoog Medium** w/ $CaCl_2$, Vitamins & MES; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1080	**Murashige & Skoog Medium** w/ Sucrose, 6-BAP & Agar; W/o $CaCl_2$	10x1 lit 5 lit 25 lit
PT 1099	**Murashige & Skoog Medium** w/ $CaCl_2$, Vitamins & Sucrose; W/o Agar	10X1 lit 5 lit 25 lit 100X1 lit
PT 1100	**Murashige & Skoog Medium** w/ $CaCl_2$,Vitamins, Sucrose & Agar	10X1 lit 5 lit 25 lit 100X1 lit
PT 1100G	**Murashige & Skoog Medium** w/ $CaCl_2$,Vitamins, Sucrose & CleriGel	10x1 lit 5 lit 25 lit

Unless indicated all the above products to be stored at 2 - 8°C

Product Code	Product Name	Packing
PT 1128	**Murashige & Skoog Medium** w/ $CaCl_2$;w/o NH_4, NO_3, KNO_3, ,Vitamins, Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1145	**Murashige & Skoog Medium** w/ Vitamins, Sucrose & Glucose; W/o Agar	10x1 lit 5 lit 25 lit
PT 1051	**Murashige & Skoog Medium (Finer & Nagasawa Modification)** w/ Macroelements & Microelements; W/o Vitamins, Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1046	**Murashige & Skoog Medium (Modification No. 1)** w/ ½ Macroelements & Vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1047	**Murashige & Skoog Medium (Modification No. 2)** w/ ¾ Macroelements & Vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1048	**Murashige & Skoog Medium (Modification No. 3)** w/ ½ NH_4NO_3, ½ KNO_3 & Vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25lit
PT 1049	**Murashige & Skoog Medium (Modification No. 4)** w/ Vitamins; w/o NH_4NO_3 , Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1050	**Murashige & Skoog Medium (Modification No. 5)** w/ NH_4NO_3 replaced by $NaNO_3$; W/o Vitamins, Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1091	**Murashige & Skoog Medium (Modification No. 6)** w/ ½ Macroelements, ½ Microelements & Vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1092	**Murashige & Skoog Medium (Modification No. 7)** w/ ½ NH_4NO_3, ½ KNO_3 , ½ $CaCl_2$ & Vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1093	**Murashige & Skoog Medium (Modification No. 8)** w/ Vitamins; W/o NH_4NO_3, KNO_3 , Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1103	**Murashige & Skoog Medium (Modification No. 9)** w/ ½ Macroelements, ½ Microelements & ½ Vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1129	**Murashige & Skoog Medium (Modification No. 10)** w/ ½ NH_4NO_3 & ½ KNO_3; W/o Vitamins, Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1052	**Murashige & Skoog Medium (Van der Salm Modification)** w/ $FeSO_4$ replaced by FeEDDHA & Vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1025	**Murashige & Skoog Modified Medium** w/ $CaCl_2$ & Gamborg B_5 vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit 100x1 lit
PT 1044	**Murashige & Skoog Modified Medium** w/ $CaCl_2$ & Nitsch vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1101	**Murashige & Skoog Modified Medium** w/ $CaCl_2$, FeNaEDTA, Vitamins & Sucrose; W/o Agar	10x1 lit 5 lit 25 lit
PT 1102	**Murashige & Skoog Modified Medium** w/ $CaCl_2$, FeNaEDTA, Vitamins, Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1102G	**Murashige & Skoog Modified Medium** w/ $CaCl_2$, FeNaEDTA, Vitamins, Sucrose & CleriGel™	10x1 lit 5 lit 25 lit
PT 1114	**Murashige & Skoog Modified Medium** w/ $CaCl_2$, Gamborg B_5 vitamins & Sucrose; W/o Agar	10x1 lit 5 lit 25 lit
PT 1022	**Murashige & Skoog Shoot Multiplication Medium A** w/ $CaCl_2$, Vitamins, Sucrose, IAA, Adenine sulphate & iP; W/o Agar	10x1 lit 5 lit 25 lit
PT 1054	**Murashige & Skoog Shoot Multiplication Medium B** w/ $CaCl_2$, Vitamins & Adenine sulphate; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1115	**Murashige & Skoog Shoot Multiplication Medium B** w/ $CaCl_2$, Vitamins, Sucrose & Adenine sulphate; W/o Agar	10x1 lit 5 lit 25 lit
PT 1151	**Murashige & Tucker Medium** w/ $CaCl_2$, Vitamins, Sucrose & Agar	10x1 lit 5 lit 25 lit
PL 1028	**Murashige & Skoog Basal Soution (10X)**	5X100 ml 2X500 ml
TS 2005	**Murashige & Skoog Plant Salt Mixture** W/o $CaCl_2$	10x1 lit 5 lit
TS 2004	**Murashige & Skoog Plant Salt Mixture** w/ $CaCl_2$	10x1 lit 5 lit
TS 2017	**Murashige & Skoog Plant Salt Mixture** w/ $CaCl_2$, Inositol & Thiamine	10x1 lit 5 lit
TS 2109	**Murashige & Skoog Plant Salt Mixture** W/o NH_4NO_3	10x1 lit 5 lit 25 lit
TS 2110	**Murashige & Skoog Plant Salt Mixture** w/ Macroelements & Microelements; W/o NH_4NO_3 & KNO_3	10x1 lit 5 lit 25 lit
TS 2111	**Murashige & Skoog Plant Salt Mixture** w/ ½ Macroelements & ½ Microelements	10x1 lit 5 lit 25 lit
TS 2112	**Murashige & Skoog Plant Salt Mixture** w/ FeNaEDTA	10x1 lit 5 lit 25 lit
TS 2118	**Murashige & Skoog Plant Salt Mixture** w/ ½ NH_4NO_3, ½ KNO_3 & ½ $CaCl_2$	10x1 lit 5 lit 25 lit
	Macroelements	
TS 2068	**Murashige & Skoog Macroelements**	10 lit 25 lit 50 lit
TS 2073	**Murashige & Skoog (Finer & Nagasawa Modification) Macroelements** w/ 1.6 x KNO_3 & 0.5 x NH_4NO_3	10 lit 25 lit 50 lit
TS 2069	**Murashige & Skoog (Modification No. 1) ½ concentration Macroelements**	10 lit 25 lit 50 lit
TS 2070	**Murashige & Skoog (Modification No. 2) ¾ th concentration Macroelements**	10 lit 25 lit 50 lit

Product Code	Product Name	Packing
TS 2071	**Murashige & Skoog (Modification No. 3) Macroelements** w/ ½ NH_4NO_3 & ½ KNO_3	10 lit 25 lit 50 lit
TS 2072	**Murashige & Skoog (Modification No. 5) Macroelements** w/ NH_4NO_3 replaced by $NaNO_3$	10 lit 25 lit 50 lit
PL 1011	**Murashige & Skoog Macroelements Soution (10X)**	5X100 ml 2X500 ml
TS 2076	**Murashige & Skoog Shoot Multiplication Medium B Macroelements**	10 lit 25 lit 50 lit
	Microelements	
PL 1012	**Murashige & Skoog Microelements Soution (100X)**	1X100 ml 5X100 ml
TS 2074	**Murashige & Skoog (Van der Salm Modification) Microelements (100X)**	1 vl 5 vl
	Vitamins	
VP 1021	**Murashige & Skoog Vitamins (100X)**	1 vl 5 vl
VP 1022	**Murashige & Skoog Modified Vitamins (100X)**	1 vl 5 vl
PL 1034	**Murashige & Skoog Modified Vitamins Solution (1000X)**	1X50 ml 5X50 ml
PL 1022	**Murashige & Skoog Vitamins Solution (1000X)**	1X50 ml 5X50 ml
	NB	
PT 1107	**NB Medium** w/ CHU macroelements, Gamborg microelements, Gamborg B_5 vitamins & Sucrose; W/o Agar	10x1 lit 5 lit 25 lit
	Nitsch	
PT 1012	**Nitsch Medium** w/ Vitamins & Sucrose; W/o $CaCl_2$ & Agar	10x1 lit 5 lit 25 lit
PT 1104	**Nitsch Medium** w/ Vitamins, Sucrose & Agar; W/o $CaCl_2$	10x1 lit 5 lit 25 lit
PT 1143	**Nitsch Medium** w/ Vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
TS 2013	**Nitsch Plant Salt Mixture**	10x1 lit 5 lit
	Macroelements	
TS 2078	**Nitsch Macroelements**	10 lit 25 lit 50 lit
PL 1013	**Nitsch & Nitsch Macroelements Solution (10X)**	5X100 ml 2X500 ml
	Microelements	
TS 2077	**Nitsch Microelements (100X)**	1 vl 5 vl
PL 1014	**Nitsch & Nitsch Microelements Solution (100X)**	1X100 ml 5X100 ml

Product Code	Product Name	Packing
	Vitamins	
VP 1023	**Nitsch Vitamins (100X)**	1 vl 5 vl
PL 1023	**Nitsch & Nitsch Vitamins Solution (1000X)**	1X50 ml 5X50 ml
	NLN	
PT 1094	**NLN Medium** w/ Vitamins; W/o Calcium nitrate, Sucrose & Agar	10x1 lit 5 lit 25 lit
	Macroelements	
TS 2080	**NLN Macroelements**	10 lit 25 lit 50 lit
	Microelements	
TS 2079	**NLN Microelements (100X)**	1 vl 5 vl
	Vitamins	
VP 1024	**NLN Vitamins (100X)**	1 vl 5 vl
	Orchid	
PT 1062	**BM-1 Terrestrial Orchid Medium** w/ Vitamins, Sucrose, Casein hydrolysate & Agar	10x1 lit 5 lit 25 lit
PT 1062G	**BM-1 Terrestrial Orchid Medium** w/ Vitamins, Sucrose, Casein hydrolysate & CleriGel	10x1 lit 5 lit 25 lit
PT 1063	**BM-1 Terrestrial Orchid Medium** w/ Vitamins, Sucrose & Casein hydrolysate; W/o Agar	10x1 lit 5 lit 25 lit
PT 1064	**BM-2 Terrestrial Orchid Medium** w/ Vitamins, Sucrose, Casein hydrolysate, 6-BAP & Agar	10x1 lit 5 lit 25 lit
PT 1064G	**BM-2 Terrestrial Orchid Medium** w/ Vitamins, Sucrose, Casein hydrolysate, 6-BAP & CleriGel	10x1 lit 5 lit 25 lit
PT 1152	**Dendrobium (Orchid) Seed Germination Medium** w/ Vitamins, Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1065	**Ichihashi New Phalaenopsis (NP) Medium** w/ NH_4NO_3 , Vitamins & Sucrose; W/o Agar	10x1 lit 5 lit 25 lit
PT 1006	**Knudson C Orchid Medium** w/ Sucrose; W/o Vitamins & Agar	10x1 lit 5 lit 25 lit
PT 1038	**Knudson C Orchid Medium (Morel Modification)** w/ Macroelements & Microelements; W/o Vitamins, Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1066	**Knudson C Orchid Medium (Morel Modification)** w/ Sucrose; W/o Vitamins & Agar	10x1 lit 5 lit 25 lit
PT 1039	**Lindemann Orchid Medium** w/ Macroelements & Microelements; W/o Vitamins, Sucrose & Agar	10x1 lit 5 lit 25 lit

Unless indicated all the above products to be stored at 2 - 8°C

Product Code	Product Name	Packing
PT 1067	**Lindemann Orchid Medium** w/ Vitamins & Sucrose; W/o Agar	10x1 lit 5 lit 25 lit
PT 1068	**Malmgren Modified Terrestrial Orchid Medium** w/ Vitamins, Casein hydrolysate, Pineapple powder, Activated charcoal & Agar; W/o Sucrose	10x1 lit 5 lit 25 lit
PT 1069	**Murashige Cattleya Orchid Multiplication Medium** w/ Vitamins, Sucrose, Citric acid, IAA, IBA & NAA; W/o Agar	10x1 lit 5 lit 25 lit
PT 1106	**Mitra Orchid Medium** w/ Vitamins & Sucrose; W/o Agar	10x1 lit 5 lit 25 lit
PT 1139	**Mitra Orchid Medium** w/ Vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1055	**Orchid Maintenance Medium** w/ $CaCl_2$, Vitamins, Sucrose, Tryptone, MES & Activated charcoal; W/o Agar	10x1 lit 5 lit 25 lit
PT 1071	**Orchid Maintenance Medium** w/ $CaCl_2$, Vitamins, Sucrose, MicVeg peptone, MES & Activated charcoal; W/o Agar	10x1 lit 5 lit 25 lit
PT 1072	**Orchid Maintenance Medium** w/ $CaCl_2$, Vitamins, Sucrose, MicVeg peptone, MES, Activated charcoal & Agar	10x1 lit 5 lit 25 lit
PT 1070	**Orchid Maintenance / Replate Medium** w/ $CaCl_2$, Vitamins, Sucrose, MicVeg peptone, MES & Agar; W/o Activated charcoal	10x1 lit 5 lit 25 lit
PT 1154	**Orchid Maintenance / Replate Medium** w/ $CaCl_2$, Vitamins, Sucrose, MicVeg Peptone & MES; W/o Activated charcol & Agar	10x1 lit 5 lit 25 lit
PT 1070G	**Orchid Maintenance / Replate Medium** w/ $CaCl_2$, Vitamins, Sucrose, MicVeg peptone, MES & CleriGel; W/o Activated charcoal	10x1 lit 5 lit 25 lit
PT 1073	**Orchid Maintenance / Replate Medium** w/ $CaCl_2$, Vitamins, Sucrose, Banana powder, MicVeg peptone, MES & Activated charcoal; W/o Agar	10x1 lit 5 lit 25 lit
PT 1074	**Orchid Maintenance / Replate Medium** w/ $CaCl_2$, Vitamins, Sucrose, Banana powder, MicVeg peptone, MES, Activated charcoal & Agar	10x1 lit 5 lit 25 lit
TS 2083	**Orchid Maintenance Organic Mixture**	10 lit 25 lit 50 lit
PT 1155	**Orchid Multiplication Medium** w/ $CaCl_2$, Vitamins, Sucrose, 6-BAP & NAA; W/o Activated charcol & Agar	10x1 lit 5 lit 25 lit
PT 1041	**Vacin & Went Medium** w/ Macroelements & Microelements; W/o Vitamins, Sucrose & Agar	10x1 lit 5 lit 25 lit

Product Code	Product Name	Packing
PT 1081	**Vacin & Went Modified Medium** w/ Ferric tartrate replaced by $FeSO_4$ W/o Vitamins & Agar	10x1 lit 5 lit 25 lit
PT 1082	**Vacin & Went Medium** w/ Thiamine, Sucrose & Agar & Sucrose;	10x1 lit 5 lit 25 lit
	Macroelements	
TS 2060	**Knudson C Orchid Macroelements (Morel Modification)**	10 lit 25 lit 50 lit
TS 2062	**Lindemann Orchid Macroelements**	10 lit 25 lit 50 lit
TS 2082	**Orchid Maintenance Macroelements**	10 lit 25 lit 50 lit
TS 2091	**Vacin & Went Macroelements**	10 lit 25 lit 50 lit
	Microelements	
TS 2059	**Knudson C Orchid Microelements (100X)**	1 vl 5 vl
TS 2061	**Lindemann Orchid Microelements (100X)**	1 vl 5 vl
TS 2081	**Orchid Maintenance Microelements (100X)**	1 vl 5 vl
TS 2090	**Vacin & Went Microelements (100X)**	1 vl 5 vl
	Vitamins	
VP 1028	**Morel & Wetmore Vitamins (100X)**	1 vl 5 vl
PL 1035	**Morel & Wetmore Vitamins Solution (100X)**	1X50 ml 5X50 ml
	Poinsettia	
PT 1159	**Poinsettia Regeneration Medium** w/ Vitamins, Sucrose, Plant growth regulators, Casein hydrolysate & Agar	10x1 lit 5 lit 25 lit
PT 1160	**Poinsettia Multiplication Medium** w/ Vitamins, Sucrose, Plant growth regulators & Agar	10x1 lit 5 lit 25 lit
PT 1161	**Poinsettia Rooting Medium** w/ Vitamins, Sucrose, Plant growth regulators & Agar	10x1 lit 5 lit 25 lit
	Potato	
PT 1090	**Potato Micropropagation Medium** w/ $CaCl_2$, Vitamins, IAA & Kinetin; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1132	**Potato Establishment Medium** w/ Vitamins, 6-BAP, Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1133	**Potato Multiplication Medium** w/ Vitamins, 6-BAP & Sucrose; W/o Agar	10x1 lit 5 lit 25 lit

Product Code	Product Name	Packing
PT 1134	**Potato Tuberization Medium** w/ Vitamins, 6-BAP & Sucrose; W/o Agar	10x1 lit 5 lit 25 lit
	Quoirin & Lepoivre	
PT 1056	**Quoirin & Lepoivre Medium** w/ Vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
	Rhododendron	
PT 1019	**Anderson Rhododendron Medium** w/ $CaCl_2$, Vitamins, Sucrose, Adenine sulphate & Agar;	10x1 lit 5 lit 25 lit
PT 1019G	**Anderson Rhododendron Medium** w/ $CaCl_2$, Vitamins, Sucrose, Adenine sulphate & CleriGel	10x1 lit 5 lit 25 lit
	Macroelements	
TS 2039	**Anderson Rhododendron Macroelements**	10 lit 25 lit 50 lit
	Microelements	
TS 2038	**Anderson Rhododendron Microelements (100X)**	1 vl 5 vl
	Vitamins	
VP 1008	**Rugini Olive Vitamins (100X)**	1 vl 5 vl
	Staba	
VP 1029	**Staba Modified Vitamins (100X)**	1 vl 5 vl
	Schenk & Hildebrandt	
PT 1059	**Schenk & Hildebrandt Medium** w/ Vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1116	**Schenk & Hildebrandt Medium** w/ Vitamins & Sucrose; W/o Agar	10x1 lit 5 lit 25 lit
PT 1137	**Schenk & Hildebrandt Modified Medium** w/ ½ Macroelements, ½ Microelements, ½ Vitamins & Sucrose; W/o Agar	10x1 lit 5 lit 25 lit
PT 1138	**Schenk & Hildebrandt Modified Medium** w/ Vitamins, Sucrose & Agar	10x1 lit 5 lit 25 lit
TS 2102	**Schenk & Hildebrandt Plant Salt Mixture**	10x1 lit 5 lit
TS 2116	**Schenk & Hildebrandt Plant Salt Mixture** W/o $CaCl_2$	10x1 lit 5 lit 25 lit
	Macroelements	
TS 2089	**Schenk & Hilderandt Macroelements**	10 lit 25 lit 50 lit
	Microelements	
TS 2088	**Schenk & Hildebrandt Micr150oelements (100X)**	1 vl 5 vl

Product Code	Product Name	Packing
	Vitamins	
VP 1026	**Schenk & Hildebrandt Vitamins (100X)**	1 vl 5 vl
PL 1024	**Schenk & Hildebrandt Vitamins Solution (100X)**	1X50 ml 5x50 ml
	Spathiphyllum	
PT 1157	**Spathiphyllum Regeneration Medium** w/ Vitamins & Sucrose; W/o Agar	10x1 lit 5 lit 25 lit
	Strawberry	
PT 1117	**Strawberry Multiplication Medium** w/ Vitamins, Sucrose, 6-BAP & Agar	10x1 lit 5 lit 25 lit
PT 1118	**Strawberry Rooting Medium** w/ Vitamins, Sucrose, IBA, Activated charcoal & Agar	10x1 lit 5 lit 25 lit
	Street Medium	
PT 1058	**Medium (Morel & Wetmore Modification)** w/ Vitamins, Sucrose & MES; W/o Agar	10x1 lit 5 lit 25 lit
PT 1013	**Street Medium** w/ Vitamins & Sucrose; W/o Agar	10x1 lit 5 lit 25 lit
	Syngonium	
PT 1053	**Murashige & Miller Medium** **(Syngonium Stage I & II)** w/ NaH_2PO_4 & Vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1136G	**Syngonium Rooting Medium** w/ Vitamins, Sucrose & CleriGel	10x1 lit 5 lit 25 lit
	Macroelements	
TS 2075	**Murashige & Miller** **(Syngonium Stage I & II) Macroelements**	10 lit 25 lit 50 lit
	Vitamins	
VP 1019	**Murashige & Miller** **(Syngonium Stage I & II) Vitamins (100X)**	1 vl 5 vl
	Tobacco	
PT 1088	**Tobacco Callus Initiation Medium** w/ Vitamins, Casein hydrolysate, IAA & Kinetin; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
	Tomato	
PT 1130G	**Tomato Regeneration Medium** w/ Vitamins, Sucrose & CleriGel	10x1 lit 5 lit 25 lit
PT 1131G	**Tomato Regeneration Medium** w/ Vitamins; W/o Sucrose & CleriGel	10x1 lit 5 lit 25 lit
	Westvaco	
PT 1085	**Westvaco WV3 Medium** w/ Vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit

Unless indicated all the above products to be stored at 2 - 8°C

CELL CULTURE MEDIA

Product Code	Product Name	Packing
PT 1086	**Westvaco WV5 Medium** w/ Vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
	White	
PT 1014	**White Medium** w/ Vitamins & Sucrose; W/o Agar	10x1 lit 5 lit 25 lit
PT 1015	**White Modified S-3 Medium** w/ Vitamins, Amino acids & Sucrose; W/o Agar	10x1 lit 5 lit 25 lit
PT 1009	**White Root Culture Modified Medium** w/ Vitamins & Sucrose; W/o Agar	10x1 lit 5 lit 25 lit
TS 2015	**White Plant Salt Mixture**	10x1 lit 5 lit
	Macroelements	
PL 1015	**White Macroelements Solution (10X)**	5X100 ml 2X500 ml
	Microelements	
PL 1016	**White Microelements Solution (100X)**	1X100 ml 5X100 ml
	Woody Plant	
PT 1026	**Woody Plant Medium** w/ $CaCl_2$ & Vitamins; W/o Sucrose & Agar	10x1 lit 5 lit 25 lit
PT 1105	**Woody Plant Medium** w/ $CaCl_2$, Vitamins & Sucrose; W/o Agar	10x1 lit 5 lit 25 lit
	Macroelements	
TS 2036	**Woody Plant Macroelements**	10 lit 25 lit 50 lit
	Microelements	
TS 2037	**Woody Plant Microelements (100X)**	1 vl 5 vl
	Vitamins	
VP 1007	**Woody Plant Vitamins (100X)**	5 vl
	Yoshida	
PL 1039	**Yoshida Solution (10X)** For hydroponic rice seedling culture	1X100 ml 5X100 ml
	Chelated Iron Solution (Liquid Sterile Filtered)	
PL 1025	**Ferrous Chelated Solution (100X)**	2X50 ml
	Teaching Aids	
	Media is offering kits for education trial demonstration with aim to assist the plant tissue culture beginners. The Kits are designed in a simple user friendly manner for different plant tissue culture applications.	
TP 1008	**Himic Aster Plant Tissue Culture Teaching Kit** To demonstrate in vitro propagation of Aster sps.	1 kit
TP 1004	**Himic Carnation Plant Tissue Culture Teaching Kit** To demonstrate in vitro propagation of Carnation sps.	1 kit
TP 1009	**Himic Carrot Plant Tissue Culture Teaching Kit** To demonstrate in vitro propagation of Carrot sps.	1 kit
TP 1005	**Himic Dahlia Plant Tissue Culture Teaching Kit** To demonstrate in vitro propagation of Dahlia sps.	1 kit
TP 1002	**Himic Gelling agents Kit** To enable comparative study of different gelling agents.	1 kit
TP 1006	**Himic Gerbera Plant Tissue Culture Teaching Kit** To demonstrate in vitro propagation of Gerbera sps.	1 kit
TP 1007	**Himic Marigold Plant Tissue Culture Teaching Kit** To demonstrate in vitro propagation of Marigold sps.	1 kit
TP 1001	**Himic Plant Tissue Culture Teaching / Hobby Kit (for 10 experiments)** To demonstrate in vitro propagation techniques.	1 kit
TP 1003	**Himic Sterilization agent k Kit** Designed for studying effects of different sterilization agents.	1 kit
	Phycology Media (Liquid Sterile Filtered)	
PL 1037	**Allen Basal Solution (10X)** Recommended for in vitro cultivation of algae	5X100 ml 2X500 ml
PL 1030	**BG-11 Basal Solution (10X)** Recommended for in vitro cultivation of algae	5X100 ml 2X500 ml
PL 1031	**Bold Basal Solution (10X)** Recommended for in vitro cultivation of algae	5X100 ml 2X500 ml
PL 1032	**CHU Basal Solution No. 10 (10X)** Recommended for in vitro cultivation of algae	5X100 ml 2X500 ml
PL 1041	**f/2 Guillards Marine Enriched Solution (10X)** Recommended for in vitro cultivation of algae	5X100 ml 2X500 ml
PL 1044	**Seawater Solution No. 1 (10X)**	5X100 ml 2X500 ml
PL 1042	**Sueoka's Basal Solution (10X)** w/ Sodium acetate Recommended for in vitro cultivation of algae	5X100 ml 2X500 ml
PL 1043	**Sueoka's Basal Solution (10X)** W/o Sodium acetate Recommended for in vitro cultivation of algae	5X100 ml 2X500 ml
PL 1038	**TAP Basal Solution (10X)** Recommended for in vitro cultivation of algae	5X100 ml 2X500 ml
PL 1040	**Z8 Basal Solution (10X)** Recommended for in vitro cultivation of algae	5X100 ml 2X500 ml
	Phycology Media (Powder)	
PT 1153	**Artificial Seawater Nutrient Medium (III)**	10x1 lit 5 lit 25 lit
	Phytopathological Media	
PHM 1001	**Phyto Boric Acid Peptone Agar Base (KBBC Medium)** Selective medium for the detection of Pseudomonas syringae on seeds of beans and also for the detection of Ps. porri, Ps. pisi and Ps. tomato on seeds of resp. leek, pea and tomato **Gms/Lit : 38.73 12.91 Lit/500G**	100 gm 500 gm

Unless indicated all the above products to be stored at 2 - 8°C

Product Code	Product Name	Packing
PHS 1001	*CNC Supplement No. of Vials: Δ13 vials	5 vl
PHM 1002	Phyto Buffered Starch Agar Base (mFS Medium) Selective medium for the detection of Xanthomonas campestris pv. campestris and Xanthomonas campestris pv.armoraciae in brassica Gms/Lit : 42.26 11.83 Lit/500G	100 gm 500 gm
PHS 1002	*NMPT Supplement No. of Vials: Δ12 vials	5 vl
PHM 1003	*Phyto Casein Hydrolysate Sucrose Agar (Bacteria Screening Medium 523) General purpose medium used for cultivation of bacteria Gms/Lit : 32.07 15.61 Lit/500G	100 gm 500 gm
PHM 1004	Phyto Casein Hydrolysate Yeast Extract Agar Base (D2ANX Medium) Semi-selective medium for the detection of Clavibacter michiganensis subsp michiganensis on seeds of Tomato Gms/Lit : 37.35 13.39 Lit/500G	100 gm 500 gm
PHS 1003	*CNP Supplement No. of Vials: Δ14 vials	5 vl
PHM 1005	Phyto Cmm Agar Base (SCM Medium) Semi-selective medium for the detection of Clavibacter michiganensis subsp michiganensis on seeds of Tomato Gms/Lit : 32.22 15.52 Lit/500G	100 gm 500 gm
PHS 1004	*CNNP Supplement No. of Vials: Δ16 vials	5 vl
PHM 1006	Phyto Lactose Trehalose Agar Base (mKM Medium) Semi-selective medium for the detection of Xanthomonas hor torum pv.carotae in carrot Gms/Lit : 35.60 14.04 Lit/500G	100 gm 500 gm
PHS 1005	*CNTB Supplement No. of Vials: Δ15 vials	5 vl
PHM 1007	Phyto Peptone Bromide Agar Base (mTBM Medium) Semi-selective medium for the detection of Xanthomonas hor torum pv.carotae in carrot Gms/Lit : 35.30 14.16 Lit/500G	100 gm 500 gm
PHS 1006	*CNF Supplement No. of Vials: Δ15 vials	5 vl
PHM 1008	Phyto Proteose Agar Medium Base (KB Medium) Non selective medium used to subculture suspected isolates, on addition of antibiotics it is suitable for the detection of serveral Pseudomonas species Gms/Lit : 37.23 13.43 Lit/500G	100 gm 500 gm
PHS 1007	*CNF Supplement No. of Vials: Δ14 vials	5 vl
PHM 1009	Phyto Pspi Agar Base (SNAC Medium) Semi-selective medium for the detection of Pseudomonas syringae pv. pisi on seeds of pea Gms/Lit : 78.00 6.41 Lit/500G	100 gm 500 gm
PHS 1008	*CN Supplement - I No. of Vials: Δ7 vials	5 vl
PHM 1010	Phyto Pspo Agar Base (PSM Medium) Selective medium for the detection of Pseudomonas syringae pv. porri on seeds of leek Gms/Lit : 45.63 10.96 Lit/500G	100 gm 500 gm
PHS 1009	*CNVB Supplement No. of Vials: Δ11 vials	5 vl
PHM 1011	Phyto Pst Agar Base (KBZ Medium) Semi-selective medium for the detection of Pseudomonas syringae pv. tomato on seeds of tomato Gms/Lit : 37.23 13.43 Lit/500G	100 gm 500 gm
PHS 1010	*CCTP Supplement No. of Vials: Δ14 vials	5 vl
PHM 1012	Phyto Semiselective Agar Base (CKTM Medium) Semi-selective medium for the detection of Xanthomonas campestris pv. Vesicatoria on seeds of pepper and tomato Gms/Lit : 29.00 17.24 Lit/500G	100 gm 500 gm
PHS 1011	*CCFTNB Supplement No. of Vials: Δ18 vials	5 vl
PHM 1013	Phyto Starch Peptone Agar Base with CV (mXCP1 Medium) Semi-selective medium for the detection of Xanthomonas axonopodis pv.phaseoli in seeds of beans on the basis of starch hydrolysis Gms/Lit : 60.25 8.3 Lit/500G	100 gm 500 gm
PHS 1012	*CNFT Supplement No. of Vials: Δ9 vials	5 vl
PHM 1014	Phyto Starch Tyrosine Peptone Agar (PTSA Medium) Semi-selective medium for the detection of Xanthomonas axonopodis pv. Phaseoli in seeds of beans on the basis of pigment production Gms/Lit : 33.00 15.15 Lit/500G	100 gm 500 gm
PHM 1015	Phyto Sterility Test Medium (Leifert and Waites Sterility Test Medium) Sterility testing medium for bacteria Gms/Lit : 45.20 11.06 Lit/500G	100 gm 500 gm
PHM 1016	Phyto Sucrose Peptone Agar Base (MSP Medium) Selective medium for the detection of Pseudomonas savastanoi pv.phaseolicola and Pseudomonas syringae pv. syrinage on seeds of beans Gms/Lit : 45.63 10.96 Lit/500G	100 gm 500 gm
PHS 1009	*CNVB Supplement No. of Vials: Δ11 vials	5 vl
PHM 1017	Phyto Tbb Agar Base (MXV Medium) Semi-selective medium for the detection of Xanthomonas campestris pv. vesicatoria and Xanthomonas vesicatoria on seeds of pepper and tomato Gms/Lit : 32.20 15.53 Lit/500G	100 gm 500 gm
PHS 1013	*CCFTNB Supplement - I No. of Vials: Δ16 vials	5 vl

Unless indicated all the above products to be stored at 10 - 30°C
* Store at 2 - 8°C
Δ Approx. no. of vials required per 500gm of powder medium

Product Code	Product Name	Packing
PHM 1018	**Phyto Tyrosine Peptone Agar Base (MT Medium)** Semi-selective medium for the detection of Pseudomonas savastanoi pv. phaseolicola, Pseudomonas syringae pv. syringae and Xanthomonas pv. phaseoli axonopodis in seeds of beans **Gms/Lit : 25.75 19.42 Lit/500G**	100 gm 500 gm
PHS 1014	***CNV Supplement** No. of Vials: **Δ20 vials**	5VL
PHM 1019	**Phyto Xano Camp Agar Base (mCS20ABN Medium)** Selective medium for the isolation of Xanthomonas campestris pv. campestris and Xanthomonas campestris pv.armoraciae from crucifer seeds. **Gms/Lit : 58.70 8.52 Lit/500G**	100 gm 500 gm
PHS 1015	***NNB Supplement** No. of Vials: **Δ9 vials**	5 vl
PHM 1020	**Phyto XcCar Agar Base (mD5A Medium)** Semi-selective medium for the detection of Xanthomonas campestris pv.carota in carrot. **Gms/Lit : 20.05 24.94 Lit/500G**	100 gm 500 gm
PHS 1016	***CNBGM Supplement** No. of Vials: **Δ25 vials**	5 vl
PHM 1021	**Phyto Xcv Agar Base (mTMB Medium)** Semi-selective medium for the detection of Xanthomonas campestris pv. vesicatoria and Xanthomonas vesicatoria on seeds of pepper and tomato **Gms/Lit : 35.35 14.14 Lit/500G**	100 gm 500 gm
PHS 1017	***CCFT Supplement** No. of Vials: **Δ14 vials**	5 vl
PHM 1022	**Phyto Yeast Extract Glucose Agar (YDC Medium)** Non selective medium used to subculture suspected Xanthomonads and Clavibacters **Gms/Lit : 65.00 7.69 Lit/500G**	100 gm 500 gm
PHM 1023	**Mathur's Medium, Modified** Non selective medium used in plant pathology for sporulation of Colletotrichum species. **Gms/Lit : 28.12 17.78 Lit/500G**	100 gm 500 gm
PHM 1026	**Phyto Peptone Sucrose Agar** Semi selective Agar medium for detection of Xanthomonas axonopodis pv. malvacearum in naturally infected cotton seed. **Gms/Lit : 43.00 11.63 Lit/500G**	500 gm
PHS 1018	***PSA Supplement** No. of Vials: **Δ16 vials**	5 vl
	Phytopathological Supplement	
PHS 1017	**CCFT Supplement** Selective supplement for the detection of Xanthomonas campestris pv. vesicatoria and Xanthomonas vesicatoria on seeds of pepper and tomato One vial is sufficient for 1000 ml medium :	5 vl

Product Code	Product Name	Packing
PHS 1011	**CCFTNB Supplement** Selective supplement for the detection of Xanthomonas campestris pv. vesicatoria on seeds of pepper and tomato One vial is sufficient for 1000 ml medium :	5 vl
PHS 1013	**CCFTNB Supplement - I** Selective supplement for the detection of Xanthomonas campestris pv. Vesicatoria and Xanthomonas vesicatoria on seeds of pepper and tomato One vial is sufficient for 1000 ml medium :	5 vl
PHS 1010	**CCTP Supplement** Selective supplement for the detection of Pseudomonas syringae pv. Tomato on seeds of tomato One vial is sufficient for 1000 ml medium :	5 vl
PHS 1007	**CN Supplement** Selective supplement for the detection of several Pseudomonas species One vial is sufficient for 1000 ml medium :	5 vl
PHS 1008	**CN Supplement - I** Selective supplement for the detection of Pseudomonas syringae pv. pisi on seeds of pea One vial is sufficient for 1000 ml medium :	5 vl
PHS 1016	**CNBGM Supplement** Selective supplement for the detection of Xanthomonas campestris pv.carota in carrot One vial is sufficient for 1000 ml medium :	5 vl
PHS 1001	**CNC Supplement** Selective supplement for the detection of Pseudomonas syringae on seeds of beans and also for the detection of Ps. porri, Ps. pisi and Ps. tomato on seeds of resp. leek, pea and tomato. One vial is sufficient for 1000 ml medium :	5 vl
PHS 1006	**CNF Supplement** Selective supplement for the detection of Xanthomonas hor torum pv.carotae In carrot. One vial is sufficient for 1000 ml medium :	5 vl
PHS 1012	**CNFT Supplement** Selective supplement for the detection of Xanthomonas axonopodis pv. phaseoli in seeds of beans on the basis of starch hydrolysis. One vial is sufficient for 1000 ml medium :	5 vl
PHS 1004	**CNNP Supplement** Selective supplement for the detection of Clavibacter michiganensis subsp michiganensis on seeds of tomato. One vial is sufficient for 1000 ml medium :	5 vl
PHS 1003	**CNP Supplement** Selective supplement for the detection of Clavibacter michiganensis subsp michiganensis on seeds of tomato. One vial is sufficient for 1000 ml medium :	5 vl

Unless indicated all the above products to be stored at 10 - 30°C
* Store at 2 - 8°C
Δ Approx. no. of vials required per 500gm of powder medium

Product Code	Product Name	Packing
PHS 1005	**CNTB Supplement** Selective supplement for the detection of Xanthomonas hor torum pv.carotae in carrot. One vial is sufficient for 1000 ml medium :	5 vl
PHS 1014	**CNV Supplement** Selective supplement for the detection of Pseudomonas savastanoi pv. phaseolicola, Pseudomonas syringae and Xanthomonas axonopodis in seeds of Beans One vial is sufficient for 1000 ml medium :	5 vl
PHS 1009	**CNVB Supplement** Selective supplement for the detection of Pseudomonas syringae pv. porri on seeds of leek and for Pseudomonas savastanoi pv. phaseolicola and Pseudomonas syringae on seeds of beans One vial is sufficient for 1000 ml medium :	5 vl
PHS 1015	**NNB Supplement** Selective supplement for the isolation of Xanthomonas campestris pv. campestris and Xanthomonas campestris pv. armoraciae from crucifer seeds One vial is sufficient for 1000 ml medium :	5 vl
PHS 1002	**NMPT Supplement** Selective supplement for the detection of Xanthomonas campestris pv. campestris and Xanthomonas campestris Pv.armoraciae in brassica One vial is sufficient for 1000 ml medium :	5 vl
PHS 1018	**PSA Supplement** Selective supplement for detection of Xanthomonas axonopodis pv. malvacearum in naturally infected cotton seed. One vial is sufficient for 1000 ml medium :	5 vl

Bioshell
DISINFACTANTS

Hand Wash
HWS09

Gentle on Skin

BIOSHELL HAND WASH is formulated with antimicrobial agents ensuring highest level of cleansing, using it everyday protects hands from germs and helps keep them hygienically clean and refreshed. Wash hand properly with Bioshell and help keep your family healthy.

SILROX - 10™
ED009

Advanced Hydrogen Peroxide Silver Stablized Solution

Salient Features

- Eco-friendly as the breakdown products are water and oxygen
- Remains active and stable for longer periods
- Causes no irritation to skin or eyes
- Non pollutant and biodegradable

Ethyl Alcohol
Hand Sanitizer
Kills 99.99% of Germs

microshell HAND SANITIZER
HWG09

Packing
50 ml / 500 ml
5 Lit

Unless indicated all the above products to be stored at 2 - 8°C
Δ Approx. no. of vials required per 500gm of powder medium

microgen

Readymade Stains

Stains for Gram Staining

Product Code	Product Name	Packing
840050	**Gram's Colour Staining- Kit** (Contains All Packing 125 ml Each 840090, 840120, 840200, 840250, 840150)	1kit



Gram Stains Kit (840051)
Gram - positive : violet coloured
Gram - negative : pinkish red coloured

840090	**Gram's Crystal Violet**	125 ml
840120	**Gram's Decolourizer**	2x125 ml
840200	**Gram's Iodine** Solution	125 ml
840250	**Gram's Safranine** 0.5% w/v	125 ml
840150	**Gram's Fuchsin** Basic 0.1%	125 ml
840051	**Gram's Stains- Kit** (Contains All Packing 500 ml Each 840090, 840120, 840200, 840250, 840150)	1kit
840090	**Gram's Crystal Violet**	500 ml
840120	**Gram's Decolourizer**	2x500 ml
840200	**Gram's Iodine** Solution	500 ml
840250	**Gram's Safranine** 0.5% w/v	500 ml
840150	**Gram's Fuchsin** Basic 0.1%	500 ml

Stains for Metachromatic Staining

865630	**Methylene Blue** Alkaline (Loffler's)	125 ml 500 ml
802390	**Albert's Metachromatic Stains- Kit** (contains 802370 and 802380)	1kit



Albert's Metachromatic Stains Kit (802390)
Metachromatic Granules - Black
Cytoplasm - Light Green

802370	**Albert's Stain A**	125 ml
802380	**Albert's Stain B**	125 ml
802391	**Albert's Metachromatic Stains- Kit** (contains 802370 and 802380)	1kit
802370	**Albert's Stain A**	500 ml
802380	**Albert's Stain B**	500 ml
868500	**Neisser's Metachromatic Stains-Kit** (contains 840200, 868520, and 868790)	1kit
840200	**Gram's Iodine Solution** Iodine content 0.33%	125 ml
868520	**Neisser's Stain A** Soln. (Methylene Blue)	125 ml
868790	**Neutral Red** pH indicator Solution	125 ml
868501	**Neisser's Metachromatic Stains-Kit** (contains 840200, 868520, and 868790)	1kit
840200	**Gram's Iodine Solution**	500 ml
868520	**Neisser's Stain A** Soln. (Methylene Blue)	500 ml
868790	**Neutral Red** pH indicator Solution	500 ml
868503	**Modified Neisser's Metachromatic Stains-Kit** (1minute staining) (Contains All Packing 500 ml Each	1 Kit
868520	**Neisser's Stain** A Soln. (Methylene Blue)	500 ml
868530	**Neisser's Stain** B Soln. (Crystal Violet)	500 ml
868540	**Neisser's Stain** C Soln. (Chrysoidine Y)	500 ml

Stains for Capsule Staining

814810	**Capsule Stains-Kit** (Contains All Packing 125 ml Each 865650 and 869200)	1kit



Capsule Stains Kit (814810)
Clear halos against dark background

865650	**Methylene Blue** (Aqueous)	125 ml
869200	**Nigrosin Stain,** 10% w/v	125 ml
814811	**Capsule Stains-Kit** (Contains All Packing 500 ml Each 865650 and 869200)	1kit
865650	**Methylene Blue Alkaline** (Aqueous)	500 ml
869200	**Nigrosin Stain,** 10% w/v	500 ml

Stains for Spore Staining

887390	**Schaeffer & Fulton's Spore Stains-Kit** (Contains All Packing 100 ml Each 887330 and 887360)	1kit



Schaeffer & Fulton's Spore Stains Kit (887330)
Spore - Green
Vegetative Cells - Pink

Product Code	Product Name	Packing
887330	**Schaeffer & Fulton's Spore Stain A**	**100 ml**
887360	**Schaeffer & Fulton's Spore Stain B**	**100 ml**
887391	**Schaeffer & Fulton's Spore Stains-Kit** (Contains All Packing 500 ml Each 887330 and 887360)	**1kit**
887330	**Schaeffer & Fulton's Spore Stain A**	**500 ml**
887360	**Schaeffer & Fulton's Spore Stain B**	**500 ml**

Blood Films Stains for Spirochaets, Protozoa and other purposes

811220	**Brilliant Cresyl Blue Solution**	**125ml**
839300	**Giemsa's Stain** Solution	**100 ml** **500 ml**
844050	**Haematoxylin** (Delafield's)	**125 ml** **500 ml**
860370	**Leishman's Stain** (Twin pack)	**250 ml** **500 ml**
860400	**Leishman's stain** Solution with Buffer	**250 ml**



Leishman's Stains (860400)
Neutrophilic Granules - Lilac
Eosinophilic Granules - Orange
Nucleoli - Blue - Violet
Red Cells - Pink
Lymphocytes - Blue with purple nucleus

863970	**May Grunwald's** Stain	**125 ml** **4x125 ml**
903010	**Wright 's Staining** Solution	**125 ml** **250 ml**



Wright's Stain (903010)
1. Erythrocytes - Yellowish red
2. Polymorphonuclears - Dark purple nucleus, red-dish lilac granules, pale pink cytoplasm
3. Eosinophils - Blue nuclei, red to orange red granules, blue cytoplasm
4. Basophils - Purple to dark blue nucleus, dark purple granules
5. Lymphocytes - Dark purple nuclei, sky blue cytoplasm
6. Platelets - Violet to purple granules

863460	**Malarial Parasite-Kit** (Contains All Packing 125 ml Each 834430 and 834440)	**1kit**



Malarial Parasite Kit (863460)
1. Nuclei - Blue
2. Neutrophilic granules - lilac
3. Eosinophilic granules - Orange
4. Red cells - pink

Product Code	Product Name	Packing
834430	**Field's Stain A Solution**	**125 ml**
834440	**Field's Stain B Solution**	**125 ml**
863461	**Malarial Parasite-Kit** (Contains All Packing 500 ml Each 834430 and 834440)	**1kit**
834430	**Field's Stain A Solution**	**500 ml**
834440	**Field's Stain B Solution**	**500 ml**

Stains for Mycobacteria Staining

834730	**Fluorescent Stains -Kit for mycobacteria** (Contains All Packing 125 ml Each 024684, 867130, 878880)	**1kit**
024684	**Phenolic Auramine**	**125 ml**
867130	**Mycobacteria decolourizer**	**125 ml**
878880	**Potassium Permanganate** 1.0 N	**125 ml**
834731	**Fluorescent Stains -Kit for mycobacteria** (Contains All Packing 500 ml Each 024684, 867130, 878880)	**1kit**
024684	**Phenolic Auramine**	**500 ml**
867130	**Mycobacteria decolourizer**	**500 ml**
878880	**Potassium Permanganate** 1.0 N	**500 ml**
834732	**Fluorescent Stains Kit for mycobacteria** (Contains All Packing 1 lit Each 024684, 867130, 878880)	**1kit**
024684	**Phenolic Auramine**	**1 lit**
867130	**Mycobacteria decolourizer**	**1 lit**
878880	**Potassium Permanganate** 1.0 N	**1 lit**
866220	**MicCold Stain TB-Kit for Mycobacteria** [Kit contains 100 ml each of Carbol Fuchsin Solution, Decolourizer, Counter Stain (Loeffler's Methylene Blue)]	**1 Kit**
866222	**MicCold Stain TB-Kit for Mycobacteria** [Kit contains 500 ml each of Carbol Fuchsin Solution, Decolourizer , Counter Stain (Loeffler's Methylene Blue)]	**1 Kit**
866224	**MicCold Phenol Free Stain-Kit for Mycobacteria** [Kit contains 200 ml each of Auramine - Rhodamine Solution (Phenol free), Decolourizer , (2x 200) Potassium Permanganate Solution)	**1 Kit**

Product Code	Product Name	Packing

Stains for Acid Fast Staining

909810	**ZN Acid Fast Stains-Kit** (Contains All Packing 125 ml Each 801790, 814900, 865630)	1kit

ZN Acid Fast Stains Kit (909810)
Acid fast organisms - Bright red
Other organisms & cellular material Blue

801790	**Acid fast Decolourizer**	100 ml
814900	**Carbol Fuchsin** (ZN, Strong)	125 ml
865630	**Methylene Blue** (Loffler's)	125 ml
909811	**ZN Acid Fast Stains-Kit** (Contains All Packing 500 ml Each 801790, 814900, 865630)	1kit
801790	**Acid fast Decolourizer**	500 ml
814900	**Carbol Fuchsin** (ZN, Strong)	500 ml
865630	**Methylene Blue** (Loffler's)	500 ml

Simple Stains for Bacteria

814920	**Carbol Fuchsin** (ZN, Dilute)	125 ml 500 ml
829620	**Eosin,** 2% w/v	125 ml 500 ml
839200	**Gentian Violet Alcoholic** Solution	125 ml 500 ml
863430	**Malachite Green,** 1% w/v	100 ml 500 ml
865650	**Methylene Blue** (Aqueous)	125 ml 500 ml

Stains for Bacteria and Bovine Cells in Milk

868820	**Newman's Stain,** Modified	100 ml 500 ml

Stains for Fungi

859280	**Lactophenol**	100 ml 500 ml
859260	**Lactophenol** Cotton Blue	100 ml 500 ml



Lactophenol Cotton Blue (859260)
Fungal spores & hyphae - Pale to dark blue

859300	**Lactophenol Picric Acid Soln.**	100 ml 500 ml
864070	**Mayer's Mucicarmine stain**	100ml 500 ml
875920	**Picric Acid** (Saturated, Aqueous)	100 ml 500 ml

Stains for Intestinal Protozoa

861390	**Lugol's** Solution	125 ml 500 ml

Stains for Negative Staining

819040	**Congo red (1% aqueous)** Solution	125 ml 500 ml
869200	**Nigrosin Stain, 10% w/v**	125 ml 500 ml

Nigrosin Stain,10% w/v (869200)
Capsules - Clear halos Surounding the bacterial cells.

Staining kits for Haematology

819960	**C.S.F. Diluting Fluid**	125 ml
829100	**E.D.T.A. (di- sodium) 5%**	125 ml
840000	**R.B.C. Diluting Fluid** (Gower's)	500 ml
883010	**R.B.C. Diluting Fluid** (Hayemis)	500 ml
897400	**Thrombocount reagent**	500 ml
902550	**W.B.C. Diluting Fluid**	500 ml

Staining Kit for Histology

824600	**Himic** (mild decalcifying solution)	500 ml
824603	**Himic** (strong decalcifying solution)	500 ml

Product Code	Product Name	Packing
	Other Stains	
810600	**Borax Carmine (Grenacher's)** Alcoholic Stain	125 ml 500 ml
810620	**Borax Carmine (Grenacher's)** Aqueous Stain	125 ml 500 ml
834000	**FA Rhodamine Counterstain**	100 ml 500 ml
834470	**Fixative (BFA)**,for Rapid fixing of haematological samples	500 ml
834473	**Fixative (Buffered Formalin fixative)** for fixing cytological or histological samples	500 ml
834475	**Fixative,** for fixing cytological of histological samples	500 ml
834477	**Fixative,** for rapid fixing of haematological samples	500 ml
834479	**Fixing Solution,** for fixing haemtolgical samples	500 ml
840203	**Grams Iodine,** stabilized	125 ml 500 ml
844070	**Haematoxylin** (Ehrlich)	125 ml 500 ml
844120	**Haematoxylin** (Gill No.3)	500 ml
874420	**Haematoxylin** (Harris)	125 ml 500 ml
844140	**Haematoxylin** (Mayer)	100 ml 500 ml
865752	**M'Fadyean Stain** (Polychorme Methylene Blue)	125 ml 500 ml
883450	**Romanowsky-Giemsa (RG) Stain**	500 ml
888060	**Schiff's fuchsin-sulphite reagent**	500 ml
888400	**Shorr's Stain solution** for hormonal cytodiagnosis	500 ml
	Readymade Indicators	
806250	**Andrade's Indicator**	125 ml
811740	**Bromo Cresol Green Indicator Solution**	125 ml
811780	**Bromo Cresol Purple Indicator Solution**	125 ml
812000	**Bromo Phenol Blue Indicator Solution**	125 ml
812170	**Bromo thymol Blue Indicator Solution**	125 ml
865850	**Methyl Orange Indicator Solution**	125 ml
866040	**Methyl Red Indicator Solution**	125 ml
826080	**Mixed Indicator Solution (25X)** (Dimidium Bromide-Disulphine Blue Indicator)	100 ml
868790	**Neutral Red pH Indicator Solution**	125 ml
875156	**Phenolphthalein** 0.1% w/v	125 ml
875200	**Phenol Red** Indicator Solution	125 ml
897440	**Thymol Blue** Indicator Solution	25 ml
897490	**Thymolphthaleine** Indicator Solution	125 ml
901000	**Universal** Indicator Solution	125 ml 500 ml

Universal Indicator (901000)

Product Code	Product Name	Packing
	Readymade Analytical Reagents	
800102	**Acetate Buffer, pH 5.6**	5x100 ml
801900	**Acid Phosphatase Reagent**	5x10ml
808100	**Barium Chloride** 10% Solution w/v	500 ml
808700	**Barritt Reagent A**	100 ml
808710	**Barritt Reagent B**	100 ml
808810	**Benedict's Reagent Qualitative**	500 ml 5 lit



Benedict's Qualitative Reagent (808810)

808820	**Benedict's Reagent Quantitative**	500 ml
875650	**Bufferfield 's Phosphate Buffered Dilution Water**	500 ml
819960	**C.S.F. Diluting Fluid**	125 ml
826630	**DMACA Reagent**	10 ml
829100	**E.D.T.A (di-sodium)** 5%	125 ml
829290	**EDTA 0.02N** solution	500 ml
829520	**Ehrlics's Aldehyde Reagent**	125 ml
834200	**Fehling Solution No.1**	500 ml
834220	**Fehling Solution No.2**	500 ml
802860	**Folin & Wu's Alkaline Copper** Solution	500 ml
835100	**Folin & Wu's Phosphate, Molybdate** Solution	500 ml
835500	**Fouchet's Reagent**	125 ml
839077	**Gaby-Hadley Reagent A**	100 ml
839078	**Gaby-Hadley Reagent B**	100 ml
839990	**Gordon-McLeod Reagent** (Oxidase reagent)	100 ml

READYMADE STAINING SOLUTIONS

Product Code	Product Name	Packing
824600	**Himic (Mild Decalcifying Solution)**	500 ml
824603	**Himic (Strong Decalcifying Solution)**	500 ml
849600	**Iodine Solution 1%**	125 ml
854500	**Kovac's Indole Reagent**	100 ml

Kovac's Indole Reagent (854500)
1) Control
2) *Escherichia coli* (ATCC 25922) +
3) *Enterobacter arrogenes* (ATCC 13048) -
*Key :- + Red ring at interface of the medium
- No red ring

866270	**Millon's Reagent**	125 ml 500 ml
868420	a-**Naphthylamine Solution**	100 ml
868740	**Nessler's Reagent** (For Ammonia and Ammonium salt)	100 ml
868760	**Nessler's Reagent** King's (for serum urea nitrogen)	100 ml



Nessler's Reagent (868760)
1) *Proteus mirabilis* (ATCC 25933) +
2) *Escherichia coli* (ATCC 25922) -
*Key :- + Brownish yellow ppt
- No colour change

871200	**O'Meara Reagent**	100 ml
877100	**Potassium Chromate** 5% w/v	125 ml
878640	**Potassium Oxalate** 5% w/v	125 ml
879350	**PYR Reagent**	10 ml

PYR Reagent (879350) (ATCC 29212)
1) *Enterococcus faecalis*
Positive reaction red colouration around the colony
2) *Escherichia coli* (ATCC 25922)
Negative reaction no change in colour

840000	**R.B.C. Diluting Fluid (Gower's)**	500 ml
883010	**R.B.C. Diluting Fluid (Hayem's)**	500 ml
891410	**Sodium Citrate** 3.8% w/v	125 ml
902745	**Sterile Distilled Water**	5x100 ml
893930	**Sterile Mineral Oil**	100 ml
812687	**Sterile Phosphate Buffered Saline** Solution pH 7.0	5x100 ml

Product Code	Product Name	Packing
894490	**Sulphanilic Acid** 0.8% Solution	100 ml
894610	5-**Sulphosalicylic Acid** 3% Solution	125 ml
896040	**TDA Reagent**	10 ml



TDA Reagent (896040)
1) *Proteus mirabilis* (ATCC 25933)
Positive reaction dark brown colouration around the colony
2) *Escherichia coli* (ATCC 25922)
Negative reaction

897900	**o-Toluidine Reagent** (For chlorine estimation)	500 ml
030467	**o-Toluidine Reagent** (for blood glucose estimation)	500 ml
898140	**Topfer Reagent**	125 ml
902550	**W.B.C. Diluting Fluid** (Truck's)	500 ml

Standard Soutions

804560	**Ammonium Buffer** Solution	1 lit
810745	**Boric Acid** Solution	500 ml
812620	**Buffer Solution** pH 4.00 ± 0.02	500 ml
812690	**Buffer Solution** pH 7.00 ± 0.02	500 ml
812750	**Buffer Solution** pH 9.2 ± 0.02	500 ml
829425	**EDTA,1M** Solution	500 ml
829295	**EDTA Titran, 0.035N**	500 ml
862880	**McFarland standard set** (Each set contains 1 tube of 0.5,1,2,3,4 McFarland standard)	1 No

McFarland standard set
Increasing opacity from McFarland standard 0.5 to McFarland standard 4

1. McFarland Standard 0.5
2. McFarland Standard 1.0
3. McFarland Standard 2.0
4. McFarland Standard 3.0
5. McFarland Standard 4.0

862881	**McFarland standard set** (Each set contains 1 tube of 0.5,1,2 McFarland standard)	1 No
889415	**Silver Nitrate Solution,0.1N**	500 ml
893240	**Sodium thiosulphate,0.1N**	1 lit
891715	**Sodium Hydroxide Standard** Solution,0.035N	500 ml
818900	**Standard Solution** for conductivity 1413 µS/cm	500 ml
818924	**Standard Solution for conductivity** 12880 µS/cm	500 ml
902990	**Wij's & Iodine** Solution	1 lit 2.5 lit

microgen

CE Certified
ISO 13485:2016

Viral Transport Systems

Viral Transport Medium (VTM) KIT for collection & Transport of clinical specimens containing viruses. Is a specially designed transport system to collect and transport viruses in an active form to the laboratory for isolation. It is designed to maintain the viability and the virulence of the viral sample.

It is prepared by Hanks Balanced Salt Solution and contains a protective protein, antibiotics to control microbial and fungal contamination and buffers to control the pH. Phenol red is used as a pH indicator. The medium also contains a cryoprotectant which helps in preserving the viruses if specimens are frozen for prolonged storage.

icmr | APPROVED

Molecular Biology Grade
Reagents

Product Code	Product Name	CAS No.
910548	Acrylamide for Electrophoresis	79-06-1
910550	Acrylamide 3x cryst. DNase, RNase, protease And Phosphate not detected	79-06-1
911010	Agarose high EEO	9012-36-6
911050	Agarose medium EEO type II	9012-36-6
911120	Agarose low EEO	9012-36-6
913150	Ammonium Acetate	631-61-8
913350	Ammonium Chloride	12125-02-9
914350	Ammonium Persulphate	7727-54-0
914550	Ammonium Sulphate	7783-20-2
918000	Boric Acid	10043-35-3
920900	Calcium Chloride Dihydrate	10035-04-8
921000	Cesium Chloride	7647-17-8
926500	N,N-Dimethyl Formamide	68-12-2
926590	Dimethyl Sulphoxide	67-68-5
928500	Dithioerythreitol (D.T.E.)	6892-68-8
932500	Ethylene Diamine Tetra Acetic Acid Disodium Salt	6381-92-6
937530	Formamide	75-12-7
940600	Glycine	56-40-6
941100	Guanidine Hydrochloride	50-01-1
948100	Imidazole	288-32-4
949000	Iso Amyl Alcohol	123-51-3
959200	Magnesium Acetate Tetrahydrate	16674-78-5
959340	Magnesium Chloride	7791-18-6

..... and many more

CDH offers wide range of Molecular Biology & Electrophoresis reagents - which are free from DNA, RNA & Protease and find application in the purification, isolation & analysis of nucleic acids & related compounds.

general instructions to the users

The Dehydrated Media are highly hygroscopic and get deteriorated easily unless stored in a cool & dry place away from bright light.

So care must be taken in the storage of dehydrated media.

Following instructions should be followed while using dehydrated culture media.

1. Read carefully the instruction given on the label.
2. Note the batch no. and date before opening the container.
3. Before use confirm that the media is not deteriorated physically.
4. Since the media is hygroscopic in nature, please ensure that the container is tightly closed and stored in cool and dry place after use.

DISSOLVING THE MEDIA : For dissolution use clean undamaged glassware two-three times larger in volume than the final volume of media to be prepared. Water which meats the U.S.P./I.P specifications should only be used.

Place accurately weighed amount of the medium in a clean dry flask. Add part of water and swirl until dissolved then add the remaining water through the sides of the flask to make up the required volume. For complete dissolution heat the media taking care to avoid overheating or scorching.

ADJUSTMENT OF pH : After preparations the pH of the media should be in concordance with value mentioned on the label at 25°C. If required, the pH should be adjusted to the specified value by adding 1N or 0.1N HCl or NaOH solution.

STERILIZATION : Sterilization of the media is usually carried out at 121 °C for 15 minutes using an autoclave. Autoclave efficiency should be checked from time to time.

POURING OF STERILIZED MEDIA : After sterilization Agar media should be poured into petri dishes at 45-50°C. The medium should be mixed well avoiding bubble formation. Agar surface should be dried at 30-40°C in the incubator before inoculation to avoid microbial swarming.

STORAGE OF PREPARED MEDIA : Unless the medium is not used in the same day it is prepared, then it should be kept in moisture proof containers.

Agar containing media should not be stored at higher temperatures. Agar plates should be stored at 2-8°C in sealed moisture proof containers. Stability of the prepared culture media is limited and varies considerably. Never store media below 0°C as it destroys its gel strength.

DISPOSAL OF MEDIA : All specimens and cultures should be carefully handled and must not disposed without autoclaving. Cultures in vessels should be autoclaved for approximately 30 minutes at 121 °C before disposal.

STORAGE OF MICROGEN CULTURE MEDIA PRODUCTS : For obtaining desired results microgen culture media products should be stored in specified storing conditions. It is recommended to use the products in the order of Batch number/Mfg. date.

Storage temperature and shelf-life of the microgen culture media products are as follows.

(a) Dehydrated media : Dehydrated media if stored under specified conditions will have shelf-life of 2 to 5 years. Storage temperature for dehydrated media are preferably between 8 and 25°C.

(b) Selective supplements : Except Horse serum (-20°C) all other supplements are required to store at 2 - 8°C. These products have a shelf-life of 1 - 3 years.

(c) Antimicrobial susceptibility discs : These are to be stored at -20°C but working stock at 28°C Shelf-life is from 1 to 3 years.

certain precautions while using dehydrated media

Faults	Reasons
Drift in pH hydrolysis of	Overheating, incomplete mixing, prolonged sterilization, use of alkaline glass, impure water, ingredients, prolonged storage at high temperature.
Incomplete Solubility	Inadequate heating of agar media incomplete mixing.
Darkening	Overheating of the medium, excess amount of dehydrated powder, improper mixing.
Soft Gel	Agar not in solution, improper reconstitution of dehydrated medium, acid hydrolysis of agar, failure to compensate for dilution of agar by the incoclum.
Loss of Growth differentiating properties	Promoting of repeated remelting, excessive heating, incomplete mixing, failure to compensate for dilution of ingredients, disturbance in the formula by inoculum carriers, etc.
Abnormal Colour of Medium	Deteriorated, dehydrated medium, improperly washed glassware, impure water.
Contamination	Improper/Insufficient sterilization. Poor technique in adding enrichments and pouring plates.

BULK PACKS

We offer a wide range of chemicals in attractive containers

- Fast Deliveries
- Safe & Convenient to handle
- Consistent & High quality as international standards
- And all these at affordable prices.

Certificate of Analysis is available on request

Available Packs

Solids : 25 Kg. & 50 Kg.

Liquids : 25 lit., 100 lit. & 200 lit

Central Drug House (P) Ltd.
AN ISO 9001 : 2015 CERTIFIED COMPANY

Corporate Office : 7/28, Vardaan House, Ansari Road, Daryaganj
New Delhi –110 002 (India)
Phone : +91-11-49404040 (100 Lines) Fax : 49404050
E-mail : sales@cdhfinechemical.com - (Domestic)
export@cdhfinechemical.com - (Overseas)
Mfg Unit : Plot No. D-2/CH/9, Dahej – 2 Industrial Estate,
GIDC, Dahej, Dist. Bharuch – 392130 (Gujarat)
Website : www.cdhfinechemical.com